



WHO / UNICEF

**Joint Monitoring Programme
for Water Supply and Sanitation**

Coverage Estimates
Improved Sanitation

Updated in July 2008

Congo

Estimate

FORM6/WHO	1999	
(Population in thousands)		
SANITATION	Urban	Rural
Population served with household connections to conventional sewers	0.00	0.00
Population without household connections but served with adequate, private or shared on-site system	234'020.00	
Total population served	234'020.00	
Total population unserved		
Total population	1'620'639.00	1'181'815.00
Population with adequate sanitation	14%	
% House connections	0%	0%

Source: Global Water Supply and Sanitation Assessment 2000. Water Supply and Sanitation Sector Questionnaire - 1999. (Form 6 sent to WHO)

Sur

WHS	2003	
SANITATION	Urban	Rural
Private domestic connection to sewage system (*)	6.1	0.1
Shared domestic connection to sewage system (*)	0.7	
Private flush to septic tank	3.0	0.0
Shared flush to septic tank	3.2	0.0
Private pour flush latrine	1.6	2.8
Shared pour flush latrine	1.6	1.0
Private covered dry latrine (with privacy)	30.2	33.4
Shared covered dry latrine (with privacy)	17.2	9.2
Uncovered dry latrine (without privacy)	28.0	26.1
Bucket latrine (where fresh excreta are manually removed)	4.5	6.3
No facilities (open defecation)	2.3	19.1
Other	1.7	2.0
TOTAL	100.0	100.0
Ratio of private among domestic connections	0.89	1.00
Ratio of private among flush to septic tank	0.48	#DIV/0!
Ratio of private among pour flush latrine	0.51	0.73
Ratio of private among covered dry latrine (with privacy)	0.64	0.78
Ratio of private among total improved facilities	0.64	0.78
shared san	21.93	10.23
% Private improved sanitation	64%	47%
% Private sewerage connections	7%	0%

Source: World Health Survey, WHO, 2003.


vey

DHS		2005	
Proportion shared improved facilities/all improved facilities		70.5%	53.6%
SANITATION	Urban	Rural	
Chasse d'eau pour le ménage seul	5.6	0.3	
Fosse/latrine améliorée privée	5.8	1.9	
Chasse d'eau en commun	3.5	0	
Fosse/latrine améliorée en commun	19.8	1.8	
Fosse/latrine rudimentaire privée	15.8	35.7	
Fosse/latrine rudimentaire en commun	45.6	42.7	
Pa de toilette/nature	3.7	17.5	
TOTAL	100	100	
50% of latrine considered Improved	30.7	39.2	
Access to improved sanitation	65%	43%	
% House connections	6%	0%	

Source: Congo Demographic and Health Survey 2005.


Congo			SANITATION								OPEN DEFECCATION			
			URBAN				RURAL				Urban		Rural	
			HC		Total		HC		Total		Used for estimates	Not used for estimates	Used for estimates	Not used for estimates
Source	Code	Year	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates
The International Drinking Water Supply and Sanitation Decade. Review of National Progress (as at December 1983). WHO 1986.	WHO83	1983												
The International Drinking Water Supply and Sanitation Decade. Review of National Progress (as at December 1988). WHO 1990.	WHO88	1988								2.0				
Global Water Supply and Sanitation Assessment 2000. Water Supply and Sanitation Sector Questionnaire - 1999. (Form 6 sent to WHO)	JMP99	1999		0.0		14.4		0.0		10.6	Estimation			
World Health Survey, WHO, 2003.	WHS03	2003	6.8		63.6		0.1		46.6		2.3		19.1	
Congo Demographic and Health Survey 2005	DHS05	2005	5.6		65.4		0.3		43.2		3.7		17.5	

Congo - urban - Access to improved sanitation coverage



Total access :

Congo - rural - Access to improved sanitation coverage



Total access :