



WHO / UNICEF

**Joint Monitoring Programme
for Water Supply and Sanitation**

Coverage Estimates
Improved Sanitation

Updated in July 2008


Germany

SIS	2001		
SANITATION	Urban	Rural	Total
household connections to conventional public sewers			94.6
toilet flushing to septic tank, composting toilet, improved pit latrine (VIP), pit latrine with slab			5.4
pit latrine without slab, open pit, bucket latrine, hanging toilet/hanging latrine, open defecation			0
TOTAL	0	0	100
% Use of an improved sanitation facility	100%	100%	100%
% Sewerage connections			95%
% Open defecation	0%	0%	0%

Source: Statistical Information Service, 2001, quoted in "Global Water Supply and Sanitation Assessment, European Region, WHO 2005"

Germany			SANITATION											
			URBAN				RURAL				OPEN DEFECTION			
			HC		Total		HC		Total		Urban		Rural	
Source	Code	Year	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates
Health for all database, WHO Regional Office for Europe, 1990.	ROE90	1990												
Statistical Information Service, 2001	SIS01	2001			100.0					100.0		0.0		0.0
OECD/OCDE	OECD98	1998	93.2					93.2						

Germany - urban - Access to improved sanitation coverage




Total improved access

◆ Used for estimates

* Estimates

Total access :

Germany - rural - Access to improved sanitation coverage



Total improved access

◆ Used for estimates

✱ Estimates

Total access :