



**WHO / UNICEF**

**Joint Monitoring Programme  
for Water Supply and Sanitation**

Coverage Estimates  
**Improved Sanitation**

Updated in July 2008

---

**Georgia**

---

MICS		1999	
SANITATION	Urban	Rural	
Flush to sewage system or septic tank	76.9	4.1	
Pour flush toilet	2.9	1.0	
Improved pit latrine	12.6	34.3	
Traditional pit latrine	7.5	59.7	
Bucket/Other	0.1	1.0	
<b>TOTAL</b>	<b>100</b>	<b>100.1</b>	
estimated sewerage connections based on LCEE 02	73.4	3.7	
Estimation of private improved latrines, based on WHS03	18.3	86.3	
<b>% Use of an improved sanitation facility</b>	<b>98%</b>	<b>91%</b>	
<b>% Sewerage connections</b>	<b>73%</b>	<b>4%</b>	

Source: Multiple Indicator Cluster Survey, Georgia 1999, 2000

LCEE		1996	
SANITATION	Urban	Rural	
Indoor	75.0	6.5	
Outdoor connected to sewer	15.7	10.3	
Outdoor, no sewer	9.3	83.3	
No functioning toilet	0.0	0.0	
<b>TOTAL</b>	<b>100.0</b>	<b>100.1</b>	
estimated sewerage connections based on LCEE 02	71.6	5.9	
Estimation of private improved latrines, based on WHS03	8.4	76.5	
<b>% Use of an improved sanitation facility</b>	<b>99%</b>	<b>93%</b>	
<b>% Sewerage connections</b>	<b>72%</b>	<b>6%</b>	

Source: Living Conditions, Energy, Environment, 1996

<b>LCEE</b>			<b>2002</b>		
<b>SANITATION</b>	<b>Urban</b>	<b>Rural</b>			
Indoor, single household	68.0	9.5			
Indoor, communal	3.2	1.0			
Outdoor connected to sewer	12.9	6.2			
Outdoor, no sewer	15.8	82.6			
No functioning toilet	0.0	0.3			
<b>TOTAL</b>	<b>99.9</b>	<b>99.6</b>			
Ratio of private indoor	0.96	0.90			
Estimation of private improved latrines, based on WHS03	14.4	75.9			
<b>% Use of an improved sanitation facility</b>	<b>98%</b>	<b>93%</b>			
<b>% Sewerage connections</b>	<b>68%</b>	<b>10%</b>			

Source: Living Conditions, Energy, Environment, 2002


<b>WHS</b>			<b>2003</b>		
<b>SANITATION</b>	<b>Urban</b>	<b>Rural</b>			
Private domestic connection to sewage system	80.8	9.2			
Shared domestic connection to sewage system	3.4	0.1			
Private flush to septic tank	0.8	4.7			
Shared flush to septic tank	0.2	0.5			
Private pour flush latrine	0.2	1.3			
Shared pour flush latrine	0.2	0.1			
Private covered dry latrine (with privacy)	13.1	75.1			
Shared covered dry latrine (with privacy)	0.3	2.3			
Uncovered dry latrine (without privacy)	1.0	4.4			
Bucket latrine (where fresh excreta are manually removed)	0.0	0.1			
No facilities (open defecation)	0.0	2.3			
Other	0.0	0.0			
<b>TOTAL</b>	<b>100.0</b>	<b>100.0</b>			
Ratio of private improved latrine (with privacy)	0.91	0.92			
<b>% Use of an improved sanitation facility</b>	<b>95%</b>	<b>90%</b>			
<b>% Sewerage connections</b>	<b>81%</b>	<b>9%</b>			

Source: World Health Survey, WHO, 2003.

<b>MICS</b>		<b>2005</b>	
facilities	0.03	0.01	
<b>SANITATION</b>	<b>Urban</b>	<b>Rural</b>	
Flush to piped sewer system	80.4	3.7	
Flush to septic tank	0.4	0.6	
Flush to pit (latrine)	1.7	7.6	
Ventilated Improved Pit latrine (VIP)	0.2	0.8	
Pit latrine with slab	16.1	81.2	
Composting toilet	0.0	1.1	
Flush to somewhere else	0.0	0.1	
Flush to unknown place/not sure/DK where	0.0	0.2	
Pit latrine without slab/open pit	1.1	4.5	
Bucket	0.0	0.1	
Other	0.0	0.0	
Missing	0.1	0.0	
<b>TOTAL</b>	<b>100.0</b>	<b>100.0</b>	
<b>% Use of an improved sanitation facility</b>	<b>99%</b>	<b>95%</b>	
<b>% Sewerage connections</b>	<b>80%</b>	<b>4%</b>	
<i>Georgia MICS, 2005</i>			

Georgia			SANITATION								OPEN DEFECCATION			
			URBAN				RURAL				Urban		Rural	
			HC		Total		HC		Total		Used for estimates	Not used for estimates	Used for estimates	Not used for estimates
Source	Code	Year	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates	Used for estimates	Not used for estimates		
Global Water Supply and Sanitation Assessment 2000. Water Supply and Sanitation Sector Questionnaire - 1999. (Form 6 sent to WHO)	JMP99	1999									no data sent			
Multiple Indicator Cluster Survey Georgia 1999, 2000	MICS00	2000	73.4		98.1		3.7		91.4					
World Health Survey, WHO, 2003.	WHO03	2003	80.8		94.9		9.2		90.3		0		2.27	
Living Conditions, Energy, Environment, 1996	LCEE96	1996	71.6		99.1		5.9		93.3					
Living Conditions, Energy, Environment, 2002	LCEE02	2002	68.0		98.5		9.5		92.6					
Multiple Indicator Cluster Survey Georgia 2005	MICS05	2005	80.4		98.7		3.7		95.3		0		0	


# Georgia - urban - Access to improved sanitation coverage



◆ Improved plus shared      ✱ Estimates      ▲ JMP 2008 estimate  
✱ Estimates

**Shared facilities :**  
 The proportion of the population using a shared improved sanitation facility is based on the MICS05

# Georgia - rural - Access to improved sanitation coverage



**Shared facilities :**  
The proportion of the population using a shared improved sanitation facility is based on the MICS05