



Italy - BCG



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Italy - DTP1

ITA - DTP1



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	98	98	98	95	97	97	98	98	98	98	99	98	98	98
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Description:

1997: Legacy estimate.

1997: No DTP1 data reported. Estimate based on estimated DTP3 coverage.

1998: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 98 percent changed from previous revision value of 97 percent.

1999: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 98 percent changed from previous revision value of 96 percent.

2000: No DTP1 data reported. Estimate based on estimated DTP3 coverage.

2001: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 97 percent changed from previous revision value of 96 percent.

2002: No DTP1 data reported. Estimate based on estimated DTP3 coverage.

2003: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 98 percent changed from previous revision value of 97 percent.

2004: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 98 percent changed from previous revision value of 97 percent.

2005: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 98 percent changed from previous revision value of 96 percent.

2006: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 98 percent changed from previous revision value of 97 percent.

2007: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 99 percent changed from previous revision value of 97 percent.


2008: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 98 percent changed from previous revision value of 96 percent.

2009: No DTP1 data reported. Estimate based on estimated DTP3 coverage.
Current estimate of 98 percent changed from previous revision value of 96 percent.

2010: No DTP1 data reported. Estimate based on estimated DTP3 coverage.

Italy - DTP3

ITA - DTP3



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	95	95	95	87	93	93	96	94	95	96	97	96	96	96
Official	95	95	95	87	93	93	96	94	95	96	97	96	96	96
Administrative	NA	NA	NA	NA	NA	NA	95	NA	NA	44	NA	NA	96	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97	NA	NA	NA

Description:

1997: Legacy estimate. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage. The high level of officially reported data in 1997 are supported by ICONA 1998.

1998: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.

1999: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.

2000: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.

2001: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.

2002: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.

2003: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.

2004: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.

2005: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.


2006: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.

Italy - DTP3

- 2007: Estimate based on reported data. 97 percent survey results supports reported data of 97 percent. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.
- 2008: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.
- 2009: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage.
- 2010: Estimate based on reported data. Estimate based on DTP coverage. DT is mandatory, while pertussis vaccination is not, but the use of the hexavalent vaccines for the infants immunization has strongly supported the achievement of high coverage. Data is provisional and based on reports from 12 out of 21 districts

Italy - Pol3

ITA - Pol3




Description:

- 1997: Legacy estimate. Polio vaccination is mandatory. The high level of officially reported data in 1997 are supported by ICONA 1998.
- 1998: Estimate based on reported data. Polio vaccination is mandatory.
- 1999: Estimate based on reported data. Polio vaccination is mandatory.
- 2000: Estimate based on reported data. Polio vaccination is mandatory.
- 2001: Estimate based on reported data. Polio vaccination is mandatory.
- 2002: Estimate based on reported data. Polio vaccination is mandatory.
- 2003: Estimate based on reported data. Polio vaccination is mandatory.
- 2004: Estimate based on reported data. Polio vaccination is mandatory.
- 2005: Estimate based on reported data. Polio vaccination is mandatory.
- 2006: Estimate based on reported data. Polio vaccination is mandatory.
- 2007: Estimate based on reported data. 97 percent survey results supports reported data of 97 percent. Polio vaccination is mandatory.
- 2008: Estimate based on reported data. Polio vaccination is mandatory.
- 2009: Estimate based on reported data. Polio vaccination is mandatory. Current estimate of 96 percent changed from previous revision value of 97 percent.
- 2010: Estimate based on reported data. Polio vaccination is mandatory. Data is provisional and based on reports from 12 out of 21 districts

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	98	96	97	97	96	96	97	97	97	97	97	96	96	96
Official	98	96	97	97	96	96	97	97	97	97	97	96	96	96
Administrative	NA	NA	NA	NA	NA	NA	95	NA	NA	44	NA	NA	97	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97	NA	NA	NA

Italy - MCV

ITA - MCV




	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	57	55	70	74	77	81	84	86	87	88	90	90	90	90
Official	57	55	70	74	77	81	84	86	87	88	90	90	90	90
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	25	NA	NA	91	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	90	NA	NA	NA

Description:

- 1997: Legacy estimate. Mumps, Measles and Rubella (MMR) vaccination are recommended. The high level of officially reported data in 1997 are supported by ICONA 1998.
- 1998: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 1999: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2000: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2001: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2002: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2003: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2004: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2005: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2006: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2007: Estimate based on reported data. 90 percent survey results supports reported data of 90 percent. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2008: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended.
- 2009: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended. Current estimate of 90 percent changed from previous revision value of 91 percent.
- 2010: Estimate based on reported data. Mumps, Measles and Rubella (MMR) vaccination are recommended. Data is provisional and based on reports from 12 out of 21 districts

Italy - HepB3

ITA - HepB3




	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	95	95	97	94	95	95	95	96	96	96	97	96	96	96
Official	95	95	97	94	95	95	95	96	96	96	97	96	96	96
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	44	NA	NA	96	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	97	NA	NA	NA

Description:

- 1997: Legacy estimate. HepB was introduced in 1991 and is mandatory.
- 1998: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 1999: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2000: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2001: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2002: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2003: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2004: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2005: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2006: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2007: Estimate based on reported data. 97 percent survey results supports reported data of 97 percent. HepB was introduced in 1991 and is mandatory.
- 2008: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2009: Estimate based on reported data. HepB was introduced in 1991 and is mandatory.
- 2010: Estimate based on reported data. HepB was introduced in 1991 and is mandatory. Data is provisional and based on reports from 12 out of 21 districts

Italy - Hib3




Description:

- 2000: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended. Hib introduced in 1999. Reporting started in 2000.
- 2001: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended
- 2002: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended
- 2003: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended
- 2004: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended
- 2005: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended
- 2006: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended
- 2007: Estimate based on reported data. 96 percent survey results supports reported data of 96 percent. Hib vaccine was introduced in 1995 and is recommended
- 2008: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended
- 2009: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended
- 2010: Estimate based on reported data. Hib vaccine was introduced in 1995 and is recommended. Data is provisional and based on reports from 12 out of 21 districts


	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	NA	NA	NA	55	70	83	90	94	95	96	96	96	96	95
Official	NA	NA	NA	55	70	83	90	94	95	96	96	96	96	95
Administrative	NA	NA	NA	NA	NA	84	90	NA	NA	44	NA	NA	96	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	96	NA	NA	NA

Italy - RotaC



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Italy - PcV3



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Italy - survey details

2007 ICONA 2008: Indagine di Copertura vaccinale Nazionale nei bambini e negli adolescenti

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP3	Card or History	97	12-23 m	3806	0
HepB3	Card or History	97	12-23 m	3806	0
Hib3	Card or History	96	12-23 m	3806	0
MCV	Card or History	90	15-26 m	3806	0
Pol3	Card or History	97	12-23 m	3806	0

2001 ICONA Survey 2003

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP3	Card	96	16-28 m	4602	0

HepB3	Card	96	16-28 m	4602	0
Hib3	Card	87	16-28 m	4602	0
MCV	Card	77	16-28 m	4602	0
Pol3	Card	96	16-28 m	4602	0

1997 ICONA: indagine nazionale sulla copertura vaccinale infantile 1998

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP3	Card or History	95	12-24 m	4310	0
HepB3	Card or History	94	12-24 m	4310	0
MCV	Card or History	56	12-24 m	4310	0
Pol3	Card or History	95	12-24 m	4310	0

Further information and estimates for 1980-1996 are available at:

http://www.childinfo.org/immunization_countryreports.html

http://www.who.int/immunization_monitoring/routine/immunization_coverage/en/index4.html