



Japan: WHO and UNICEF estimates of immunization coverage, 1997 - 2009




Japan - BCG



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Reported	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Japan - DTP1




	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	88	88	88	88	98	98	98	98	98	98	98	98	98
Reported	NA	NA	NA	100	100	102	101	103	102	101	NA	NA	106
Official	NA	NA	NA	100	100	102	101	103	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	100	102	101	103	102	101	NA	NA	106
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Description:

- 1997: Legacy estimate.
- 1998: Estimate calibrated to 1997 level (88 percent) and reported coverage (99 percent).
- 1999: Estimate calibrated to 1997 level (88 percent) and reported coverage (99 percent).
- 2000: Estimate calibrated to 1997 level (88 percent) and reported coverage (99 percent).
- 2001: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.
- 2002: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.
- 2003: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.
- 2004: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.
- 2005: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.
- 2006: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.
- 2007: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.
- 2008: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.
- 2009: Estimated DTP3 greater than estimated DTP1; DTP1 estimate based on the relationship between DTP1 and DTP3 from 282 surveys.

Japan - DTP3



Description:

1997: Legacy estimate.

1998: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 70 percent in 1997 and 85 percent in 2000.

1999: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 70 percent in 1997 and 85 percent in 2000.

2000: Estimate based on reported data.

2001: Estimate based on reported data.

2002: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 95 percent in 2001 and 97 percent in 2003.

2003: Estimate based on reported data.

2004: Estimate based on reported data.

2005: Estimate based on reported data.

2006: Estimate based on reported data.


2007: Estimate based on trend in reported data. Missing or ignored reported value estimated by extrapolation from 2006 reported value of 98 percent.

2008: Estimate based on trend in reported data. Missing or ignored reported value estimated by extrapolation from 2006 reported value of 98 percent.

2009: Estimate based on trend in reported data. Missing or ignored reported value estimated by extrapolation from 2006 reported value of 98 percent. 2009 reported data (105 percent) ignored; greater than 100 percent.

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	70	75	80	85	95	96	97	99	98	98	98	98	98
Reported	70	NA	NA	85	95	NA	97	100	98	98	NA	NA	105
Official	NA	NA	NA	85	95	NA	97	100	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	95	NA	97	100	98	98	NA	NA	105
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Japan - Pol3



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	97	98	98	99	81	89	97	97	95	95	97	98	99
Reported	97	NA	NA	99	81	NA	97	97	95	95	NA	NA	100
Official	NA	NA	NA	98	81	NA	97	97	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	97	97	95	95	NA	NA	100
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Description:

1997: Legacy estimate.

1998: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 97 percent in 1997 and 99 percent in 2000. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

1999: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 97 percent in 1997 and 99 percent in 2000. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

2000: Estimate based on reported data. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

2001: Estimate based on reported data. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

2002: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 81 percent in 2001 and 97 percent in 2003. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

2003: Estimate based on reported data. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

2004: Estimate based on reported data. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to

immunizations given during 2006.

2005: Estimate based on reported data. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.


2006: Estimate based on reported data. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

2007: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 95 percent in 2006 and 100 percent in 2009. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

2008: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 95 percent in 2006 and 100 percent in 2009. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

2009: Estimate based on reported data. Two doses of OPV are recommended at 3-90 months of age. Japan reported the second dose as a final (or 3d dose) and immunizations given up to months of age rather than those given before one year of age. Administrative data reported in 2008-2009 refer to immunizations given during 2006.

Japan - MCV



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	94	95	95	96	98	99	99	99	98	97	96	95	94
Reported	94	NA	NA	96	98	NA	99	102	98	97	NA	NA	94
Official	NA	NA	NA	96	98	NA	102	102	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	98	NA	102	102	98	97	NA	NA	94
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Description:

1997: Legacy estimate.

1998: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 94 percent in 1997 and 96 percent in 2000.

1999: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 94 percent in 1997 and 96 percent in 2000.

2000: Estimate based on reported data.

2001: Estimate based on reported data.

2002: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 98 percent in 2001 and 99 percent in 2003.

2003: Estimate based on reported data.

2004: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 99 percent in 2003 and 98 percent in 2005. 2004 reported data (102 percent) ignored; greater than 100 percent.

2005: Estimate based on reported data.


2006: Estimate based on reported data.

2007: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 97 percent in 2006 and 94 percent in 2009.

2008: Estimate based on trend in reported data. Missing or ignored reported value estimated by interpolation between reported values of 97 percent in 2006 and 94 percent in 2009.


2009: Estimate based on reported data.

Japan - HepB3




	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Reported	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Japan - Hib3




	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Reported	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Japan - RotaC



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Reported	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Japan - PnV3



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Reported	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Further information and estimates for 1980-1996 are available at:

http://www.childinfo.org/immunization_countryreports.html

http://www.who.int/immunization_monitoring/routine/immunization_coverage/en/index4.html