


# Nicaragua - BCG

NIC - BCG




	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	95	91	99	96	98	93	94	88	93	98	98	98	98	98
Official	106	91	100	104	98	93	94	88	102	101	112	110	108	115
Administrative	106	91	100	104	98	93	94	88	102	101	112	110	108	115
Survey	95	NA	NA	96	NA	NA	NA	NA	NA	98	NA	NA	NA	NA

## Description:

- 1997: Legacy estimate. Reported data of 106 percent greater than 100 percent.
- 1998: Reported data calibrated to 1997 and 2000 levels. Current estimate of 91 percent changed from previous revision value of 92 percent.
- 1999: Reported data calibrated to 1997 and 2000 levels.
- 2000: Nationally reported estimates are based on 1985 census and likely over-estimate true coverage. Reported data of 104 percent greater than 100 percent.
- 2001: Reported data calibrated to 2000 and 2002 levels. Current estimate of 98 percent changed from previous revision value of 97 percent.
- 2002: Estimates since 2002 are based on national estimates using revised population projections
- 2003: Reported data calibrated to 2002 and 2006 levels.
- 2004: Reported data calibrated to 2002 and 2006 levels. Current estimate of 88 percent changed from previous revision value of 96 percent.
- 2005: Estimate based on interpolation between 2004 and 2006. Reported data of 102 percent greater than 100 percent. Current estimate of 93 percent changed from previous revision value of 97 percent.
- 2006: Survey confirms high levels of coverage. Reported data of 101 percent greater than 100 percent.
- 2007: Estimate based on extrapolation from 2006 value of 98 percent. Reported data of 112 percent greater than 100 percent.
- 2008: Estimate based on extrapolation from 2006 value of 98 percent. Reported data of 110 percent greater than 100 percent.
- 2009: Estimate based on extrapolation from 2006 value of 98 percent. Reported data of 108 percent greater than 100 percent.
- 2010: Estimate based on extrapolation from 2006 value of 98 percent. Reported data of 115 percent greater than 100 percent.

# Nicaragua - DTP1

NIC - DTP1




## Description:

- 1997: Legacy estimate.
- 1998: No accepted DTP1 data. Estimate based on DTP3 coverage of 73. Current estimate of 89 percent changed from previous revision value of 94 percent.
- 1999: No accepted DTP1 data. Estimate based on DTP3 coverage of 79. Current estimate of 92 percent changed from previous revision value of 96 percent.
- 2000: Estimate based on reported data. 97 percent survey results supports reported data of 97 percent.
- 2001: Estimate based on reported data.
- 2002: Estimate based on reported data.
- 2003: Estimate based on reported data.
- 2004: Estimate based on reported data.
- 2005: Estimate based on reported data.
- 2006: Estimate based on reported data. 98 percent survey results supports reported data of 94 percent.
- 2007: Estimate based on interpolation between 2006 and 2008. Reported data of 105 percent greater than 100 percent. Current estimate of 96 percent changed from previous revision value of 94 percent.
- 2008: No accepted DTP1 data. Estimate based on DTP3 coverage of 96. Reported data of 103 percent greater than 100 percent.
- 2009: No accepted DTP1 data. Estimate based on DTP3 coverage of 98. Reported data of 101 percent greater than 100 percent. Current estimate of 99 percent changed from previous revision value of 98 percent.
- 2010: Estimate based on extrapolation from 2009 value of 99 percent. Reported data of 104 percent greater than 100 percent.

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	93	89	92	97	92	88	86	80	92	94	96	98	99	99
Official	NA	NA	NA	97	92	88	86	80	92	94	105	103	101	104
Administrative	NA	NA	NA	97	92	NA	86	80	92	93	105	103	101	104
Survey	95	NA	NA	97	NA	NA	NA	NA	NA	98	NA	NA	NA	NA

# Nicaragua - DTP3

NIC - DTP3




## Description:

- 1997: Legacy estimate.
- 1998: Reported data calibrated to 1997 and 2000 levels. Current estimate of 73 percent changed from previous revision value of 81 percent.
- 1999: Reported data calibrated to 1997 and 2000 levels. Current estimate of 79 percent changed from previous revision value of 82 percent.
- 2000: Nationally reported estimates are based on 1985 census and likely overestimate true coverage.
- 2001: Reported data calibrated to 2000 and 2002 levels. Current estimate of 87 percent changed from previous revision value of 84 percent.
- 2002: Estimates since 2002 are based on national estimates using revised population projections
- 2003: Estimate based on reported data.
- 2004: Estimate based on reported data.
- 2005: Estimate based on reported data.
- 2006: Estimate based on reported data. 95 percent survey results supports reported data of 87 percent.
- 2007: Estimate based on interpolation between 2006 and 2008. Reported data of 101 percent greater than 100 percent.
- 2008: Estimate based on reported data.
- 2009: Estimate based on reported data.
- 2010: Estimate based on extrapolation from 2009 value of 98 percent. Reported data of 101 percent greater than 100 percent.

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	80	73	79	83	87	85	86	79	88	87	92	96	98	98
Official	94	86	90	93	92	85	86	79	88	87	101	96	98	101
Administrative	94	86	90	93	92	85	86	79	88	87	101	96	98	101
Survey	80	NA	NA	83	NA	NA	NA	NA	NA	95	NA	NA	NA	NA

# Nicaragua - Pol3

NIC - Pol3




## Description:

- 1997: Legacy estimate. Reported data of 101 percent greater than 100 percent.
- 1998: Reported data calibrated to 1997 and 2000 levels. Current estimate of 82 percent changed from previous revision value of 83 percent.
- 1999: Reported data calibrated to 1997 and 2000 levels.
- 2000: Nationally reported estimates are based on 1985 census and likely overestimate true coverage.
- 2001: Reported data calibrated to 2000 and 2002 levels. Current estimate of 88 percent changed from previous revision value of 85 percent.
- 2002: Estimates since 2002 are based on national estimates using revised population projections
- 2003: Estimate based on reported data.
- 2004: Estimate based on reported data.
- 2005: Estimate based on reported data.
- 2006: Estimate based on reported data. 95 percent survey results supports reported data of 88 percent.
- 2007: Estimate based on interpolation between 2006 and 2008. Reported data of 101 percent greater than 100 percent.
- 2008: Estimate based on reported data.
- 2009: Estimate based on reported data.
- 2010: Estimate based on extrapolation from 2009 value of 99 percent. Reported data of 102 percent greater than 100 percent.

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	83	82	84	85	88	85	86	80	87	88	92	96	99	99
Official	101	91	93	94	93	85	86	80	87	88	101	96	99	102
Administrative	101	91	93	94	93	85	86	80	87	88	101	96	99	102
Survey	83	NA	NA	85	NA	NA	NA	NA	NA	95	NA	NA	NA	NA

# Nicaragua - MCV

NIC - MCV




	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	86	90	85	86	99	98	92	84	95	99	99	99	99	99
Official	94	100	97	100	100	98	93	84	96	100	105	109	104	105
Administrative	NA	NA	83	104	101	98	93	84	96	98	105	109	104	105
Survey	86	NA	NA	86	NA	NA	NA	NA	NA	88	NA	NA	NA	NA

## Description:

- 1997: Legacy estimate.
- 1998: Reported data calibrated to 1997 and 2000 levels. Current estimate of 90 percent changed from previous revision value of 86 percent.
- 1999: Reported data calibrated to 1997 and 2000 levels. Current estimate of 85 percent changed from previous revision value of 86 percent.
- 2000: Nationally reported estimates are based on 1985 census and likely overestimate true coverage.
- 2001: Survey results based on cohort 18-29 months of age and not representative of target population. Other estimates based on reported data.
- 2002: Survey results based on cohort 18-29 months of age and not representative of target population. Other estimates based on reported data.
- 2003: Reported data calibrated to 2002 and 2006 levels. Current estimate of 92 percent changed from previous revision value of 93 percent.
- 2004: Reported data calibrated to 2002 and 2006 levels.
- 2005: Reported data calibrated to 2002 and 2006 levels. Current estimate of 95 percent changed from previous revision value of 96 percent.
- 2006: Survey results based on cohort 18-29 months of age and not representative of target population. Other estimates based on reported data.
- 2007: Estimate based on extrapolation from 2006 value of 99 percent. Reported data of 105 percent greater than 100 percent.
- 2008: Estimate based on extrapolation from 2006 value of 99 percent. Reported data of 109 percent greater than 100 percent.
- 2009: Estimate based on extrapolation from 2006 value of 99 percent. Reported data of 104 percent greater than 100 percent.
- 2010: Estimate based on extrapolation from 2006 value of 99 percent. Reported data of 105 percent greater than 100 percent.

# Nicaragua - HepB3

NIC - HepB3




## Description:

- 1999: Reported data 90 percent calibrated to 2000 levels. HepB introduced in 1999 Vaccine presentation is DTP-HepB-Hib. Current estimate of 80 percent changed from previous revision value of 83 percent.
- 2000: Nationally reported estimates are based on 1985 census and likely overestimate true coverage. Estimates are based on DTP3 estimates
- 2001: Reported data calibrated to 2000 and 2002 levels. Current estimate of 87 percent changed from previous revision value of 84 percent.
- 2002: Estimates since 2002 are based on national estimates using revised population projections
- 2003: Estimate based on reported data.
- 2004: Estimate based on reported data.
- 2005: Estimate based on reported data.
- 2006: Estimate based on reported data. 95 percent survey results supports reported data of 87 percent.
- 2007: Estimate based on interpolation between 2006 and 2008. Reported data of 101 percent greater than 100 percent.
- 2008: Estimate based on reported data.
- 2009: Estimate based on reported data.
- 2010: Estimate based on extrapolation from 2009 value of 98 percent. Reported data of 101 percent greater than 100 percent.

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	NA	NA	80	83	87	85	86	79	88	87	92	96	98	98
Official	NA	NA	90	93	92	85	86	79	88	87	101	96	98	101
Administrative	NA	NA	90	93	92	85	86	79	88	87	101	96	98	101
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	95	NA	NA	NA	NA

# Nicaragua - Hib3

NIC - Hib3




## Description:

- 1999: Reported data 90 percent calibrated to 2000 levels. Hib introduced in 1999 Vaccine presentation is DTP-HepB-Hib. Current estimate of 80 percent changed from previous revision value of 83 percent.
- 2000: Nationally reported estimates are based on 1985 census and likely overestimate true coverage. Estimates are based on DTP3 estimates
- 2001: Reported data calibrated to 2000 and 2002 levels. Current estimate of 87 percent changed from previous revision value of 84 percent.
- 2002: Estimates since 2002 are based on national estimates using revised population projections
- 2003: Estimate based on reported data.
- 2004: Estimate based on reported data.
- 2005: Estimate based on reported data.
- 2006: Estimate based on reported data. 95 percent survey results supports reported data of 87 percent.
- 2007: Estimate based on interpolation between 2006 and 2008. Reported data of 101 percent greater than 100 percent.
- 2008: Estimate based on reported data.
- 2009: Estimate based on reported data.
- 2010: Estimate based on extrapolation from 2009 value of 98 percent. Reported data of 101 percent greater than 100 percent.

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	NA	NA	80	83	87	85	86	79	88	87	92	96	98	98
Official	NA	NA	90	93	92	85	86	79	88	87	101	96	98	101
Administrative	NA	NA	90	93	92	85	86	79	88	87	101	96	98	101
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	95	NA	NA	NA	NA

# Nicaragua - RotaC

NIC - RotaC




## Description:

- 2007: Estimate based on reported data. Current estimate of 69 percent changed from previous revision value of 66 percent.
- 2008: Estimate based on reported data. Rota introduced in 2006 reporting started in 2008
- 2009: Estimate based on reported data.
- 2010: Estimate based on reported data.

	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	69	89	94	98
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	69	89	94	98
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	69	89	94	98
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

# Nicaragua - PcV3



	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

# Nicaragua - survey details

## 2006 Encuesta Nicaragüense de Demografía y Salud ENDESA 2006-2007

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	98	18-29 m	1815	80
DTP1	Card or History	98	18-29 m	1815	80
DTP3	Card or History	95	18-29 m	1815	80
HepB1	Card or History	98	18-29 m	1815	80
HepB3	Card or History	95	18-29 m	1815	80
Hib1	Card or History	98	18-29 m	1815	80
Hib3	Card or History	95	18-29 m	1815	80
MCV	Card or History	88	18-29 m	1815	80
Pol1	Card or History	99	18-29 m	1815	80
Pol3	Card or History	95	18-29 m	1815	80

## 2000 Encuesta Nicaragüense de Demografía y Salud 2001, 2002

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	96	12-23 m	1370	78
DTP1	Card or History	97	12-23 m	1370	78
DTP3	Card or History	83	12-23 m	1370	78
MCV	Card or History	86	12-23 m	1370	78
Pol1	Card or History	97	12-23 m	1370	78
Pol3	Card or History	85	12-23 m	1370	78

## 1997 Encuesta Nicaragüense de Demografía y Salud 1998, 1999

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	History	23	12-23 m	1486	74
BCG	Card or History	95	12-23 m	1486	74

BCG	C or H <12 months	94	12-23 m	1486	74
BCG	C or H <12 months	94	24-35 m	1485	73
BCG	C or H <12 months	91	36-47 m	1602	68
BCG	C or H <12 months	88	48-59 m	1596	66
DTP1	Card or History	95	12-23 m	1486	74
DTP1	History	22	12-23 m	1486	74
DTP1	C or H <12 months	93	12-23 m	1486	74
DTP1	C or H <12 months	90	24-35 m	1485	73
DTP1	C or H <12 months	87	36-47 m	1602	68
DTP1	C or H <12 months	81	48-59 m	1596	66
DTP3	History	14	12-23 m	1486	74
DTP3	C or H <12 months	69	12-23 m	1486	74
DTP3	Card or History	80	12-23 m	1486	74
DTP3	C or H <12 months	69	24-35 m	1485	73
DTP3	C or H <12 months	61	36-47 m	1602	68
DTP3	C or H <12 months	54	48-59 m	1596	66
MCV	C or H <12 months	71	12-23 m	1486	74
MCV	Card or History	86	12-23 m	1486	74
MCV	History	19	12-23 m	1486	74
MCV	C or H <12 months	63	24-35 m	1485	73
MCV	C or H <12 months	58	36-47 m	1602	68
MCV	C or H <12 months	50	48-59 m	1596	66
Pol1	History	23	12-23 m	1486	74
Pol1	Card or History	97	12-23 m	1486	74
Pol1	C or H <12 months	95	12-23 m	1486	74
Pol1	C or H <12 months	91	24-35 m	1485	73
Pol1	C or H <12 months	87	36-47 m	1602	68
Pol1	C or H <12 months	81	48-59 m	1596	66
Pol3	C or H <12 months	73	12-23 m	1486	74
Pol3	Card or History	83	12-23 m	1486	74
Pol3	History	16	12-23 m	1486	74
Pol3	C or H <12 months	71	24-35 m	1485	73
Pol3	C or H <12 months	63	36-47 m	1602	68
Pol3	C or H <12 months	56	48-59 m	1596	66

Further information and estimates for 1980-1996 are available at:

[http://www.childinfo.org/immunization\\_countryreports.html](http://www.childinfo.org/immunization_countryreports.html)

[http://www.who.int/immunization\\_monitoring/routine/immunization\\_coverage/en/index4.html](http://www.who.int/immunization_monitoring/routine/immunization_coverage/en/index4.html)

## Nicaragua

### WHO/UNICEF Estimates of Protection at Birth (PAB) against tetanus

In countries where tetanus is recommended for girls and women coverage is usually reported as "TT2+", i.e. the proportion of (pregnant) women who have received their second or superior TT dose in a given year. TT2 + coverage, however, can under-represent the actual proportion of births that are protected against tetanus as it does not include women who have previously received protective doses, women who received one dose without documentation of previous doses, and women who received doses in TT (or Td) supplemental immunization activities (SIA). In addition, girls who have received DTP in their childhood and are entering childbearing age, may be protected with TT booster doses.

WHO and UNICEF have developed a model that takes into account the above scenarios, and calculates the proportion of births in a given year that can be considered as having been protected against tetanus - "Protection at Birth".

In this model, annual cohorts of women are followed from infancy through their life. A proportion receive DTP in infancy (estimated based on the WHO-UNICEF estimates of DTP3 coverage). In addition some of these women also receive TT through routine services when they are pregnant and may also receive TT during SIAs. The model also adjusts reported data, taking into account coverage patterns in other years, and/or results available through surveys. The duration of protection is then calculated, based on WHO estimates of the duration of protection by doses ever received. The proportion of births that are protected against tetanus as a result of maternal immunization reflects the tetanus immunization received by the mother throughout her life rather than simply the TT immunizations received during the current pregnancy.

Year	PAB coverage estimate (%)
1997	75
1998	78
1999	80
2000	83
2001	85
2002	87
2003	88
2004	91
2005	87
2006	85
2007	80
2008	80
2009	80
2010	81

---

<sup>1</sup> This model is described in: Griffiths U., Wolfson L., Quddus A., Younus M., Hafiz R.. Incremental cost-effectiveness of supplementary immunization activities to prevent neo-natal tetanus in Pakistan. Bulletin of the World Health Organization 2004; 82:643-651.