

WHO / UNICEF

Joint Monitoring Programme
for Water Supply and Sanitation

Estimates for the use of


**Improved Drinking-Water Sources
and Improved Sanitation Facilities**

Updated March 2010

childinfo.org


Angola			SANITATION															
			URBAN								RURAL							
			Sewer connection		Total		Open defecation		Shared		Sewer connection		Total		Open defecation		Shared	
Source	Code	Year	Used	Not used	Used	Not used	Used	Not used	Used	Not used	Used	Not used	Used	Not used	Used	Not used	Used	Not used
Multiple Indicator Cluster Survey	MICS96	1996	17.8		61.8		30.4				0.8		9.4		68.7			
Global Water Supply and Sanitation Assessment 2000.	JMP99	1999		7.4		25.4						0.0		15.0				
Multiple Indicator Cluster Survey	MICS01	2001		18.5		61.0		24.2			2.2		8.7		73.4			
Malaria Indicator Survey	MIS07	2007	14.4		83.7		3.0				0.2		18.3		50.9			

Angola - urban - Use of improved sanitation facilities



■ Used for the estimates * Estimates ▲ JMP 2010 estimate

Angola - rural - Use of improved sanitation facilities



Sanitation


Angola	Sanitation coverage estimates					
	Urban (%)		Rural (%)		Total (%)	
	1990	2008	1990	2008	1990	2008
Improved facilities	58	86	6	18	25	57
Shared facilities						
Unimproved facilities	7	13	17	29	14	20
Open defecation	35	1	77	53	61	23

Source: WHO/UNICEF JMP, 2010


Angola	Urban		Rural		Total	
	1990	2008	1990	2008	1990	2008
Population (x1000)	3,960	10,226	6,701	7,795	10,661	18,021

Source: UN / Population Division, 2008


Urban sanitation trends



Rural sanitation trends



Total sanitation trends



■ Improved facilities
■ Shared facilities
■ Unimproved facilities
■ Open defecation

■ Improved facilities
■ Shared facilities
■ Unimproved facilities
■ Open defecation

■ Improved facilities
■ Shared facilities
■ Unimproved facilities
■ Open defecation