

Table 1: Number of households and women, and response rates, Sao Tome & principe, 2000

	Lugar de residencia		Total
	Urbano	Rural	
Sampled households	1500	1754	3254
Occupied households	1498	1754	3252
Completed households	1460	1713	3173
Household response rate	97.4	97.7	97.6
Eligible women	1793	1709	3501
Interviewed women	1509	1447	2956
Women response rate	84.2	84.7	84.4
Children under 5	1061	1228	2289
Interviewed children under 5	1032	1202	2234
Child response rate	97.3	97.9	97.6

Table 2: Single year age distribution of household population by sex, Sao Tome & Principe, 2000

Idade	Sexo			
	Masc		Fem	
	Number	Percent	Number	Percent
0	262	3.8	272	3.7
1	236	3.4	219	3.0
2	202	3.0	242	3.3
3	236	3.4	235	3.2
4	217	3.2	191	2.6
5	197	2.9	172	2.3
6	215	3.1	189	2.6
7	169	2.5	187	2.5
8	199	2.9	213	2.9
9	204	3.0	207	2.8
10	264	3.9	211	2.9
11	175	2.6	153	2.1
12	206	3.0	199	2.7
13	171	2.5	198	2.7
14	179	2.6	179	2.4
15	180	2.6	176	2.4
16	166	2.4	182	2.5
17	164	2.4	185	2.5
18	181	2.6	205	2.8

Table 2: Single year age distribution of household population by sex, Sao Tome & Principe, 2000

		Sexo			
		Masc		Fem	
		Number	Percent	Number	Percent
Idade	19	132	1.9	172	2.3
	20	168	2.5	215	2.9
	21	128	1.9	133	1.8
	22	145	2.1	156	2.1
	23	128	1.9	155	2.1
	24	101	1.5	118	1.6
	25	124	1.8	145	2.0
	26	71	1.0	97	1.3
	27	81	1.2	101	1.4
	28	92	1.3	113	1.5
	29	67	1.0	88	1.2
	30	91	1.3	131	1.8
	31	41	.6	73	1.0
	32	67	1.0	82	1.1
	33	78	1.1	62	.8
	34	74	1.1	81	1.1
	35	71	1.0	87	1.2
	36	70	1.0	93	1.3
	37	50	.7	66	.9
	38	66	1.0	92	1.2
	39	63	.9	88	1.2
	40	73	1.1	74	1.0
	41	33	.5	33	.5
	42	61	.9	47	.6
	43	50	.7	49	.7
	44	33	.5	44	.6
	45	49	.7	50	.7
	46	35	.5	41	.6
	47	37	.5	35	.5
	48	27	.4	37	.5
	49	35	.5	23	.3
	50	35	.5	65	.9
	51	10	.1	31	.4
	52	30	.4	44	.6
	53	22	.3	26	.4

Table 2: Single year age distribution of household population by sex, Sao Tome & Principe, 2000

		Sexo			
		Masc		Fem	
		Number	Percent	Number	Percent
Idade	54	17	.2	29	.4
	55	29	.4	23	.3
	56	20	.3	21	.3
	57	12	.2	24	.3
	58	17	.2	30	.4
	59	15	.2	14	.2
	60	29	.4	46	.6
	61	13	.2	20	.3
	62	29	.4	29	.4
	63	30	.4	34	.5
	64	25	.4	19	.3
	65	24	.4	21	.3
	66	9	.1	25	.3
	67	20	.3	28	.4
	68	12	.2	10	.1
	69	12	.2	15	.2
	70+	128	1.9	166	2.3
	Missing/DK	146	2.1	65	.9
Total		6844	100.0	7384	100.0

Table 3: Percentage of cases missing information for selected questions, Sao Tome & principe, 2000

	Percent missing	Number
Level of education	.0	9622
Year of education	.0	9759
Number of hours worked	.0	315

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	2873
Date of last tetanus toxoid injection	.0	7
Ever been tested for HIV	.0	2736

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	2208
Diarrhoea in last 2 weeks	.0	2208
Weight	.4	2208
Height	.0	2208

Table 4: Percent distribution of households by background characteristics, Sao Tome & Principe, 2000

		Percent	Number	Unweighted
Regiao	Norte	19.0	618	618
	Centro	71.0	2308	2313
	Sul	4.7	154	142
	Principe	5.3	173	181
Lugar de residencia	Urbano	46.1	1500	1596
	Rural	53.9	1754	1658
Number of HH members	1	8.2	267	263
	2-3	31.0	1008	1009
	4-5	34.3	1116	1120
	6-7	17.5	570	569
	8-9	7.4	241	240
	10+	1.6	52	53
Total		100.0	3254	3254

Table 4: Percent distribution of households by background characteristics, Country, Year

	Percent	Number	Unweighted
At least one child age < 15	75.8	2854	2826
At least one child age < 5	44.1	2660	2618
At least one woman age 15-49	77.9	3254	3254

Table 4a: Percent distribution of households by background characteristics, Sao Tome & Principe, 2000

		Lugar de residencia		Total
		Urbano	Rural	
Regiao	Norte	10.6	26.2	19.0
	Centro	83.8	59.9	71.0
	Sul	1.3	7.7	4.7
	Principe	4.2	6.2	5.3
Number of HH members	1	5.6	10.4	8.2
	2-3	31.2	30.8	31.0
	4-5	35.8	33.0	34.3
	6-7	17.7	17.4	17.5
	8-9	7.8	7.1	7.4
	10+	1.9	1.3	1.6
	Total	100.0	100.0	100.0
	Number	1500	1754	3254
Unweighted	1596	1658	3254	

Table 4a: Percent distribution of households by background characteristics, Country, Year

	Lugar de residencia		Total
	Urbano	Rural	
At least one child age < 15	74.1	76.9	75.8
At least one child age < 5	27.1	53.5	44.1
At least one woman age 15-49	82.9	73.6	77.9
Number	1500	1754	3254
Unweighted	1596	1658	3254

Table 5: Percent distribution of women 15-49 by background characteristics, Sao Tome & Principe, 2000

		Percent	Number	Unweighted
Regiao	Norte	15.5	445	450
	Centro	75.5	2170	2182
	Sul	4.1	117	103
	Principe	4.9	142	139
Lugar de residencia	Urbano	50.8	1436	1517
	Rural	49.2	1389	1308
Idade	15-19	24.0	689	690
	20-24	21.7	623	622
	25-29	16.6	476	475
	30-34	12.8	366	367
	35-39	12.9	370	372
	40-44	7.0	201	200
	45-49	5.1	147	147
Estado civil	Casada actualmente	61.8	1775	1771
	Casada formalmente	19.1	550	551
	Nunca casou	19.1	549	552
Ja teve filhos	Sim	74.8	2148	2144
	Nao	25.2	726	730
Nivel de educa+ao da mulher	Analfabeta	17.7	509	507
	Primario	39.3	1128	1119
	Secundario +	42.6	1223	1234
	Programa nao formal	.1	2	2
	Missing/Nao Sabe	.4	12	12
Total		100.0	2873	2874

Table 6: Percent distribution of children under 5 by background characteristics, Sao Tome & principe, 2000

		Percent	Number	Unweighted
Sexo	homem	48.2	997	995
	Mulher	51.8	1072	1070
Regiao	Norte	19.9	439	442
	Centro	70.3	1553	1557
	Sul	5.1	114	105
	Principe	4.7	103	104
Lugar de residencia	Urbano	46.2	1013	1075
	Rural	53.8	1181	1119
Idade	< 6 meses	12.8	283	283
	6-11 meses	10.6	234	233
	12-23 meses	18.8	415	418
	24-35 meses	20.1	444	444
	36-47 meses	20.6	454	453
	48-59 meses	17.1	377	376
Nivel de educaçao da mulher	Nenhum nivel	19.3	426	425
	Primario	46.0	1015	1007
	Secundario	34.0	751	760
	Missing/Nao sabe	.7	16	16
Total		100.0	2208	2208

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Sao Tome & Principe, 2000

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	5.4	55
	Second	2.5	38
	Middle	5.2	38
	Fourth	10.1	44
	Richest	21.6	649
Sexo	homem	19.0	385
	Mulher	18.0	393
Regiao	Norte	21.4	158
	Centro	14.5	587
	Sul	40.5	44
	Principe	34.5	41
Lugar de residencia	Urbano	18.1	381
	Rural	18.4	444
Age	36-47 months	14.4	454
	48-59 months	22.7	376
Nivel de educaçao da mulher	Nenhum nivel	13.5	173
	Primario	14.4	357
	Secundario	25.6	294
	Missing/Nao sabe	15.9	6
Total		18.2	830

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Country, Year

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index	Poorest	100.0	92.3	100.0	.0	.0
Quintiles	Second	100.0	76.6	69.0	.	.
	Middle	93.6	93.1	82.3	.	.
	Fourth	91.9	89.0	100.0	31.7	25.9
	Richest	94.2	95.9	94.2	60.7	51.7
Sexo	Masc	96.0	93.0	91.2	56.8	46.3
	Fem	93.9	95.9	95.1	56.3	48.3
Regiao	Norte	97.1	92.5	84.6	44.6	33.9
	Centro	94.0	95.0	95.8	59.0	50.4
	Sul	100.0	100.0	100.0	.	.
	Principe	95.4	90.7	93.1	53.4	43.1
Lugar de residencia	Urbano	95.3	93.2	91.3	56.2	45.6
	Rural	94.6	95.2	95.0	57.3	49.0
1.00		95.0	94.3	93.1	56.6	47.2

World Summit for Children Goal => Number 6

Table 11b: Percentage of children of primary school age attending primary school, Sao Tome & Principe, 2000

		Sexo				Total	
		Masc		Fem		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth Index Quintiles	Poorest	70.1	193	68.8	177	69.5	370
	Second	67.8	150	74.0	146	70.9	296
	Middle	73.0	173	75.8	177	74.4	350
	Fourth	75.3	157	75.2	159	75.2	316
	Richest	80.9	161	75.9	154	78.4	315
Regiao	Norte	70.1	144	69.8	139	70.0	283
	Centro	74.0	607	75.3	595	74.7	1202
	Sul	75.1	46	69.9	45	72.5	91
	Principe	71.2	39	72.0	40	71.6	79
Lugar de residencia	Urbano	73.8	377	73.2	383	73.5	760
	Rural	72.9	459	74.5	435	73.7	894
Idade	7	50.5	169	52.9	187	51.7	356
	8	80.6	199	81.7	213	81.2	412
	9	86.1	204	82.1	207	84.1	411
	10	72.6	264	76.6	211	74.4	475
Total		73.3	836	73.9	818	73.6	1654

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Sao Tome & Principe, 2000

		Sexo				Total	
		Masc		Fem		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth Index Quintiles	Poorest	64.1	270	67.8	240	65.9	511
	Second	64.4	222	71.8	210	68.0	433
	Middle	72.0	252	70.9	248	71.5	500
	Fourth	68.7	229	69.9	230	69.3	459
	Richest	67.5	242	65.1	234	66.3	476
Regiao	Norte	66.9	233	67.4	199	67.1	432
	Centro	67.8	848	69.5	855	68.6	1703
	Sul	70.4	72	69.3	54	69.9	126
	Principe	59.3	64	69.9	63	64.5	127
Lugar de residencia	Urbano	68.2	555	67.7	554	67.9	1108
	Rural	66.6	663	70.4	617	68.4	1279
Idade	7	50.5	169	52.9	187	51.7	356
	8	80.6	199	81.7	213	81.2	412
	9	86.1	204	82.1	207	84.1	411
	10	72.6	264	76.6	211	74.4	475
	11	58.5	175	67.0	153	62.5	328
	12	50.6	206	51.1	199	50.8	405
Total		67.3	1217	69.1	1170	68.2	2388

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Sao Tome & Principe, 2000

		Sexo						Total		
		Masc			Fem			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	94.6	2.2	125	72.5	9.2	181	81.5	6.4	306
	Second	86.0	5.9	143	64.1	17.1	162	74.4	11.8	304
	Middle	81.9	4.6	172	59.1	15.6	203	69.6	10.5	374
	Fourth	90.3	4.6	138	61.6	15.4	167	74.6	10.5	305
	Richest	92.3	3.7	2988	78.0	10.7	3539	84.5	7.5	6527
Regiao	Norte	87.1	7.5	644	66.5	19.1	680	76.5	13.5	1325
	Centro	93.6	2.5	2581	78.8	9.2	3196	85.4	6.2	5777
	Sul	81.6	7.2	152	57.8	16.5	182	68.7	12.3	335
	Principe	86.0	7.2	189	74.1	13.2	192	80.0	10.2	381
Lugar de residencia	Urbano	94.9	2.2	1702	81.1	9.1	2146	87.2	6.1	3848
	Rural	88.4	5.4	1864	70.2	13.5	2105	78.8	9.7	3969
Age	15-24	95.0	1.7	1492	91.8	2.9	1696	93.3	2.4	3188
	25-34	97.7	1.0	786	90.9	4.0	973	93.9	2.6	1759
	35-44	92.4	3.9	570	70.4	12.4	674	80.5	8.5	1244
	45-54	92.2	3.5	295	48.1	27.5	381	67.3	17.0	676
	55-64	76.1	10.8	218	26.0	38.8	262	48.8	26.1	480
	65+	55.0	23.3	205	19.4	38.3	266	34.9	31.8	471
Total		91.5	3.8	3566	75.7	11.3	4251	82.9	7.9	7817

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Sao Tome & Principe, 2000

		Principal fonte de agua										Total	Total with safe drinking water	Number of persons
		Agua canalizada em casa	Agua canalizada no quintal	Torneira publica	Furo com bomba	Fonte ou poço protegido	Agua engarrafada	Fonte ou poço nao protegido	Bassia, rio ou corrente	Camiao-cisterna de distribuicao de agua	Outro			
Regiao	Norte	3.3	16.5	61.9	.1	.6	.0	.2	16.9	.0	.5	100.0	82.3	2484
	Centro	6.6	20.7	42.8	2.4	8.3	.1	5.0	10.2	.1	3.9	100.0	80.5	10349
	Sul	1.9	15.7	44.1	.0	.6	.0	9.2	24.4	.0	4.1	100.0	62.3	676
	Principe	6.8	34.0	13.1	.0	26.8	.0	7.0	12.2	.0	.0	100.0	80.7	722
Lugar de residencia	Urbano	9.4	24.8	50.0	.8	3.4	.1	2.3	6.2	.1	2.9	100.0	88.1	6824
	Rural	2.4	16.3	39.8	2.6	11.4	.1	6.4	17.6	.0	3.4	100.0	72.4	7406
Total		5.8	20.4	44.7	1.8	7.6	.1	4.4	12.1	.1	3.1	100.0	79.9	14230

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Sao Tome & Principe, 2000

		Especie de metodo sanitario						Total
		Descarga para o sist.de esgoto ou fossa	Descarga para latrina	Latrina melhorada	Latrina tradicional	Outro	Mato, praia ou campo	
Regiao	Norte	18.3	.6	1.0	.3	.0	79.8	100.0
	Centro	16.5	2.4	8.4	1.9	.2	70.7	100.0
	Sul	7.0	1.0	2.6	2.2	.0	87.2	100.0
	Principe	19.2	.8	1.8	.1	.0	78.1	100.0
Lugar de residencia	Urbano	20.8	2.1	8.1	1.9	.2	66.9	100.0
	Rural	12.5	1.7	5.1	1.1	.1	79.5	100.0
Total		16.5	1.9	6.5	1.5	.1	73.4	100.0

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Sao Tome & Principe, 2000

		Total with sanitary means of excreta disposal	Number of persons
Regiao	Norte	20.2	2484
	Centro	29.0	10351
	Sul	12.8	676
	Principe	21.9	722
Lugar de residencia	Urbano	32.8	6824
	Rural	20.4	7408
Total		26.3	14232

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Sao Tome & Principe, 2000

		Missing height or weight	Number of children
Wealth Index Quintiles	Poorest	15.9	510
	Second	10.6	410
	Middle	14.5	471
	Fourth	16.8	436
	Richest	20.6	363
Sexo	homem	16.0	997
	Mulher	15.2	1072
Regiao	Norte	15.6	439
	Centro	16.5	1553
	Sul	9.5	114
	Principe	8.7	103
Lugar de residencia	Urbano	19.1	1013
	Rural	12.5	1181
Idade	< 6 meses	8.2	283
	6-11 meses	5.1	234
	12-23 meses	7.7	415
	24-35 meses	11.6	444
	36-47 meses	21.5	454
	48-59 meses	33.9	377
Nivel de educaçao da mulher	Nenhum nivel	15.2	426
	Primario	12.4	1015
	Secundario	19.7	751
	Missing/Nao sabe	31.3	16
Total		15.6	2208

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Country, Year

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	11.7	2.1	36.9	13.9	.0	.0	93
	Second	22.3	2.2	35.9	8.5	9.1	.0	101
	Middle	10.0	1.3	25.1	3.7	1.3	.0	79
	Fourth	15.7	2.5	29.8	7.3	3.6	.0	87
	Richest	12.2	1.9	27.9	10.4	3.6	.8	1286
Sexo	homem	14.5	2.8	31.0	12.3	4.3	.7	797
	Mulher	11.4	1.1	26.9	7.8	3.1	.6	849
Regiao	Norte	15.9	2.7	30.8	11.6	4.3	.9	328
	Centro	13.1	1.7	29.6	10.3	3.7	.6	1149
	Sul	8.3	2.1	13.0	4.1	2.1	.7	89
	Principe	3.6	1.2	27.8	4.8	2.4	.0	81
Lugar de residencia	Urbano	13.4	2.2	26.8	9.6	4.2	.6	706
	Rural	12.5	1.7	30.5	10.2	3.2	.7	941
Idade	< 6 meses	3.7	1.0	12.0	2.1	4.3	1.0	185
	6-11 meses	10.4	1.5	24.6	6.7	2.9	.0	192
	12-23 meses	22.1	4.0	35.3	14.0	7.4	1.3	350
	24-35 meses	10.4	.6	25.9	7.8	2.2	.9	352
	36-47 meses	11.4	1.4	32.6	11.0	1.9	.0	349
	48-59 meses	14.6	2.8	35.6	15.0	2.8	.5	217
Nivel de educaçao da mulher	Nenhum nivel	15.2	1.9	33.3	13.1	3.2	.5	294
	Primario	14.1	2.2	29.7	10.6	4.0	.8	817
	Secundario	9.5	1.5	25.2	7.2	3.1	.5	525
	Missing/Nao sabe	21.5	.0	29.8	10.7	10.7	.0	10
Total		12.9	1.9	28.9	10.0	3.6	.6	1646

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Sao Tome & Principe, 2000

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children
Wealth Index Quintiles	Poorest	79.1	14	56.1	11	100.0	5
	Second	54.8	11	73.8	12	69.9	10
	Middle	40.3	10	50.7	4	100.0	3
	Fourth	73.3	7	57.6	7	75.8	8
	Richest	64.3	126	51.0	108	84.9	111
Sexo	homem	64.2	72	53.6	61	84.6	69
	Mulher	62.7	83	52.2	73	85.8	64
Regiao	Norte	48.9	45	71.5	21	96.0	25
	Centro	70.0	115	50.5	105	81.8	108
	Sul	100.0	2	69.3	14	67.0	4
	Principe	40.0	5	12.4	8	100.0	1
Lugar de residencia	Urbano	67.8	80	34.3	63	81.8	72
	Rural	60.3	88	69.2	79	86.6	65
Nivel de educaçao da mulher	Nenhum nivel	58.0	34	66.3	25	87.7	27
	Primario	61.7	81	47.1	69	87.0	74
	Secundario	70.0	51	55.0	54	73.7	33
	Missing/Nao sabe	100.0	2	.	0	100.0	2
Total		63.9	167	53.2	147	84.1	137

World Summit for Children Goal => Number 16

Table 16: Percent of living children by breastfeeding status, Sao Tome & Principe, 2000

		Continued breastfeeding rate	
		Children 20-23 months	Number of children
Wealth Index Quintiles	Poorest	67.3	9
	Second	74.0	8
	Middle	44.2	9
	Fourth	33.3	3
	Richest	36.1	91
Sexo	homem	38.1	70
	Mulher	48.3	48
Regiao	Norte	50.0	30
	Centro	38.1	77
	Sul	76.7	8
	Principe	22.4	9
Lugar de residencia	Urbano	34.8	55
	Rural	48.2	66
Nivel de educaçao da mulher	Nenhum nivel	61.6	23
	Primario	36.7	53
	Secundario	39.1	46
	Missing/Nao sabe	.	0
Total		42.3	123

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Country, Year

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	.0	74.9	11.9	9.3	3.8	100.0	75
2-3	4.8	53.6	22.2	14.8	4.7	100.0	81
4-5	3.5	47.0	19.4	15.6	14.4	100.0	107
6-7	4.6	17.6	6.3	14.8	56.8	100.0	63
8-9	4.2	3.1	8.6	24.1	60.1	100.0	71
10-11	8.7	1.2	6.3	21.4	62.4	100.0	80
12-13	15.8	.0	5.1	16.9	62.3	100.0	58
14-15	15.2	4.2	5.6	28.7	46.3	100.0	70
16-17	21.8	.0	1.2	13.2	63.8	100.0	78
18-19	39.3	2.9	2.9	14.0	40.9	100.0	67
20-21	46.4	1.3	4.1	11.1	37.1	100.0	75
22-23	68.9	2.4	2.6	10.6	15.5	100.0	39
24-25	91.5	.0	.0	4.2	4.2	100.0	72
26-27	90.7	.0	1.6	.0	7.7	100.0	66
28-29	96.6	.0	.0	.0	3.4	100.0	91
30-31	100.0	.0	.0	.0	.0	100.0	76
32-33	100.0	.0	.0	.0	.0	100.0	56
34-35	98.6	.0	.0	.0	1.4	100.0	69

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Sao Tome & Principe, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	8.5	80.1	50.8	49.2	650
	Second	9.2	85.0	67.9	32.1	651
	Middle	7.0	86.2	61.8	38.2	650
	Fourth	5.8	86.8	56.0	44.0	650
	Richest	5.2	92.2	60.3	39.7	651
Regiao	Norte	8.6	71.6	59.8	40.2	618
	Centro	6.0	90.9	56.0	44.0	2308
	Sul	10.7	77.5	82.6	17.4	154
	Principe	14.9	80.8	90.1	9.9	173
Lugar de residencia	Urbano	6.2	88.2	60.2	39.8	1500
	Rural	8.0	84.2	58.8	41.2	1754
Total		7.2	86.1	59.5	40.5	3254

World Summit for Children Goal => Number 14

Table 17a: Percentage of population consuming adequately iodized salt, Sao Tome & Principe, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	3.4	90.9	49.1	50.9	650
	Second	6.6	87.3	44.8	55.2	652
	Middle	8.0	68.0	54.8	45.2	655
	Fourth	10.6	85.1	58.0	42.0	652
	Richest	5.5	89.2	60.2	39.8	11624
Regiao	Norte	7.3	74.4	57.7	42.3	2484
	Centro	5.0	92.1	55.5	44.5	10351
	Sul	7.4	77.7	83.4	16.6	676
	Principe	11.5	85.5	89.9	10.1	722
Lugar de residencia	Urbano	5.6	89.6	60.0	40.0	6824
	Rural	6.0	86.5	57.4	42.6	7408
Total		5.8	88.0	58.7	41.3	14232

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Sao Tome & Principe, 2000

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	1.9	1.0	.0	7.4	89.6	100.0	105
	Second	1.0	.0	.0	6.2	92.8	100.0	108
	Middle	1.2	1.1	.0	2.2	95.5	100.0	86
	Fourth	2.0	.0	1.1	2.9	94.0	100.0	101
	Richest	3.3	.8	1.2	5.0	89.6	100.0	1493
Sexo	homem	3.3	.7	1.1	5.4	89.6	100.0	873
	Mulher	3.0	.6	.8	4.6	91.0	100.0	921
Regiao	Norte	.8	1.1	.0	1.6	96.5	100.0	367
	Centro	2.2	.4	.8	5.9	90.7	100.0	1346
	Sul	1.7	.0	.0	2.2	96.1	100.0	107
	Principe	25.3	4.4	9.8	8.6	51.9	100.0	91
Lugar de residencia	Urbano	3.1	1.2	1.4	6.4	87.9	100.0	872
	Rural	2.8	.3	.7	3.8	92.4	100.0	1026
Idade	6-11 meses	2.9	.0	.4	2.4	94.2	100.0	234
	12-23 meses	3.9	.0	1.2	2.4	92.6	100.0	410
	24-35 meses	3.6	.9	.2	5.1	90.2	100.0	443
	36-47 meses	1.3	1.3	1.7	6.4	89.3	100.0	451
	48-59 meses	3.2	1.1	1.3	7.8	86.6	100.0	372
Nivel de educaçao da mulher	Nenhum nivel	4.0	.3	.3	5.2	90.3	100.0	372
	Primario	2.6	.6	1.3	4.0	91.5	100.0	873
	Secundario	2.9	1.0	1.0	6.3	88.7	100.0	653
	Missing/Nao sabe	.0	8.2	.0	.0	91.8	100.0	13
Total		3.0	.7	1.0	5.0	90.3	100.0	1911

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Sao Tome & Principe, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	.0	.0	1
	Second	46.9	22.8	4
	Middle	100.0	.0	1
	Fourth	12.2	.0	8
	Richest	27.3	.0	56
Regiao	Norte	66.6	.0	9
	Centro	9.7	3.1	31
	Sul	.0	.0	10
	Principe	50.2	.0	20
Lugar de residencia	Urbano	32.1	3.8	25
	Rural	25.1	.0	44
Nivel de educa+ao da mulher	Analfabeta	22.8	7.3	13
	Primario	27.8	.0	32
	Secundario +	29.0	.0	25
Total		27.3	1.4	70

World Summit for Children Goal => Number 15

Working table for table 20

		Number of weighed births	Number of weighed births below 2500 grams	Proportion of live births below 2500 grams	Total number of births	Estimated percent of live births below 2500 grams
Medida de ultima crian+a nascida	Muito grande	1.8	.0	.00	1.8	.0
	Maior do que o normal	1.1	.0	.00	5.2	.0
	Normal	47.1	10.5	.22	56.2	12.6
	Menor do que o normal	1.9	.0	.00	1.9	.0

Table 20: Percentage of live births in the last 12 months that weighed below 2500 grams at birth, Sao Tome & Principe, 2000

		Percent of live births below 2500 grams	Percent of live births weighed at birth	Number of live births
Wealth Index Quintiles	Poorest	22.3	100.0	1
	Second	17.2	77.2	4
	Middle	22.3	100.0	1
	Fourth	22.3	86.8	8
	Richest	17.3	71.5	56
Regiao	Norte	19.9	66.6	9
	Centro	17.1	59.9	31
	Sul	20.9	93.6	10
	Principe	17.0	90.2	20
Lugar de residencia	Urbano	18.3	74.6	25
	Rural	18.1	73.8	44
Nivel de educa+ao da mulher	Analfabeta	14.0	61.9	13
	Primario	18.3	66.3	32
	Secundario +	19.6	91.3	25
Total		18.0	74.4	70

World Summit for Children Goal => Number 12

Table 20a. Birth weight and size at birth

		Birth weight				Medida de ultima crian+a nascida			
		<2500	2500+	DK/Missing	Not weighted at birth	Muito grande	Maior do que o normal	Normal	Menor do que o normal
Wealth Index Quintiles	Poorest	7.7	67.4	.0	24.9	.0	7.5	92.5	.0
	Second	13.7	59.9	.0	26.5	14.0	.0	86.0	.0
	Middle	17.9	41.7	5.9	34.5	.0	12.8	81.1	6.2
	Fourth	19.5	51.7	10.4	18.4	.0	19.7	80.3	.0
	Richest	19.3	80.7	.0	.0	.0	.0	91.5	8.5
Regiao	Norte	11.2	55.3	11.2	22.2	.0	11.0	89.0	.0
	Centro	20.3	39.7	3.5	36.6	.0	11.7	84.9	3.4
	Sul	12.5	81.2	.0	6.4	.0	.0	100.0	.0
	Principe	10.2	80.0	.0	9.8	9.5	5.2	80.1	5.2
Lugar de residencia	Urbano	11.9	62.7	.0	25.4	.0	4.3	91.5	4.2
	Rural	17.2	56.7	4.7	21.5	2.4	10.1	85.2	2.4
Nivel de educa+ao da mulher	Analfabeta	8.3	53.6	.0	38.1	8.3	10.8	80.9	.0
	Primario	16.3	50.0	6.5	27.2	.0	13.1	83.7	3.2
	Secundario +	17.0	74.3	.0	8.7	4.2	.0	91.8	4.0
Total		15.1	59.3	3.0	22.6	2.8	8.0	86.2	3.0

Table 20a. Birth weight and size at birth

		Total	Number
Wealth Index Quintiles	Poorest	100.0	14
	Second	100.0	13
	Middle	100.0	16
	Fourth	100.0	10
	Richest	100.0	11
Regiao	Norte	100.0	9
	Centro	100.0	28
	Sul	100.0	9
	Principe	100.0	19
Lugar de residencia	Urbano	100.0	22
	Rural	100.0	42
Nivel de educa+ao da mulher	Analfabeta	100.0	10
	Primario	100.0	31
	Secundario +	100.0	24
Total		100.0	65

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year

BCG	Carta de vacinaçao	83.2
	Declaraco de mae	11.9
	Nao vacinada	4.9
DPT1	Carta de vacinaçao	82.1
	Declaraco de mae	10.9
	Nao vacinada	7.0
DPT2	Carta de vacinaçao	80.2
	Declaraco de mae	8.0
	Nao vacinada	11.8
DPT3	Carta de vacinaçao	75.6
	Declaraco de mae	4.1
	Nao vacinada	20.3
Polio 0	Carta de vacinaçao	66.6
	Declaraco de mae	6.3
	Nao vacinada	27.1
Polio 1	Carta de vacinaçao	81.9
	Declaraco de mae	8.8
	Nao vacinada	9.4
Polio 2	Carta de vacinaçao	80.0
	Declaraco de mae	6.7
	Nao vacinada	13.3
Polio 3	Carta de vacinaçao	76.5
	Declaraco de mae	2.9
	Nao vacinada	20.7
Sarampo	Carta de vacinaçao	69.8
	Declaraco de mae	8.5
	Nao vacinada	21.6
Todas vacinas	Carta de vacinaçao	64.6
	Declaraco de mae	1.2
	Nao tem todas vacinas	34.2
Nao vacinado	Declaraco de mae	4.2
	Algumas vacinas	95.8
Number of children		414.7

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year

BCG	99.5
DPT 1	97.1
DPT 2	96.7
DPT 3	94.0
Polio 0	99.7
Polio 1	98.9
Polio 2	97.9
Polio 3	92.0
Measles	88.6
All vaccinations	80.5
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Country, Year

	BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	83.2	82.1	80.2	75.6	66.6	81.9	80.0	76.5	69.8	64.6	.0	414.7
Mother's report	11.9	10.9	8.0	4.1	6.3	8.8	6.7	2.9	8.5	1.2	4.2	414.7
Either	95.1	93.0	88.2	79.7	72.9	90.6	86.7	79.3	78.4	65.8	4.2	414.7
Vaccinated by 12 months of age	94.6	90.3	85.3	74.9	72.6	89.6	84.9	73.0	69.4	52.9	4.2	414.7

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Sao Tome & Princip,, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3
Wealth Index	Poorest	94.0	82.0	88.0	63.6	67.9	88.0	82.0	76.0
Quintiles	Second	86.1	85.2	85.2	78.1	48.7	89.3	85.9	78.9
	Middle	85.7	85.7	78.5	71.6	50.3	85.7	78.8	78.8
	Fourth	94.9	94.9	94.9	79.9	76.2	90.1	90.1	85.6
	Richest	96.3	94.3	88.4	80.7	75.7	91.0	86.9	79.0
Sexo	homem	93.2	93.1	88.1	78.5	68.9	91.6	87.2	76.7
	Mulher	97.4	93.5	89.0	81.4	76.3	90.1	87.1	82.4
Regiao	Norte	95.5	94.4	86.5	79.8	58.5	87.6	84.3	83.2
	Centro	95.2	93.0	88.9	79.8	76.3	91.6	87.0	78.1
	Sul	96.5	89.6	82.8	65.6	69.1	89.6	89.6	79.3
	Principe	90.1	90.1	90.1	90.1	90.1	90.1	90.1	80.3
Lugar de residencia	Urbano	95.0	91.3	86.1	76.0	71.8	88.9	82.3	74.1
	Rural	95.1	94.6	90.1	83.1	73.7	92.2	90.7	84.1
Nivel de educaçao da mulher	Nenhum nivel	95.6	93.2	88.3	82.0	68.0	92.0	88.2	80.4
	Primario	96.0	94.5	90.3	81.2	73.2	92.9	89.0	82.0
	Secundario	94.1	91.3	85.5	76.5	75.4	87.0	82.8	75.1
	Missing/Nao sabe	67.1	67.1	67.1	67.1	67.1	67.1	67.1	67.1
Total		95.1	93.0	88.2	79.7	72.9	90.6	86.7	79.3

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Sao Tome & Princip,, 2000

		Measles	All	None	% with health card	Number of children
Wealth Index Quintiles	Poorest	57.1	44.7	6.0	68.7	16
	Second	78.7	60.7	10.7	71.7	29
	Middle	71.2	57.2	14.3	64.7	14
	Fourth	89.7	74.7	5.1	90.1	21
	Richest	78.7	66.6	3.1	86.6	333
Sexo	homem	75.4	62.8	5.8	83.4	202
	Mulher	81.7	68.4	2.0	85.4	195
Regiao	Norte	76.4	65.2	4.5	84.3	88
	Centro	79.2	66.1	3.7	83.8	289
	Sul	72.4	58.7	3.5	89.6	17
	Principe	80.0	70.2	9.9	90.1	20
Lugar de residencia	Urbano	76.3	60.8	4.5	81.9	202
	Rural	80.1	70.1	3.9	86.7	211
Nivel de educaçao da mulher	Nenhum nivel	73.0	65.7	4.4	85.5	80
	Primario	78.5	66.2	3.0	87.8	197
	Secundario	81.6	65.1	5.1	79.2	135
	Missing/Nao sabe	67.1	67.1	32.9	67.1	3
Total		78.4	65.8	4.2	84.4	415

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Sao Tome & Principe, 2000

		Teve diarréia última semana	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula
Wealth Index Quintiles	Poorest	15.6	132	43.1	9.8	14.4	10.5	19.0
	Second	22.5	124	63.4	10.8	18.1	29.8	18.7
	Middle	20.1	107	18.9	9.6	37.5	35.3	13.8
	Fourth	16.5	113	56.5	34.7	39.0	39.0	17.3
	Richest	18.0	1714	40.2	16.7	16.9	31.8	23.6
Sexo	homem	19.8	997	43.2	15.9	20.5	35.5	14.3
	Mulher	17.0	1072	40.8	17.3	18.6	28.6	29.6
Regiao	Norte	17.0	439	48.0	9.3	28.0	44.0	16.0
	Centro	18.0	1553	40.5	19.5	18.4	28.2	25.6
	Sul	23.3	114	56.6	13.6	16.1	20.4	13.6
	Principe	21.1	103	22.5	9.0	4.5	27.7	9.2
Lugar de residencia	Urbano	19.5	1013	33.9	13.4	20.2	29.8	23.5
	Rural	16.9	1181	49.5	19.8	18.4	32.1	21.3
Idade	< 6 meses	10.1	283	77.5	21.2	13.9	26.1	6.6
	6-11 meses	33.6	234	72.4	27.2	16.5	28.6	16.7
	12-23 meses	31.6	415	55.9	19.5	17.7	36.7	27.1
	24-35 meses	18.9	444	10.7	7.1	29.3	29.9	20.1
	36-47 meses	12.3	454	9.3	14.2	15.9	21.2	28.5
	48-59 meses	6.3	377	9.2	.0	16.2	33.3	23.7
Nivel de educação da mulher	Nenhum nivel	17.8	426	53.3	15.1	17.5	31.4	20.2
	Primario	18.8	1015	43.9	11.8	18.1	33.2	21.6
	Secundario	17.8	751	33.4	24.7	22.2	26.8	24.3
	Missing/Nao sabe	11.9	16	.0	.0	.0	.0	.0
Total		18.2	2208	42.0	16.6	19.3	30.6	22.1

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Sao Tome & Principe, 2000

		Water with feeding	Any recommended treatment	No treatment	Number of children with diarrhea
					1.00
Wealth Index Quintiles	Poorest	52.9	81.0	19.0	21
	Second	55.7	81.2	18.8	28
	Middle	64.7	95.6	4.4	21
	Fourth	65.9	100.0	.0	19
	Richest	52.8	82.2	17.8	308
Sexo	homem	53.8	81.8	18.2	197
	Mulher	55.0	84.7	15.3	182
Regiao	Norte	61.4	85.3	14.7	74
	Centro	53.2	83.5	16.5	280
	Sul	45.4	75.0	25.0	26
	Principe	54.1	86.3	13.7	22
Lugar de residencia	Urbano	47.7	82.4	17.6	197
	Rural	61.1	85.0	15.0	200
Idade	< 6 meses	27.1	89.5	10.5	29
	6-11 meses	50.5	82.5	17.5	79
	12-23 meses	60.7	87.4	12.6	131
	24-35 meses	55.5	81.9	18.1	84
	36-47 meses	51.5	73.0	27.0	56
	48-59 meses	65.8	87.2	12.8	24
Nivel de educaçao da mulher	Nenhum nivel	62.3	87.9	12.1	76
	Primario	52.7	83.3	16.7	191
	Secundario	52.0	81.6	18.4	134
	Missing/Nao sabe	50.9	50.9	49.1	2
Total		54.3	83.4	16.6	402

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Sao Tome & Principe, 2000

		Teve diarreia ultima semana	Number of children under 5	Drinking during diarrhea			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	15.6	132	23.5	66.7	9.8	100.0
	Second	22.5	124	48.8	47.4	3.8	100.0
	Middle	20.1	107	36.8	51.1	12.1	100.0
	Fourth	16.5	113	50.5	43.8	5.8	100.0
	Richest	18.0	1714	39.6	48.1	12.4	100.0
Sexo	homem	19.8	997	40.5	45.3	14.2	100.0
	Mulher	17.0	1072	38.8	51.9	9.2	100.0
Regiao	Norte	17.0	439	42.7	46.6	10.7	100.0
	Centro	18.0	1553	36.9	51.8	11.3	100.0
	Sul	23.3	114	36.4	47.7	15.9	100.0
	Principe	21.1	103	59.4	27.1	13.5	100.0
Lugar de residencia	Urbano	19.5	1013	34.4	55.2	10.4	100.0
	Rural	16.9	1181	44.8	43.1	12.2	100.0
Idade	< 6 meses	10.1	283	29.2	51.4	19.4	100.0
	6-11 meses	33.6	234	40.2	50.8	9.0	100.0
	12-23 meses	31.6	415	40.3	49.3	10.4	100.0
	24-35 meses	18.9	444	46.9	44.3	8.8	100.0
	36-47 meses	12.3	454	27.5	56.3	16.1	100.0
	48-59 meses	6.3	377	41.4	41.7	16.9	100.0
Nivel de educaçao da mulher	Nenhum nivel	17.8	426	42.1	44.7	13.2	100.0
	Primario	18.8	1015	39.0	47.3	13.7	100.0
	Secundario	17.8	751	37.5	55.3	7.2	100.0
	Missing/Nao sabe	11.9	16	50.9	.0	49.1	100.0
Total	18.2	2208	39.1	49.2	11.6	100.0	

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Sao Tome & Principe, 2000

		Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea
		somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth Index Quintiles	Poorest	86.3	13.7	.0	100.0	14.4	21
	Second	59.9	32.9	7.2	100.0	30.2	28
	Middle	78.5	17.0	4.5	100.0	27.8	21
	Fourth	61.0	39.0	.0	100.0	22.3	19
	Richest	67.3	29.1	3.7	100.0	25.7	308
Sexo	homem	67.4	29.0	3.6	100.0	26.4	197
	Mulher	68.5	27.5	4.0	100.0	25.1	182
Regiao	Norte	61.3	32.0	6.7	100.0	24.0	74
	Centro	70.8	27.7	1.4	100.0	23.7	280
	Sul	68.2	22.8	9.1	100.0	25.0	26
Lugar de residencia	Principe	63.9	22.7	13.5	100.0	45.9	22
	Urbano	67.7	31.4	1.0	100.0	23.1	197
Idade	Rural	68.6	25.2	6.2	100.0	27.6	200
	< 6 meses	73.8	22.8	3.5	100.0	18.4	29
	6-11 meses	71.9	26.8	1.3	100.0	26.1	79
	12-23 meses	76.1	21.7	2.3	100.0	29.6	131
	24-35 meses	64.6	32.5	2.9	100.0	29.5	84
Nivel de educaçao da mulher	36-47 meses	55.3	37.6	7.1	100.0	11.1	56
	48-59 meses	54.2	33.1	12.7	100.0	21.1	24
	Nenhum nivel	67.5	25.4	7.0	100.0	22.6	76
	Primario	64.0	32.3	3.7	100.0	24.9	191
	Secundario	75.8	22.7	1.4	100.0	26.2	134
Total	Missing/Nao sabe	50.9	49.1	.0	100.0	50.9	2
		68.5	27.9	3.6	100.0	25.0	402

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Sao Tome & Principe, 2000

		Teve dificuldades respiratorias	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic
Wealth Index Quintiles	Poorest	3.9	510	25.2	26.2	11.1	.0	5.5
	Second	4.3	410	44.7	11.5	11.3	.0	.0
	Middle	4.0	471	10.2	16.4	5.0	.0	.0
	Fourth	4.2	436	17.8	.0	5.1	.0	16.1
	Richest	7.6	363	.0	13.6	7.0	3.4	7.3
Sexo	homem	5.0	997	18.0	12.5	3.9	1.9	10.1
	Mulher	4.5	1072	16.8	14.4	10.6	.0	2.2
Regiao	Norte	3.2	439	28.5	7.2	28.6	.0	.0
	Centro	4.7	1553	9.6	17.9	3.9	1.3	8.3
	Sul	2.1	114	50.0	.0	50.0	.0	.0
	Principe	13.4	103	42.3	.0	.0	.0	.0
Lugar de residencia	Urbano	5.3	1013	12.4	12.2	5.2	1.7	5.2
	Rural	4.1	1181	23.5	15.5	10.8	.0	6.7
Idade	< 6 meses	1.7	283	.0	21.8	39.1	.0	.0
	6-11 meses	4.3	234	39.9	20.0	.0	.0	10.7
	12-23 meses	6.9	415	17.9	3.3	7.5	.0	7.1
	24-35 meses	4.5	444	18.9	15.4	9.7	.0	.0
	36-47 meses	5.0	454	13.0	13.1	8.8	.0	8.4
	48-59 meses	4.5	377	12.6	23.2	.0	5.5	6.3
Nivel de educaçao da mulher	Nenhum nivel	2.6	426	8.8	17.9	19.5	.0	8.4
	Primario	4.7	1015	24.9	14.9	6.1	.0	4.5
	Secundario	5.6	751	12.0	11.6	6.9	2.3	4.8
	Missing/Nao sabe	11.9	16	.0	.0	.0	.0	49.1
Total	4.7	2208	17.4	13.6	7.8	.9	5.9	

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Sao Tome & Principe, 2000

		Mobile/outreach clinic	Private physician	Traditional healer	Other	Any appropriate provider	Number of children with ARI
							1.00
Wealth Index Quintiles	Poorest	.0	.0	.0	.0	67.9	20
	Second	.0	.0	.0	10.9	67.5	18
	Middle	.0	.0	.0	10.0	31.6	19
	Fourth	.0	.0	.0	16.5	39.1	18
	Richest	.0	3.4	.0	20.6	34.6	28
Sexo	homem	.0	.0	.0	7.8	46.4	49
	Mulher	.0	2.0	.0	16.2	46.0	48
Regiao	Norte	.0	.0	.0	.0	64.3	14
	Centro	.0	1.3	.0	13.1	42.2	73
	Sul	.0	.0	.0	.0	100.0	2
Lugar de residencia	Principe	.0	.0	.0	21.8	42.3	14
	Urbano	.0	1.7	.0	19.4	38.5	54
Idade	Rural	.0	.0	.0	4.3	56.5	48
	< 6 meses	.0	.0	.0	.0	60.9	5
Nivel de educaçao da mulher	6-11 meses	.0	.0	.0	9.3	70.6	10
	12-23 meses	.0	.0	.0	13.3	35.8	29
	24-35 meses	.0	.0	.0	9.8	44.0	20
	36-47 meses	.0	.0	.0	17.3	43.3	22
	48-59 meses	.0	5.5	.0	11.5	53.1	17
Nivel de educaçao da mulher	Nenhum nivel	.0	.0	.0	.0	54.5	11
	Primario	.0	.0	.0	10.1	50.4	48
	Secundario	.0	2.3	.0	16.1	39.8	42
Total	Missing/Nao sabe	.0	.0	.0	50.9	49.1	2
		.0	.9	.0	12.2	46.5	103

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Sao Tome & Principe, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	39.6	510	38.8	56.2	4.9	100.0
	Second	42.8	410	40.8	50.0	9.2	100.0
	Middle	41.4	471	44.8	48.6	6.6	100.0
	Fourth	40.0	436	34.5	60.9	4.6	100.0
	Richest	38.4	363	37.6	57.5	4.9	100.0
Sexo	homem	41.5	997	40.8	50.9	8.3	100.0
	Mulher	39.5	1072	39.9	55.7	4.4	100.0
Regiao	Norte	36.6	439	36.4	58.6	4.9	100.0
	Centro	40.9	1553	39.6	54.0	6.4	100.0
	Sul	47.1	114	38.2	53.9	7.9	100.0
	Principe	47.9	103	44.0	50.1	5.9	100.0
Lugar de residencia	Urbano	43.0	1013	38.2	56.0	5.8	100.0
	Rural	38.4	1181	40.8	52.9	6.3	100.0
Idade	< 6 meses	25.6	283	18.3	74.0	7.7	100.0
	6-11 meses	56.5	234	33.7	60.9	5.3	100.0
	12-23 meses	55.2	415	41.8	51.3	6.9	100.0
	24-35 meses	42.7	444	46.2	48.9	4.9	100.0
	36-47 meses	34.3	454	37.0	55.3	7.7	100.0
	48-59 meses	31.7	377	44.6	50.5	4.9	100.0
Nivel de educaçao da mulher	Nenhum nivel	38.4	426	40.2	52.5	7.3	100.0
	Primario	40.7	1015	39.5	53.1	7.4	100.0
	Secundario	42.2	751	38.2	57.8	4.0	100.0
	Missing/Nao sabe	30.7	16	38.9	42.0	19.1	100.0
Total	40.7	2208	39.2	54.6	6.2	100.0	

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Sao Tome & Principe, 2000

		Eating during illness			Total	Received increased fluids and continued eating	Number of sick children
		somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth Index Quintiles	Poorest	60.3	37.1	2.5	100.0	19.5	202
	Second	60.3	36.7	3.0	100.0	22.6	175
	Middle	60.3	37.1	2.6	100.0	27.8	195
	Fourth	70.5	27.2	2.3	100.0	20.3	175
	Richest	55.1	40.7	4.2	100.0	17.5	139
Sexo	homem	62.3	34.7	3.0	100.0	22.9	413
	Mulher	60.7	36.9	2.4	100.0	22.1	424
Regiao	Norte	66.0	30.9	3.1	100.0	19.1	161
	Centro	61.2	36.4	2.4	100.0	21.9	635
	Sul	60.6	34.9	4.5	100.0	23.6	53
	Principe	58.3	35.8	5.9	100.0	26.2	49
Lugar de residencia	Urbano	61.1	37.2	1.7	100.0	20.9	435
	Rural	62.1	34.0	3.9	100.0	22.8	453
Idade	< 6 meses	66.2	32.4	1.4	100.0	11.4	72
	6-11 meses	70.1	29.2	.8	100.0	21.5	132
	12-23 meses	65.3	32.5	2.2	100.0	26.2	229
	24-35 meses	57.5	39.1	3.4	100.0	23.7	190
	36-47 meses	56.8	38.8	4.4	100.0	18.1	156
	48-59 meses	57.3	38.5	4.1	100.0	21.2	119
Nivel de educaçao da mulher	Nenhum nivel	62.8	33.4	3.8	100.0	22.0	163
	Primario	60.4	36.6	3.0	100.0	21.9	413
	Secundario	63.0	34.8	2.1	100.0	21.0	317
	Missing/Nao sabe	80.9	19.1	.0	100.0	38.9	5
Total		61.9	35.3	2.8	100.0	21.7	898

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Sao Tome and Principe, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly
Wealth Index Quintiles	Poorest	3.4	42.6	50.9	2.9	3.6	2.3	.5
	Second	5.0	34.1	63.4	3.1	4.4	3.4	1.6
	Middle	7.0	43.7	55.8	7.0	5.4	8.1	1.3
	Fourth	7.1	37.3	58.1	8.3	5.4	6.3	1.7
	Richest	7.1	39.4	63.5	11.6	14.2	13.2	3.5
Regiao	Norte	2.3	41.5	52.7	3.2	1.4	.9	.3
	Centro	6.1	39.3	59.0	7.1	7.3	8.0	1.8
	Sul	3.7	39.5	39.5	1.2	2.5	1.2	.0
	Principe	21.7	38.6	84.3	19.3	18.1	12.0	7.2
Lugar de residencia	Urbano	7.6	37.4	62.6	9.0	8.4	9.3	2.5
	Rural	4.2	41.8	53.4	4.1	4.5	3.8	.9
Nivel de educaçao da mulher	Nenhum nivel	7.6	44.5	53.8	5.8	5.5	5.8	1.5
	Primario	4.9	39.3	57.2	4.6	6.0	6.0	1.7
	Secundario	6.4	37.4	61.3	9.3	7.3	7.5	1.8
	Missing/Nao sabe	6.7	46.7	60.0	20.0	13.3	6.7	.0
Total		6.0	39.7	58.0	6.6	6.4	6.5	1.7

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Sao Tome and Principe, 2000

		Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	15.3	385
	Second	17.8	320
	Middle	20.5	371
	Fourth	18.5	351
	Richest	26.5	310
Regiao	Norte	10.7	347
	Centro	21.4	1243
	Sul	4.9	81
Lugar de residencia	Principe	47.0	83
	Urbano	22.0	846
	Rural	17.2	895
Nivel de educaçao da mulher	Nenhum nivel	19.8	344
	Primario	18.9	769
	Secundario	20.4	626
	Missing/Nao sabe	33.3	15
Total		19.7	1754

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Sao Tome and Principe, 2000

		Slept under a bednet		Bednet treated			Number of children
		Yes	No	Yes	No	DK/missing	
Wealth Index Quintiles	Poorest	23.2	76.8	10.0	89.6	.4	501
	Second	33.7	66.3	19.8	80.0	.2	407
	Middle	43.8	56.2	24.0	75.4	.6	468
	Fourth	47.7	52.3	22.9	76.9	.2	431
	Richest	71.8	28.2	40.3	57.5	2.1	359
Sexo	homem	41.8	58.2	20.5	78.9	.6	984
	Mulher	42.4	57.6	23.2	76.1	.7	1062
Regiao	Norte	29.1	70.9	16.5	83.3	.2	437
	Centro	45.1	54.9	21.9	77.2	.9	1533
	Sul	49.3	50.7	35.6	64.4	.0	114
	Principe	54.4	45.6	42.7	57.3	.0	101
Lugar de residencia	Urbano	60.4	39.6	32.1	66.8	1.1	1005
	Rural	27.1	72.9	14.2	85.6	.3	1165
Idade	< 6 meses	44.6	55.4	20.9	79.1	.0	278
	6-11 meses	44.8	55.2	22.3	76.9	.8	232
	12-23 meses	47.3	52.7	26.1	73.2	.7	408
	24-35 meses	40.8	59.2	22.1	77.5	.4	439
	36-47 meses	42.8	57.2	24.1	74.8	1.1	453
	48-59 meses	36.3	63.7	18.4	80.8	.8	374
Total		42.5	57.5	22.5	76.8	.7	2185

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Sao Tome & Principe, 2000

		Teve febre ultima semana	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Quinine	Other	Don't know
Wealth Index Quintiles	Poorest	31.0	510	75.1	60.4	.0	14.7	.6	3.8
	Second	28.5	410	77.7	67.9	1.6	19.2	.0	2.1
	Middle	31.9	471	74.9	58.6	.7	15.4	.7	.0
	Fourth	26.5	436	74.7	59.8	.9	17.4	.0	2.0
	Richest	25.1	363	76.7	58.8	1.0	20.1	.0	1.0
Sexo	homem	29.4	997	72.8	61.9	.3	15.1	.4	2.2
	Mulher	28.9	1072	79.2	60.2	1.3	18.6	.0	1.4
Regiao	Norte	31.7	439	70.7	65.0	.0	21.4	.0	1.4
	Centro	27.9	1553	76.5	59.3	1.1	14.7	.5	1.8
	Sul	37.5	114	77.5	60.6	.0	25.4	.0	4.3
	Principe	24.9	103	84.5	61.5	.0	19.2	.0	.0
Lugar de residencia	Urbano	28.6	1013	74.4	61.2	1.0	13.6	.3	2.2
	Rural	29.1	1181	76.6	61.1	.6	19.7	.3	1.6
Idade	< 6 meses	11.2	283	75.4	58.7	.0	9.5	3.0	.0
	6-11 meses	35.2	234	78.2	50.2	.0	9.7	.0	2.4
	12-23 meses	35.7	415	79.5	59.5	1.3	18.7	.7	2.8
	24-35 meses	30.8	444	78.1	65.3	.8	18.2	.0	1.1
	36-47 meses	29.1	454	69.1	57.9	.8	20.6	.0	2.3
	48-59 meses	28.9	377	73.5	68.7	.9	16.9	.0	.9
Nivel de educaçao da mulher	Nenhum nivel	30.7	426	74.2	65.6	.0	17.1	.0	1.9
	Primario	29.6	1015	74.0	60.4	.6	17.1	.7	2.1
	Secundario	27.5	751	79.0	59.0	1.5	16.3	.0	1.4
	Missing/Nao sabe	18.7	16	68.7	.0	.0	68.7	.0	.0
Total		29.0	2208	75.7	60.7	.8	17.1	.3	1.8

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Sao Tome & Principe, 2000

		Any appropriate anti-malarial drug	Number of children with fever
			1.00
Wealth Index Quintiles	Poorest	69.6	158
	Second	81.0	117
	Middle	71.4	150
	Fourth	73.1	116
	Richest	74.6	91
Sexo	homem	72.4	293
	Mulher	74.5	310
Regiao	Norte	80.7	139
	Centro	70.3	433
	Sul	78.9	43
	Principe	76.9	26
Lugar de residencia	Urbano	71.6	290
	Rural	75.2	344
Idade	< 6 meses	65.2	32
	6-11 meses	58.7	82
	12-23 meses	72.6	148
	24-35 meses	79.4	137
	36-47 meses	73.8	132
	48-59 meses	79.7	109
Nivel de educaçao da mulher	Nenhum nivel	77.2	131
	Primario	71.9	300
	Secundario	73.2	206
	Missing/Nao sabe	68.7	3
Total		73.4	640

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Sao Tome & Principe, 2000

		Oviu falar da SIDA	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women 1.00
Wealth Index Quintiles	Poorest	94.4	17.1	21.0	14.0	24.2	75.8	125
	Second	89.8	7.2	13.5	5.4	15.3	84.7	118
	Middle	88.9	9.4	17.5	8.5	18.4	81.6	118
	Fourth	93.2	8.2	13.5	5.8	15.9	84.1	127
	Richest	96.1	27.1	33.7	20.4	40.4	59.6	2357
Regiao	Norte	91.6	12.5	15.8	8.7	19.6	80.4	445
	Centro	96.2	27.2	33.9	20.8	40.3	59.7	2170
	Sul	92.5	14.5	18.9	9.2	24.2	75.8	117
	Principe	95.1	29.1	44.5	23.3	50.3	49.7	142
Lugar de residencia	Urbano	96.5	28.4	37.1	21.6	44.0	56.0	1436
	Rural	93.9	20.2	24.2	15.2	29.2	70.8	1389
Idade	15-19	92.6	24.8	32.6	20.2	37.2	62.8	689
	20-24	96.9	26.1	32.3	18.9	39.4	60.6	623
	25-29	97.5	28.6	33.2	19.7	42.1	57.9	476
	30-34	95.0	23.6	29.8	17.7	35.7	64.3	366
	35-39	96.2	23.1	28.4	18.3	33.1	66.9	370
	40-44	93.5	16.7	26.5	13.8	29.5	70.5	201
	45-49	94.5	20.2	26.5	15.3	31.4	68.6	147
Nivel de educa+ao da mulher	Analfabeta	92.4	12.5	19.4	9.5	22.4	77.6	509
	Primario	95.2	18.1	24.7	13.3	29.4	70.6	1128
	Secundario +	96.8	35.5	41.7	27.2	50.0	50.0	1223
	Programa nao formal	50.0	.0	.0	.0	.0	100.0	2
	Missing/Nao Sabe	74.8	24.4	24.4	24.4	24.4	75.6	12
Total		95.3	24.5	31.0	18.6	36.9	63.1	2873

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Sao Tome & Principe, 2000

		Oviu falar da SIDA	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way
Wealth Index Quintiles	Poorest	88.6	19.9	19.9	7.4	3.8	23.5
	Second	100.0	8.1	13.2	4.0	4.0	17.3
	Middle	87.7	8.0	12.1	4.0	4.0	16.1
	Fourth	91.6	11.6	15.5	3.9	3.9	19.3
	Richest	92.8	26.7	35.5	22.9	12.1	44.6
Regiao	Norte	89.4	12.6	13.7	11.6	6.3	22.1
	Centro	93.7	28.1	36.7	22.4	12.1	45.3
	Sul	80.5	4.9	9.8	9.8	4.9	14.6
	Principe	91.8	17.0	37.7	17.0	12.6	42.1
Lugar de residencia	Urbano	95.2	32.4	39.6	26.0	12.6	50.8
	Rural	89.4	16.3	24.8	14.0	9.2	29.9
Idade	15-19	92.6	24.8	32.6	20.3	11.1	40.9
Nivel de educa+ao da mulher	Analfabeta	87.1	18.6	30.1	19.5	13.7	35.0
	Primario	92.0	15.5	24.0	14.5	6.3	29.2
	Secundario +	94.3	31.3	38.0	23.8	13.0	48.7
	Missing/Nao Sabe	100.0	31.3	31.3	.0	.0	31.3
Total		92.6	24.8	32.6	20.3	11.1	40.9

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Sao Tome & Principe, 2000

		Doesn't know any way	Number of women
			1.00
Wealth Index Quintiles	Poorest	76.5	26
	Second	82.7	24
	Middle	83.9	25
	Fourth	80.7	28
	Richest	55.4	579
Regiao	Norte	77.9	94
	Centro	54.7	545
	Sul	85.4	26
Lugar de residencia	Principe	57.9	24
	Urbano	49.2	355
	Rural	70.1	313
Idade	15-19	59.1	689
Nivel de educa+ao da mulher	Analfabeta	65.0	101
	Primario	70.8	205
	Secundario +	51.3	380
	Missing/Nao Sabe	68.7	3
Total		59.1	689

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Sao Tome & Principe, 2000

		Oviu falar da SIDA	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception
Wealth Index Quintiles	Poorest	94.4	31.4	26.6	57.2	15.1	67.2
	Second	89.8	24.7	23.7	39.0	14.0	49.6
	Middle	88.9	23.4	14.2	41.4	5.9	49.7
	Fourth	93.2	18.0	11.4	48.3	4.1	57.2
	Richest	96.1	47.3	35.7	65.9	27.4	75.1
Regiao	Norte	91.6	23.6	18.2	45.2	11.6	51.9
	Centro	96.2	48.6	36.8	67.5	28.1	77.1
	Sul	92.5	26.4	19.9	49.5	14.5	59.2
	Principe	95.1	42.8	30.6	53.7	17.6	66.5
Lugar de residencia	Urbano	96.5	53.0	41.1	67.8	31.6	77.8
	Rural	93.9	33.3	24.3	57.0	16.9	65.4
Idade	15-19	92.6	45.7	36.6	63.5	28.1	72.6
	20-24	96.9	47.8	37.1	66.2	27.4	76.5
	25-29	97.5	48.1	36.4	64.4	28.1	73.0
	30-34	95.0	41.5	28.8	58.6	19.8	69.6
	35-39	96.2	37.7	28.1	58.5	19.6	67.5
	40-44	93.5	33.8	24.0	63.9	16.9	70.8
	45-49	94.5	34.2	22.7	56.6	17.3	64.1
Nivel de educa+ao da mulher	Analfabeta	92.4	25.7	18.6	50.5	12.3	57.5
	Primario	95.2	33.9	24.2	54.7	15.9	64.7
	Secundario +	96.8	60.1	47.1	75.3	37.6	84.8
	Programa nao formal	50.0	50.0	.0	50.0	.0	50.0
	Missing/Nao Sabe	74.8	25.5	25.5	31.1	7.8	48.8
Total		95.3	43.6	33.0	62.6	24.5	71.9

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Sao Tome & Principe, 2000

		Doesn't correctly identify any misconception	Number of women
			1.00
Wealth Index Quintiles	Poorest	32.8	125
	Second	50.4	118
	Middle	50.3	118
	Fourth	42.8	127
	Richest	24.9	2357
Regiao	Norte	48.1	445
	Centro	22.9	2170
	Sul	40.8	117
	Principe	33.5	142
Lugar de residencia	Urbano	22.2	1436
	Rural	34.6	1389
Idade	15-19	27.4	689
	20-24	23.5	623
	25-29	27.0	476
	30-34	30.4	366
	35-39	32.5	370
	40-44	29.2	201
	45-49	35.9	147
Nivel de educa+ao da mulher	Analfabeta	42.5	509
	Primario	35.3	1128
	Secundario +	15.2	1223
	Programa nao formal	50.0	2
	Missing/Nao Sabe	51.2	12
Total		28.1	2873

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Sao Tome & Principe, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00
Wealth Index Quintiles	Poorest	46.1	42.1	41.3	37.5	31.9	54.6	125
	Second	31.8	30.1	23.8	25.7	20.5	69.0	118
	Middle	35.0	32.5	24.9	20.7	14.7	66.6	118
	Fourth	30.4	29.7	22.0	23.2	17.2	70.3	127
	Richest	58.4	56.6	47.5	40.3	34.1	42.0	2357
Regiao	Norte	40.8	39.2	35.2	32.6	28.8	60.3	445
	Centro	58.7	56.8	47.7	40.6	34.2	41.7	2170
	Sul	37.6	37.6	28.5	30.1	22.0	62.4	117
	Principe	53.6	47.8	36.7	26.6	18.6	48.6	142
Lugar de residencia	Urbano	61.2	59.3	48.2	39.2	32.2	39.4	1436
	Rural	47.7	45.8	40.2	36.8	31.6	52.8	1389
Idade	15-19	53.7	50.5	39.5	38.1	30.2	47.7	689
	20-24	57.5	56.0	48.5	37.8	33.2	42.6	623
	25-29	61.0	58.1	50.9	42.4	35.2	39.6	476
	30-34	51.6	50.8	44.0	37.6	31.1	48.4	366
	35-39	55.7	54.1	44.1	37.9	31.2	45.1	370
	40-44	50.4	50.4	42.5	38.6	33.8	49.6	201
	45-49	40.5	39.9	34.9	30.2	28.1	59.5	147
Nivel de educa+ao da mulher	Analfabeta	44.1	42.9	37.7	34.6	30.8	56.5	509
	Primario	48.1	46.2	38.8	36.3	30.2	52.5	1128
	Secundario +	65.6	63.4	52.8	41.8	34.6	34.8	1223
	Programa nao formal	50.0	50.0	.0	50.0	.0	50.0	2
	Missing/Nao Sabe	33.3	33.3	25.5	17.7	17.7	66.7	12
Total		54.8	52.9	44.5	38.3	32.1	45.8	2873

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Sao Tome & Principe, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women 1.00
Wealth Index Quintiles	Poorest	46.9	47.0	72.1	27.9	519
	Second	46.2	51.0	72.9	27.1	478
	Middle	44.1	52.8	71.3	28.7	563
	Fourth	42.4	60.8	77.5	22.5	599
	Richest	33.2	61.1	71.6	28.4	685
Regiao	Norte	50.8	45.0	70.8	29.2	445
	Centro	40.5	56.8	73.5	26.5	2170
	Sul	36.6	54.3	72.1	27.9	117
Lugar de residencia	Principe	43.7	62.4	75.3	24.7	142
	Urbano	38.1	58.5	73.1	26.9	1436
Idade	Rural	46.0	51.7	73.0	27.0	1389
	15-19	37.3	53.6	68.6	31.4	689
	20-24	38.9	59.9	74.7	25.3	623
	25-29	40.6	57.6	74.2	25.8	476
	30-34	47.2	53.7	77.8	22.2	366
	35-39	48.4	53.5	73.8	26.2	370
	40-44	47.7	48.6	72.6	27.4	201
Nivel de educa+ao da mulher	45-49	47.5	51.2	71.1	28.9	147
	Analfabeta	46.1	48.8	70.3	29.7	509
	Primario	46.4	54.6	74.6	25.4	1128
	Secundario +	36.6	58.2	73.0	27.0	1223
	Programa nao formal	50.0	50.0	50.0	50.0	2
	Missing/Nao Sabe	34.4	58.1	67.0	33.0	12
Total		42.1	55.1	73.1	26.9	2873

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Sao Tome & Principe, 2000

		Oviu falar da SIDA	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
Wealth Index Quintiles	Poorest	94.4	6.5	15.1	4.8	125
	Second	89.8	3.5	14.0	2.6	118
	Middle	88.9	6.9	5.9	.9	118
	Fourth	93.2	4.1	4.1	.7	127
	Richest	96.1	10.8	27.4	6.1	2357
Regiao	Norte	91.6	6.2	11.6	3.3	445
	Centro	96.2	10.8	28.1	6.1	2170
	Sul	92.5	4.3	14.5	.5	117
	Principe	95.1	13.9	17.6	5.9	142
Lugar de residencia	Urbano	96.5	10.9	31.6	6.8	1436
	Rural	93.9	8.9	16.9	4.0	1389
Idade	15-19	92.6	11.1	28.1	6.6	689
	20-24	96.9	9.9	27.4	6.0	623
	25-29	97.5	10.7	28.1	6.5	476
	30-34	95.0	10.4	19.8	4.3	366
	35-39	96.2	8.6	19.6	4.5	370
	40-44	93.5	7.4	16.9	2.9	201
	45-49	94.5	8.9	17.3	3.5	147
Nivel de educa+ao da mulher	Analfabeta	92.4	6.7	12.3	2.2	509
	Primario	95.2	7.1	15.9	3.0	1128
	Secundario +	96.8	14.0	37.6	9.1	1223
	Programa nao formal	50.0	.0	.0	.0	2
	Missing/Nao Sabe	74.8	16.6	7.8	.0	12
Total		95.3	10.0	24.5	5.5	2873

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Sao Tome & Principe, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women 1.00
Wealth Index Quintiles	Poorest	15.9	1.6	.0	125
	Second	10.4	.8	.0	118
	Middle	7.5	1.6	50.6	118
	Fourth	8.0	.7	.0	127
	Richest	26.3	6.8	55.4	2357
Regiao	Norte	10.2	4.7	42.8	445
	Centro	27.5	6.3	56.8	2170
	Sul	8.1	4.3	62.4	117
Lugar de residencia	Principe	20.7	4.3	32.9	142
	Urbano	33.5	7.8	55.4	1436
	Rural	13.4	3.9	50.5	1389
	Idade	15-19	19.5	2.4	42.2
	20-24	29.3	6.4	53.0	623
	25-29	21.0	6.0	58.7	476
	30-34	24.1	8.0	50.7	366
	35-39	27.4	8.2	67.6	370
	40-44	22.3	5.8	32.2	201
	45-49	20.0	8.5	62.2	147
Nivel de educa+ao da mulher	Analfabeta	12.0	3.5	52.7	509
	Primario	15.8	4.1	38.7	1128
	Secundario +	35.6	8.4	61.3	1223
	Programa nao formal	50.0	.0	.	2
	Missing/Nao Sabe	41.1	8.9	100.0	12
Total		23.7	5.9	54.4	2873

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Sao Tome & Principe, 2000

		Current method							
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Implants	Condom
Wealth Index Quintiles	Poorest	63.5	.0	.0	22.7	1.2	11.3	.0	.0
	Second	86.7	.0	.0	7.5	.0	3.5	.0	.0
	Middle	80.7	.0	.0	7.6	.0	11.7	.0	.0
	Fourth	77.6	.0	.0	14.7	1.3	5.3	.0	.0
	Richest	69.2	.5	.1	17.4	1.6	8.8	.1	.1
Regiao	Norte	73.8	.3	.0	12.8	.6	10.8	.3	.0
	Centro	71.3	.5	.1	16.5	1.6	7.5	.0	.2
	Sul	77.1	.0	.0	12.8	.0	7.9	.0	.7
	Principe	47.8	.0	.0	34.0	3.0	14.1	.0	.0
Lugar de residencia	Urbano	69.4	.4	.1	17.2	1.9	8.3	.0	.2
	Rural	72.0	.3	.0	16.0	1.0	8.7	.1	.0
Age	15-19	77.7	.0	.5	16.2	1.1	3.3	.0	.5
	20-24	71.9	.0	.0	21.3	.7	5.7	.0	.0
	25-49	69.3	.6	.0	15.2	1.7	10.3	.1	.1
Nivel de educa+ao da mulher	Analfabeta	75.6	.3	.0	10.7	.3	10.6	.0	.5
	Primario	70.1	.5	.1	17.5	1.0	8.9	.0	.0
	Secundario +	68.4	.3	.0	19.3	2.7	6.8	.2	.2
	Programa nao formal	100.0	.0	.0	.0	.0	.0	.0	.0
	Missing/Nao Sabe	89.7	.0	.0	.0	.0	10.3	.0	.0
Total		70.7	.4	.1	16.7	1.4	8.5	.1	.1

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Sao Tome & Principe, 2000

		Current method						Total
		Female condom	Diaphragm/foam/jelly	LAM	Periodic abstinence	Withdrawal	Other	
Wealth Index Quintiles	Poorest	.0	.0	1.3	.0	.0	.0	100.0
	Second	.0	.0	.0	.0	.0	2.3	100.0
	Middle	.0	.0	.0	.0	.0	.0	100.0
	Fourth	.0	.0	.0	.0	.0	1.1	100.0
	Richest	.1	.1	.6	.7	.1	.6	100.0
Regiao	Norte	.0	.0	.6	.0	.0	.6	100.0
	Centro	.1	.1	.6	.7	.1	.7	100.0
	Sul	.0	.0	.0	.0	.0	1.4	100.0
	Principe	.0	.0	.0	1.1	.0	.0	100.0
Lugar de residencia	Urbano	.1	.2	.3	.6	.1	1.0	100.0
	Rural	.0	.0	.8	.6	.0	.4	100.0
Age	15-19	.0	.0	.6	.0	.0	.0	100.0
	20-24	.0	.0	.3	.2	.0	.0	100.0
	25-49	.1	.2	.7	.8	.1	1.0	100.0
Nivel de educa+ao da mulher	Analfabeta	.0	.0	.9	.6	.0	.6	100.0
	Primario	.1	.0	.5	.6	.0	.6	100.0
	Secundario +	.0	.3	.5	.5	.2	.8	100.0
	Programa nao formal	.0	.0	.0	.0	.0	.0	100.0
	Missing/Nao Sabe	.0	.0	.0	.0	.0	.0	100.0
Total		.1	.1	.6	.6	.1	.7	100.0

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Sao Tome & Principe, 2000

		Any modern method	Any traditional method	Any method	Number of currently married women
					1.00
Wealth Index Quintiles	Poorest	35.1	1.3	36.5	81
	Second	11.0	2.3	13.3	85
	Middle	19.3	.0	19.3	76
	Fourth	21.3	1.1	22.4	86
	Richest	28.7	2.0	30.8	1429
Regiao	Norte	24.9	1.3	26.2	310
	Centro	26.6	2.1	28.7	1276
	Sul	21.5	1.4	22.9	88
	Principe	51.1	1.1	52.2	100
Lugar de residencia	Urbano	28.5	2.0	30.6	849
	Rural	26.2	1.8	28.0	901
Age	15-19	21.7	.6	22.3	181
	20-24	27.6	.5	28.1	410
	25-49	28.2	2.5	30.7	1184
Nivel de educa+ao da mulher	Analfabeta	22.4	2.0	24.4	348
	Primario	28.1	1.8	29.9	799
	Secundario +	29.7	2.0	31.6	618
	Programa nao formal	.0	.0	.0	1
	Missing/Nao Sabe	10.3	.0	10.3	9
Total		27.4	1.9	29.3	1775

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Sao Tome & Principe, 2000

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00
Wealth Index Quintiles	Poorest	.0	.0	.0	.0	1
	Second	30.3	.0	.0	30.3	4
	Middle	100.0	.0	.0	100.0	1
	Fourth	74.6	.0	.0	74.6	8
	Richest	65.9	.0	.0	65.9	56
Regiao	Norte	33.1	.0	.0	33.1	9
	Centro	60.8	.0	.0	60.8	31
	Sul	100.0	.0	.0	100.0	10
	Principe	65.7	.0	.0	65.7	20
Lugar de residencia	Urbano	57.1	.0	.0	57.1	25
	Rural	69.7	.0	.0	69.7	44
Nivel de educa+ao da mulher	Analfabeta	48.6	.0	.0	48.6	13
	Primario	71.7	.0	.0	71.7	32
	Secundario +	63.1	.0	.0	63.1	25
Total		64.3	.0	.0	64.3	70

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Sao Tome & Principe, 2000

		Person delivering antenatal care					Total	Any skilled personnel	Number of women
		No antenatal care received	Doctor	Nurse/mid wife	Auxiliary midwife	Other/missing			1.00
Wealth Index Quintiles	Poorest	.0	.0	100.0	.0	.0	100.0	100.0	1
	Second	22.8	30.3	46.9	.0	.0	100.0	77.2	4
	Middle	.0	.0	100.0	.0	.0	100.0	100.0	1
	Fourth	.0	15.3	84.7	.0	.0	100.0	100.0	8
	Richest	8.4	3.9	74.8	11.2	1.7	100.0	89.9	56
Regiao	Norte	11.2	.0	77.8	.0	11.0	100.0	77.8	9
	Centro	9.7	3.5	73.1	13.6	.0	100.0	90.3	31
	Sul	6.4	24.9	68.7	.0	.0	100.0	93.6	10
	Principe	4.9	5.3	79.6	10.2	.0	100.0	95.1	20
Lugar de residencia	Urbano	10.2	4.3	73.6	8.1	3.9	100.0	86.0	25
	Rural	7.0	8.1	75.3	9.6	.0	100.0	93.0	44
Nivel de educa+ao da mulher	Analfabeta	22.4	9.7	67.9	.0	.0	100.0	77.6	13
	Primario	5.1	7.3	74.9	9.7	3.0	100.0	91.9	32
	Secundario +	4.3	4.3	78.7	12.7	.0	100.0	95.7	25
Total		8.0	6.7	75.0	8.9	1.4	100.0	90.6	70

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Sao Tome & principe, 2000**

		Person assisting at delivery						Total
		Doctor	Nurse/mid wife	Auxiliary midwife	Traditional birth attendant	Relative/friend	No assistance received	
Wealth Index Quintiles	Poorest	100.0	.0	.0	.0	.0	.0	100.0
	Second	.0	77.2	.0	.0	.0	22.8	100.0
	Middle	.0	100.0	.0	.0	.0	.0	100.0
	Fourth	.0	74.6	12.2	13.2	.0	.0	100.0
	Richest	9.0	38.5	29.3	13.2	3.5	6.6	100.0
Regiao	Norte	.0	55.3	33.4	11.2	.0	.0	100.0
	Centro	19.4	23.3	20.3	24.2	3.1	9.7	100.0
	Sul	.0	93.6	.0	.0	.0	6.4	100.0
	Principe	.0	50.1	40.0	.0	4.9	4.9	100.0
Lugar de residencia	Urbano	15.2	47.0	20.0	3.8	3.8	10.2	100.0
	Rural	4.9	43.3	27.9	16.9	2.3	4.7	100.0
Nivel de educa+ao da mulher	Analfabeta	8.3	45.9	7.7	15.7	.0	22.4	100.0
	Primario	5.9	47.5	22.0	16.6	6.1	2.0	100.0
	Secundario +	11.9	42.2	37.2	4.3	.0	4.3	100.0
Total		8.5	45.3	24.8	12.0	2.8	6.6	100.0

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Sao Tome & principe, 2000**

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	100.0	1
	Second	77.2	4
	Middle	100.0	1
	Fourth	86.8	8
	Richest	76.7	56
Regiao	Norte	88.8	9
	Centro	63.0	31
	Sul	93.6	10
	Principe	90.2	20
Lugar de residencia	Urbano	82.3	25
	Rural	76.1	44
Nivel de educa+ao da mulher	Analfabeta	61.9	13
	Primario	75.4	32
	Secundario +	91.3	25
Total		78.6	70

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Sao Tome and Principe, 2000

		Birth registered	DK if birth registered	Registration status					
				Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Reason DK or Missing
Wealth Index Quintiles	Poorest	60.7	.2	2.9	.7	.7	93.6	.0	2.1
	Second	64.3	.0	3.1	2.6	.8	90.9	.0	2.6
	Middle	67.1	.0	1.8	3.5	.0	89.8	.8	4.1
	Fourth	74.1	.0	2.3	1.2	.0	93.9	.0	2.5
	Richest	86.4	.8	.0	2.8	.0	86.2	.0	11.1
Sexo	homem	69.2	.3	3.7	.4	.4	89.6	.4	5.4
	Mulher	69.3	.1	1.5	3.3	.4	93.4	.0	1.5
Regiao	Norte	62.0	.2	.0	1.6	.0	96.7	.8	.8
	Centro	71.6	.2	3.5	2.1	.6	89.5	.0	4.3
	Sul	60.9	.0	.0	3.6	.0	92.7	.0	3.6
	Principe	83.7	.0	.0	.0	.0	100.0	.0	.0
Lugar de residencia	Urbano	72.7	.2	3.0	2.2	.9	88.6	.5	4.8
	Rural	67.1	.2	1.9	1.9	.0	93.9	.0	2.3
Idade	< 6 meses	39.3	.0	2.0	4.2	.0	90.8	.0	3.0
	6-11 meses	48.6	.4	3.4	3.5	1.0	91.0	.0	1.0
	12-23 meses	61.2	.2	1.5	.7	.7	90.9	.8	5.4
	24-35 meses	78.4	.0	3.5	1.1	.0	91.9	.0	3.5
	36-47 meses	84.2	.5	.0	1.6	.0	93.5	.0	4.8
	48-59 meses	87.4	.0	5.3	.0	.0	94.7	.0	.0
Nivel de educaçao da mulher	Nenhum nivel	62.7	.2	2.6	.8	.8	93.3	.0	2.5
	Primario	67.4	.1	2.3	2.0	.4	92.5	.4	2.4
	Secundario	77.0	.3	2.5	3.4	.0	88.7	.0	5.4
	Missing/Nao sabe	61.8	.0	.0	.0	.0	77.4	.0	22.6
Total		69.7	.2	2.4	2.0	.4	91.6	.2	3.4

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Sao Tome and Principe, 2000

		Total	Number of children
Wealth Index Quintiles	Poorest	100.0	510
	Second	100.0	410
	Middle	100.0	471
	Fourth	100.0	436
	Richest	100.0	363
Sexo	homem	100.0	997
	Mulher	100.0	1072
Regiao	Norte	100.0	439
	Centro	100.0	1553
	Sul	100.0	114
	Principe	100.0	103
Lugar de residencia	Urbano	100.0	1013
	Rural	100.0	1181
Idade	< 6 meses	100.0	283
	6-11 meses	100.0	234
	12-23 meses	100.0	415
	24-35 meses	100.0	444
	36-47 meses	100.0	454
	48-59 meses	100.0	377
Nivel de educaçao da mulher	Nenhum nivel	100.0	426
	Primario	100.0	1015
	Secundario	100.0	751
	Missing/Nao sabe	100.0	16
Total		100.0	2208

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Sao Tome & principe, 2000

		Living arrangement						
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead
Wealth Index Quintiles	Poorest	53.2	.5	.1	5.6	.1	35.9	2.2
	Second	52.3	.8	.2	8.2	.1	30.8	3.8
	Middle	50.9	.9	.7	7.6	.0	32.3	2.5
	Fourth	53.5	.5	.6	9.2	.4	30.0	2.5
	Richest	53.5	.7	.8	13.2	.3	22.2	1.6
Sexo	Masc	53.0	.8	.4	7.5	.2	30.7	2.5
	Fem	52.4	.6	.5	9.9	.2	29.9	2.6
Regiao	Norte	56.7	.3	.3	6.7	.1	28.9	2.9
	Centro	50.8	.8	.5	8.9	.2	31.8	2.5
	Sul	67.1	.8	.0	9.1	.0	19.3	1.5
	Principe	51.2	.6	.6	12.3	.0	26.4	2.5
Lugar de residencia	Urbano	50.2	.7	.5	9.3	.3	32.1	2.1
	Rural	54.9	.7	.4	8.2	.1	28.9	2.9
Age	0-4 years	67.0	.4	.0	3.2	.1	26.3	.9
	5-9 years	49.5	.4	.6	9.4	.1	32.8	2.5
	10-14 years	39.0	1.2	.9	14.5	.3	32.6	4.5
Total		52.7	.7	.5	8.7	.2	30.4	2.5

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Sao Tome & principe, 2000

		Living arrangement			Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead
		Living with father only: mother alive	Living with father only: mother dead	Impossible to determine				
Wealth Index Quintiles	Poorest	1.1	.4	1.1	100.0	.0	6.2	3.2
	Second	2.5	.4	.9	100.0	.0	9.3	5.2
	Middle	3.5	.5	1.1	100.0	.0	9.2	4.6
	Fourth	2.1	.4	.8	100.0	.0	10.7	4.4
	Richest	4.8	.8	1.9	100.0	.0	15.1	4.3
Sexo	Masc	3.1	.6	1.2	100.0	.0	8.9	4.4
	Fem	2.4	.4	1.1	100.0	.0	11.1	4.2
Regiao	Norte	2.5	.9	.8	100.0	.0	7.3	4.5
	Centro	2.7	.4	1.3	100.0	.0	10.4	4.5
	Sul	1.1	.2	.8	100.0	.0	9.9	2.5
	Principe	5.4	.0	1.0	100.0	.0	13.5	3.7
Lugar de residencia	Urbano	3.0	.4	1.4	100.0	.0	10.7	4.0
	Rural	2.6	.5	.9	100.0	.0	9.4	4.6
Age	0-4 years	.8	.2	1.2	100.0	.0	3.7	1.5
	5-9 years	3.3	.5	.9	100.0	.0	10.4	4.1
	10-14 years	4.6	.8	1.4	100.0	.0	17.0	7.9
Total		2.8	.5	1.2	100.0	.0	10.0	4.3

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Sao Tome & principe, 2000

		One or both parents dead NEW	Number of children
Wealth Index Quintiles	Poorest	3.2	1337
	Second	5.2	1114
	Middle	4.6	1263
	Fourth	4.4	1267
	Richest	4.3	1189
Sexo	Masc	4.4	3132
	Fem	4.2	3068
Regiao	Norte	4.5	1123
	Centro	4.5	4431
	Sul	2.5	319
	Principe	3.7	327
Lugar de residencia	Urbano	4.0	2860
	Rural	4.6	3340
Age	0-4 years	1.5	2312
	5-9 years	4.1	1952
	10-14 years	7.9	1936
Total		4.3	6200

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Sao Tome & Principe, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	2.6	11.0	69.6	8.6	7.60	26.9	188
	Second	1.6	5.2	67.2	9.4	7.44	19.4	205
	Middle	4.6	2.5	70.1	6.1	14.14	26.1	153
	Fourth	1.0	1.4	71.0	5.4	11.59	19.0	215
	Richest	1.3	6.5	69.4	4.2	9.68	19.1	3127
Sexo	Masc	2.0	6.6	67.9	4.8	10.83	21.5	1979
	Fem	.9	5.8	71.1	4.8	8.62	18.0	1909
Regiao	Norte	1.9	1.5	75.0	3.7	14.89	19.9	673
	Centro	1.2	6.7	68.8	5.4	7.63	19.0	2788
	Sul	2.1	3.5	77.7	.0	13.31	16.8	206
	Principe	3.5	17.4	53.5	5.2	17.45	32.4	220
Lugar de residencia	Urbano	1.6	7.4	67.1	4.4	6.43	17.4	1792
	Rural	1.4	5.2	71.4	5.1	12.58	21.8	2096
Age	5-9 years	.7	5.6	59.7	3.7	6.30	14.6	1952
	10-14 years	2.2	6.9	79.2	6.0	13.21	25.1	1936
Woman's education level	None	1.9	5.0	71.2	6.5	9.59	21.3	1049
	Primary	1.5	5.7	68.9	4.3	11.44	19.8	1617
	Secondary +	1.2	8.2	68.3	4.0	7.16	18.2	1176
	Missing/DK	.0	2.0	76.5	4.1	19.67	25.7	46
Total		1.5	6.2	69.4	4.8	9.74	19.8	3888

Monitoring Children's Rights Indicator

Tables