


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Andorra

July, 2009

Andorra

BCG (1980-2008)



Description of trend

BCG not in schedule; no estimates prepared.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months ▮	Survey <12 months +
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002							
2003							
2004							
2005							
2006							
2007							
2008							


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Andorra

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001. Estimates beginning in 1996 are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996	96						
1997	96						
1998	96						
1999	96						
2000	98						
2001	98						
2002	98						
2003	99						
2004	99						
2005	98						
2006	97						
2007	98						
2008	99						


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Andorra

DTP3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996	90	90	90	90			
1997	90	90	90	90			
1998	89	89	89	89			
1999	90	90	90	90			
2000	98	98	98	98			
2001	96	96	96	96			
2002	97	97	97	97			
2003	99	99	99	99			
2004	99	99	99	99	99		
2005	98	98	98	98			
2006	93	93	93	93			
2007	96	96	96	96			
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Andorra

Pol3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997	90	90	90				
1998	90	90	90	90			
1999	95	95	95	95			
2000	95	95	95	95			
2001	95	95	95	95			
2002	95	95	95	95			
2003	99	99	99	99			
2004	99	99	99	99	99		
2005	98	98	98	98			
2006	93	93	93	93			
2007	96	96	96	96			
2008	99	99	99	99	99		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Andorra

MCV (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997	90	90	90	90			
1998	90	90	90	90			
1999	97	97	97	97			
2000	97	97	97	97			
2001	97	97	97	97			
2002	98	98	98	98			
2003	96	96	96	96			
2004	98	98	98	98	98		
2005	94	94	94	94			
2006	91	91	91	91			
2007	94	94	94	94			
2008	98	98	98	98	98		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Andorra

HepB3 (1980-2008)



Description of trend

Hepatitis B vaccine introduced in 1991; first coverage data available for 1997. Estimated immunization coverage levels are based on reported data. For missing data between years the imputed coverage is the linear interpolation between the two reported coverage rates. No survey data are available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997	75	75	75	75			
1998	80	80	80	80			
1999	75	75	75	75			
2000	84	84	84	84			
2001	84	84	84	84			
2002	84	84	84	84			
2003	81						
2004	77	77	77	77			
2005	79	79	79	79			
2006	84	84	84	84			
2007	91	91	91	91			
2008	91						


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Andorra

Hib3 (1980-2008)



Description of trend

Hib vaccine was introduced in 1998. Estimated immunization coverage levels are based on reported data. For missing data between two years the imputed coverage is the linear interpolation between the two reported coverage rates. No survey data are available.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998	55	55	55	55			
1999	80	80	80	80			
2000	90	90	90	90			
2001	92	92	92	92			
2002	91						
2003	91	91	91		91		
2004	95	95	95	95	95		
2005	97	97	97	97			
2006	93	93	93	93			
2007	95	95	95	95			
2008	98	98	98	98	98		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.