

**Table 1: Number of households and women, and response rates, Republique de Angola, 2001**

	Area de residencia		Total
	Urbana	Rural	
Sampled households	4061	2599	6660
Occupied households	3883	2424	6307
Completed households	3674	2338	6012
Household response rate	94.6	96.5	95.3
Eligible women	4751	2347	7098
Interviewed women	4733	2337	7070
Women response rate	99.6	99.6	99.6
Children under 5	3698	1968	5666
Interviewed children under 5	3655	1942	5597
Child response rate	98.8	98.7	98.8

**Table 1a: Number of households and women, and response rates, Republique de Angola, 2001**

	Região de residencia						Total
	Região Capital	Região Norte	Região Este	Região Oeste	Região Sul	Região Centro Sul	
Sampled households	1080	1080	1260	1080	1080	1080	6660
Occupied households	953	1027	1212	1026	1059	1030	6307
Completed households	943	969	1147	1013	954	986	6012
Household response rate	99.0	94.4	94.6	98.7	90.1	95.7	95.3
Eligible women	1162	1131	1312	1169	1125	1199	7098
Interviewed women	1162	1127	1304	1169	1115	1193	7070
Women response rate	100.0	99.6	99.4	100.0	99.1	99.5	99.6
Children under 5	785	999	1166	712	995	1009	5666
Interviewed children under 5	775	991	1166	712	965	988	5597
Child response rate	98.7	99.2	100.0	100.0	97.0	97.9	98.8

**Table 2: Single year age distribution of household population by sex, Republique de Angola, 2001**

		Sexo			
		Masculino		Feminino	
		Number	Percent	Number	Percent
Age	0	652	4.5	648	4.1
	1	546	3.8	538	3.4
	2	582	4.0	595	3.8
	3	590	4.1	567	3.6
	4	456	3.2	542	3.4
	5	525	3.6	541	3.4
	6	522	3.6	507	3.2
	7	436	3.0	438	2.8
	8	478	3.3	476	3.0
	9	396	2.8	405	2.6
	10	450	3.1	455	2.9
	11	395	2.7	401	2.5
	12	466	3.2	460	2.9
	13	376	2.6	411	2.6
	14	395	2.7	412	2.6
	15	421	2.9	365	2.3
	16	340	2.4	356	2.3
	17	278	1.9	327	2.1
	18	289	2.0	374	2.4
	19	202	1.4	297	1.9
	20	202	1.4	310	2.0
	21	188	1.3	260	1.7
	22	163	1.1	266	1.7
	23	160	1.1	279	1.8
	24	154	1.1	234	1.5
	25	192	1.3	279	1.8
	26	162	1.1	218	1.4
	27	161	1.1	208	1.3
	28	186	1.3	268	1.7
	29	150	1.0	208	1.3
	30	218	1.5	226	1.4

**Table 2: Single year age distribution of household population by sex, Republique de Angola, 2001**

		Sexo			
		Masculino		Feminino	
		Number	Percent	Number	Percent
Age	31	134	.9	207	1.3
	32	173	1.2	253	1.6
	33	165	1.1	180	1.1
	34	148	1.0	166	1.1
	35	200	1.4	200	1.3
	36	157	1.1	153	1.0
	37	154	1.1	160	1.0
	38	149	1.0	186	1.2
	39	129	.9	172	1.1
	40	164	1.1	186	1.2
	41	129	.9	114	.7
	42	135	.9	132	.8
	43	123	.9	111	.7
	44	106	.7	90	.6
	45	137	.9	106	.7
	46	85	.6	78	.5
	47	89	.6	80	.5
	48	85	.6	72	.5
	49	70	.5	61	.4
	50	103	.7	141	.9
	51	58	.4	81	.5
	52	76	.5	90	.6
	53	46	.3	50	.3
	54	60	.4	55	.3
	55	56	.4	79	.5
	56	56	.4	34	.2
	57	51	.4	32	.2
	58	41	.3	34	.2
	59	47	.3	43	.3
	60	76	.5	78	.5
	61	36	.3	36	.2

**Table 2: Single year age distribution of household population by sex, Republique de Angola, 2001**

		Sexo			
		Masculino		Feminino	
		Number	Percent	Number	Percent
Age	62	23	.2	29	.2
	63	24	.2	19	.1
	64	34	.2	34	.2
	65	35	.2	37	.2
	66	22	.2	21	.1
	67	29	.2	25	.2
	68	19	.1	15	.1
	69	21	.1	19	.1
	70+	169	1.2	161	1.0
	Missing/DK	39	.3	37	.2
Total		14384	100.0	15726	100.0

**Table 3: Percentage of cases missing information for selected questions, Republique de Angola, 2001**

	Percent missing	Number
Level of education	.0	17271
Year of education	.0	17271
Number of hours worked	.0	232

**Table 3: Percentage of cases missing information for selected questions, Country, Year**

	Percent missing	Number
Complete birth date	.0	7090
Date of last tetanus toxoid injection	.0	102
Ever been tested for HIV	.0	4821

**Table 3: Percentage of cases missing information for selected questions, Country, Year**

	Percent missing	Number
Complete birth date	.0	5663
Diarrhoea in last 2 weeks	.0	5663
Weight	3.9	5663
Height	4.0	5663

**Table 4a: Percent distribution of households by background characteristics, Republique de Angola, 2001**

		Area de residencia		Total
		Urbana	Rural	
Região de residencia	Região Capital	16.4	14.8	15.8
	Região Norte	16.8	15.3	16.3
	Região Este	19.0	18.4	18.8
	Região Oeste	15.8	16.9	16.2
	Região Centro Sul	15.5	17.6	16.2
	Região Sul	16.6	17.0	16.7
Number of HH members	1	6.5	10.2	7.7
	2-3	23.0	31.3	25.8
	4-5	30.9	31.3	31.1
	6-7	22.2	18.9	21.1
	8-9	11.4	6.2	9.6
	10+	6.0	2.1	4.7
	Total	100.0	100.0	100.0
	Number	4122	2139	6261
	Unweighted	3842	2416	6258

**Table 4a: Percent distribution of households by background characteristics, Country, Year**

	Area de residencia		Total
	Urbana	Rural	
At least one child age < 15	83.7	77.5	81.6
At least one child age < 5	62.4	55.0	59.9
At least one woman age 15-49	87.2	78.6	84.3
Number	4117	2137	6254
Unweighted	3838	2413	6251

**Table 5: Percent distribution of women 15-49 by background characteristics, Republique de Angola, 2001**

		Percent	Number	Unweighted
Região	Região Capital	16.3	1152	1161
	Região Norte	16.0	1136	1128
	Região Este	18.4	1301	1309
	Região Oeste	16.3	1154	1169
	Região Centro Sul	15.7	1115	1124
	Região Sul	17.4	1232	1199
Area de residencia	Urbana	71.0	5035	4747
	Rural	29.0	2056	2343
Age	15 - 19 anos	23.9	1696	1690
	20 - 24 anos	18.8	1332	1327
	25 - 29 anos	16.5	1167	1165
	30 - 34 anos	14.4	1019	1019
	35 - 39 anos	12.1	859	861
	40 - 44 anos	8.8	624	629
	45 - 49 anos	5.5	392	398
Marital status	Currently married	57.5	4076	4098
	Formerly married	13.8	978	979
	Never married	28.7	2036	2013
Já teve filhos que nasceram vivos ?	Sim	75.6	5357	5374
	Não	24.4	1734	1716
Woman's education level	None	34.9	2475	2545
	Primary	52.0	3691	3667
	Secondary	12.9	912	866
	Superior	.2	13	12
Total		100.0	7090	7090

**Table 6: Percent distribution of children under 5 by background characteristics, Republique de Angola, 2001**

		Percent	Number	Unweighted
Sexo	Masculino	49.5	2801	2798
	Feminino	50.5	2863	2865
Região	Região Capital	13.7	778	785
	Região Norte	17.7	1003	1000
	Região Este	20.2	1142	1166
	Região Oeste	12.3	697	712
	Região Centro Sul	17.7	1002	992
	Região Sul	18.4	1043	1008
Area de residencia	Urbana	69.4	3928	3695
	Rural	30.6	1736	1968
Age	< 6 months	11.6	656	655
	6-11 months	11.0	618	619
	12-23 months	19.5	1102	1100
	24-35 months	20.7	1170	1172
	36-47 months	20.0	1128	1125
	48-59 months	17.2	972	974
Mother's education level	None	35.9	2033	2084
	Primary	53.0	3003	2985
	Secondary	11.0	623	590
	Superior	.1	4	4
Total		100.0	5663	5663

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Republique de Angola, 2001**

	Mean number of CEB	Proportion dead	Number of women
Age 15 - 19 anos	.371	.192	1696
20 - 24 anos	1.714	.221	1332
25 - 29 anos	3.330	.229	1167
30 - 34 anos	4.710	.245	1019
35 - 39 anos	5.961	.247	859
40 - 44 anos	6.856	.271	624
45 - 49 anos	7.067	.293	392
Total	3.352	.249	7090

**Table 8 : Quotients de mortalite infantile et infanto - juvenile ( < 5 ans), Republique d'Angola, 2001**

		Qotient de mortalite infantile	Qotient de mortalite infanto-juvenile
Wealth Index	Poorest	167	288
Quintiles	Second	155	261
	Middle	155	260
	Fourth	141	230
	Richest	129	205
Sexo	Masculino	157	265
	Feminino	143	234
Região	Região Capital	150	250
	Região Norte	156	262
	Região Este	135	217
	Região Oeste	181	315
	Região Centro Sul	162	277
	Região Sul	123	192
Area de residencia	Urbana	148	245
	Rural	155	260
Mother's education level	None	162	275
	Primary	148	245
	Secondary	116	170
Total		150	250

World Summit for Children Goal =&gt; Number 26

**Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, lique de Angola, 2001**

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	4.0	358
	Second	4.4	399
	Middle	4.8	447
	Fourth	7.1	432
	Richest	11.9	464
Sexo	Masculino	6.7	1025
	Feminino	6.6	1075
Região	Região Capital	5.3	286
	Região Norte	5.3	358
	Região Este	1.9	420
	Região Oeste	9.3	259
	Região Centro Sul	9.3	405
	Região Sul	9.5	373
Area de residencia	Urbana	7.2	1451
	Rural	5.5	648
Age	36-47 months	5.0	1128
	48-59 months	8.6	972
Mother's education level	None	3.4	789
	Primary	7.2	1067
	Secondary	15.2	240
	Superior	.0	3
Total		6.6	2100

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Republique de Angola, 2001

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those
Wealth Index Quintiles	Poorest	86.4	90.7	92.0	77.2	55.7
	Second	90.6	88.9	94.7	89.3	68.1
	Middle	92.1	94.0	92.9	87.1	70.0
	Fourth	93.8	94.5	96.3	89.2	76.1
	Richest	97.3	96.9	98.8	95.4	89.0
Sexo	Masculino	93.0	94.7	96.4	93.5	79.3
	Feminino	92.6	92.9	95.4	88.4	72.5
Região	Região Capital	95.0	90.3	98.1	97.9	82.4
	Região Norte	92.3	94.2	94.0	86.7	70.8
	Região Este	88.3	91.3	93.6	81.1	61.2
	Região Oeste	91.6	96.5	93.6	92.9	76.8
	Região Centro Sul	93.4	94.0	95.3	89.6	75.0
Area de residencia	Região Sul	96.3	96.0	99.5	89.3	82.2
	Urbana	92.9	94.4	96.4	91.0	76.9
	Rural	92.5	92.1	94.3	91.0	73.1
1.00		92.8	93.8	95.9	91.0	76.0

World Summit for Children Goal =&gt; Number 6

Table 10b: Percentage of children entering first grade of primary school who eventually reach grade 5, Republic de Angola, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Poorest	76.0	83.0	82.5	70.6	36.7
	Second	73.1	82.0	81.9	73.9	36.3
	Middle	78.9	80.1	81.3	75.2	38.7
	Fourth	80.5	83.3	88.1	80.6	47.7
	Richest	84.6	85.8	88.1	86.2	55.1
Sexo	Masculino	79.5	84.9	87.0	82.5	48.4
	Feminino	79.1	81.5	83.4	79.2	42.6
Região	Região Capital	88.9	86.6	95.4	89.1	65.4
	Região Norte	75.4	79.1	83.3	77.8	38.6
	Região Este	77.3	81.7	82.9	75.4	39.4
	Região Oeste	71.3	80.4	81.2	84.1	39.2
	Região Centro Sul	81.0	83.9	87.1	78.0	46.1
	Região Sul	82.4	86.3	84.0	75.5	45.1
Area de residencia	Urbana	78.7	82.9	85.4	81.4	45.3
	Rural	81.1	84.1	85.7	77.7	45.3
1.00		79.3	83.2	85.5	80.9	45.6

World Summit for Children Goal =&gt; Number 6

## T7 - Total

Table 11: Percentage of children of primary school age attending primary school (level 1 without ED17a), Republique de Angola, 2001

		Sexo				Total	
		Masculino		Feminino		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth Index Quintiles	Poorest	36.1	302	33.8	277	35.0	579
	Second	45.2	346	44.0	296	44.7	642
	Middle	52.1	375	49.5	398	50.8	773
	Fourth	59.6	391	63.3	387	61.5	778
	Richest	76.9	417	76.7	468	76.8	886
Região	Região Capital	65.9	269	60.1	272	63.0	540
	Região Norte	52.2	299	58.1	281	55.0	580
	Região Este	43.4	302	45.1	310	44.3	612
	Região Oeste	54.0	296	52.3	276	53.2	572
	Região Centro Sul	55.0	328	56.4	329	55.7	657
Area de residencia	Região Sul	62.3	339	63.9	358	63.1	697
	Urbana	60.4	1274	61.3	1281	60.8	2555
Idade em anos completos	Rural	44.1	558	44.0	545	44.1	1103
	6.00	34.8	522	34.9	507	34.9	1029
	7.00	54.1	436	56.9	438	55.5	874
	8.00	65.8	478	66.7	476	66.3	954
Total	9.00	71.5	396	69.5	405	70.5	801
		55.4	1832	56.1	1826	55.8	3658

World Summit for Children Goal =&gt; Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Republique de Angola, 2001

		Sexo						Total		
		Masculino			Feminino			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index	Poorest	61.6	1.0	1150	27.1	1.0	1494	42.1	1.0	2644
Quintiles	Second	73.8	.6	1266	36.4	.9	1537	53.3	.8	2804
	Middle	83.2	1.5	1347	50.0	.6	1622	65.1	1.0	2969
	Fourth	87.6	1.1	1425	59.3	1.0	1628	72.5	1.0	3053
	Richest	95.3	.6	1891	85.6	.3	2014	90.3	.4	3905
Região	Região Capital	89.5	1.0	1245	68.6	.5	1325	78.7	.8	2570
	Região Norte	81.0	1.4	1125	46.7	1.3	1327	62.4	1.3	2452
	Região Este	73.6	1.5	1352	39.2	1.1	1506	55.5	1.3	2858
	Região Oeste	85.4	.5	1122	52.6	.4	1410	67.2	.4	2532
	Região Centro Sul	82.0	.4	1058	50.8	.6	1329	64.7	.5	2388
	Região Sul	82.2	.7	1177	66.3	.5	1397	73.5	.6	2574
Area de residencia	Urbana	87.7	.9	4940	62.7	.8	5728	74.2	.8	10667
	Rural	69.3	1.0	2140	34.1	.7	2567	50.1	.8	4707
Age	15-24	82.7	1.3	2398	62.6	.8	3068	71.4	1.0	5465
	25-34	88.0	.4	1688	61.6	.5	2214	73.0	.4	3902
	35-44	89.4	.7	1447	53.2	.7	1502	71.0	.7	2949
	45-54	77.9	1.1	808	29.9	.6	813	53.8	.9	1621
	55-64	64.1	1.6	444	19.6	1.7	419	42.5	1.6	863
	65+	46.8	1.7	295	18.9	.7	280	33.2	1.2	575
Total		82.1	.9	7079	53.8	.7	8295	66.8	.8	15374

World Summit for Children Goal =&gt; Number 7

## T7 - Total

Table 13: Percentage of the population using improved drinking water sources, Republique de Angola, 2001

		Principal fonte de agua						
		Agua canalizada	Agua canalizada no quintal	Toneira publica (chafariz, fontanário)	Torneira do vizinho, predio	Furo com bomba	Fonte ou poço protegido	Nascente protegido
Região	Região Capital	11.3	6.8	21.6	17.3	1.7	3.8	.5
	Região Norte	.4	.2	11.1	1.7	5.9	29.6	20.1
	Região Este	.5	2.9	5.5	12.1	.0	.8	17.9
	Região Oeste	8.4	5.0	31.0	12.8	1.1	8.0	.3
	Região Centro Sul	1.0	2.2	15.7	.3	18.6	31.6	4.2
	Região Sul	5.6	5.5	7.5	16.5	16.6	8.4	.3
Area de residencia	Urbana	6.2	5.1	16.4	14.3	6.9	14.3	7.7
	Rural	.2	.6	11.5	.4	8.5	11.8	7.0
Total		4.3	3.8	14.9	10.1	7.4	13.5	7.5

World Summit for Children Goal =&gt; Number 4

Table 13: Percentage of the population using improved drinking water sources, Republique de Angola, 2001

		Principal fonte de agua						Total
		Recolha de Agua da chuva	Poço não protegido	Nascente nao protegido	Lagoa, no rio ou riacho	Camiao cistena de distribuição	Outro	
Região	Região Capital	.1	2.0	.0	15.9	4.3	14.7	100.0
	Região Norte	.1	7.0	5.8	16.6	.0	1.3	100.0
	Região Este	.1	.5	.4	43.4	15.9	.0	100.0
	Região Oeste	.0	7.3	.3	18.1	6.9	.8	100.0
	Região Centro Sul	.0	12.5	1.5	12.4	.0	.0	100.0
	Região Sul	.0	16.4	.9	18.7	1.3	2.3	100.0
Area de residencia	Urbana	.0	5.8	1.2	12.2	6.5	3.3	100.0
	Rural	.1	11.8	2.1	42.4	1.1	2.5	100.0
Total		.1	7.6	1.5	21.3	4.9	3.1	100.0

World Summit for Children Goal =&gt; Number 4

**Table 13: Percentage of the population using improved drinking water sources, Republique de Angola, 2001**

		Total with safe drinking water	Number of persons
Região	Região Capital	63.0	4728
	Região Norte	69.1	4930
	Região Este	39.7	5536
	Região Oeste	66.6	4632
	Região Centro Sul	73.6	5014
	Região Sul	60.3	5276
Area de residencia	Urbana	70.9	21013
	Rural	39.9	9104
Total		61.6	30117

World Summit for Children Goal =&gt; Number 4

**Table 13: Percentage of the population using improved drinking water sources, Republique de Angola, 2001**

		A que distance fica a fonte de abastecimento de água					Trata ou ferve a agua antes de beber	
		Na residencia	Menos de 100 metros	Entre 100 E 500 metros	Entre 500 metros e 1 km	Mais de 1km	Sim	Não
Região	Região Capital	10.9	54.5	27.3	4.1	3.2	28.8	71.2
	Região Norte	4.4	40.8	37.4	11.1	6.2	16.8	83.2
	Região Este	5.2	37.1	27.2	15.5	15.0	8.8	91.2
	Região Oeste	6.2	44.5	31.0	6.9	11.4	17.9	82.1
	Região Centro Sul	4.6	55.6	29.8	7.6	2.5	18.8	81.2
	Região Sul	4.2	50.2	31.5	9.3	4.8	24.6	75.4
Area de residencia	Urbana	7.2	51.0	28.6	7.7	5.5	24.0	76.0
	Rural	2.7	37.8	35.3	13.0	11.3	7.6	92.4
Total		5.8	46.8	30.7	9.4	7.3	19.1	80.9

World Summit for Children Goal =&gt; Number 4

Table 13: Percentage of the population using improved drinking water sources, Republique de Angola, 2001

		Que tipo de tratamento da a agua ?				Total	Total with safe drinking water	Number of persons
		Fervura	Lixivia	Cloro	Outros			
Região	Região Capital	59.2	34.8	5.5	.5	100.0	63.0	4728
	Região Norte	59.0	26.8	12.6	1.5	100.0	69.1	4930
	Região Este	72.5	13.3	5.5	8.8	100.0	39.7	5536
	Região Oeste	76.5	21.3	1.3	.9	100.0	66.6	4632
	Região Centro Sul	84.5	3.7	11.8	.0	100.0	73.6	5014
	Região Sul	79.3	20.1	.0	.6	100.0	60.3	5276
Area de residencia	Urbana	71.0	23.1	4.4	1.5	100.0	70.9	21013
	Rural	75.3	9.3	15.4	.0	100.0	39.9	9104
Total		71.5	21.5	5.7	1.3	100.0	61.6	30117

World Summit for Children Goal =&gt; Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Republic de Angola, 2001

		Que utiliza para fazer as suas necessidades							
		Para o sistema de esgotos (Pia, sanita)	Com fosse septica e poco roto	ds	Latrina seca, latrina com descarga manual	Vala negra, aberta	Directo ao rio, no mar ou no largo	Balde	Capim, mato, ar livre
Região	Região Capital	27.6	19.0	6.9	23.3	.8	.1	.5	21.5
	Região Norte	9.2	6.0	16.3	40.5	.7	.1	.1	26.8
	Região Este	6.4	3.5	1.4	39.4	.1	.1	.2	48.4
	Região Oeste	15.0	5.9	11.9	5.1	2.8	.3	.1	58.6
	Região Centro Sul	12.4	3.5	4.8	61.6	1.5	.0	.2	16.0
	Região Sul	12.3	12.1	5.9	8.3	.4	1.8	.1	58.9
Area de residencia	Urbana	18.5	11.2	9.6	34.8	1.0	.4	.3	23.8
	Rural	2.2	1.3	3.1	19.0	1.0	.3	.0	73.1
Total		13.5	8.2	7.7	30.0	1.0	.4	.2	38.7

World Summit for Children Goal =&gt; Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Republique de Angola, 2001

		Que utiliza para fazer as suas			
		Outros	Total	Total with sanitary means of excreta disposal	Number of persons
Região	Região Capital	.2	100.0	76.8	4728
	Região Norte	.3	100.0	72.0	4930
	Região Este	.5	100.0	50.7	5536
	Região Oeste	.4	100.0	37.8	4632
	Região Centro Sul	.1	100.0	82.2	5014
	Região Sul	.2	100.0	38.5	5276
Area de residencia	Urbana	.4	100.0	74.1	21013
	Rural	.0	100.0	25.5	9104
Total		.3	100.0	59.4	30117

World Summit for Children Goal =&gt; Number 5

**Table 15: Percentage of under-five children with missing height or weight, Republique de Angola, 2001**

		Missing height or weight	Number of children
Wealth Index Quintiles	Poorest	3.3	946
	Second	4.4	1032
	Middle	4.0	1209
	Fourth	4.5	1269
	Richest	3.8	1207
Sexo	Masculino	3.9	2801
	Feminino	4.2	2863
Região	Região Capital	3.1	778
	Região Norte	7.3	1003
	Região Este	2.1	1142
	Região Oeste	1.7	697
	Região Centro Sul	6.4	1002
Area de residencia	Região Sul	2.9	1043
	Urbana	3.9	3928
Age	Rural	4.2	1736
	< 6 months	5.1	656
Mother's education level	6-11 months	4.5	618
	12-23 months	3.2	1102
	24-35 months	3.5	1170
	36-47 months	4.3	1128
	48-59 months	4.3	972
Total	None	3.9	2033
	Primary	4.0	3003
	Secondary	4.2	627
Total		4.0	5663

World Summit for Children Goal =&gt; Number 3, 9, 26

## T7 - Total

Table 15: Percentage of under-five children who are severely or moderately undernourished, Republic de Angola, 2001

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index	Poorest	34.8	10.0	52.0	27.5	7.8	1.8	861
Quintiles	Second	34.4	10.8	50.7	26.5	6.5	1.6	916
	Middle	33.6	9.6	47.6	24.3	6.7	.8	1088
	Fourth	30.0	8.0	45.1	21.4	6.3	.9	1137
	Richest	21.8	4.4	33.3	13.2	4.8	.8	1127
Sexo	Masculino	31.9	8.9	47.5	23.1	6.6	1.3	2530
	Feminino	29.2	7.9	43.0	21.2	6.0	1.0	2597
Região	Região Capital	22.7	6.3	34.7	17.7	7.0	2.0	707
	Região Norte	30.5	7.1	44.8	21.8	4.9	.8	870
	Região Este	26.8	7.4	39.3	16.6	6.1	.7	1056
	Região Oeste	31.7	9.6	40.9	21.2	10.2	2.1	618
	Região Centro Sul	39.5	11.7	53.4	25.5	6.4	.8	908
	Região Sul	31.3	8.3	54.8	29.2	4.8	.9	969
Area de residencia	Urbana	29.7	8.0	43.3	20.5	6.5	1.1	3562
	Rural	32.4	9.2	49.6	25.9	5.8	1.1	1566
Age	< 6 months	8.8	1.9	17.7	6.7	5.8	1.5	542
	6-11 months	29.2	7.9	30.2	12.4	9.2	1.5	563
	12-23 months	41.5	13.3	52.2	23.5	11.6	2.6	1001
	24-35 months	34.3	11.0	48.5	23.5	6.0	.9	1090
	36-47 months	28.6	6.0	51.2	27.2	2.9	.2	1039
	48-59 months	29.5	6.5	52.3	28.2	3.3	.3	886
Mother's education level	None	34.0	10.8	49.8	25.4	7.0	1.3	1823
	Primary	30.4	7.6	44.8	21.5	6.1	1.0	2729
	Secondary	19.9	4.6	32.6	14.8	5.2	1.1	571
	Superior	50.1	.0	25.4	25.4	.0	.0	4
Total		30.5	8.4	45.2	22.1	6.3	1.1	5127

World Summit for Children Goal =&gt; Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Republique de Angola, 2001

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children
Sexo	Masculino	12.0	218	78.8	221	88.7	209
	Feminino	15.2	231	75.6	210	89.5	178
Região	Região Capital	20.9	64	63.2	59	86.2	58
	Região Norte	3.1	88	75.5	73	89.6	60
	Região Este	1.8	106	78.1	75	89.4	91
	Região Oeste	17.7	46	82.9	72	94.3	55
	Região Centro Sul	17.7	81	79.2	78	90.5	54
	Região Sul	32.1	65	81.5	74	85.2	68
Area de residencia	Urbana	13.8	317	74.7	294	89.0	280
	Rural	13.3	132	82.8	137	89.3	107
Mother's education level	None	10.6	164	77.8	146	87.9	147
	Primary	14.8	247	78.1	242	90.5	201
	Secondary	19.2	38	70.2	43	86.3	39
Total		13.6	449	77.2	431	89.1	387

World Summit for Children Goal =&gt; Number 16

**Table 16: Percent of living children by breastfeeding status, Republique de Angola, 2001**

		Continued breastfeeding rate	
		Children 20-23 months	Number of children
Sexo	Masculino	37.0	173
	Feminino	37.1	183
Região	Região Capital	18.4	50
	Região Norte	40.0	53
	Região Este	33.1	71
	Região Oeste	41.3	49
	Região Centro Sul	53.8	53
	Região Sul	36.5	81
Area de residencia	Urbana	34.7	251
	Rural	42.7	105
Mother's education level	None	43.1	122
	Primary	37.0	188
	Secondary	21.0	46
Total		37.0	356

World Summit for Children Goal =&gt; Number 16

Table 16w: Percent distribution of children by breastfeeding status, Republique de Angola, 2001

	Breastfeeding status					Total		
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children	
Age	0-1	4.0	17.0	42.6	13.0	23.5	100.0	204
en	2-3	1.3	10.9	27.3	16.3	44.2	100.0	242
mois	4-5	3.6	5.6	19.5	11.8	59.5	100.0	205
	6-7	2.5	3.5	8.8	6.4	78.8	100.0	208
	8-9	6.4	.9	9.3	5.9	77.4	100.0	219
	10-11	11.1	1.7	9.1	8.5	69.6	100.0	182
	12-13	7.6	1.9	7.9	6.3	76.4	100.0	207
	14-15	11.2	2.1	6.8	3.6	76.3	100.0	173
	16-17	20.9	.5	7.2	1.7	69.7	100.0	168
	18-19	27.1	1.7	5.9	2.7	62.6	100.0	187
	20-21	53.5	.7	1.9	2.8	41.1	100.0	153
	22-23	68.4	.6	1.1	1.7	28.2	100.0	192
	24-25	79.9	.0	2.5	.5	17.1	100.0	224
	26-27	82.4	.5	1.6	.9	14.6	100.0	228
	28-29	90.9	.0	1.2	1.8	6.1	100.0	180
	30-31	91.8	.6	1.3	.0	6.2	100.0	158
	32-33	98.4	.0	.6	.0	1.0	100.0	171
	34-35	98.9	.0	.0	.0	1.1	100.0	162

Exclusively breastfed includes vitamin, mineral supplements and medicine

## T7 - Total

Table 17: Percentage of households consuming adequately iodized salt, Republic de Angola, 2001

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	
Wealth Index Quintiles	Poorest	19.8	77.8	65.8	34.2	1207
	Second	15.6	81.7	65.5	34.5	1214
	Middle	13.8	84.4	59.9	40.1	1214
	Fourth	9.0	88.7	66.7	33.3	1182
	Richest	5.3	92.7	67.5	32.5	1196
Região de residencia	Região Capital	8.2	89.6	72.1	27.9	929
	Região Norte	12.2	85.9	54.3	45.7	967
	Região Este	20.4	77.8	38.1	61.9	1139
	Região Oeste	7.1	92.2	88.9	11.1	1009
	Região Centro Sul	19.0	74.2	69.8	30.2	953
	Região Sul	8.5	91.0	66.9	33.1	1016
Area de residencia	Urbana	11.4	86.3	64.0	36.0	3943
	Rural	15.3	82.5	67.4	32.6	2069
Total		12.7	85.0	65.1	34.9	6012

World Summit for Children Goal =&gt; Number 14

Table 17a: Percentage of population consuming adequately iodized salt, Republique de Angola, 2001

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	
Wealth Index Quintiles	Poorest	17.2	81.0	64.8	35.2	5020
	Second	12.9	84.6	62.7	37.3	5392
	Middle	12.2	85.9	58.9	41.1	6032
	Fourth	8.6	89.0	65.1	34.9	6235
	Richest	4.2	93.9	66.5	33.5	7438
Região	Região Capital	6.8	91.4	71.9	28.1	4728
	Região Norte	10.3	87.7	54.6	45.4	4930
	Região Este	16.9	81.3	37.7	62.3	5536
	Região Oeste	6.0	93.5	86.6	13.4	4632
	Região Centro Sul	14.8	79.5	67.2	32.8	5014
Area de residencia	Região Sul	6.9	92.5	65.8	34.2	5276
	Urbana	9.3	88.5	62.8	37.2	21013
	Rural	13.0	85.0	66.1	33.9	9104
Total		10.5	87.5	63.8	36.2	30117

World Summit for Children Goal =&gt; Number 14

## T7 - Total

**Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Republique de Angola, 2001**

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	26.0	4.2	11.3	2.2	56.3	100.0	834
	Second	28.6	6.2	13.9	1.8	49.5	100.0	909
	Middle	32.9	6.3	10.8	1.7	48.2	100.0	1059
	Fourth	29.1	6.3	13.4	1.6	49.5	100.0	1115
	Richest	36.0	10.9	16.4	2.9	33.8	100.0	1088
Sexo	Masculino	30.7	7.1	12.9	1.8	47.6	100.0	2482
	Feminino	30.9	6.8	13.6	2.3	46.3	100.0	2523
Região	Região Capital	50.7	6.4	10.0	3.4	29.6	100.0	691
	Região Norte	36.6	6.4	10.3	.6	46.1	100.0	872
	Região Este	32.9	9.6	14.3	.8	42.4	100.0	993
	Região Oeste	24.3	3.8	9.8	1.4	60.7	100.0	633
	Região Centro Sul	35.1	2.7	16.3	1.7	44.2	100.0	876
Area de residencia	Região Sul	9.0	11.3	16.7	4.4	58.6	100.0	940
	Urbana	31.2	7.9	14.3	2.1	44.5	100.0	3470
Age	Rural	30.0	4.8	10.9	1.9	52.4	100.0	1535
	6-11 months	29.9	4.1	7.5	2.0	56.6	100.0	618
Age	12-23 months	31.0	7.3	11.3	1.3	49.1	100.0	1102
	24-35 months	31.0	7.0	15.7	1.4	44.8	100.0	1170
	36-47 months	32.0	7.3	15.0	2.8	42.8	100.0	1128
	48-59 months	29.7	7.9	14.2	2.9	45.4	100.0	971
Mother's education level	None	24.7	4.2	11.9	2.0	57.2	100.0	1795
	Primary	32.9	7.8	13.7	1.9	43.8	100.0	2640
	Secondary	40.2	12.0	15.2	3.2	29.4	100.0	565
	Superior	49.4	.0	50.6	.0	.0	100.0	4
Total		30.8	6.9	13.2	2.1	46.9	100.0	5005

World Summit for Children Goal => Number 15

**Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Republic de Angola, 2001**

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	18.7	1.8	208
	Second	23.4	2.2	227
	Middle	30.9	1.6	297
	Fourth	27.5	1.3	308
	Richest	26.1	3.2	267
Região	Região Capital	34.0	5.6	167
	Região Norte	29.5	.8	254
	Região Este	22.4	.0	273
	Região Oeste	23.5	1.1	168
	Região Centro Sul	31.3	4.7	231
Area de residencia	Região Sul	15.5	1.0	214
	Urbana	26.2	1.9	923
	Rural	25.0	2.1	385
Woman's education level	None	22.1	1.7	452
	Primary	27.3	1.9	735
	Secondary	31.5	3.6	120
Total		25.8	2.0	1308

World Summit for Children Goal => Number 15

Working table for table 20

		Number of weighed births	Number of weighed births below 2500 grams	Proportion of live births below 2500 grams	Total number of births	Estimated percent of live births below 2500 grams
Quando a sua última criança nasceu era ?	Muito grande	151.6	3.2	.02	297.0	6.3
	Muito do que normal	132.9	8.6	.07	224.4	14.6
	Normal	248.6	17.6	.07	599.7	42.5
	Menor do que o normal	29.5	17.6	.59	73.7	43.8
	Muito pequeno	22.5	12.4	.55	66.7	36.7
	Não sabe	.0	.0	.00	30.2	.0

Table 20a. Birth weight and size at birth

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth Index Quintiles	Poorest	2.4	17.6	1.8	78.2
	Second	3.9	31.9	2.2	62.0
	Middle	4.5	38.6	2.7	54.2
	Fourth	7.4	44.7	2.2	45.7
	Richest	3.6	62.7	3.6	30.1
Região	Região Capital	2.9	55.1	5.6	36.4
	Região Norte	4.7	40.7	1.3	53.3
	Região Este	4.9	36.0	2.1	57.0
	Região Oeste	7.9	40.3	2.2	49.7
	Região Centro Sul	5.6	35.1	3.9	55.5
Area de residencia	Região Sul	1.4	40.4	1.0	57.2
	Urbana	5.3	48.2	2.6	43.9
Woman's education level	Rural	2.8	21.8	2.3	73.1
	None	4.5	28.4	2.1	65.0
	Primary	4.5	43.1	2.8	49.7
Total	Secondary	5.3	70.0	2.7	22.0
		4.5	40.5	2.5	52.5

Table 20a. Birth weight and size at birth

		Quando a sua última criança nasceu era ?						Total	Number
		Muito grande	Muito do que normal	Normal	Menor do que o normal	Muito pequeno	Não sabe		
Wealth Index Quintiles	Poorest	21.0	11.9	52.6	7.9	5.2	1.4	100.0	207
	Second	27.3	16.6	42.9	4.3	6.1	2.8	100.0	222
	Middle	22.3	18.3	46.1	4.8	7.1	1.4	100.0	295
	Fourth	24.6	19.3	41.8	6.2	4.5	3.5	100.0	305
	Richest	19.9	19.0	50.2	5.7	2.9	2.4	100.0	263
Região	Região Capital	16.3	18.3	50.8	5.3	3.8	5.5	100.0	166
	Região Norte	30.7	16.4	40.3	5.2	6.6	.9	100.0	250
	Região Este	27.8	19.8	44.5	4.5	1.9	1.5	100.0	273
	Região Oeste	12.3	17.0	54.1	9.3	6.2	1.1	100.0	168
	Região Centro Sul	24.0	20.3	36.8	6.3	7.7	4.9	100.0	220
Area de residencia	Região Sul	20.5	12.0	56.5	4.7	5.3	.9	100.0	214
	Urbana	23.9	17.7	45.8	5.1	5.1	2.4	100.0	914
	Rural	20.8	16.5	48.0	7.2	5.3	2.2	100.0	377
	Woman's education level	None	22.9	16.3	46.0	7.5	6.4	.9	100.0
	Primary	24.0	16.8	46.0	5.3	4.8	3.1	100.0	733
	Secondary	17.2	25.1	50.4	1.8	2.8	2.7	100.0	117
Total		23.0	17.4	46.4	5.7	5.2	2.3	100.0	1292

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Republic of Angola, 2001

BCG	Vaccination Card	32.6
	Mother's Report	36.2
	Not vaccinated	31.2
DPT1	Vaccination Card	29.1
	Mother's Report	26.7
	Not vaccinated	44.2
DPT2	Vaccination Card	25.7
	Mother's Report	16.1
	Not vaccinated	58.2

World Summit for Children Goal =&gt; Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Republique de Angola, 2001**

DPT3	Vaccination Card	23.1
	Mother's Report	10.9
	Not vaccinated	66.1
Polio 0	Vaccination Card	32.4
	Mother's Report	19.3
	Not vaccinated	48.4
Polio 1	Vaccination Card	30.1
	Mother's Report	52.3
	Not vaccinated	17.6
Polio 2	Vaccination Card	26.1
	Mother's Report	49.7
	Not vaccinated	24.2
Polio 3	Vaccination Card	23.7
	Mother's Report	39.5
	Not vaccinated	36.8
Measles	Vaccination Card	24.9
	Mother's Report	28.5
	Not vaccinated	46.6
All vaccinations	Vaccination Card	20.4
	Mother's Report	6.3
	Doesn't have all vaccinations	73.4
No vaccinations	Mother's Report	12.7
	Has some vaccinations	87.3
Number of children		1102.1

World Summit for Children Goal =&gt; Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year**

BCG	91.6
DPT 1	89.3
DPT 2	86.3
DPT 3	81.4
Polio 0	90.4
Polio 1	89.4
Polio 2	83.9
Polio 3	81.3
Measles	79.4
All vaccinations	66.3
No vaccinations	5.0

World Summit for Children Goal => Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year**

BCG	Vaccination Card	32.6
	Mother's Report	36.2
	Not vaccinated	31.2
DPT1	Vaccination Card	29.1
	Mother's Report	26.7
	Not vaccinated	44.2
DPT2	Vaccination Card	25.7
	Mother's Report	16.1
	Not vaccinated	58.2
DPT3	Vaccination Card	23.1
	Mother's Report	10.9
	Not vaccinated	66.1
Polio 0	Vaccination Card	32.4
	Mother's Report	19.3
	Not vaccinated	48.4

World Summit for Children Goal => Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year**

Polio 1	Vaccination Card	30.1
	Mother's Report	52.3
	Not vaccinated	17.6
Polio 2	Vaccination Card	26.1
	Mother's Report	49.7
	Not vaccinated	24.2
Polio 3	Vaccination Card	23.7
	Mother's Report	39.5
	Not vaccinated	36.8
Measles	Vaccination Card	24.9
	Mother's Report	28.5
	Not vaccinated	46.6
All vaccinations	Vaccination Card	20.4
	Mother's Report	6.3
	Doesn't have all vaccinations	73.4
No vaccinations	Mother's Report	12.7
	Has some vaccinations	87.3
Number of children		1102.1

World Summit for Children Goal =&gt; Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year**

BCG	91.6
DPT 1	89.3
DPT 2	86.3
DPT 3	81.4
Polio 0	90.4
Polio 1	89.4
Polio 2	83.9
Polio 3	81.3
Measles	79.4
All vaccinations	66.3
No vaccinations	5.0

World Summit for Children Goal => Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Republique de Angola, 2001**

	BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All
Vaccination card	32.6	29.1	25.7	23.1	32.4	30.1	26.1	23.7	24.9	20.4
Mother's report	36.2	26.7	16.1	10.9	19.3	52.3	49.7	39.5	28.5	6.3
Either	68.8	55.8	41.8	33.9	51.6	82.4	75.8	63.2	53.4	26.6
Vaccinated by 12 months of age	63.0	49.8	36.0	27.6	46.7	73.7	63.6	51.4	42.4	17.7

World Summit for Children Goal => Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Republique de Angola, 2001**

	None	Number of children
Vaccination card	.0	1102.1
Mother's report	12.7	1102.1
Either	12.7	1102.1
Vaccinated by 12 months of age	17.1	1102.1

World Summit for Children Goal => Number 22

T7 - Total

**Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Republic de Angola, 2001**

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None
Wealth Index Quintiles	Poorest	53.9	38.7	28.4	23.1	38.7	79.7	72.1	62.8	37.8	20.4	14.9
	Second	56.7	43.9	28.4	23.4	38.2	76.0	66.9	56.6	43.7	18.3	17.9
	Middle	73.4	59.8	47.5	34.4	50.0	82.8	73.6	62.1	56.2	28.4	13.7
	Fourth	70.1	56.9	42.9	36.4	55.4	85.5	81.2	68.4	55.2	28.1	10.5
	Richest	83.6	72.9	55.7	47.3	69.5	86.2	82.1	64.6	68.2	34.7	8.3
Sexo	Masculino	68.4	55.0	40.5	34.1	53.9	80.7	73.2	61.3	53.7	26.3	13.1
	Feminino	69.2	56.6	43.1	33.8	49.4	84.2	78.4	65.2	53.1	27.0	12.4
Região	Região Capital	77.8	62.1	45.5	37.1	67.5	87.0	84.3	71.6	65.1	27.9	5.4
	Região Norte	73.2	69.2	63.8	57.2	64.6	78.5	71.4	68.9	69.2	53.5	18.3
	Região Este	63.9	51.7	32.4	23.6	43.9	84.3	75.5	59.7	43.5	17.1	12.2
	Região Oeste	65.2	55.7	37.3	33.2	51.8	88.4	83.2	63.6	52.8	27.9	8.4
	Região Centro Sul	63.5	54.2	39.6	27.4	43.2	75.1	64.2	52.7	52.1	19.1	18.0
Area de residencia	Região Sul	68.9	44.6	33.7	26.9	42.0	81.8	76.8	62.6	41.8	16.7	13.1
	Urbana	73.7	62.7	48.2	39.0	57.4	84.4	78.2	64.3	58.2	30.5	11.6
Mother's education level	Rural	57.0	39.0	26.2	21.9	37.8	77.6	70.0	60.6	41.9	17.5	15.5
	None	57.4	40.4	28.2	23.1	42.2	76.5	68.6	58.5	40.5	19.7	17.2
	Primary	72.6	59.9	44.4	35.0	52.5	84.4	77.9	63.0	55.4	26.2	11.3
	Secondary	85.0	83.2	70.0	61.3	74.8	91.2	87.2	77.7	81.7	49.1	5.6
Total	Superior	100.0	.0	.0	.0	100.0	100.0	100.0	100.0	100.0	.0	.0
		68.8	55.8	41.8	33.9	51.6	82.4	75.8	63.2	53.4	26.6	12.7

**Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Republic de Angola, 2001**

		% with health card	Number of children
Wealth Index Quintiles	Poorest	28.7	189
	Second	26.8	192
	Middle	36.1	227
	Fourth	35.6	240
	Richest	40.5	253
Sexo	Masculino	37.3	555
	Feminino	30.9	547
Região	Região Capital	40.4	169
	Região Norte	55.4	190
	Região Este	30.5	217
	Região Oeste	31.4	146
	Região Centro Sul	25.3	159
Area de residencia	Região Sul	22.7	221
	Urbana	37.0	779
Mother's education level	Rural	27.1	323
	None	30.3	389
	Primary	33.8	579
	Secondary	47.0	134
Total	Superior	.0	1
		34.1	1102

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Republique de Angola, 2001

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula
Wealth Index Quintiles	Poorest	20.2	946	51.5	34.5	34.2	23.6	6.8
	Second	20.4	1032	54.1	34.6	37.8	38.2	3.2
	Middle	24.9	1209	53.6	40.0	37.1	38.1	6.9
	Fourth	27.5	1269	51.7	42.7	60.1	43.9	5.6
	Richest	22.6	1207	42.7	49.0	56.8	49.7	17.2
Sexo	Masculino	25.2	2801	52.5	41.3	48.3	39.1	8.4
	Feminino	21.6	2863	48.5	40.5	45.3	40.9	7.7
Região	Região Capital	25.1	778	44.2	30.3	49.0	37.2	14.9
	Região Norte	20.9	1003	57.1	18.1	34.1	51.2	4.4
	Região Este	21.4	1142	55.2	29.0	23.9	30.9	4.0
	Região Oeste	27.3	697	49.8	50.7	58.0	30.7	6.4
	Região Centro Sul	26.1	1002	50.0	59.8	59.0	46.6	5.0
	Região Sul	21.4	1043	46.7	54.3	58.7	41.9	15.1
Area de residencia	Urbana	25.0	3928	50.8	42.9	49.3	43.0	8.2
	Rural	19.6	1736	50.1	35.1	40.0	31.3	7.8
Age	< 6 months	19.0	656	91.9	41.3	29.1	40.2	4.1
	6-11 months	43.8	618	87.2	46.2	45.6	45.4	7.5
	12-23 months	34.4	1102	68.5	41.5	47.5	41.1	9.0
	24-35 months	24.2	1170	16.5	40.1	53.2	41.3	9.8
	36-47 months	13.5	1128	4.5	34.2	51.5	27.3	5.4
	48-59 months	11.5	972	5.5	36.1	45.0	37.3	10.4
Mother's education level	None	21.7	2033	50.8	33.8	40.6	38.1	5.5
	Primary	25.0	3003	52.1	42.6	48.7	38.6	7.9
	Secondary	21.4	623	41.9	54.6	57.8	53.5	17.4
	Superior	.0	4	.	.	.	.	.
Total		23.4	5663	50.6	40.9	46.9	39.9	8.1

World Summit for Children Goal =&gt; Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Republique de Angola, 2001

		Water with feeding	Any recommended treatment	No treatment	Number of children with diarrhea
					1.00
Wealth Index Quintiles	Poorest	86.8	97.9	2.1	191
	Second	86.0	97.3	2.7	210
	Middle	85.1	98.4	1.6	302
	Fourth	86.9	98.8	1.2	349
	Richest	87.2	97.7	2.3	272
Sexo	Masculino	87.6	98.4	1.6	706
	Feminino	85.0	97.8	2.2	618
Região	Região Capital	81.6	92.9	7.1	195
	Região Norte	85.0	98.6	1.4	210
	Região Este	91.9	99.2	.8	245
	Região Oeste	93.9	100.0	.0	190
	Região Centro Sul	79.1	97.7	2.3	261
	Região Sul	88.2	100.0	.0	223
Area de residencia	Urbana	86.5	98.3	1.7	984
	Rural	86.2	97.7	2.3	341
Age	< 6 months	60.5	98.5	1.5	125
	6-11 months	79.8	98.3	1.7	271
	12-23 months	90.0	98.1	1.9	379
	24-35 months	91.7	97.8	2.2	283
	36-47 months	94.0	98.6	1.4	152
	48-59 months	96.2	97.1	2.9	112
Mother's education level	None	86.1	98.3	1.7	441
	Primary	86.7	98.1	1.9	750
	Secondary	85.7	97.6	2.4	133
	Superior	.	.	.	0
Total	86.4	98.1	1.9	1324	

World Summit for Children Goal =&gt; Number 23

**Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Republique de Angola, 2001**

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	20.2	946	12.2	87.8	.0	100.0
	Second	20.4	1032	13.1	85.9	1.0	100.0
	Middle	24.9	1209	12.5	87.5	.0	100.0
	Fourth	27.5	1269	15.9	84.1	.0	100.0
	Richest	22.6	1207	15.7	82.4	2.0	100.0
Sexo	Masculino	25.2	2801	14.2	85.4	.5	100.0
	Feminino	21.6	2863	14.0	85.3	.7	100.0
Região	Região Capital	25.1	778	11.5	87.4	1.1	100.0
	Região Norte	20.9	1003	19.7	80.3	.0	100.0
	Região Este	21.4	1142	12.7	87.3	.0	100.0
	Região Oeste	27.3	697	14.5	84.9	.5	100.0
	Região Centro Sul	26.1	1002	10.1	89.9	.0	100.0
Area de residencia	Região Sul	21.4	1043	16.8	81.2	2.0	100.0
	Urbana	25.0	3928	14.7	84.5	.8	100.0
Age	Rural	19.6	1736	12.2	87.8	.0	100.0
	< 6 months	19.0	656	7.6	92.4	.0	100.0
	6-11 months	43.8	618	10.3	89.0	.8	100.0
	12-23 months	34.4	1102	14.8	84.9	.3	100.0
	24-35 months	24.2	1170	17.1	82.1	.8	100.0
	36-47 months	13.5	1128	16.7	82.5	.7	100.0
	48-59 months	11.5	972	16.5	82.5	1.0	100.0

World Summit for Children Goal => Number 23

**Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Republique de Angola, 2001**

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total
				More	Same/Less	Missing/DK	
Mother's education level	None	21.7	2033	12.3	87.7	.0	100.0
	Primary	25.0	3003	14.1	85.3	.6	100.0
	Secondary	21.4	623	20.2	77.4	2.4	100.0
	Superior	.0	4	.0	.0	.0	.0
Total		23.4	5663	14.1	85.3	.6	100.0

World Summit for Children Goal => Number 23

**Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Republique de Angola, 2001**

		Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea
		somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth Index Quintiles	Poorest	50.9	48.6	.5	100.0	5.1	191
	Second	46.0	52.9	1.0	100.0	7.5	210
	Middle	45.3	54.7	.0	100.0	6.9	302
	Fourth	42.2	57.5	.3	100.0	6.5	349
	Richest	51.8	46.6	1.6	100.0	8.7	272
Sexo	Masculino	47.8	51.5	.8	100.0	7.8	706
	Feminino	45.6	53.9	.5	100.0	6.1	618
Região	Região Capital	54.5	44.4	1.1	100.0	6.9	195
	Região Norte	47.1	52.9	.0	100.0	10.7	210
	Região Este	53.9	46.1	.0	100.0	5.8	245
	Região Oeste	46.8	52.1	1.1	100.0	6.3	190
	Região Centro Sul	33.1	66.9	.0	100.0	4.3	261
Area de residencia	Região Sul	47.8	50.2	2.0	100.0	8.7	223
	Urbana	47.6	51.6	.9	100.0	8.0	984
Age	Rural	44.4	55.6	.0	100.0	4.0	341
	< 6 months	35.8	64.2	.0	100.0	4.3	125
	6-11 months	41.9	57.4	.8	100.0	3.8	271
	12-23 months	45.8	53.9	.3	100.0	6.1	379
	24-35 months	56.6	42.3	1.2	100.0	9.8	283
	36-47 months	52.1	47.2	.7	100.0	10.5	152
	48-59 months	42.3	56.8	1.0	100.0	9.3	112

World Summit for Children Goal => Number 23

**Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Republique de Angola, 2001**

		Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea
		somewhat less/same/more	Much less/none	Missing/DK			1.00
Mother's education level	None	45.8	54.2	.0	100.0	7.2	441
	Primary	47.3	52.0	.7	100.0	6.3	750
	Secondary	46.8	50.8	2.4	100.0	10.4	133
	Superior	.0	.0	.0	.0	.	0
Total		46.7	52.6	.7	100.0	7.0	1324

World Summit for Children Goal => Number 23

**Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Republique de Angola, 2001**

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Private physician
Wealth Index Quintiles	Poorest	7.7	946	17.6	10.2	1.1	3.5	16.2	1.2
	Second	8.7	1032	27.9	11.1	.0	.0	17.5	1.0
	Middle	8.3	1209	25.7	17.8	1.0	3.0	8.7	5.6
	Fourth	7.8	1269	33.3	12.4	.0	2.1	8.3	.8
	Richest	6.1	1207	33.5	20.1	1.5	1.4	18.5	.0
Sexo	Masculino	8.2	2801	27.9	16.2	.4	1.2	12.2	2.7
	Feminino	7.2	2863	27.8	12.1	1.0	2.9	14.6	.9
Região	Região Capital	5.7	778	29.7	24.2	.0	.0	9.1	1.8
	Região Norte	8.2	1003	30.7	3.3	2.3	.0	11.0	3.3
	Região Este	8.0	1142	33.1	4.2	1.1	4.0	11.6	.0
	Região Oeste	9.8	697	21.0	17.1	.0	4.6	24.3	1.3
	Região Centro Sul	8.6	1002	22.3	26.0	.0	2.3	13.9	1.2
Area de residencia	Região Sul	6.2	1043	30.2	16.9	.0	.0	9.3	4.2
	Urbana	7.5	3928	29.5	13.8	.7	1.8	10.7	.7
Age	Rural	8.1	1736	24.3	15.2	.6	2.5	19.0	4.3
	< 6 months	5.4	656	30.8	5.9	.0	.0	5.4	.0
Age	6-11 months	9.3	618	31.2	22.9	1.8	3.6	15.0	.0
	12-23 months	10.5	1102	25.7	11.9	.0	2.4	15.2	2.5
	24-35 months	7.9	1170	31.8	16.0	1.2	2.2	9.2	2.8
	36-47 months	6.7	1128	21.1	10.1	.0	1.4	18.6	2.3
	48-59 months	6.2	972	29.9	18.4	1.4	1.4	12.7	1.7
Mother's education level	None	7.9	2033	23.2	13.5	.5	2.5	15.1	2.8
	Primary	8.0	3003	28.9	13.7	.9	1.9	13.2	1.2
	Secondary	5.4	623	42.1	22.0	.0	.0	6.0	2.5
	Superior	.0	4	.	.	.	.	.	.
Total		7.7	5663	27.9	14.3	.7	2.0	13.3	1.9

World Summit for Children Goal => Number 24

**Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Republic de Angola, 2001**

		Traditional healer	Other	Any appropriate provider	Number of children with ARI
					1.00
Wealth Index Quintiles	Poorest	1.2	1.2	48.6	73
	Second	.0	3.3	54.5	90
	Middle	.0	5.1	58.8	101
	Fourth	1.0	3.1	55.9	99
	Richest	1.4	1.5	73.6	73
Sexo	Masculino	.0	2.7	57.6	230
	Feminino	1.4	3.4	58.5	206
Região	Região Capital	.0	4.2	64.8	44
	Região Norte	.0	5.3	50.7	82
	Região Este	1.1	2.1	54.0	91
	Região Oeste	1.3	3.1	61.4	68
	Região Centro Sul	1.2	2.4	61.0	86
Area de residencia	Região Sul	.0	1.4	60.7	65
	Urbana	.7	3.6	55.2	296
Age	Rural	.6	1.8	64.1	140
	< 6 months	.0	8.8	39.2	35
Age	6-11 months	.0	1.8	74.6	57
	12-23 months	.0	1.8	56.0	115
	24-35 months	.9	5.5	60.1	92
	36-47 months	2.8	1.4	51.0	75
	48-59 months	.0	1.3	63.8	60
Mother's education level	None	1.2	4.4	54.7	161
	Primary	.4	2.5	58.2	241
	Secondary	.0	.0	72.6	34
	Superior	.	.	.	0
Total		.7	3.0	58.0	436

World Summit for Children Goal => Number 24

**Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Republic de Angola, 2001**

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	36.0	946	11.9	87.8	.3	100.0
	Second	35.4	1032	14.2	85.2	.6	100.0
	Middle	40.5	1209	12.4	87.4	.2	100.0
	Fourth	42.4	1269	15.1	84.9	.0	100.0
	Richest	37.7	1207	16.8	82.0	1.2	100.0
Sexo	Masculino	40.5	2801	13.7	86.0	.3	100.0
	Feminino	36.9	2863	14.7	84.7	.6	100.0
Região	Região Capital	37.1	778	12.5	86.8	.7	100.0
	Região Norte	40.2	1003	18.7	81.3	.0	100.0
	Região Este	37.3	1142	14.4	85.6	.0	100.0
	Região Oeste	43.5	697	11.4	88.2	.3	100.0
	Região Centro Sul	38.1	1002	10.4	89.6	.0	100.0
Area de residencia	Região Sul	37.1	1043	16.5	81.8	1.7	100.0
	Urbana	39.7	3928	15.0	84.5	.6	100.0
Age	Rural	36.2	1736	12.3	87.6	.1	100.0
	< 6 months	31.9	656	8.0	92.0	.0	100.0
Age	6-11 months	57.1	618	11.1	88.2	.6	100.0
	12-23 months	49.5	1102	14.0	85.8	.2	100.0
	24-35 months	39.8	1170	16.8	82.8	.5	100.0
	36-47 months	30.9	1128	16.5	82.6	.9	100.0
	48-59 months	26.7	972	15.9	83.7	.4	100.0
Mother's education level	None	35.4	2033	11.0	89.0	.0	100.0
	Primary	41.5	3003	15.2	84.3	.5	100.0
	Secondary	35.9	623	19.0	79.6	1.4	100.0
	Superior	.0	4	.0	.0	.0	.0
Total		38.6	5663	14.2	85.4	.4	100.0

Monitoring IMCI and Malaria Indicator

**Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Republic de Angola, 2001**

		Eating during illness			Total	Received increased fluids and continued eating	Number of sick children
		somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth Index Quintiles	Poorest	46.7	52.8	.6	100.0	6.1	341
	Second	44.4	55.0	.6	100.0	8.2	365
	Middle	45.0	54.8	.2	100.0	6.8	490
	Fourth	43.6	56.2	.2	100.0	6.2	538
	Richest	52.5	46.6	.9	100.0	10.3	454
Sexo	Masculino	46.8	52.7	.5	100.0	7.5	1133
	Feminino	45.9	53.6	.5	100.0	7.5	1056
Região	Região Capital	52.1	47.2	.7	100.0	7.4	289
	Região Norte	47.8	52.2	.0	100.0	11.5	403
	Região Este	51.6	48.4	.0	100.0	6.9	426
	Região Oeste	46.2	53.1	.7	100.0	5.3	303
	Região Centro Sul	33.8	66.2	.0	100.0	4.8	381
	Região Sul	47.3	51.0	1.7	100.0	8.2	387
Area de residencia	Urbana	47.2	52.1	.6	100.0	8.6	1560
	Rural	44.2	55.6	.1	100.0	4.6	629
Age	< 6 months	39.9	60.1	.0	100.0	5.2	209
	6-11 months	44.1	55.3	.6	100.0	4.5	353
	12-23 months	46.2	53.6	.2	100.0	6.3	546
	24-35 months	49.6	49.7	.7	100.0	8.7	466
	36-47 months	49.3	49.8	.9	100.0	10.2	348
	48-59 months	45.9	53.6	.4	100.0	10.2	259
Mother's education level	None	44.4	55.6	.0	100.0	6.1	719
	Primary	47.4	52.0	.6	100.0	7.8	1246
	Secondary	47.2	51.4	1.4	100.0	10.4	224
	Superior	.0	.0	.0	.0	.	0
Total		46.4	53.1	.5	100.0	7.5	2189

Monitoring IMCI and Malaria Indicator

**Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Angola, 2000**

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly
Wealth Index Quintiles	Poorest	33.3	82.4	37.1	39.9	31.9	14.3	8.5
	Second	33.9	84.6	35.9	38.8	29.8	11.0	9.6
	Middle	33.7	85.8	32.0	33.2	28.4	11.4	9.6
	Fourth	37.4	86.0	39.3	36.3	32.7	11.5	9.1
	Richest	30.1	85.2	34.4	37.3	29.9	11.0	8.8
Região	Região Capital	27.3	86.3	33.4	27.3	16.1	4.1	2.0
	Região Norte	24.7	88.6	41.4	41.1	35.0	14.3	6.6
	Região Este	36.7	83.5	27.0	29.2	24.5	12.8	14.5
	Região Oeste	47.9	90.8	37.7	46.0	30.2	12.6	17.9
	Região Centro Sul	34.4	82.0	29.2	31.6	20.0	8.7	3.9
Area de residencia	Região Sul	32.7	79.9	46.8	47.9	54.7	16.7	9.4
	Urbana	33.1	84.6	35.0	35.3	28.5	11.5	9.7
Area de residencia	Rural	34.9	85.2	37.0	40.1	34.2	12.4	8.2
	None	32.8	84.5	34.1	37.3	29.3	12.0	8.1
Mother's education level	Primary	35.4	84.6	37.3	37.9	31.7	11.9	9.9
	Secondary	28.8	87.2	33.9	31.7	29.3	10.7	9.0
Total		33.7	84.8	35.7	37.0	30.5	11.8	9.1

Monitoring IMCI and Malaria Indicator

**Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Angola, 2000**

		Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	70.2	727
	Second	71.1	752
	Middle	66.1	816
	Fourth	69.9	820
	Richest	63.2	770
Região	Região Capital	53.1	542
	Região Norte	78.3	665
	Região Este	59.9	788
	Região Oeste	86.6	530
	Região Centro Sul	58.3	665
Area de residencia	Região Sul	74.2	695
	Urbana	65.8	2511
	Rural	72.2	1374
Mother's education level	None	68.1	1463
	Primary	69.3	2009
	Secondary	61.5	413
Total		68.1	3885

Monitoring IMCI and Malaria Indicator

**Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Angola, 2000**

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	1.00
Wealth Index Quintiles	Poorest	7.1	92.8	.1	.8	99.1	.1	946
	Second	5.7	94.3	.0	.9	99.1	.0	1032
	Middle	5.4	94.5	.1	.8	99.1	.1	1209
	Fourth	11.1	88.9	.0	3.8	96.2	.0	1269
	Richest	20.2	79.8	.0	4.7	95.3	.0	1207
Sexo	Masculino	9.5	90.5	.0	2.3	97.6	.0	2801
	Feminino	10.9	89.1	.0	2.3	97.7	.0	2863
Região	Região Capital	23.4	76.6	.0	5.3	94.7	.0	778
	Região Norte	8.1	91.7	.2	4.3	95.5	.2	1003
	Região Este	5.8	94.2	.0	1.5	98.5	.0	1142
	Região Oeste	14.3	85.7	.0	1.7	98.3	.0	697
	Região Sul	4.0	96.0	.0	.4	99.6	.0	1002
	Região Centro Sul	10.3	89.7	.0	1.3	98.7	.0	1043
Age	< 6 months	12.5	87.5	.0	1.8	98.2	.0	656
	6-11 months	12.7	87.1	.2	2.7	97.1	.2	618
	12-23 months	10.6	89.4	.0	3.0	97.0	.0	1102
	24-35 months	9.2	90.8	.0	1.8	98.2	.0	1170
	36-47 months	9.2	90.8	.0	2.0	98.0	.0	1128
	48-59 months	9.0	90.9	.1	2.7	97.2	.1	972
Area de residencia	Urbana	10.9	89.1	.0	2.9	97.1	.0	3928
	Rural	8.6	91.4	.0	1.0	99.0	.0	1736
Total		10.2	89.8	.0	2.3	97.7	.0	5663

Monitoring IMCI and Malaria Indicator

**Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Republic de Angola, 2001**

		Had a fever in last two weeks	Number of children under 5	Paracetamol /aspirana	Chloroquine	Fansidar	Alfan	Quinino	Caseiro	Other
Wealth Index Quintiles	Poorest	25.6	946	64.4	52.4	1.0	.5	3.2	5.4	13.6
	Second	24.0	1032	74.9	58.7	.7	.3	2.8	6.3	19.4
	Middle	26.0	1209	77.7	60.0	1.6	.0	4.1	3.6	16.8
	Fourth	26.4	1269	81.1	55.5	2.5	.6	8.5	5.0	20.6
	Richest	23.0	1207	83.8	57.7	.8	1.9	5.0	1.9	28.9
Sexo	Masculino	25.3	2801	78.2	57.1	1.6	.6	5.0	4.1	20.7
	Feminino	24.7	2863	75.7	56.8	1.2	.7	4.9	4.6	19.2
Região	Região Capital	25.4	778	75.3	58.4	2.2	4.1	10.6	4.1	9.1
	Região Norte	27.0	1003	86.1	60.9	.0	.0	4.7	3.1	18.9
	Região Este	22.1	1142	65.4	48.0	.0	.0	.8	2.7	16.9
	Região Oeste	35.2	697	85.5	60.5	1.5	.0	6.0	7.8	32.5
	Região Centro Sul	22.8	1002	75.8	61.1	3.6	.0	6.2	6.6	12.4
Area de residencia	Região Sul	21.4	1043	72.3	52.8	1.7	.5	2.3	1.9	28.5
	Urbana	24.7	3928	79.2	57.6	1.0	.8	5.1	4.0	22.0
Age	Rural	25.7	1736	72.0	55.6	2.4	.4	4.5	5.1	15.5
	< 6 months	16.4	656	75.1	57.1	.0	.0	2.9	1.7	14.1
Age	6-11 months	36.6	618	77.7	56.9	1.8	.7	4.1	2.8	21.0
	12-23 months	30.1	1102	77.9	55.0	.8	1.3	5.0	5.6	18.9
	24-35 months	25.8	1170	76.6	56.2	1.9	.4	7.8	5.2	20.3
	36-47 months	22.9	1128	77.9	55.8	2.2	.0	4.4	4.9	22.5
	48-59 months	19.1	972	75.1	62.6	.9	1.2	2.7	3.0	20.2
Mother's education level	None	24.0	2033	74.8	55.6	1.4	.4	4.5	6.2	16.0
	Primary	26.7	3003	77.3	56.1	1.7	.4	4.8	3.1	21.2
	Secondary	20.2	623	82.3	67.2	.0	3.4	7.7	4.9	26.2
	Superior	49.4	4	100.0	100.0	.0	.0	.0	.0	100.0
Total		25.0	5663	76.9	56.9	1.4	.6	4.9	4.4	20.0

Monitoring IMCI and Malaria Indicator

**Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Republic de Angola, 2001**

		Don't know	Any appropriate anti-malarial drug	Number of children with fever
				1.00
Wealth Index Quintiles	Poorest	.0	57.8	243
	Second	.0	64.2	248
	Middle	.0	64.2	314
	Fourth	.0	65.0	335
	Richest	.0	62.7	277
Sexo	Masculino	.0	63.1	709
	Feminino	.0	62.8	708
Região	Região Capital	.0	69.7	197
	Região Norte	.0	65.7	271
	Região Este	.0	50.7	253
	Região Oeste	.0	66.7	245
	Região Centro Sul	.0	70.8	228
Area de residencia	Região Sul	.0	55.5	223
	Urbana	.0	63.1	972
Age	Rural	.0	62.7	446
	< 6 months	.0	60.8	108
Age	6-11 months	.0	62.7	226
	12-23 months	.0	61.3	331
	24-35 months	.0	63.1	302
	36-47 months	.0	63.2	258
	48-59 months	.0	66.3	186
Mother's education level	None	.0	61.2	488
	Primary	.0	62.4	801
	Secondary	.0	73.1	126
	Superior	.0	100.0	2
Total		.0	63.0	1417

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Republique de Angola, 2001

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women
								1.00
Wealth Index Quintiles	Poorest	48.8	10.8	11.2	8.8	13.2	86.8	1157
	Second	57.0	14.7	14.4	12.3	16.9	83.1	1258
	Middle	63.1	17.4	17.4	15.0	19.9	80.1	1400
	Fourth	70.6	25.0	25.7	22.1	28.6	71.4	1424
	Richest	89.1	52.2	52.3	46.4	58.2	41.8	1852
Região	Região Capital	90.4	49.4	50.7	43.7	56.4	43.6	1152
	Região Norte	71.5	17.4	15.9	14.4	18.9	81.1	1136
	Região Este	59.5	23.6	23.5	21.3	25.8	74.2	1301
	Região Oeste	64.6	23.3	25.5	21.3	27.5	72.5	1154
	Região Centro Sul	49.5	14.3	13.1	10.9	16.4	83.6	1115
Area de residencia	Região Sul	72.8	30.5	30.8	26.5	34.8	65.2	1232
	Urbana	74.1	31.5	31.7	27.6	35.6	64.4	5035
Age	Rural	53.2	14.2	14.2	12.0	16.4	83.6	2056
	15 - 19 anos	68.1	28.1	28.6	24.2	32.4	67.6	1696
Age	20 - 24 anos	72.0	31.4	32.8	28.2	35.9	64.1	1332
	25 - 29 anos	70.9	26.8	27.8	24.1	30.4	69.6	1167
	30 - 34 anos	70.3	28.0	26.8	23.9	30.9	69.1	1019
	35 - 39 anos	66.8	22.6	21.9	19.3	25.2	74.8	859
	40 - 44 anos	59.3	21.7	20.6	18.2	24.2	75.8	624
	45 - 49 anos	55.9	14.4	13.8	12.1	16.1	83.9	392
	Woman's education level	None	45.0	8.9	9.1	7.2	10.8	89.2
Primary		76.3	28.8	29.3	25.5	32.7	67.3	3691
Secondary		96.4	64.1	63.0	56.0	71.1	28.9	912
Superior		91.8	66.7	66.7	66.7	66.7	33.3	13
Total	68.0	26.5	26.6	23.1	30.0	70.0	7090	

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Republic de Angola, 2001

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way
Wealth Index Quintiles	Poorest	48.8	10.8	11.2	8.0	5.6	13.3
	Second	57.0	14.7	14.4	11.4	9.0	17.5
	Middle	63.1	17.4	17.4	13.3	10.8	20.3
	Fourth	70.6	25.0	25.7	20.1	16.2	28.8
	Richest	89.1	52.2	52.3	43.3	36.3	59.3
Região	Região Capital	90.4	49.4	50.7	41.9	35.6	57.0
	Região Norte	71.5	17.4	15.9	11.4	9.3	19.1
	Região Este	59.5	23.6	23.5	17.1	14.9	26.2
	Região Oeste	64.6	23.3	25.5	22.2	17.3	28.4
	Região Centro Sul	49.5	14.3	13.1	12.3	8.6	16.8
	Região Sul	72.8	30.5	30.8	23.0	18.4	35.4
	Area de residencia	Urbana	74.1	31.5	31.7	25.6	21.1
Rural		53.2	14.2	14.2	10.7	8.3	16.6
Age	15 - 19 anos	68.1	28.1	28.6	24.1	19.4	33.0
	20 - 24 anos	72.0	31.4	32.8	25.1	21.0	36.3
	25 - 29 anos	70.9	26.8	27.8	21.4	18.1	30.9
	30 - 34 anos	70.3	28.0	26.8	21.1	16.4	32.0
	35 - 39 anos	66.8	22.6	21.9	18.3	15.2	25.5
	40 - 44 anos	59.3	21.7	20.6	16.5	13.1	24.2
	45 - 49 anos	55.9	14.4	13.8	11.0	8.4	16.8
Woman's education level	None	45.0	8.9	9.1	7.2	5.1	10.9
	Primary	76.3	28.8	29.3	23.2	19.4	33.2
	Secondary	96.4	64.1	63.0	51.4	41.7	72.8
	Superior	91.8	66.7	66.7	58.3	58.3	66.7
Total	68.0	26.5	26.6	21.3	17.4	30.5	

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Republique de Angola, 2001

		Doesn't know any way	Number of women
			1.00
Wealth Index Quintiles	Poorest	86.7	1157
	Second	82.5	1258
	Middle	79.7	1400
	Fourth	71.2	1424
	Richest	40.7	1852
Região	Região Capital	43.0	1152
	Região Norte	80.9	1136
	Região Este	73.8	1301
	Região Oeste	71.6	1154
	Região Centro Sul	83.2	1115
Area de residencia	Região Sul	64.6	1232
	Urbana	63.8	5035
	Rural	83.4	2056
	Age	15 - 19 anos	67.0
	20 - 24 anos	63.7	1332
	25 - 29 anos	69.1	1167
	30 - 34 anos	68.0	1019
	35 - 39 anos	74.5	859
	40 - 44 anos	75.8	624
	45 - 49 anos	83.2	392
	Woman's education level	None	89.1
Primary		66.8	3691
Secondary		27.2	912
Superior		33.3	13
Total		69.5	7090

Monitoring HIV/AIDS Indicator

Table 30b: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Republic de Angola, 2001

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way
Wealth Index Quintiles	Poorest	44.7	10.8	11.7	8.5	6.8	13.0
	Second	59.1	17.1	16.9	13.4	9.8	19.9
	Middle	64.6	18.4	18.0	15.7	11.6	22.0
	Fourth	68.6	27.5	28.3	23.4	19.3	31.7
	Richest	86.8	49.0	50.1	43.2	35.6	57.8
Região	Região Capital	92.6	52.7	55.1	47.2	39.9	63.1
	Região Norte	69.6	18.7	17.6	11.9	9.5	21.2
	Região Este	63.0	25.6	25.0	20.1	17.1	28.6
	Região Oeste	63.3	23.6	27.3	24.2	17.8	30.5
	Região Centro Sul	47.7	15.5	13.7	13.0	8.3	18.4
Area de residencia	Região Sul	72.2	30.9	31.3	26.6	22.3	34.8
	Urbana	74.1	32.8	33.8	28.6	23.2	38.9
Age	Rural	52.1	15.3	14.5	11.9	9.0	17.2
	15 - 19 anos	68.1	28.1	28.6	24.1	19.4	33.0
Woman's education level	None	44.8	9.9	10.1	7.1	4.9	12.7
	Primary	72.2	29.1	29.9	25.4	21.2	33.5
	Secondary	99.1	64.1	63.5	55.7	42.6	77.2
Total		68.1	28.1	28.6	24.1	19.4	33.0

Monitoring HIV/AIDS Indicator

Table 30b: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Republic de Angola, 2001

		Doesn't know any way	Number of women
			1.00
Wealth Index Quintiles	Poorest	87.0	269
	Second	80.1	261
	Middle	78.0	322
	Fourth	68.3	329
	Richest	42.2	515
Região	Região Capital	36.9	291
	Região Norte	78.8	262
	Região Este	71.4	313
	Região Oeste	69.5	282
	Região Centro Sul	81.6	278
Area de residencia	Região Sul	65.2	270
	Urbana	61.1	1237
	Rural	82.8	459
Age	15 - 19 anos	67.0	1696
Woman's education level	None	87.3	442
	Primary	66.5	1061
	Secondary	22.8	193
Total		67.0	1696

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Republique de Angola, 2001

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women
									1.00
Wealth Index Quintiles	Poorest	48.8	12.1	7.9	23.0	5.5	26.6	73.4	1157
	Second	57.0	15.0	10.2	26.2	6.7	31.5	68.5	1258
	Middle	63.1	16.7	11.9	29.9	7.7	36.2	63.8	1400
	Fourth	70.6	24.2	17.1	35.7	10.5	44.3	55.7	1424
	Richest	89.1	53.3	41.0	67.6	32.8	75.0	25.0	1852
Região	Região Capital	90.4	52.3	44.2	71.0	37.1	75.6	24.4	1152
	Região Norte	71.5	17.0	13.2	38.2	8.8	43.2	56.8	1136
	Região Este	59.5	23.4	16.1	26.4	10.0	35.7	64.3	1301
	Região Oeste	64.6	21.8	18.4	31.3	11.7	38.5	61.5	1154
	Região Centro Sul	49.5	15.0	9.6	20.4	5.2	27.0	73.0	1115
Area de residencia	Região Sul	72.8	30.5	16.5	47.9	13.3	53.6	46.4	1232
	Urbana	74.1	31.9	23.4	44.7	17.3	52.0	48.0	5035
Age	Rural	53.2	14.1	10.2	25.4	6.8	29.8	70.2	2056
	15 - 19 anos	68.1	29.4	22.2	40.9	16.1	49.0	51.0	1696
Age	20 - 24 anos	72.0	32.0	24.2	45.3	18.0	52.7	47.3	1332
	25 - 29 anos	70.9	26.7	18.0	39.8	13.7	46.0	54.0	1167
	30 - 34 anos	70.3	27.1	19.5	38.8	14.2	44.7	55.3	1019
	35 - 39 anos	66.8	23.4	16.5	36.0	11.8	41.2	58.8	859
	40 - 44 anos	59.3	20.2	15.4	31.0	10.3	36.1	63.9	624
	45 - 49 anos	55.9	14.2	11.2	29.1	7.8	32.4	67.6	392
	Woman's education level	None	45.0	9.3	6.6	18.7	4.2	22.1	77.9
Primary		76.3	28.2	20.6	42.1	14.0	50.3	49.7	3691
Secondary		96.4	67.5	50.1	82.1	42.2	89.7	10.3	912
Superior		91.8	66.4	66.4	75.0	58.1	83.3	16.7	13
Total		68.0	26.7	19.6	39.1	14.3	45.6	54.4	7090

Monitoring HIV/AIDS Indicator

## T7 - Total

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Republique de Angola, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00
Wealth Index Quintiles	Poorest	29.1	27.1	21.2	23.1	17.5	71.4	1157
	Second	34.2	32.0	26.1	27.2	22.0	66.5	1258
	Middle	40.1	37.5	30.8	29.3	24.6	61.1	1400
	Fourth	47.6	45.5	37.6	34.9	29.8	53.4	1424
	Richest	72.0	69.8	60.2	48.3	42.6	28.9	1852
Região	Região Capital	72.1	69.3	65.1	56.5	53.1	29.1	1152
	Região Norte	50.1	47.2	36.5	40.4	32.8	51.4	1136
	Região Este	41.9	40.2	33.8	34.7	29.3	58.7	1301
	Região Oeste	35.8	33.6	29.5	19.7	16.4	64.7	1154
	Região Centro Sul	26.9	24.6	16.9	12.9	9.5	74.5	1115
Area de residencia	Região Sul	55.2	53.7	42.4	38.9	30.3	45.0	1232
	Urbana	52.8	50.3	42.4	37.4	32.0	48.3	5035
Age	Rural	33.2	31.7	25.4	25.7	20.7	67.3	2056
	15 - 19 anos	45.4	43.3	35.6	32.5	27.1	55.2	1696
Age	20 - 24 anos	53.4	50.6	42.9	38.0	31.8	47.4	1332
	25 - 29 anos	50.2	47.9	39.9	35.9	30.9	51.1	1167
	30 - 34 anos	49.2	47.4	39.7	35.9	30.5	51.6	1019
	35 - 39 anos	45.3	43.3	37.6	33.8	29.7	55.7	859
	40 - 44 anos	38.8	36.8	29.2	27.8	22.8	62.2	624
	45 - 49 anos	35.3	33.0	26.9	26.9	21.2	65.6	392
	Woman's education level	None	25.2	23.7	19.1	19.2	15.4	75.2
Primary		52.6	50.1	41.7	39.6	33.6	48.4	3691
Secondary		83.9	80.7	69.6	52.0	44.8	17.7	912
Superior		75.2	75.2	75.2	33.2	33.2	24.8	13
Total		47.1	44.9	37.5	34.0	28.7	53.8	7090

Monitoring HIV/AIDS Indicator

## T7 - Total

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Republic de Angola, 2001

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women 1.00
Wealth Index Quintiles	Poorest	24.3	24.0	36.1	63.9	1157
	Second	30.5	28.5	43.8	56.2	1258
	Middle	29.8	34.5	47.3	52.7	1400
	Fourth	34.4	41.2	54.2	45.8	1424
	Richest	35.5	50.0	63.1	36.9	1852
Região	Região Capital	38.6	53.6	66.2	33.8	1152
	Região Norte	32.3	44.3	57.0	43.0	1136
	Região Este	26.7	30.2	43.2	56.8	1301
	Região Oeste	30.1	30.1	47.5	52.5	1154
	Região Centro Sul	23.5	29.7	36.9	63.1	1115
Area de residencia	Região Sul	37.3	35.6	52.0	48.0	1232
	Urbana	32.9	41.5	54.7	45.3	5035
Age	Rural	27.9	26.4	39.9	60.1	2056
	15 - 19 anos	30.7	37.4	50.6	49.4	1696
Age	20 - 24 anos	31.3	39.5	52.0	48.0	1332
	25 - 29 anos	33.7	37.1	51.8	48.2	1167
	30 - 34 anos	34.5	37.3	52.8	47.2	1019
	35 - 39 anos	32.1	39.9	51.8	48.2	859
	40 - 44 anos	27.8	31.3	43.7	56.3	624
	45 - 49 anos	24.5	30.7	40.7	59.3	392
Woman's education level	None	22.0	24.5	33.9	66.1	2475
	Primary	37.7	41.5	57.6	42.4	3691
	Secondary	31.5	53.3	65.6	34.4	924
Total		31.4	37.1	50.4	49.6	7090

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Republique de Angola, 2001

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
Wealth Index Quintiles	Poorest	48.8	5.6	5.5	2.6	1157
	Second	57.0	9.0	6.7	3.6	1258
	Middle	63.1	10.8	7.7	4.5	1400
	Fourth	70.6	16.2	10.5	5.7	1424
	Richest	89.1	36.3	32.8	18.7	1852
Região	Região Capital	90.4	35.6	37.1	20.5	1152
	Região Norte	71.5	9.3	8.8	4.1	1136
	Região Este	59.5	14.9	10.0	5.8	1301
	Região Oeste	64.6	17.3	11.7	7.1	1154
	Região Centro Sul	49.5	8.6	5.2	3.1	1115
Area de residencia	Região Sul	72.8	18.4	13.3	7.3	1232
	Urbana	74.1	21.1	17.3	9.8	5035
Age	Rural	53.2	8.3	6.8	3.6	2056
	15 - 19 anos	68.1	19.4	16.1	8.4	1696
Age	20 - 24 anos	72.0	21.0	18.0	10.6	1332
	25 - 29 anos	70.9	18.1	13.7	7.6	1167
	30 - 34 anos	70.3	16.4	14.2	7.9	1019
	35 - 39 anos	66.8	15.2	11.8	6.9	859
	40 - 44 anos	59.3	13.1	10.3	6.1	624
	45 - 49 anos	55.9	8.4	7.8	4.2	392
	Woman's education level	None	45.0	5.1	4.2	2.3
Woman's education level	Primary	76.3	19.4	14.0	8.3	3691
	Secondary	96.4	41.7	42.2	21.9	912
	Superior	91.8	58.3	58.1	41.5	13
Total		68.0	17.4	14.3	8.0	7090

Monitoring HIV/AIDS Indicator

## T7 - Total

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Republic de Angola, 2001

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women
					1.00
Wealth Index Quintiles	Poorest	11.5	.5	71.0	1157
	Second	13.4	1.3	61.2	1258
	Middle	14.1	.8	45.4	1400
	Fourth	19.2	1.4	78.5	1424
	Richest	45.5	4.0	81.5	1852
Região	Região Capital	44.0	4.3	76.7	1152
	Região Norte	13.2	1.6	69.7	1136
	Região Este	26.2	1.8	95.6	1301
	Região Oeste	16.7	.9	10.0	1154
	Região Centro Sul	11.5	.6	85.5	1115
Area de residencia	Região Sul	23.9	1.7	79.6	1232
	Urbana	27.6	2.3	76.2	5035
	Rural	10.9	.6	61.2	2056
	Age				
	15 - 19 anos	23.6	1.1	56.2	1696
	20 - 24 anos	25.8	2.3	82.3	1332
	25 - 29 anos	22.5	2.3	77.8	1167
	30 - 34 anos	23.8	2.1	71.4	1019
	35 - 39 anos	22.1	1.6	92.5	859
	40 - 44 anos	19.4	2.0	68.2	624
	45 - 49 anos	13.4	1.2	61.6	392
Woman's education level	None	8.7	.6	36.3	2475
	Primary	24.1	1.4	80.1	3691
	Secondary	54.7	6.3	81.4	912
	Superior	66.7	16.8	49.7	13
Total		22.8	1.8	74.7	7090

Monitoring HIV/AIDS Indicator

**Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Republic de Angola, 2001**

		Current method							
		No method	Esterilizagao feminina	Esterilizagao masculina	Pilula	DIU (Mola)	Injecgoes	Transpla ntagao	Preservativo/ camisinha
Wealth Index	Poorest	97.8	.0	.0	.3	.2	.5	.0	.0
Quintiles	Second	97.8	.0	.0	.7	.0	.3	.0	.4
	Middle	97.4	.0	.0	.5	.1	.4	.0	.0
	Fourth	94.9	.1	.0	1.7	.2	.6	.0	.7
	Richest	83.2	.1	.1	6.8	1.1	4.6	.1	.2
Região	Região Capital	85.3	.0	.0	5.9	.5	4.2	.0	.9
	Região Norte	97.4	.0	.0	.6	.2	.3	.0	.5
	Região Este	97.1	.1	.0	.4	.5	.9	.0	.1
	Região Oeste	94.1	.0	.0	1.6	.2	1.8	.0	.2
	Região Centro Sul	97.0	.2	.2	1.2	.2	.5	.2	.0
	Região Sul	89.8	.0	.0	4.4	.6	1.2	.0	.2
Area de residencia	Urbana	91.9	.1	.0	2.9	.5	2.0	.0	.4
	Rural	97.8	.0	.0	.7	.1	.1	.0	.0
Woman's education level	None	98.4	.0	.0	.5	.0	.2	.0	.1
	Primary	93.2	.1	.0	2.5	.4	1.2	.0	.4
	Secondary	78.3	.0	.2	7.4	1.6	7.1	.0	.8
	Superior	74.8	.0	.0	25.2	.0	.0	.0	.0
Total		93.8	.1	.0	2.2	.4	1.4	.0	.3

World Summit for Children Goal => Number 10

**Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Republique de Angola, 2001**

		Current method						Total	Any modern method
		Preservativo feminino	Diaphragma	Met de amenorreira lactactante	Abstinencia periodica	Coita intrrompido	Other		
Wealth Index Quintiles	Poorest	.3	.0	.6	.3	.1	.0	100.0	1.2
	Second	.1	.0	.2	.3	.0	.1	100.0	1.5
	Middle	.0	.0	.0	1.4	.1	.1	100.0	1.0
	Fourth	.0	.0	.2	1.3	.1	.0	100.0	3.4
	Richest	.1	.2	.6	2.5	.0	.2	100.0	13.5
Região	Região Capital	.0	.0	.3	2.7	.1	.0	100.0	11.6
	Região Norte	.2	.0	.0	.8	.1	.0	100.0	1.7
	Região Este	.0	.0	.0	.6	.0	.4	100.0	2.0
	Região Oeste	.2	.2	.4	1.6	.0	.0	100.0	4.0
	Região Centro Sul	.0	.0	.0	.3	.2	.2	100.0	2.4
	Região Sul	.3	.2	1.5	1.9	.0	.0	100.0	6.9
Area de residencia	Urbana	.1	.1	.3	1.6	.0	.1	100.0	6.1
	Rural	.1	.0	.5	.5	.1	.1	100.0	.9
Woman's education level	None	.0	.0	.1	.5	.1	.1	100.0	.7
	Primary	.1	.0	.4	1.5	.0	.1	100.0	4.7
	Secondary	.3	.5	1.0	2.6	.0	.3	100.0	17.9
	Superior	.0	.0	.0	.0	.0	.0	100.0	25.2
Total		.1	.1	.3	1.2	.1	.1	100.0	4.5

World Summit for Children Goal => Number 10

**Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Republic of Angola, 2001**

				Number of currently married women
		Any traditional method	Any method	1.00
Wealth Index Quintiles	Poorest	1.0	2.2	641
	Second	.7	2.2	775
	Middle	1.6	2.6	863
	Fourth	1.7	5.1	862
	Richest	3.3	16.8	936
Região	Região Capital	3.1	14.7	601
	Região Norte	.9	2.6	688
	Região Este	.9	2.9	897
	Região Oeste	1.9	5.9	597
	Região Centro Sul	.6	3.0	635
Area de residencia	Região Sul	3.4	10.2	658
	Urbana	2.0	8.1	2808
	Rural	1.2	2.2	1269
Woman's education level	None	.9	1.6	1607
	Primary	2.0	6.8	2054
	Secondary	3.8	21.7	411
	Superior	.0	25.2	4
Total		1.7	6.2	4076

World Summit for Children Goal => Number 10

## T7 - Total

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Republique de Angola, 2001

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00
Wealth Index	Poorest	46.9	.0	.0	46.9	208
Quintiles	Second	61.1	.3	.0	61.4	227
	Middle	62.8	.0	.0	62.8	297
	Fourth	65.0	.0	.0	65.0	308
	Richest	70.7	.4	.0	71.1	267
Região	Região Capital	66.3	.5	.0	66.8	167
	Região Norte	72.0	.0	.0	72.0	254
	Região Este	61.4	.0	.0	61.4	273
	Região Oeste	68.0	.0	.0	68.0	168
	Região Centro Sul	56.2	.0	.0	56.2	231
	Região Sul	49.6	.5	.0	50.1	214
Area de residencia	Urbana	65.5	.1	.0	65.6	923
	Rural	54.0	.2	.0	54.2	385
Woman's education level	None	50.9	.2	.0	51.1	452
	Primary	66.0	.0	.0	66.0	735
	Secondary	80.6	.9	.0	81.5	120
Total		62.1	.1	.0	62.2	1308

World Summit for Children Goal =&gt; Number 22

**Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Republic of Angola, 2001**

		Person delivering antenatal care					Total	Any skilled personnel	Number of women
		No antenatal care received	Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant			1.00
Wealth Index Quintiles	Poorest	24.3	9.5	34.5	3.1	28.7	100.0	47.1	208
	Second	16.7	11.8	43.4	5.7	22.4	100.0	60.9	227
	Middle	23.4	9.5	43.0	5.9	18.2	100.0	58.5	297
	Fourth	17.8	9.6	54.9	6.2	11.4	100.0	70.8	308
	Richest	10.8	17.9	63.5	4.7	3.1	100.0	86.1	267
Região	Região Capital	20.4	12.0	51.1	7.5	8.9	100.0	70.6	167
	Região Norte	11.5	11.5	47.9	9.4	19.7	100.0	68.9	254
	Região Este	15.0	14.2	39.1	2.2	29.4	100.0	55.6	273
	Região Oeste	16.8	16.5	49.7	2.4	14.6	100.0	68.7	168
	Região Sul	31.4	3.4	49.8	5.6	9.8	100.0	58.8	231
Area de residencia	Urbana	16.2	13.5	52.0	5.3	13.0	100.0	70.8	923
	Rural	24.1	7.1	40.8	5.1	22.9	100.0	53.0	385
Woman's education level	None	24.3	7.4	35.8	6.3	26.3	100.0	49.4	452
	Primary	16.5	12.4	54.3	5.1	11.7	100.0	71.8	735
	Secondary	8.7	22.9	63.1	2.7	2.7	100.0	88.6	120
Total		18.5	11.6	48.7	5.3	15.9	100.0	65.6	1308

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery  
Republique de Angola, 2001**

		Person assisting at delivery							Total
		Doctor	Nurse/mi dwife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received	
Wealth Index Quintiles	Poorest	2.8	16.3	3.6	41.0	29.1	4.1	3.1	100.0
	Second	3.8	24.9	7.5	31.6	27.0	2.2	3.0	100.0
	Middle	3.2	24.7	9.1	32.4	26.0	1.6	3.0	100.0
	Fourth	6.9	38.9	7.6	20.2	23.0	1.7	1.6	100.0
	Richest	10.0	52.0	5.4	8.9	16.8	2.2	4.7	100.0
Região	Região Capital	10.3	32.1	7.8	10.2	30.0	4.8	4.8	100.0
	Região Norte	3.0	30.7	12.1	27.9	23.2	1.5	1.5	100.0
	Região Este	3.5	29.1	4.4	50.0	11.3	1.4	.4	100.0
	Região Oeste	9.2	35.4	4.7	25.7	23.9	1.1	.0	100.0
	Região Centro Sul	3.0	31.5	8.6	20.1	26.3	1.7	8.9	100.0
Area de residencia	Região Sul	7.1	37.0	2.9	11.8	34.7	3.7	2.9	100.0
	Urbana	7.4	38.1	7.3	20.0	23.2	1.7	2.3	100.0
Woman's education level	Rural	1.0	18.6	5.9	40.1	26.2	3.5	4.8	100.0
	None	3.2	19.2	6.9	35.1	29.5	2.1	4.0	100.0
	Primary	5.8	35.4	6.9	24.0	23.1	2.4	2.3	100.0
Total	Secondary	12.4	63.0	6.3	3.4	9.8	1.8	3.5	100.0
		5.5	32.3	6.9	26.0	24.1	2.2	3.0	100.0

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery  
Republique de Angola, 2001**

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	22.8	208
	Second	36.2	227
	Middle	37.0	297
	Fourth	53.5	308
	Richest	67.4	267
Região	Região Capital	50.2	167
	Região Norte	45.9	254
	Região Este	37.0	273
	Região Oeste	49.2	168
	Região Centro Sul	43.1	231
Area de residencia	Região Sul	46.9	214
	Urbana	52.7	923
Woman's education level	Rural	25.4	385
	None	29.3	452
	Primary	48.1	735
Total	Secondary	81.6	120
		44.7	1308

World Summit for Children Goal => Numbers 11

**Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Republic de Angola, 2001**

		Birth registered	DK if birth registered
Wealth Index Quintiles	Poorest	16.9	1.2
	Second	21.1	.3
	Middle	25.2	.3
	Fourth	31.8	.4
	Richest	48.0	.4
Sexo	Masculino	28.6	.5
	Feminino	30.2	.5
Região	Região Capital	29.3	.1
	Região Norte	18.8	.1
	Região Este	33.9	.3
	Região Oeste	34.7	1.0
	Região Centro Sul	25.9	1.0
Area de residencia	Urbana	34.6	.6
	Rural	33.8	.5
Age	< 6 months	19.4	.5
	6-11 months	9.2	.3
	12-23 months	17.8	.8
	24-35 months	23.8	.1
	36-47 months	29.2	.4
	48-59 months	39.9	.9
Mother's education level	None	45.0	.6
	Primary	20.3	.6
	Secondary	31.1	.4
	Superior	50.6	.5
Total	50.1	.0	
		29.4	.5

Monitoring Children's Rights Indicator

**Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Republic de Angola, 2001**

		Registration status					
		Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other
Wealth Index Quintiles	Poorest	31.6	27.9	8.2	2.3	7.2	18.6
	Second	40.3	17.2	5.6	2.2	6.7	22.3
	Middle	40.6	15.8	6.1	5.0	4.9	21.2
	Fourth	34.6	11.7	6.3	5.7	4.0	33.2
	Richest	20.6	8.3	3.3	2.9	3.1	57.8
Sexo	Masculino	34.8	15.9	5.5	3.5	6.0	29.2
	Feminino	34.0	16.9	6.5	4.0	4.5	29.3
Região	Região Capital	31.4	12.9	6.6	1.9	2.8	41.1
	Região Norte	65.1	12.8	4.4	1.7	2.9	8.8
	Região Este	31.0	17.8	2.7	9.7	5.8	28.1
	Região Oeste	20.6	10.7	1.1	1.0	.4	58.1
	Região Centro Sul	25.8	13.3	9.8	3.9	12.3	28.4
Area de residencia	Região Sul	22.0	29.0	10.3	2.6	5.0	27.2
	Urbana	36.1	9.6	5.4	4.7	4.9	33.9
Age	Rural	31.2	29.1	7.1	1.9	5.8	20.5
	< 6 months	29.1	15.2	6.9	2.4	4.7	36.8
	6-11 months	32.2	18.0	6.6	5.1	4.6	28.9
	12-23 months	33.6	15.9	4.9	3.1	5.3	32.6
	24-35 months	36.8	16.8	5.9	2.8	5.4	27.4
	36-47 months	35.9	16.9	5.1	5.0	5.6	25.2
Mother's education level	48-59 months	38.6	15.4	7.7	4.7	5.6	23.6
	None	35.4	20.0	7.7	4.0	7.9	20.0
	Primary	35.0	14.8	4.8	3.7	3.8	32.9
	Secondary	24.0	8.4	5.1	2.8	1.1	53.4
Total	Superior	100.0	.0	.0	.0	.0	.0
		34.4	16.4	6.0	3.7	5.2	29.2

Monitoring Children's Rights Indicator

**Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Republic de Angola, 2001**

		Registration status	Total	Number of children
		Reason DK or Missing		
Wealth Index Quintiles	Poorest	4.3	100.0	946
	Second	5.6	100.0	1032
	Middle	6.4	100.0	1209
	Fourth	4.5	100.0	1269
	Richest	3.9	100.0	1207
Sexo	Masculino	5.2	100.0	2801
	Feminino	4.9	100.0	2863
Região	Região Capital	3.3	100.0	778
	Região Norte	4.2	100.0	1003
	Região Este	5.0	100.0	1142
	Região Oeste	8.1	100.0	697
	Região Centro Sul	6.5	100.0	1002
Area de residencia	Região Sul	3.9	100.0	1043
	Urbana	5.4	100.0	3928
Age	Rural	4.3	100.0	1736
	< 6 months	4.9	100.0	656
Age	6-11 months	4.6	100.0	618
	12-23 months	4.5	100.0	1102
	24-35 months	4.9	100.0	1170
	36-47 months	6.3	100.0	1128
	48-59 months	4.5	100.0	972
Mother's education level	None	5.0	100.0	2033
	Primary	5.0	100.0	3003
	Secondary	5.2	100.0	623
	Superior	.0	100.0	4
Total		5.0	100.0	5663

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Republique de Angola, 2001

		Living arrangement						
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead
Wealth Index Quintiles	Poorest	63.3	.9	1.2	5.7	1.1	18.0	7.3
	Second	65.9	.7	1.2	6.7	1.2	14.4	6.9
	Middle	70.1	.6	1.7	3.8	1.1	13.6	6.4
	Fourth	69.6	1.1	1.9	4.6	1.0	12.6	5.6
	Richest	67.1	1.4	1.9	7.4	1.7	11.1	4.9
Sexo	Masculino	67.7	.8	1.6	5.0	1.1	13.7	6.3
	Feminino	67.2	1.2	1.6	6.2	1.4	13.6	5.9
Area de residencia	Urbana	66.7	1.0	1.8	5.5	1.4	13.7	6.4
	Rural	69.2	.9	1.3	5.9	1.0	13.5	5.4
Age	0-4 years	74.1	.3	.3	2.5	.3	17.3	3.9
	5-9 years	67.7	1.0	1.5	6.0	1.3	11.5	6.9
	10-14 years	58.2	1.9	3.5	9.5	2.5	11.2	8.2
Total		67.5	1.0	1.6	5.6	1.3	13.6	6.1

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Republique de Angola, 2001

		Living arrangement			Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead
		Living with father only: mother alive	Living with father only: mother dead	Impossible to determine				
Wealth Index Quintiles	Poorest	1.2	.9	.4	100.0	.0	9.0	11.4
	Second	1.4	.8	.8	100.0	.2	9.9	10.8
	Middle	1.7	.6	.4	100.0	.0	7.2	10.4
	Fourth	1.9	1.3	.3	100.0	.0	8.6	11.1
	Richest	3.2	.9	.5	100.0	.0	12.4	10.7
Sexo	Masculino	2.2	1.0	.5	100.0	.1	8.6	10.8
	Feminino	1.7	.8	.4	100.0	.0	10.4	10.9
Area de residencia	Urbana	2.2	.9	.4	100.0	.0	9.7	11.4
	Rural	1.5	.8	.5	100.0	.1	9.1	9.4
Age	0-4 years	.6	.4	.4	100.0	.0	3.4	5.2
	5-9 years	2.5	1.2	.3	100.0	.1	9.9	11.9
	10-14 years	3.1	1.3	.6	100.0	.1	17.4	17.4
Total		2.0	.9	.4	100.0	.0	9.5	10.8

Monitoring Children's Rights Indicator

**Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Republique de Angola, 2001**

		One or both parents dead NEW	Number of children
Wealth Index Quintiles	Poorest	11.4	2335
	Second	11.0	2578
	Middle	10.4	3052
	Fourth	11.1	3173
	Richest	10.7	3522
Sexo	Masculino	10.9	7266
	Feminino	10.9	7394
Area de residencia	Urbana	11.5	10308
	Rural	9.6	4352
Age	0-4 years	5.2	5716
	5-9 years	12.0	4723
	10-14 years	17.4	4221
Total		10.9	14660

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Republic de Angola, 2001

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	2.9	5.3	68.4	9.5	32.41	42.6	1379
	Second	3.5	7.2	68.7	6.7	26.99	36.8	1536
	Middle	4.1	7.4	71.3	4.7	22.19	32.8	1831
	Fourth	2.4	6.4	72.3	3.8	19.63	27.9	1893
	Richest	.8	5.0	70.4	5.9	7.78	17.2	2304
Sexo	Masculino	3.0	5.5	67.6	4.5	20.21	28.7	4439
	Feminino	2.2	6.9	73.1	7.4	20.46	31.1	4505
Região	Região Capital	1.3	3.7	66.3	3.5	14.66	20.6	1373
	Região Norte	1.9	9.6	74.8	5.2	30.18	39.3	1442
	Região Este	1.2	3.0	59.5	9.2	14.06	23.5	1472
	Região Oeste	1.2	6.0	72.9	6.0	23.39	30.9	1389
	Região Sul	8.0	11.6	73.2	4.4	18.97	35.2	1613
	Região Centro Sul	1.5	3.1	74.8	7.0	20.82	29.4	1656
Area de residencia	Urbana	2.7	5.8	69.9	5.5	14.88	24.8	6342
	Rural	2.4	7.2	71.6	6.9	33.63	42.4	2603
Age	5-9 years	1.2	4.7	61.2	3.4	13.05	19.9	4723
	10-14 years	4.2	7.9	80.7	8.8	28.49	41.2	4221
Total		2.6	6.2	70.4	5.9	20.34	29.9	8944

Monitoring Children's Rights Indicator