


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Antigua and Barbuda

July, 2009

Antigua and Barbuda

BCG (1980-2008)



Description of trend

BCG not in schedule for children under one. No estimates made.

Data presented in chart


Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002							
2003							
2004							
2005							
2006							
2007							
2008							

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Antigua and Barbuda



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 200 onward. The DTP1 estimates for 2001, 2002, 2004 and 2005 are based on these reports. For 2003 and years prior to 2001 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTF and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 200. No survey data available.

Data presented in chart


Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	77						
1981	92						
1982	92						
1983	99						
1984	97						
1985	99						
1986	98						
1987	98						
1988	98						
1989	99						
1990	99						
1991	97						
1992	99						
1993	99						
1994	99						
1995	99						
1996	99						
1997	99						
1998	99						
1999	99						
2000	99						
2001	89	89	89	89	89		
2002	98	98	98	98	98		
2003	95						
2004	91	91	91	91	91		
2005	99	99	99	99	99		
2006	96	96	96	96	97		
2007	99	105	105	105	105		
2008	99	106	106	106	106		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Antigua and Barbuda



Description of trend

Trend follows officially reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
	—	□	■	○	✕	▮	+
1980	54	54					
1981	79	79	79				
1982	79	79	79				
1983	99	100	100				
1984	94	94	94				
1985	99	100	100				
1986	96	96	96				
1987	97	97	97				
1988	98	98	98				
1989	99	99	99				
1990	99	99	99				
1991	94	94	99				
1992	99	99					
1993	99	99	99				
1994	99	99	100				
1995	99	99	100				
1996	99	99	100				
1997	99	99	100				
1998	99	100	100				
1999	99	99	100	99			
2000	95	95	95	95	95		
2001	97	97	97	97	97		
2002	98	98	98	98	98		
2003	99	100	100	100	100		
2004	97	97	97	97	97		
2005	99	99	99	99	99		
2006	99	100	100	100	100		
2007	99	99	99	99	99		
2008	99	102	102	102	102		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Antigua and Barbuda

Pol3 (1980-2008)



Description of trend

Trend follows officially reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	36	36					
1981	47	47	47				
1982	86	86	86				
1983	99	99	99				
1984	93	93	93				
1985	99	100	100				
1986	96	96	96				
1987	99	99	99				
1988	99	99	99				
1989	99	100	99				
1990	99	99	99				
1991	97	97	99				
1992	99	99					
1993	99	99	99				
1994	99	99	100				
1995	99	100	100				
1996	99	99	100				
1997	99	99	100				
1998	99	100	100				
1999	99	99	100	99			
2000	96	96	96	96	96		
2001	99	100	100	100	100		
2002	93	93	93	93	93		
2003	99	100	100	100			
2004	97	97	97	97	97		
2005	98	98	98	98	98		
2006	99	100	100	100	100		
2007	98	98	98	98	98		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Antigua and Barbuda

MCV (1980-2008)



Description of trend

Trend follows officially reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982							
1983	48	48	48				
1984	73	73	73				
1985	69	69	69				
1986	80	80	80				
1987	89	89	89				
1988	95	95	95				
1989	95	95	95				
1990	89	89	89				
1991	87	87	89				
1992	99	99					
1993	99	99	99				
1994	91	91	92				
1995	93	93	93				
1996	99	99	100				
1997	93	93	93				
1998	99	100	100				
1999	99	99	100	99			
2000	95	95	95				
2001	97	97	97	97	97		
2002	99	100	100	100	100		
2003	99	100	100	100	100		
2004	97	97	97	97	97		
2005	99	100	100	100	100		
2006	99	100	100	100	100		
2007	99	99	99	99	99		
2008	99	106	106	106	105		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Antigua and Barbuda

HepB3 (1980-2008)



Description of trend

Hepatitis B vaccine introduced in 1999. Estimated immunization coverage levels are based on reported data. No survey data are available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001	96	96	96	96	96		
2002	99	100	100	99	99		
2003	99	100	100	100	100		
2004	97	97	97	97	97		
2005	99	99	99	99	99		
2006	99	100	100	100	101		
2007	97	97	97	97	98		
2008	99	102	102	102	101		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Antigua and Barbuda

Hib3 (1980-2008)



Description of trend

Hib vaccine introduced in 2000. Estimated immunization coverage levels are based on reported data. No survey data are available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001	97	97	97	97	97		
2002	82	82	97	82	82		
2003	99	102	102	102	102		
2004	97	97	97	97	97		
2005	99	99	99	99	99		
2006	99	100	100	100	100		
2007	99	100	100	100	97		
2008	99	102	102	102	101		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.