

HOUSEHOLD LISTING FORM													
FIRST, PLEASE TELL ME THE NAME OF EACH PERSON WHO USUALLY LIVES HERE, STARTING WITH THE HEAD OF THE HH. (Use survey definition of HH member). List the first name in line 01. List adult HH members first, then list children. Then ask: ARE THERE ANY OTHERS WHO LIVE HERE, EVEN IF THEY ARE NOT AT HOME NOW? (THESE MAY INCLUDE CHILDREN IN SCHOOL OR AT WORK). If yes, complete listing. Then, ask and record answers to questions as described in Instructions for Interviewers. Add a continuation sheet if there is not enough room on this page. Tick here if continuation sheet used <input type="checkbox"/>													
				Eligible for:			For persons age 15 or over ask Qs. 8 and 9		For children under age 15 years ask Qs. 10-13				
				WOMEN'S MODULES	CHILD LABOUR MODULE	CHILD HEALTH MODULES							
1. Line no.	2. Name	3. IS (name) MALE OR FEMALE ?		4. HOW OLD IS (name)? HOW OLD WAS (name) ON HIS/HER LAST BIRTHDAY? Record in completed years 99=NK*	5. Circle Line no. if woman is age 15-49	6. For each child age 5-14: WHO IS THE MOTHER OR PRIMARY CARER OF THIS CHILD? Record Line no. of mother/ carer	7. For each child under 5: WHO IS THE MOTHER OR PRIMARY CARER OF THIS CHILD? Record Line no. of mother/ carer	8. CAN HE/SHE READ A LETTER OR NEWSPAPER EASILY, WITH DIFFICULTY OR NOT AT ALL? 1 EASILY 2 DIFFICULT 3 NOT AT ALL 9 NK	9. WHAT IS THE MARITAL STATUS OF (name)? 1 CURRENTLY MARRIED/ IN UNION 2 WIDOWED 3 DIVORCED 4 SEPARATED 5 NEVER MARRIED	10. IS (name's) NATURAL MOTHER ALIVE? 1 YES 2 NO 9 NK	11. If alive: DOES (name's) NATURAL MOTHER LIVE IN THIS HOUSE- HOLD? 1 YES 2 NO	12. IS (name's) NATURAL FATHER ALIVE? 1 YES 2 NO 9 NK	13. If alive: DOES (name's) NATURAL FATHER LIVE IN THIS HOUSE- HOLD? 1 YES 2 NO
LINE	NAME	M	F	AGE	15-49	MOTHER	MOTHER	E D N NK	M W D S N	Y N NK	Y N	Y N NK	Y N
01		1	2	_____	01	___	___	1 2 3 9	1 2 3 4 5	1 2 9	1 2	1 2 9	1 2
02		1	2	_____	02	___	___	1 2 3 9	1 2 3 4 5	1 2 9	1 2	1 2 9	1 2
03		1	2	_____	03	___	___	1 2 3 9	1 2 3 4 5	1 2 9	1 2	1 2 9	1 2
04		1	2	_____	04	___	___	1 2 3 9	1 2 3 4 5	1 2 9	1 2	1 2 9	1 2
05		1	2	_____	05	___	___	1 2 3 9	1 2 3 4 5	1 2 9	1 2	1 2 9	1 2
06		1	2	_____	06	___	___	1 2 3 9	1 2 3 4 5	1 2 9	1 2	1 2 9	1 2
07		1	2	_____	07	___	___	1 2 3 9	1 2 3 4 5	1 2 9	1 2	1 2 9	1 2

ARE THERE ANY OTHER CHILDREN LIVING HERE – EVEN IF THEY ARE NOT MEMBERS OF YOUR FAMILY OR DO NOT HAVE PARENTS LIVING IN THIS HOUSEHOLD?
INCLUDING CHILDREN AT WORK OR AT SCHOOL? If yes, insert child's name and complete form.

* See instructions: to be used only for elderly household members (code meaning “do not know/over age 50”).

EDUCATION MODULE												
If interview takes place between two school years, use alternative wording found in Appendix One.												
For persons age 5 or over ask Qs. 15 and 16				For children age 5 through 18 years, continue on, asking Qs. 17-22								
14. Line no.	15. HAS (name) EVER ATTENDED SCHOOL? 1 YES ⇒ Q.16 2 NO ⇨ NEXT LINE	16. WHAT IS THE HIGHEST LEVEL OF SCHOOL (name) ATTENDED? WHAT IS THE HIGHEST GRADE (name) COMPLETED AT THIS LEVEL? LEVEL: 1.PRESCHOOL 2. PRIMARY 3. SECONDARY 4. HIGHER 5 HIGH 6. NON-STANDARD CURRICULUM 9 NK GRADE: 99 NK <i>If less than 1 grade, enter 00.</i>		18. DURING THE SCHOOL YEAR 1999/2000, DID (name) ATTEND SCHOOL AT ANY TIME? 1 YES 2 NO ⇒ Q.21	19. SINCE LAST (day of the week), HOW MANY DAYS DID (name) ATTEND SCHOOL? <i>Insert 88 (school year ended)</i>	20. WHICH LEVEL AND GRADE IS/WAS (name) ATTENDING? LEVEL: 1 PRESCHOOL 2 PRIMARY 3 SECONDARY 4 NON-STANDARD CURRICULUM 9 NK GRADE: 99 NK	21. DID (name) ATTEND SCHOOL IN THE SCHOOL YEAR 1998/99 ? 1 YES 2 NO ⇨ NEXT LINE 9 NK ⇨ NEXT LINE	22. WHICH LEVEL AND GRADE DID (name) ATTEND IN THE SCHOOL YEAR 1998/99? LEVEL: 1 PRESCHOOL 2 PRIMARY 3 SECONDARY 4 NON-STANDARD CURRICULUM 9 NK GRADE: 99 NK				
LINE	Y NO	LEVEL	GRADE	YES NO	DAYS	LEVEL	GRADE	Y N N K	LEVEL	GRADE		
01	1 2⇒NEXT LINE	1 2 3 4 5 6 9	___	1 2	_____	1 2 3 4 9	___ ___	1 2 9	1 2 3 4 9	___ ___		
02	1 2⇒NEXT LINE	1 2 3 4 5 6 9	___	1 2	_____	1 2 3 4 9	___ ___	1 2 9	1 2 3 4 9	___ ___		
03	1 2⇒NEXT LINE	1 2 3 4 5 6 9	___	1 2	_____	1 2 3 4 9	___ ___	1 2 9	1 2 3 4 9	___ ___		
04	1 2⇒NEXT LINE	1 2 3 4 5 6 9	___	1 2	_____	1 2 3 4 9	___ ___	1 2 9	1 2 3 4 9	___ ___		
05	1 2⇒NEXT LINE	1 2 3 4 5 6 9	___	1 2	_____	1 2 3 4 9	___ ___	1 2 9	1 2 3 4 9	___ ___		
06	1 2⇒NEXT LINE	1 2 3 4 5 6 9	___	1 2	_____	1 2 3 4 9	___ ___	1 2 9	1 2 3 4 9	___ ___		
07	1 2⇒NEXT LINE	1 2 3 4 5 6 9	___	1 2	_____	1 2 3 4 9	___ ___	1 2 9	1 2 3 4 9	___ ___		
Now for each woman age 15-49 years, write her name and line number at the top of each page in the Women's Questionnaire.												
For each child under age 5, write his/her name and line number AND the line number of his/her mother or carer at the top of each page in the Children's Questionnaire.												
You should now have a separate questionnaire for each eligible woman and child in the household.												

CHILD LABOUR MODULE

To be administered to carer of each child resident in the household age 5 through 14 years.

Copy line number of each eligible child from household listing.

NOW I WOULD LIKE TO ASK ABOUT ANY WORK CHILDREN IN THIS HOUSEHOLD MAY DO.

1. Line no.	2. Name	3. DURING THE PAST WEEK, DID (name) DO ANY KIND OF WORK FOR SOMEONE WHO IS NOT A MEMBER OF THIS HOUSEHOLD? If yes: FOR PAY? 1 YES, FOR PAY (CASH OR KIND) 2 YES, UNPAID 3 NO ⇒ TO Q.5	4. If yes: SINCE LAST (day of the week), ABOUT HOW MANY HOURS DID HE/SHE DO THIS WORK FOR SOMEONE WHO IS NOT A MEMBER OF THIS HOUSEHOLD? If more than one job, include all hours at all jobs. Record response then ⇒ Q.6	5. AT ANY TIME DURING THE PAST YEAR, DID (name) DO ANY KIND OF WORK FOR SOMEONE WHO IS NOT A MEMBER OF THIS HOUSEHOLD? If yes: FOR PAY? 1 YES, FOR PAY (CASH OR KIND) 2 YES, UNPAID 3 NO	6. DURING THE PAST WEEK, DID (name) HELP WITH HOUSEKEEPING CHORES SUCH AS COOKING, SHOPPING, CLEANING, WASHING CLOTHES, FETCHING WATER, OR CARING FOR CHILDREN? 1 YES 2 NO ⇒ TO Q.8	7. If yes: SINCE LAST (day of the week), ABOUT HOW MANY HOURS DID HE/SHE SPEND DOING THESE CHORES?	8. DURING THE PAST WEEK, DID (name) DO ANY OTHER FAMILY WORK (ON THE FARM OR IN A BUSINESS)? 1 YES 2 NO ⇒ NEXT LINE	9. If yes: SINCE LAST (day of the week), ABOUT HOW MANY HOURS DID HE/SHE DO THIS WORK?
LINE NO.	NAME	YES PAID UNPAID NO	NO. HOURS	YES PAID UNPAID NO	YES NO	NO. HOURS	YES NO	NO. HOURS
___		1 2 3	___	1 2 3	1 2	___	1 2	___
___		1 2 3	___	1 2 3	1 2	___	1 2	___
___		1 2 3	___	1 2 3	1 2	___	1 2	___
___		1 2 3	___	1 2 3	1 2	___	1 2	___
___		1 2 3	___	1 2 3	1 2	___	1 2	___
___		1 2 3	___	1 2 3	1 2	___	1 2	___
___		1 2 3	___	1 2 3	1 2	___	1 2	___

When all children in the age range have been covered, **GO TO WATER AND SANITATION MODULE** ⇒

draft

WATER AND SANITATION MODULE		
<p><i>This module is to be administered once for each household visited.</i></p> <p><i>Record only one response for each question.</i></p> <p><i>If more than one response is given, record the most usual source or facility.</i></p>		
<p>1. WHAT IS THE MAIN SOURCE OF DRINKING WATER FOR MEMBERS OF YOUR HOUSEHOLD?</p>	<p>Piped into dwelling01</p> <p>Piped into yard or plot02</p> <p>Public tap03</p> <p>Tube well/bore hole with pump04</p> <p>Protected dug well05</p> <p>Protected spring06</p> <p>Rainwater collection07</p> <p>Bottled water08</p> <p>Unprotected dug well09</p> <p>Unprotected spring10</p> <p>Pond, river or stream11</p> <p>Tanker-truck, vendor12</p> <p>Other (specify) _____ 13</p> <p>No answer or NK99</p>	
<p>2. HOW LONG DOES IT TAKE TO GO THERE, GET WATER, AND COME BACK?</p>	<p>No. of minutes _____</p> <p>Water on premises 888</p> <p>NK 999</p>	
<p>3. WHAT KIND OF TOILET FACILITY DOES YOUR HOUSEHOLD USE?</p>	<p>Flush to sewage system or septic tank1</p> <p>Pour flush latrine (water seal type)2</p> <p>Improved pit latrine (e.g., VIP)3</p> <p>Traditional pit latrine4</p> <p>Open pit5</p> <p>Bucket6</p> <p>Other (specify) _____ 7</p> <p>No facilities or bush or field.....98</p>	98⇒Q.5
<p>4. IS THIS FACILITY LOCATED WITHIN YOUR DWELLING, OR YARD OR COMPOUND?</p>	<p>Yes, in dwelling/yard/compound.....1</p> <p>No, outside dwelling/yard/compound2</p> <p>NK9</p>	
<p>5. WHAT HAPPENS WITH THE STOOLS OF YOUNG CHILDREN (0-3 YEARS) WHEN THEY DO NOT USE THE LATRINE OR TOILET FACILITY?</p>	<p>Children always use toilet or latrine.....1</p> <p>Thrown into toilet or latrine2</p> <p>Thrown outside the yard3</p> <p>Buried in the yard4</p> <p>Not disposed of or left on the ground.....5</p> <p>Other (specify) _____ 6</p> <p>No young children in household98</p>	

GO TO NEXT MODULE ⇒

draft

Cluster no. ___ Household no. ___ Woman line no. ___

QUESTIONNAIRE FOR INDIVIDUAL WOMEN

WOMEN'S INFORMATION PANEL		
<i>This module is to be administered to all women age 15 through 49 (see column 5 of HH listing). Fill in one form for each eligible woman.</i>		
1. Woman's line number (from HH listing).	Line number	
2. Woman's name.	Name	
3A. IN WHAT MONTH AND YEAR WERE YOU BORN?	Date of birth Month/Year /	NK ⇒ 3B
<i>Or:</i>	NK date of birth 999999	
3B. HOW OLD WERE YOU AT YOUR LAST BIRTHDAY?	<i>Or:</i> Age (in completed years).....	

GO TO NEXT MODULE ⇒

draft

draft

CHILD MORTALITY MODULE		
<p><i>This module is to be administered to all women age 15-49. All questions refer only to LIVE births. Follow instructions as provided in training. See Instructions for Interviewers.</i></p>		
<p>10. JUST TO MAKE SURE THAT I HAVE THIS RIGHT, YOU HAVE HAD IN TOTAL (<i>total number</i>) BIRTHS DURING YOUR LIFE. IS THIS CORRECT?</p> <p><input type="checkbox"/> Yes ⇒ <i>Go to Q.11</i> <input type="checkbox"/> No ⇒ <i>Check responses and make corrections before proceeding to Q.11</i></p>		
<p>11. OF THESE (<i>total number</i>) BIRTHS YOU HAVE HAD, WHEN DID YOU DELIVER THE LAST ONE (EVEN IF HE OR SHE HAS DIED)?</p>	<p>Date of last birth Day/Month/Year..... ___/___/_____</p>	
<p><i>Did the woman's last birth occur within the last year, that is, since July 1999?</i></p> <p><input type="checkbox"/> <i>Yes, live birth in last year. ⇒ GO TO MATERNAL AND NEWBORN HEALTH MODULE</i> <input type="checkbox"/> <i>No live birth in last year. ⇒ GO TO CONTRACEPTIVE USE MODULE</i></p>		

draft

draft

MATERNAL AND NEWBORN HEALTH MODULE		
<i>This module is to be administered to all women with a live birth in the year preceding date of interview.</i>		
<p>2. DID YOU SEE ANYONE FOR ANTENATAL CARE FOR THIS PREGNANCY?</p> <p><i>If yes: WHOM DID YOU SEE? ANYONE ELSE?</i></p> <p><i>Probe for the type of person seen and circle all answers given.</i></p>	<p>Health professional:</p> <p>Doctor1</p> <p>Nurse/midwife2</p> <p>Auxiliary midwife3</p> <p>Other person</p> <p>Traditional birth attendant4</p> <p>Other (<i>specify</i>) 6</p> <p>No one0</p>	
<p>3. WHO ASSISTED WITH THE DELIVERY OF YOUR LAST CHILD (<i>or name</i>)?</p> <p>ANYONE ELSE?</p> <p><i>Probe for the type of person assisting and circle all answers given.</i></p>	<p>Health professional:</p> <p>Doctor1</p> <p>Nurse/midwife2</p> <p>Auxiliary midwife3</p> <p>Other person</p> <p>Traditional birth attendant4</p> <p>Relative/friend5</p> <p>Other (<i>specify</i>) 6</p> <p>No one0</p>	
<p>5. WAS (<i>name</i>) WEIGHED AT BIRTH?</p>	<p>Yes1</p> <p>No2</p> <p>NK9</p>	
<p>6. HOW MUCH DID (<i>name</i>) WEIGH?</p> <p><i>Record weight from health card, if available.</i></p>	<p>From card1 (grams) __ , __ __ __</p> <p>From recall2 (grams) __ , __ __ __</p> <p>NK99999</p>	

GO TO NEXT MODULE ⇒

CONTRACEPTIVE USE MODULE		
<p>Ask Q.1 for all women age 15-49 and then follow the skip instruction carefully. Questions on pregnancy and contraception are to be asked only of women who are currently married or in union.</p>		
<p>1. ARE YOU CURRENTLY MARRIED OR LIVING WITH A MAN?</p>	<p>Yes 1</p> <p>No, widowed, divorced, separated 2</p> <p>No, never married 3</p>	<p>2⇒ NEXT MODULE</p> <p>3⇒ NEXT MODULE</p>
<p>2. NOW I AM GOING TO CHANGE TOPICS. I WOULD LIKE TO TALK WITH YOU ABOUT ANOTHER SUBJECT – FAMILY PLANNING – AND YOUR REPRODUCTIVE HEALTH. I KNOW THIS IS A DIFFICULT SUBJECT TO TALK ABOUT, BUT IT IS IMPORTANT THAT WE OBTAIN THIS INFORMATION. OF COURSE, ALL THE INFORMATION YOU SUPPLY WILL REMAIN STRICTLY CONFIDENTIAL. YOU WILL NEVER BE IDENTIFIED WITH THE ANSWERS TO THESE QUESTIONS. ARE YOU PREGNANT NOW?</p>	<p>Yes, currently pregnant 1</p> <p>No 2</p> <p>Unsure or NK 3</p>	<p>1⇒ NEXT MODULE</p>
<p>3. SOME COUPLES USE VARIOUS WAYS OR METHODS TO DELAY OR AVOID A PREGNANCY . ARE YOU CURRENTLY DOING SOMETHING OR USING ANY METHOD TO DELAY OR AVOID GETTING PREGNANT?</p>	<p>Yes 1</p> <p>No 2</p>	
<p>3.A. CAN YOU TELL ME FOR WHICH CONTRACEPTIVE METHOD YOU KNOW?</p> <p><i>Do not prompt. If more than one method is mentioned, circle each one.</i></p>	<p>Female sterilization 01</p> <p>Male sterilization 02</p> <p>Pill..... 03</p> <p>IUD 04</p> <p>Injections 05</p> <p>Implants..... 06</p> <p>Condom..... 07</p> <p>Female condom 08</p> <p>Diaphragm 09</p> <p>Foam/jelly 10</p> <p>Lactational amenorrhoea method (LAM) 11</p> <p>Periodic abstinence 12</p> <p>Withdrawal..... 13</p> <p>Other (<i>specify</i>) 14</p>	
<p>4. WHICH METHOD ARE YOU USING?</p> <p><i>Ask this question only if women's answer to question number 3 is "yes". Do not prompt. If more than one method is mentioned, circle each one.</i></p>	<p>Female sterilization 01</p> <p>Male sterilization 02</p> <p>Pill..... 03</p> <p>IUD 04</p> <p>Injections 05</p> <p>Implants..... 06</p> <p>Condom..... 07</p> <p>Female condom 08</p> <p>Diaphragm 09</p> <p>Foam/jelly 10</p> <p>Lactational amenorrhoea method (LAM) 11</p> <p>Periodic abstinence 12</p> <p>Withdrawal..... 13</p> <p>Other (<i>specify</i>)</p>	

GO TO NEXT MODULE ⇒

draft

HIV/AIDS MODULE

*This module is to be administered to all women age 15-49.
See Instructions for Interviewers for further discussion of these questions.*

<p>1. NOW I WOULD LIKE TO TALK WITH YOU ABOUT WHAT YOU KNOW ABOUT SERIOUS ILLNESS, IN PARTICULAR, ABOUT HIV AND AIDS.</p> <p>HAVE YOU EVER HEARD OF THE VIRUS HIV OR AN ILLNESS CALLED AIDS?</p>	<p>Yes 1</p> <p>No 2</p>	<p>2⇒Q.18</p>
<p>2. IS THERE ANYTHING A PERSON CAN DO TO AVOID GETTING HIV, THE VIRUS THAT CAUSES AIDS?</p>	<p>Yes 1</p> <p>No 2</p> <p>NK 9</p>	<p>2⇒Q.8</p> <p>9⇒Q.8</p>
<p>3. NOW I WILL READ SOME QUESTIONS ABOUT HOW PEOPLE CAN PROTECT THEMSELVES FROM THE AIDS VIRUS. THESE QUESTIONS INCLUDE ISSUES RELATED TO SEXUALITY WHICH SOME PEOPLE MIGHT FIND DIFFICULT TO ANSWER. HOWEVER, YOUR ANSWERS ARE VERY IMPORTANT TO HELP UNDERSTAND THE NEEDS OF PEOPLE IN BOSNIA AND HERZEGOVINA. AGAIN, THIS INFORMATION IS ALL COMPLETELY PRIVATE AND ANONYMOUS. PLEASE ANSWER YES OR NO TO EACH QUESTION.</p> <p>CAN PEOPLE PROTECT THEMSELVES FROM GETTING INFECTED WITH THE AIDS VIRUS BY HAVING ONE UNINFECTED SEX PARTNER WHO ALSO HAS NO OTHER PARTNERS?</p>	<p>Yes 1</p> <p>No 2</p> <p>NK 9</p> <p style="font-size: 2em; text-align: center;"><i>draft</i></p>	
<p>5. CAN PEOPLE PROTECT THEMSELVES FROM THE AIDS VIRUS BY USING A CONDOM CORRECTLY EVERY TIME THEY HAVE SEX?</p>	<p>Yes 1</p> <p>No 2</p> <p>NK 9</p>	
<p>7. CAN PEOPLE PROTECT THEMSELVES FROM GETTING INFECTED WITH THE AIDS VIRUS BY NOT HAVING SEX AT ALL?</p>	<p>Yes 1</p> <p>No 2</p> <p>NK 9</p>	
<p>8. IS IT POSSIBLE FOR A HEALTHY -LOOKING PERSON TO HAVE THE AIDS VIRUS?</p>	<p>Yes 1</p> <p>No 2</p> <p>NK 9</p>	

9. CAN THE AIDS VIRUS BE TRANSMITTED FROM A MOTHER TO A CHILD?	Yes1	
10. CAN THE AIDS VIRUS BE TRANSMITTED FROM A MOTHER TO A CHILD DURING PREGNANCY ?	Yes1 No2 NK9	
11. CAN THE AIDS VIRUS BE TRANSMITTED FROM A MOTHER TO A CHILD AT DELIVERY ?	Yes1 No2 NK9	
12. CAN THE AIDS VIRUS BE TRANSMITTED FROM A MOTHER TO A CHILD THROUGH BREAST MILK?	Yes1 No2 NK9	
13. IF A TEACHER HAS THE AIDS VIRUS BUT IS NOT SICK, SHOULD HE OR SHE BE ALLOWED TO CONTINUE TEACHING IN SCHOOL?	Yes1 No2 NK9	
14. IF YOU KNEW THAT A SHOPKEEPER OR FOOD SELLER HAD AIDS OR THE VIRUS THAT CAUSES IT, WOULD YOU BUY FOOD FROM HIM OR HER?	Yes1 No2 NK9	
<p>18. Is the woman a carer of any children under five years of age?</p> <p><input type="checkbox"/> Yes. ⇒ <i>GO TO QUESTIONNAIRE FOR CHILDREN UNDER FIVE and administer one questionnaire for each child under five for whom she is the carer.</i></p> <p><input type="checkbox"/> No. ⇒ <i>CONTINUE WITH Q.19</i></p>		
<p>19. Does another eligible woman reside in the household?</p> <p><input type="checkbox"/> Yes. ⇒ <i>End the current interview by thanking the woman for her cooperation and GO TO QUESTIONNAIRE FOR INDIVIDUAL WOMEN to administer the questionnaire to the next eligible woman.</i></p> <p><input type="checkbox"/> No. ⇒ <i>End the interview with this woman by thanking her for her cooperation. Gather together all questionnaires for this household and tally the number of interviews completed on the cover page.</i></p>		

draft

Cluster no. ___ Household no. ___ Carer line no. ___ Child line no. ___

QUESTIONNAIRE FOR CHILDREN UNDER FIVE

This questionnaire is to be administered to all women who care for a child that lives with them and is under the age of 5 years (see Q.4 of the HH listing).

A separate form should be used for each eligible child.

Questions should be administered to the mother or carer of the eligible child (see Q.7 of the HH listing).

Fill in the line number of each child, the line number of the child's mother or carer, and the household and cluster numbers in the space at the top of each page.

BIRTH REGISTRATION AND EARLY LEARNING MODULE		
1. Child's name.	Name _____	
2. Child's age (copy from Q.4 of HH listing).	Age (in completed years)..... _ _	
3. NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT THE HEALTH OF EACH CHILD UNDER THE AGE OF 5 IN YOUR CARE, WHO LIVES WITH YOU NOW. NOW I WANT TO ASK YOU ABOUT (name). IN WHAT MONTH AND YEAR WAS (name) BORN? <i>Probe:</i> WHAT IS HIS/HER BIRTHDAY? <i>If the mother knows the exact birth date, also enter the day; otherwise, enter 99 for day.</i>	Date of birth Day/Month/Year..... _ / _ / _ draft	
4. DOES (name) HAVE A BIRTH CERTIFICATE? MAY I SEE IT? <i>If certificate is presented, verify reported birth date. If no birth certificate is presented, try to verify date using another document (health card, etc.). Correct stated age, if necessary.</i>	Yes, seen.....1 Yes, not seen2 No3 NK9	1⇒Q.8
5. <i>If no birth certificate is shown, ask:</i> HAS (name's) BIRTH BEEN REGISTERED?	Yes1 No2 NK9	1⇒Q.8 9⇒Q.7
6. WHY IS (name's) BIRTH NOT REGISTERED?	Costs too much1 Must travel too far2 Did not know it should be registered.....3 Late, and did not want to pay fine4 Does not know where to register5 Other (specify)..... 6 NK9	
7. DO YOU KNOW HOW TO REGISTER YOUR CHILD'S BIRTH?	Yes1 No2 No answer.....8	

8. Check age. If child is 3 years old or more, ask: DOES (<i>name</i>) ATTEND ANY ORGANIZED LEARNING OR EARLY CHILDHOOD EDUCATION PROGRAMME, SUCH AS A PRIVATE OR GOVERNMENT FACILITY, INCLUDING KINDERGARTEN OR COMMUNITY CHILD CARE?	Yes 1 No 2 NK 9	2⇒ NEXT MODULE 9⇒ NEXT MODULE
9. WITHIN THE LAST SEVEN DAYS, ABOUT HOW MANY HOURS DID (<i>name</i>) ATTEND?	Number of hours — —	

GO TO NEXT MODULE ⇒

draft

CARE OF ILLNESS MODULE		
<p>1. HAS (<i>name</i>) HAD DIARRHOEA IN THE LAST TWO WEEKS, THAT IS, SINCE (<i>day of the week</i>) OF THE WEEK BEFORE LAST?</p> <p><i>Diarrhoea is determined as perceived by mother or carer, or as three or more loose or watery stools per day, or blood in stool.</i></p>	<p>Yes 1 No 2 NK 9</p>	<p>1⇒Q.3</p>
<p>2. IN THE LAST TWO WEEKS, HAS (<i>name</i>) HAD ANY OTHER ILLNESS, SUCH AS COUGH OR FEVER, OR ANY OTHER HEALTH PROBLEM?</p>	<p>Yes 1 No 2 NK 9</p>	<p>1⇒Q.4 2⇒Q.11 9⇒Q.11</p>
<p>3. DURING THIS LAST EPISODE OF DIARRHOEA, DID (<i>name</i>) DRINK ANY OF THE FOLLOWING:</p>	<p style="text-align: right;">Y N NK</p> <p>A. Breast milk.....1 2 9 B. Gruel1 2 9 C. yoghurt drink, fruit juice without sugar1 2 9 D. ORS packet1 2 9 E. Other milk or formula.....1 2 9 F. Water with feeding.....1 2 9 G. Water alone.....1 2 9 H. (coca cola, fruit juice with sugar).....1 2 9 I. Nothing1 2 9</p>	<p>1⇒Q.5</p>
<p>4. DURING (<i>name's</i>) ILLNESS, DID HE/SHE DRINK MUCH LESS, ABOUT THE SAME, OR MORE THAN USUAL?</p>	<p>Much less or none 1 About the same (or somewhat less).....2 More.....3 NK 9</p>	
<p>5. DURING (<i>name's</i>) ILLNESS, DID HE/SHE EAT LESS, ABOUT THE SAME, OR MORE FOOD THAN USUAL?</p> <p><i>If "less", probe: MUCH LESS OR A LITTLE LESS?</i></p>	<p>None 1 Much less2 Somewhat less.....3 About the same4 More.....5 NK 9</p>	
<p>6. HAS (<i>name</i>) HAD AN ILLNESS WITH A COUGH AT ANY TIME IN THE LAST TWO WEEKS, THAT IS, SINCE (<i>day of the week</i>) OF THE WEEK BEFORE LAST?</p>	<p>Yes 1 No 2 NK 9</p>	<p>2⇒Q.11 9⇒Q.11</p>

<p>7. WHEN (<i>name</i>) HAD AN ILLNESS WITH A COUGH, DID HE/SHE BREATHE FASTER THAN USUAL WITH SHORT, QUICK BREATHS OR HAVE DIFFICULTY BREATHING?</p>	<p>Yes1 No2 NK9</p>	<p>2⇒Q.11 9⇒Q.11</p>
<p>8. WERE THE SYMPTOMS DUE TO A PROBLEM IN THE CHEST OR A BLOCKED NOSE?</p>	<p>Blocked nose.....1 Problem in chest.....2 Both.....3 Other (<i>specify</i>).....4 NK9</p>	<p>1⇒Q.11 4⇒Q.11</p>
<p>9. DID YOU SEEK ADVICE OR TREATMENT FOR THE ILLNESS OUTSIDE THE HOME?</p>	<p>Yes1 No2 NK9</p>	<p>2⇒Q.11 9⇒Q.11</p>
<p>10. FROM WHERE DID YOU SEEK CARE? ANYWHERE ELSE? <i>Circle all providers mentioned, but do NOT prompt with any suggestions.</i></p>	<p>Hospital.....01 Health centre02 Dispensary03 Village health worker.....04 MCH clinic.....05 Mobile/outreach clinic.....06 Private physician07 Traditional healer08 Pharmacy or drug seller09 Relative or friend10 Other (<i>specify</i>).....11</p>	
<p><i>Ask this question (Q.11) only once for each carer.</i></p> <p>11. SOMETIMES CHILDREN HAVE SEVERE ILLNESSES AND SHOULD BE TAKEN IMMEDIATELY TO A HEALTH FACILITY. WHAT TYPES OF SYMPTOMS WOULD CAUSE YOU TO TAKE YOUR CHILD TO A HEALTH FACILITY RIGHT AWAY? <i>Keep asking for more signs or symptoms until the carer cannot recall any additional symptoms. Circle all symptoms mentioned, but do NOT prompt with any suggestions.</i></p>	<p>Child not able to drink or breastfeed01 Child becomes sicker.....02 Child develops a fever.....03 Child has fast breathing.....04 Child has difficult breathing.....05 Child has blood in stool06 Child is drinking poorly07 Other (<i>specify</i>).....08 Other (<i>specify</i>).....09 Other (<i>specify</i>).....10</p>	

GO TO NEXT MODULE ⇨

Cluster no. _____ Household no. _____ Carer line no. _____ Child line no. _____

IMMUNIZATION MODULE							
<i>If an immunization card is available, copy the dates in Qs.2-5 for each type of immunization recorded on the card. Qs.7-15 are for recording vaccinations that are not recorded on the card. Qs.7-15 will only be asked when a card is not available.</i>							
1. IS THERE A VACCINATION RECORD FOR (name)?		Yes, seen 1				2⇒Q.7	
		Yes, not seen..... 2					
		No..... 3				3⇒Q.7	
(a) Copy dates of all vaccinations from the card. (b) Write '44' in day column if card shows that vaccination was given but no date recorded.		Date of Immunization					
		DAY		MONTH		YEAR	
2. BCG	BCG						
3B. OPV1	OPV1						
3C. OPV2	OPV2						
3D. OPV3	OPV3						
4A. DPT1	DPT1						
4B. DPT2	DPT2						
4C. DPT3	DPT3						
5. MMR (MEASLES , MUMPS, RUBELLA)							
6. IN ADDITION TO THE VACCINATIONS SHOWN ON THIS CARD, DID (name) RECEIVE ANY OTHER VACCINATIONS - INCLUDING VACCINATIONS RECEIVED IN A NATIONAL IMMUNIZATION DAY?		Yes 1				1⇒Q.15	
		(Probe for vaccinations and write '66' in the corresponding day column on Q. 2 to Q. 5.)					
Record 'Yes' only if respondent mentions BCG, OPV 0-3, DPT 1-3, and/or MMR vaccine(s). Go to Q.15 after you finish.		No 2				2⇒Q.15	
		NK 9				9⇒Q.15	
7. HAS (name) EVER RECEIVED ANY VACCINATIONS TO PREVENT HIM/HER FROM GETTING DISEASES, INCLUDING VACCINATIONS RECEIVED IN A NATIONAL IMMUNIZATION DAY CAMPAIGN?		Yes 1					
		No 2				2⇒Q.15	
		NK 9				9⇒Q.15	
8. HAS (name) EVER BEEN GIVEN A BCG VACCINATION AGAINST TUBERCULOSIS – THAT IS, AN INJECTION IN THE LEFT SHOULDER THAT CAUSED A SCAR?		Yes 1					
		No 2					
		NK 9					

<p>9. HAS (<i>name</i>) EVER BEEN GIVEN ANY "VACCINATION DROPS IN THE MOUTH" TO PROTECT HIM/HER FROM GETTING DISEASES – THAT IS, POLIO?</p>	<p>Yes 1 No 2 NK 9</p>	<p>2⇒Q.12 9⇒Q.12</p>
<p>10. HOW OLD WAS HE/SHE WHEN THE FIRST DOSE WAS GIVEN – JUST AFTER BIRTH OR LATER?</p>	<p>Just after birth..... 1 Later..... 2</p>	
<p>11. HOW MANY TIMES HAS HE/SHE BEEN GIVEN THESE DROPS?</p>	<p>No. of times _ _</p>	
<p>12. HAS (<i>name</i>) EVER BEEN GIVEN "VACCINATION INJECTIONS" – THAT IS, AN INJECTION IN THE THIGH OR BUTTOCKS – TO PREVENT HIM/HER FROM GETTING TETANUS, WHOOPING COUGH, DIPHTHERIA ? (SOMETIMES GIVEN AT THE SAME TIME AS POLIO)</p>	<p>Yes 1 No 2 NK 9</p>	<p>2⇒Q.14 9⇒Q.14</p>
<p>13. HOW MANY TIMES?</p>	<p>No. of times _ _</p>	
<p>14. HAS (<i>name</i>) EVER BEEN GIVEN "VACCINATION INJECTIONS" – THAT IS, A SHOT IN THE ARM AT THE AGE OF 9 MONTHS OR OLDER - TO PREVENT HIM/HER FROM GETTING MEASLES, RUBEOLE AND PAROTITIS</p>	<p>Yes 1 No 2 NK 9</p>	
<p>15. PLEASE TELL ME IF (<i>name</i>) HAS PARTICIPATED IN ANY OF THE FOLLOWING IMMUNIZATION CAMPAIGNS:</p> <p>CAMPAIGN A: (POLIO) 1997 CAMPAIGN B: (POLIO) 1998 CAMPAIGN C: (POLIO) 2000</p>	<p style="text-align: right;">Y N NK</p> <p>Campaign A..... 1 2 9 Campaign B..... 1 2 9 Campaign C..... 1 2 9</p>	

draft

GO TO NEXT MODULE ⇒

Cluster no. ____ Household no. ____ Carer line no. ____ Child line no. ____

ANTHROPOMETRY MODULE		
<p>After questionnaires for all children are complete, the measurer weighs and measures each child. Record weight and length/height below, taking care to record the measurements on the correct questionnaire for each child. Check the child's name and line number on the HH listing before recording measurements.</p>		
1. Child's weight.	Kilograms (kg)..... ____ . ____	
2. Child's length or height. Check age of child: <input type="checkbox"/> Child under 2 years old. ⇒ Measure length (lying down). <input type="checkbox"/> Child age 2 or more years. ⇒ Measure height (standing up).	Length (cm) Lying down 1 ____ . ____ Height (cm) Standing up 2 ____ . ____	
3. Measurer's identification code.	Measurer code ____	
4. Result.	Measured 1 Not present 2 Refused 3 Other (specify) 4	
5. Is there another child in the household who is eligible for measurement? <input type="checkbox"/> Yes. ⇒ Record measurements for next child. <input type="checkbox"/> No. ⇒ End the interview with this household by thanking all participants for their cooperation. Gather together all questionnaires for this household and check that identification numbers are at the top of each page. Tally on the Household Information Panel the number of interviews completed.		

draft

Appendix E: Tables

Table 1: Single year age distribution of household population by sex, Bosnia and Herzegovina MICS 2000

Age	Sex			
	Male		Female	
	Number	Percent	Number	Percent
0	264	1.5	227	1.3
1	234	1.3	247	1.4
2	250	1.4	248	1.4
3	323	1.9	298	1.6
4	289	1.7	262	1.4
5	253	1.4	232	1.3
6	278	1.6	244	1.3
7	221	1.3	229	1.3
8	249	1.4	244	1.3
9	281	1.6	259	1.4
10	303	1.7	272	1.5
11	238	1.4	239	1.3
12	283	1.6	282	1.6
13	272	1.6	291	1.6
14	267	1.5	306	1.7
15	282	1.6	182	1.0
16	321	1.8	250	1.4
17	288	1.7	278	1.5
18	279	1.6	276	1.5
19	242	1.4	264	1.5
20	322	1.8	306	1.7
21	255	1.5	239	1.3
22	263	1.5	258	1.4
23	255	1.5	256	1.4
24	278	1.6	253	1.4
25	290	1.7	287	1.6
26	229	1.3	256	1.4
27	241	1.4	240	1.3
28	261	1.5	260	1.4
29	243	1.4	246	1.4
30	293	1.7	271	1.5
31	208	1.2	246	1.4
32	248	1.4	246	1.4
33	287	1.6	235	1.3
34	235	1.3	273	1.5
35	329	1.9	296	1.6
36	250	1.4	286	1.6
37	249	1.4	262	1.4
38	296	1.7	286	1.6
39	256	1.5	270	1.5
40	314	1.8	308	1.7
41	240	1.4	259	1.4
42	282	1.6	252	1.4
43	242	1.4	252	1.4
44	224	1.3	236	1.3
45	274	1.6	282	1.6
46	238	1.4	247	1.4
47	247	1.4	238	1.3
48	225	1.3	234	1.3
49	176	1.0	83	.5
50	285	1.6	404	2.2
51	193	1.1	219	1.2
52	189	1.1	215	1.2
53	170	1.0	207	1.1
54	151	.9	157	.9
55	161	.9	212	1.2
56	127	.7	146	.8
57	103	.6	133	.7
58	136	.8	188	1.0
59	162	.9	185	1.0
60	223	1.3	299	1.7
61	154	.9	182	1.0
62	188	1.1	210	1.2
63	197	1.1	221	1.2
64	156	.9	196	1.1
65	205	1.2	244	1.3
66	176	1.0	199	1.1
67	157	.9	155	.9
68	141	.8	187	1.0
69	120	.7	128	.7
70+	884	5.1	1230	6.8
Missing/DK	8	.0	8	.0
Total	17453	100.0	18118	100.0

Table 2: Percentage of the population aged 15 years and older that is literate, Bosnia and Herzegovina, MICS 2000

		Sex						Total		
		Male			Female			Literate %	Not known	Number
		Literate %	Not known	Number	Literate %	Not known	Number			
Entity	Federation of B&H	98.5	1.0	8136	91.5	5.3	8503	95.0	3.2	16639
	Republika Srpska	98.1	.2	5304	90.5	.6	5727	94.1	.4	11031
Area	Urban	99.2	.3	4920	95.6	1.8	5622	97.3	1.1	10542
	Rural	97.9	.9	8520	88.2	4.5	8608	93.0	2.7	17128
Age	15-24	99.6	.2	2785	99.7	.2	2562	99.6	.2	5347
	25-34	99.8	.1	2535	99.6	.4	2560	99.7	.2	5095
	35-44	99.4	.3	2682	99.1	.3	2707	99.3	.3	5389
	45-54	99.3	.3	2148	95.2	2.1	2286	97.2	1.2	4434
	55-64	97.3	1.1	1607	84.0	6.7	1972	89.9	4.2	3579
	65+	92.4	3.0	1683	62.9	13.4	2143	75.8	8.8	3826
Total		98.4	.7	13440	91.1	3.4	14230	94.6	2.1	27670

World Summit for Children Goal => Number 7

draft

Table 3: Percentage of the population using various sources of drinking water, Bosnia and Herzegovina MICS 2000

	Main source of water													Total	Total with safe drinking water	Number of persons
	Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/ bore hole with pump	Protected dug well	Protected spring	Rainwater collection	Bottled water	Unprotected dug well	Unprotected spring	Pond, river or stream	Tanker truck vendor	Other			
Entity Federation of B&H	85.4	3.0	1.8	.7	4.1	2.8	.2	.1	.2	.6	.0	.9	.1	100.0	98.1	22152
Entity Republika Srpska	47.0	18.8	2.0	11.6	7.9	9.1	.2	.0	.9	2.0	.2	.0	.4	100.0	96.5	13419
Area Urban	97.2	.6	.6	.2	.4	.6	.0	.1	.0	.1	.0	.0	.1	100.0	99.7	13263
Area Rural	55.4	13.9	2.5	7.6	8.6	7.9	.3	.0	.8	1.8	.1	.9	.2	100.0	96.2	22308
Total	70.9	9.0	1.8	4.8	5.6	5.2	.2	.0	.5	1.1	.1	.5	.2	100.0	97.5	35571

World Summit for Children Goal => Number 4

Table 4: Percentage of the population using sanitary means of excreta disposal, Bosnia and Herzegovina MICS 2000

	Toilet facility									Total	Total with sanitary means of excreta disposal	Number of persons
	Flush to sewage system or septic tank	Pour flush latrine (water seal type)	Improved pit latrine (VIP)	Traditional pit latrine	Open pit	Bucket	Other	No facilities, bush, field				
Entity Federation of B&H	84.5	4.4	7.1	3.4	.4	.0	.1	.0	100.0	99.5	22152	
Entity Republika Srpska	78.3	2.5	.6	2.2	16.2	.0	.0	.1	100.0	83.7	13419	
Area Urban	97.3	1.0	.5	.3	.9	.0	.0	.0	100.0	99.0	13263	
Area Rural	73.2	5.3	7.2	4.5	9.6	.0	.1	.1	100.0	90.2	22308	
Total	82.2	3.7	4.7	2.9	6.4	.0	.1	.1	100.0	93.5	35571	

World Summit for Children Goal => Number 5

Table 5: Percentage of children under 5 who are moderately or severely undernourished, Bosnia and Herzegovina, MICS 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Sex	Male	4.7	.8	10.3	3.1	6.7	2.1	1323
	Female	3.5	.3	9.1	2.7	5.8	1.7	1246
Entity	Federation of B&H	4.8	.7	10.0	3.2	6.1	1.9	1887
	Republika Srpska	2.1	.3	8.8	2.2	6.6	1.9	682
Area	Urban	3.6	.7	9.1	2.2	6.7	2.0	854
	Rural	4.3	.5	10.0	3.3	6.1	1.9	1715
Age	< 6 months	4.1	.4	10.0	1.7	8.7	.8	241
	6-11 months	4.5	.5	8.6	1.4	10.4	3.6	221
	12-23 months	4.7	.4	11.7	3.4	5.7	1.7	470
	24-35 months	3.6	.6	10.0	4.1	4.1	1.3	468
	36-47 months	3.4	.3	9.6	2.8	5.8	1.8	617
	48-59 months	4.5	1.1	8.2	2.9	6.3	2.5	552
Mother's education level	Primary/None	4.7	.8	10.7	2.9	6.6	2.2	1053
	Secondary	3.6	.5	9.0	2.9	6.0	1.7	1516
Total		4.1	.6	9.7	2.9	6.3	1.9	2569

World Summit for Children Goal => Number 3, 9, 26

Table 6: Percentage of children under 5 who are overweight or obese, Bosnia and Herzegovina, MICS 2000

		Weight for height: +2 SD	Weight for height: +3 SD	Number of children
Sex	Male	11.8	4.3	1323
	Female	14.7	5.4	1246
Entity	Federation of B&H	12.2	4.6	1887
	Republika Srpska	16.0	5.4	682
Area	Urban	14.1	6.3	854
	Rural	12.8	4.1	1715
Age	< 6 months	8.7	4.6	241
	6-11 months	15.8	7.7	221
	12-23 months	19.1	6.8	470
	24-35 months	10.0	2.4	468
	36-47 months	10.4	3.1	617
	48-59 months	14.9	6.2	552
Mother's education level	Primary/None	11.4	4.2	1053
	Secondary	14.4	5.3	1516
Total		13.2	4.8	2569

World Summit for Children Goal => Number 3, 9, 26

Table 7: Percentage of children age 12-23 months immunised against childhood diseases at any time before the survey and before the first birthday, Bosnia and Herzegovina, MICS 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles (MMR)	All	None
Vaccinated at any time before the survey according to:										
Vaccination card	78,3	77,9	77,1	75,2	78,1	77,3	75,6	53,5	52,9	3,8
Mother's report	16,9	14,6	14,2	12,5	15,6	14,2	9,6	10,8	6,9	96,3
Either	95,2	92,5	91,3	87,7	93,8	91,5	85,2	64,4	59,8	100,0
Vaccinated by 12 months of age among those who have cards	100,0	98,7	97,8	96,6	98,9	98,1	96,4	38,2	30,3	,0
Total percent vaccinated by 12 months	95,2	91,3	89,3	84,8	92,7	89,7	82,1	24,6	18,1	,0

The denominator for the vaccination coverage rates includes children age 12-23 months, and for this table is 480 children

Table 8: Percentage of children age 18-29 months immunised against childhood diseases at any time before the survey and before 18 months of age, Bosnia and Herzegovina MICS 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles (MMR)	All	None
Vaccinated at any time before the survey according to:										
Vaccination card	78,2	78,6	78,2	76,8	78,4	78,2	77,0	70,2	68,3	4,6
Mother's report	15,7	14,1	13,9	11,9	15,3	12,7	9,1	11,7	7,5	95,4
Either	94,0	92,7	92,1	88,7	93,8	90,9	86,1	81,9	75,8	100,0
Vaccinated by 18 months of age among those who have cards	100,0	99,5	99,0	98,9	99,7	99,2	98,9	95,8	92,0	,0
Total percent vaccinated by 18 months	94,0	92,3	91,2	87,8	93,5	90,2	85,2	78,5	69,7	,0

The denominator for the vaccination coverage rates includes children age 18-29 months, and for this table is 496 children

Table 9: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Bosnia and Herzegovina MICS 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	% with health card	Number of children
Sex	Male	94.8	93.5	90.9	86.1	93.9	90.9	83.0	63.5	58.3	3.5	79.1	230
	Female	95.6	91.6	91.6	89.2	93.6	92.0	87.2	65.2	61.2	4.0	79.2	250
Entity	Federation of B&H	95.1	92.7	91.3	88.4	94.5	92.2	86.6	70.1	66.0	3.5	80.2	344
	Republika Srpska	95.6	91.9	91.2	86.0	91.9	89.7	81.6	50.0	44.1	4.4	76.5	136
Area	Urban	97.5	91.8	91.1	89.2	93.7	92.4	88.6	66.5	63.9	2.5	79.7	158
	Rural	94.1	92.9	91.3	87.0	93.8	91.0	83.5	63.4	57.8	4.3	78.9	322
Mother's education level	Primary/None	93.8	92.6	90.9	86.9	95.5	92.0	84.1	65.3	60.8	4.0	82.4	176
	Secondary	96.1	92.4	91.4	88.2	92.8	91.1	85.9	63.8	59.2	3.6	77.3	304
Total		95.2	92.5	91.3	87.7	93.8	91.5	85.2	64.4	59.8	3.8	79.2	480

Table 10: Percentage of children age 18-29 months currently vaccinated against childhood diseases, Bosnia and Herzegovina MICS 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	% with health card	Number of children
Sex	Male	94.9	93.6	92.7	89.3	94.4	91.0	85.5	82.1	75.2	3.4	79.1	234
	Female	93.1	92.0	91.6	88.2	93.1	90.8	86.6	81.7	76.3	5.7	79.8	262
Entity	Federation of B&H	92.8	91.7	91.4	88.8	93.1	91.1	87.1	86.2	79.6	5.2	80.2	348
	Republika Srpska	96.6	95.3	93.9	88.5	95.3	90.5	83.8	71.6	66.9	3.4	77.7	148
Area	Urban	96.7	92.0	92.0	88.3	93.2	91.4	87.0	82.7	77.2	3.7	79.0	162
	Rural	93.1	93.1	92.2	88.9	94.0	90.7	85.6	81.4	75.1	5.1	79.6	334
Mother's education level	Primary/None	89.1	89.6	88.6	84.5	90.7	87.6	82.4	79.8	72.5	7.8	80.3	193
	Secondary	97.0	94.7	94.4	91.4	95.7	93.1	88.4	83.2	77.9	2.6	78.9	303
Total		94.0	92.7	92.1	88.7	93.8	90.9	86.1	81.9	75.8	4.6	79.4	496

Table 11: Percentage of children under 5 with diarrhoea in the two weeks before the survey, and treatment with ORS or ORT, Bosnia and Herzegovina MICS 2000

		Had diarrhoea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding	Any recommended treatment	No treatment	Number of children with diarrhoea
Sex	Male	9.6	1347	23.3	18.6	20.9	15.5	27.9	33.3	81.4	18.6	129
	Female	8.2	1274	19.0	21.0	17.1	10.5	27.6	34.3	81.9	18.1	105
Entity	Federation of B&H	8.6	1903	23.8	12.8	11.6	13.4	29.3	31.1	79.3	20.7	164
	Republika Srpska	9.7	718	15.7	35.7	37.1	12.9	24.3	40.0	87.1	12.9	70
Area	Urban	9.2	868	25.0	21.3	20.0	17.5	27.5	31.3	86.3	13.8	80
	Rural	8.8	1753	19.5	18.8	18.8	11.0	27.9	35.1	79.2	20.8	154
Age	< 6 months	8.2	244	80.0	10.0	5.0	5.0	15.0	25.0	95.0	5.0	20
	6-11 months	12.6	230	51.7	10.3	10.3	17.2	27.6	31.0	82.8	17.2	29
	12-23 months	12.3	480	22.0	18.6	18.6	8.5	44.1	33.9	86.4	13.6	59
	24-35 months	8.4	478	2.5	35.0	22.5	22.5	27.5	30.0	80.0	20.0	40
	36-47 months	7.2	627	6.7	20.0	17.8	11.1	22.2	42.2	82.2	17.8	45
	48-59 months	7.3	562	4.9	17.1	31.7	14.6	17.1	34.1	68.3	31.7	41
Mother's education level	Primary/None	8.1	1074	20.7	20.7	17.2	9.2	29.9	33.3	81.6	18.4	87
	Secondary	9.5	1547	21.8	19.0	20.4	15.6	26.5	34.0	81.6	18.4	147
Total		8.9	2621	21.4	19.7	19.2	13.2	27.8	33.8	81.6	18.4	234

World Summit for Children Goal => Number 23

ft

Table 12: Percentage of children under 5 with diarrhoea in the two weeks before the survey who took increased fluids and continued to feed during the episode, Bosnia and Herzegovina, MICS 2000

		Had diarrhoea in last two weeks	Number of children under 5	Drinking during diarrhoea			Total	Eating during diarrhoea			Total	Received increased fluids and continued eating	Number of children with diarrhoea
				More	Same/Less	Missing/NK		at least/same/more	Much less/none	Missing/NK			
Sex	Male	9.6	1347	20.9	56.6	22.5	100.0	62.0	37.2	.8	100.0	12.4	129
	Female	8.2	1274	13.3	66.7	20.0	100.0	62.9	36.2	1.0	100.0	9.5	105
Entity	Federation of B&H	8.6	1903	15.9	56.7	27.4	100.0	62.2	36.6	1.2	100.0	9.8	164
	Republika Srpska	9.7	718	21.4	71.4	7.1	100.0	62.9	37.1	.0	100.0	14.3	70
Area	Urban	9.2	868	18.8	60.0	21.3	100.0	58.8	40.0	1.3	100.0	11.3	80
	Rural	8.8	1753	16.9	61.7	21.4	100.0	64.3	35.1	.6	100.0	11.0	154
Age	< 6 months	8.2	244	10.0	65.0	25.0	100.0	70.0	30.0	.0	100.0	10.0	20
	6-11 months	12.6	230	17.2	51.7	31.0	100.0	86.2	13.8	.0	100.0	10.3	29
	12-23 months	12.3	480	23.7	59.3	16.9	100.0	54.2	45.8	.0	100.0	15.3	59
	24-35 months	8.4	478	22.5	60.0	17.5	100.0	60.0	40.0	.0	100.0	12.5	40
	36-47 months	7.2	627	15.6	66.7	17.8	100.0	60.0	40.0	.0	100.0	13.3	45
	48-59 months	7.3	562	9.8	63.4	26.8	100.0	58.5	36.6	4.9	100.0	2.4	41
Mother's education level	Primary/None	8.1	1074	16.1	62.1	21.8	100.0	64.4	35.6	.0	100.0	12.6	87
	Secondary	9.5	1547	18.4	60.5	21.1	100.0	61.2	37.4	1.4	100.0	10.2	147
Total		8.9	2021	17.5	61.1	21.4	100.0	62.4	36.8	.9	100.0	11.1	234

World Summit for Children Goal => Number 23

Table 13: Percentage of children 0-59 months of age reported ill during the two weeks before the survey who received increased fluids and continued feeding, Bosnia and Herzegovina, MICS 2000

	Reported illness in last two weeks	Number of children under 5	Drinking during illness				Total	Eating during illness			Total	Received increased fluids and continued eating	Number of sick children
			More	Same/Less	Missing/NK	somehow less/same more		Much less/none	Missing/NK				
Sex	Male	1347	26.1	62.3	11.6	100.0	65.3	34.0	.7	100.0	15.7	268	
	Female	1274	26.3	62.5	11.2	100.0	64.3	33.9	1.8	100.0	16.5	224	
Entity	Federation of B&H	1903	27.1	58.8	14.1	100.0	63.8	34.5	1.7	100.0	16.6	362	
	Republika Srpska	718	23.8	72.3	3.8	100.0	67.7	32.3	.0	100.0	14.6	130	
Area	Urban	868	25.3	62.0	12.7	100.0	61.4	36.1	2.4	100.0	15.1	166	
	Rural	1753	26.7	62.6	10.7	100.0	66.6	32.8	.6	100.0	16.6	326	
Age	< 6 months	244	13.9	69.4	16.7	100.0	69.4	27.8	2.8	100.0	11.1	36	
	6-11 months	230	26.0	54.0	20.0	100.0	78.0	20.0	2.0	100.0	14.0	50	
	12-23 months	480	29.9	60.7	9.4	100.0	62.4	35.9	1.7	100.0	21.4	117	
	24-35 months	478	29.6	62.2	8.2	100.0	62.2	37.8	.0	100.0	13.3	98	
	36-47 months	627	24.3	67.0	8.7	100.0	61.2	38.8	.0	100.0	16.5	103	
	48-59 months	527	25.0	61.4	13.6	100.0	65.9	31.8	2.3	100.0	14.8	88	
Mother's education level	Primary/None	1074	28.9	59.7	11.4	100.0	60.2	38.3	1.5	100.0	16.4	201	
	Secondary	1547	24.4	64.3	11.3	100.0	68.0	30.9	1.0	100.0	15.8	291	
Total		2621	26.2	62.4	11.4	100.0	64.8	33.9	1.2	100.0	16.1	492	

draft

Table 14: Percentage of carers of children aged 0-59 months who know at least 2 signs for seeking immediate medical assistance, Bosnia and Herzegovina MICS 2000

		Not able to drink/ breast-feed	Becomes more ill	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Knows at least two signs	Number of carers
Entity	Federation of B&H	26.3	36.8	95.3	31.6	40.6	34.0	12.9	65.6	1903
	Republika Srpska	15.7	34.8	88.6	36.5	40.0	45.0	8.4	74.0	718
Area	Urban	22.2	35.1	95.6	31.5	42.4	38.7	13.4	69.8	868
	Rural	24.0	36.9	92.4	33.7	39.5	36.2	10.8	66.9	1753
Mother's education level	Primary/None	23.5	34.9	93.7	34.7	38.2	34.8	11.9	63.9	1074
	Secondary	23.3	37.2	93.3	31.7	42.0	38.5	11.5	70.7	1547
Total		23.4	36.3	93.5	33.0	40.4	37.0	11.7	67.9	2621

Table 15: Percentage of children 5-14 years of age who are currently working, Bosnia and Herzegovina MICS 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Sex	Male	1,1	6,0	48,8	,5	17,09	19,5	2645
	Female	1,7	5,9	61,9	,7	13,16	15,9	2598
Entity	Federation of BH	1,0	7,0	56,8	,6	13,21	16,2	3589
	Republika Srpska	,6	3,7	52,1	,5	19,35	20,9	1654
Area	Urban	,6	4,0	60,2	,1	6,73	9,3	1843
	Rural	1,0	7,0	52,6	,8	19,71	22,3	3400
Age	5-9 years	,4	4,0	43,1	,2	9,08	11,0	2490
	10-14 years	1,3	7,7	66,3	,9	20,63	23,8	2753
Total		,9	5,9	55,3	,6	15,14	17,7	5243

Monitoring Children's Rights Indicator

Percentage of children entering first grade of primary school who eventually reach grade 5, Bosnia and Herzegovina, MICS 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Sex	Male	100.0	100.0	99.6	99.6	99.2
	Female	99.2	100.0	99.6	100.0	98.8
Entity	Federation of B&H	99.5	100.0	99.4	99.7	98.6
	Republika Srpska	100.0	100.0	100.0	100.0	100.0
Area	Urban	99.5	100.0	99.4	100.0	99.0
	Rural	99.7	100.0	99.7	99.7	99.1
Total		99.6	100.0	99.6	99.8	99.0

World Summit for Children Goal => Number 6

draft