

Table 1: Number of households and women, and response rates, Tchad, 2000

	Milieu de residence		Total
	Urbain	Rural	
Sampled households	3210	2451	5661
Occupied households	3099	2382	5481
Completed households	3031	2343	5374
Household response rate	97.8	98.4	98.0
Eligible women	3522	2683	6205
Interviewed women	3366	2539	5905
Women response rate	95.6	94.6	95.2
Children under 5	2915	2635	5550
Interviewed children under 5	2846	2538	5384
Child response rate	97.6	96.3	97.0

Table 1: Number of households and women, and response rates, Tchad, 2000

	Milieu de residence		Total
	Urbain	Rural	
Sampled households	3210	2451	5661
Occupied households	3099	2382	5481
Completed households	3031	2343	5374
Household response rate	97.8	98.4	98.0
Eligible women	3522	2683	6205
Interviewed women	3366	2539	5905
Women response rate	95.6	94.6	95.2
Children under 5	2915	2635	5550
Interviewed children under 5	2846	2538	5384
Child response rate	97.6	96.3	97.0

Table 2: Single year age distribution of household population by sex, Tchad, 2000

	Sexe			
	Masculin		Feminin	
	Number	Percent	Number	Percent
Age 0	677	4.9	633	4.2
1	460	3.3	448	3.0
2	612	4.4	600	4.0

Table 2: Single year age distribution of household population by sex, Tchad, 2000

		Sexe			
		Masculin		Feminin	
		Number	Percent	Number	Percent
Age	3	564	4.1	628	4.2
	4	566	4.1	633	4.2
	5	594	4.3	555	3.7
	6	598	4.3	554	3.7
	7	538	3.9	587	3.9
	8	502	3.6	568	3.8
	9	400	2.9	382	2.5
	10	554	4.0	528	3.5
	11	310	2.2	265	1.8
	12	424	3.1	493	3.3
	13	322	2.3	363	2.4
	14	301	2.2	329	2.2
	15	360	2.6	328	2.2
	16	213	1.5	238	1.6
	17	210	1.5	197	1.3
	18	244	1.8	309	2.0
	19	124	.9	155	1.0
	20	242	1.8	409	2.7
	21	94	.7	124	.8
	22	129	.9	212	1.4
	23	80	.6	136	.9
	24	86	.6	149	1.0
	25	205	1.5	419	2.8
	26	100	.7	166	1.1
	27	108	.8	226	1.5
	28	147	1.1	245	1.6
	29	80	.6	120	.8
	30	277	2.0	408	2.7
	31	64	.5	60	.4
	32	136	1.0	185	1.2
	33	83	.6	114	.8
	34	82	.6	91	.6
	35	292	2.1	359	2.4
	36	106	.8	115	.8
	37	118	.9	107	.7
	38	138	1.0	127	.8
	39	84	.6	81	.5
	40	353	2.6	304	2.0
	41	74	.5	63	.4
	42	106	.8	103	.7

Table 2: Single year age distribution of household population by sex, Tchad, 2000

		Sexe			
		Masculin		Feminin	
		Number	Percent	Number	Percent
Age	43	71	.5	49	.3
	44	36	.3	39	.3
	45	243	1.8	211	1.4
	46	49	.4	54	.4
	47	84	.6	101	.7
	48	74	.5	107	.7
	49	46	.3	80	.5
	50	219	1.6	223	1.5
	51	23	.2	47	.3
	52	62	.4	103	.7
	53	59	.4	60	.4
	54	29	.2	50	.3
	55	116	.8	134	.9
	56	35	.3	42	.3
	57	27	.2	25	.2
	58	36	.3	41	.3
	59	25	.2	32	.2
	60	191	1.4	165	1.1
	61	18	.1	13	.1
	62	26	.2	14	.1
	63	21	.2	16	.1
	64	25	.2	6	.0
	65	104	.8	87	.6
	66	16	.1	8	.1
	67	30	.2	8	.1
	68	23	.2	16	.1
	69	25	.2	7	.0
	70+	332	2.4	233	1.5
	Missing/DK	12	.1	2	.0
Total		13812	100.0	15088	100.0

Table 3: Percentage of cases missing information for selected questions, Tchad, 2000

	Percent missing	Number
Level of education	.0	9525
Year of education	.0	9525
Number of hours worked	.0	2443

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	5904
Date of last tetanus toxoid injection	.0	172
Ever been tested for HIV	.0	4164

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	5383
Diarrhoea in last 2 weeks	.0	5383
Weight	1.5	5383
Height	1.6	5383

Table 4: Percent distribution of households by background characteristics, Tchad, 2000

		Percent	Number	Unweighted
Milieu de residence	Urbain	24.4	1375	3210
	Rural	75.6	4258	2451
Milieu de r,sidence	N'Djam,na	11.1	625	1002
	Autre ville	13.3	750	2208
	Milieu rural	75.6	4258	2451
Number of HH members	1	9.2	495	568
	2-3	22.3	1197	1195
	4-5	27.8	1494	1423
	6-7	20.5	1100	1073
	8-9	10.5	563	566
	10+	9.7	524	548
	Total	100.0	5373	5373

Table 4: Percent distribution of households by background characteristics, Country, Year

	Percent	Number	Unweighted
At least one child age < 15	80.2	5374	5374
At least one child age < 5	61.5	5374	5374
At least one woman age 15-49	81.3	5374	5374

Table 4a: Percent distribution of households by background characteristics, Tchad, 2000

		Milieu de r,sidence			Total
		N'Djam,na	Autre ville	Milieu rural	
Milieu de residence	Urbain	100.0	100.0	.0	24.4
	Rural	.0	.0	100.0	75.6
Number of HH members	1	13.8	11.9	8.1	9.2
	2-3	23.7	21.6	22.2	22.3
	4-5	23.1	25.3	28.9	27.8
	6-7	20.0	19.0	20.8	20.5
	8-9	9.4	11.0	10.5	10.5
	10+	10.0	11.1	9.5	9.7
	Total	100.0	100.0	100.0	100.0
	Number	600	702	4071	5373
Unweighted	963	2067	2343	5373	

Table 4a: Percent distribution of households by background characteristics, Country, Year

		Milieu de r,sidence			Total
		N'Djam,na	Autre ville	Milieu rural	
At least one child age < 15		73.8	76.2	81.8	80.2
At least one child age < 5		54.1	56.5	63.5	61.5
At least one woman age 15-49		80.2	78.5	81.9	81.3
Number		601	702	4071	5374
Unweighted		964	2067	2343	5374

Table 5: Percent distribution of women 15-49 by background characteristics, Tchad, 2000

		Percent	Number	Unweighted
Milieu de residence	Urbain	24.6	1451	3366
	Rural	75.4	4453	2539
Région	N'Djaména	11.4	676	1094
	Autres villes	13.1	775	2272
	Rural	75.4	4453	2539
Age	15-19	19.6	1156	1243
	20-24	16.6	979	998
	25-29	19.0	1124	1075
	30-34	13.9	824	811
	35-39	12.7	748	731
	40-44	9.0	534	527
	45-49	9.1	539	520
Marital status	Currently married	78.2	4620	4379
	Formerly married	9.0	530	652
	Never married	12.8	755	874
N'a jamais donn, naissance	Oui	80.1	4731	4622
	Non	19.9	1173	1283
Woman's education level	None	75.7	4469	3949
	Primary	16.1	953	1179
	Secondary +	5.2	305	579
	Non-standard curriculum	3.0	176	196
	Missing/DK	.0	2	2
Total		100.0	5904	5905

Table 6: Percent distribution of children under 5 by background characteristics, Tchad, 2000

		Percent	Number	Unweighted
Sexe	Masculin	49.4	2662	2652
	Feminin	50.6	2722	2732
Milieu de residence	Urbain	21.2	1143	2846
	Rural	78.8	4240	2538
Région	N'Djaména	9.2	496	846
	Autres villes	12.0	647	2000
	Rural	78.8	4240	2538
Age	< 6 months	11.4	614	612
	6-11 months	10.6	570	573
	12-23 months	16.2	873	936
	24-35 months	20.5	1105	1060
	36-47 months	20.3	1095	1101
	48-59 months	20.9	1125	1102
Mother's education level	None	53.6	2887	2657
	Primary	22.8	1227	1173
	Secondary	10.7	573	861
	Non-standard curriculum	12.6	678	668
	Missing/DK	.3	19	25
Total		100.0	5383	5384

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Tchad, 2000

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	.6	562
	Second	.0	488
	Middle	.6	353
	Fourth	.8	428
	Richest	2.3	390
Sexe	Masculin	1.0	1041
	Feminin	.6	1180
Région	N'Djaména	2.4	193
	Autres villes	2.4	265
	Rural	.4	1763
Milieu de residence	Urbain	2.4	458
	Rural	.4	1763
Age	36-47 months	.6	1095
	48-59 months	1.0	1125
Mother's education level	None	.4	1233
	Primary	.3	479
	Secondary	4.7	210
	Non-standard curriculum	.8	294
	Missing/DK	.0	4
Total		.8	2221

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Country, Year

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Poorest	84.4	88.1	89.8	90.2	60.2
	Second	93.3	98.6	93.1	94.9	81.3
	Middle	82.9	88.1	90.5	91.9	60.7
	Fourth	85.0	86.5	87.5	88.6	57.0
	Richest	79.7	86.1	86.4	90.8	53.8
Sexe	Masculin	85.3	89.4	88.3	91.3	61.5
	Feminin	84.9	89.6	90.4	91.0	62.6
Milieu de residence	Urbain	86.2	89.4	88.8	89.1	60.9
	Rural	84.8	89.5	89.2	92.9	62.9
Région	N'Djaména	83.2	88.8	86.4	89.4	57.0
	Autres villes	88.9	89.7	91.2	88.7	64.6
	Rural	84.8	89.5	89.2	92.9	62.9
1.00		85.1	89.5	89.0	91.2	61.8

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Tchad, 2000

		Sexe				Total	
		Masculin		Feminin		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth Index Quintiles	Poorest	27.0	662	16.0	702	21.3	1364
	Second	42.9	645	32.4	612	37.8	1256
	Middle	52.0	488	30.3	466	41.4	954
	Fourth	49.4	583	38.2	549	43.9	1132
	Richest	61.7	524	51.2	554	56.3	1078
Milieu de residence	Urbain	59.2	665	51.2	649	55.3	1314
	Rural	41.4	2236	27.4	2234	34.4	4470
Région	N'Djaména	62.5	291	55.8	286	59.2	577
	Autres villes	56.7	374	47.6	363	52.2	737
	Rural	41.4	2236	27.4	2234	34.4	4470
Age	6	21.3	598	18.9	554	20.2	1151
	7	35.7	538	25.3	587	30.3	1124
	8	49.1	502	37.3	568	42.8	1069
	9	58.2	400	43.7	382	51.1	782
	10	58.8	554	40.4	528	49.8	1082
	11	62.9	310	37.8	265	51.4	575
Total		45.5	2901	32.8	2883	39.2	5784

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Tchad, 2000

		Sexe						Total		
		Masculin			Feminin			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	28.7	.1	1099	5.5	.3	1242	16.4	.2	2341
	Second	38.2	.3	1117	7.3	.1	1465	20.6	.2	2582
	Middle	31.6	.6	1367	5.8	.7	1780	17.0	.6	3147
	Fourth	41.7	1.0	1248	13.8	.7	1527	26.4	.9	2775
	Richest	57.9	.6	1548	31.1	.3	1506	44.6	.4	3054
Milieu de residence	Urbain	59.4	1.0	1763	31.5	.8	1812	45.3	.9	3575
	Rural	33.4	.4	4616	6.8	.3	5709	18.7	.4	10325
Région	N'Djaména	64.2	.9	873	37.9	.5	814	51.6	.7	1687
	Autres villes	54.7	1.0	890	26.2	1.0	997	39.7	1.0	1887
	Rural	33.4	.4	4616	6.8	.3	5709	18.7	.4	10325
Age	15-24	55.4	.6	1783	23.1	.6	2256	37.3	.6	4039
	25-34	48.4	.6	1282	12.2	.2	2034	26.2	.4	3316
	35-44	36.1	.5	1378	9.4	.3	1348	22.9	.4	2726
	45-54	36.7	.4	887	5.4	.7	1036	19.8	.6	1923
	55-64	20.0	.8	520	1.2	.6	487	10.9	.7	1007
	65+	10.7	.2	530	.2	.4	359	6.5	.3	888
Total		40.6	.5	6379	12.7	.4	7521	25.5	.5	13900

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Tchad, 2000

		Main source of water							Total	Total with safe drinking water	Number of persons
		Eau du robinet	Puits moderne/ forage	Puit traditionnel protege ou non protege	Eau de surface	Camion citerne, vendeur d'eau	Autres	Pas de reponse ou NSP			
Région	N'Djaména	46.5	4.1	20.9	.0	28.6	.0	.0	100.0	50.6	3170
	Autres villes	30.2	11.4	36.3	2.2	19.7	.2	.0	100.0	41.5	3774
	Rural	2.8	24.0	57.1	14.2	.6	1.3	.1	100.0	26.7	21955
Milieu de residence	Urbain	37.6	8.0	29.3	1.2	23.8	.1	.0	100.0	45.7	6945
	Rural	2.8	24.0	57.1	14.2	.6	1.3	.1	100.0	26.7	21955
Total		11.1	20.1	50.4	11.1	6.2	1.0	.0	100.0	31.3	28900

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Tchad, 2000

		Type de toilette utilis,e							Total
		Toilette ... chasse d'eau	Latrine ... ,vacuation	Latrine ... ventilation	Latrine traditionnelle	Trou ouvert	Manquant	Pas de toilette/nature	
Milieu de residence	Urbain	.9	3.8	1.3	66.6	10.0	.2	17.3	100.0
	Rural	.0	.0	.0	9.4	2.1	.1	88.4	100.0
Région	N'Djaména	1.6	5.2	2.6	78.6	8.5	.0	3.6	100.0
	Autres villes	.3	2.6	.2	56.6	11.3	.3	28.9	100.0
	Rural	.0	.0	.0	9.4	2.1	.1	88.4	100.0
Total		.2	.9	.3	23.1	4.0	.1	71.3	100.0

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Tchad, 2000

		Total with sanitary means of excreta disposal	Number of persons
Milieu de residence	Urbain	72.5	6945
	Rural	9.4	21955
Région	N'Djaména	87.9	3170
	Autres villes	59.6	3774
	Rural	9.4	21955
Total		24.6	28900

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Tchad, 2000

		Missing height or weight	Number of children
Wealth Index	Poorest	2.0	1249
Quintiles	Second	2.6	1147
	Middle	.5	924
	Fourth	1.4	1139
	Richest	1.2	925
	Sexe	Masculin	1.6
	Feminin	1.6	2722
Région	N'Djaména	1.4	496
	Autres villes	1.8	647
	Rural	1.6	4240
Milieu de residence	Urbain	1.6	1143
	Rural	1.6	4240
Age	< 6 months	1.1	614
	6-11 months	.8	570
	12-23 months	1.3	873
	24-35 months	1.5	1105
	36-47 months	1.3	1095
	48-59 months	3.0	1125
Mother's education level	None	1.5	2887
	Primary	1.5	1227
	Secondary	.3	573
	Non-standard curriculum	3.3	678
	Missing/DK	.0	19
Total		1.6	5383

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Tchad, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	32.8	11.3	30.4	15.4	12.6	2.3	1167
	Second	24.9	7.8	29.9	15.0	9.1	.9	1070
	Middle	26.7	11.3	32.2	13.8	11.0	1.8	866
	Fourth	29.1	10.6	27.0	11.6	13.6	3.4	1062
	Richest	25.6	5.5	25.6	10.5	9.0	1.1	870
Sexe	Masculin	27.7	9.0	29.8	13.2	11.2	1.9	2479
	Feminin	28.4	9.8	28.3	13.6	11.2	1.9	2555
Région	N'Djaména	24.1	6.6	22.3	9.0	10.0	1.8	469
	Autres villes	28.1	8.1	27.9	11.5	11.9	2.4	609
	Rural	28.5	9.9	30.0	14.2	11.2	1.9	3956
Milieu de résidence	Urbain	26.4	7.5	25.5	10.4	11.1	2.1	1078
	Rural	28.5	9.9	30.0	14.2	11.2	1.9	3956
Age	< 6 months	3.5	.3	3.0	.7	2.6	.5	508
	6-11 months	16.7	5.5	9.1	2.5	13.4	2.0	557
	12-23 months	43.9	17.1	34.1	14.3	24.6	5.1	838
	24-35 months	38.3	16.2	37.6	18.5	11.9	2.6	1056
	36-47 months	28.2	7.0	38.2	17.9	7.4	.6	1040
	48-59 months	22.8	5.1	30.6	15.0	6.3	.6	1036
Mother's education level	None	29.4	9.8	27.9	13.3	13.0	2.2	2688
	Primary	23.3	8.5	28.5	11.5	8.3	1.7	1159
	Secondary	22.6	6.9	28.7	12.0	6.5	1.3	546
	Non-standard curriculum	36.2	11.5	35.2	18.2	12.9	1.6	623
	Missing/DK	22.0	6.7	34.5	22.9	8.4	1.7	19
Total		28.1	9.4	29.0	13.4	11.2	1.9	5034

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Tchad, 2000

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
Wealth Index Quintiles	Poorest	19.7	80	63.7	88	97.8	77	61.8	44
	Second	11.0	76	76.8	73	94.7	75	56.6	48
	Middle	14.8	79	71.4	68	93.4	51	56.7	42
	Fourth	9.6	80	69.1	107	88.2	70	53.8	39
	Richest	9.0	65	58.3	74	87.7	70	28.4	48
Sexe	Masculin	13.2	206	69.7	203	95.2	176	51.9	120
	Feminin	12.7	173	65.9	208	89.6	167	50.2	102
Région	N'Djaména	6.2	38	65.3	42	81.4	41	26.5	29
	Autres villes	11.8	44	71.2	50	90.0	49	35.5	35
	Rural	14.0	297	67.5	319	94.7	254	58.9	159
Milieu de residence	Urbain	9.2	82	68.5	92	86.1	90	31.4	63
	Rural	14.0	297	67.5	319	94.7	254	58.9	159
Mother's education level	None	11.2	209	64.2	233	92.6	198	53.7	114
	Primary	8.1	87	81.3	90	93.5	59	62.6	58
	Secondary	10.4	47	79.7	42	87.2	32	19.7	33
	Non-standard curriculum	41.0	34	47.5	45	95.4	52	54.5	16
	Missing/DK	.0	2	100.0	1	68.7	3	.	0
Total		13.0	379	67.8	411	92.5	344	51.1	222

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Country, Year

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	.0	12.9	56.3	28.4	2.4	100.0	189
2-3	.9	13.2	49.5	34.2	2.2	100.0	188
4-5	1.0	6.2	34.5	28.2	30.1	100.0	235
6-7	2.9	5.5	15.2	17.0	59.4	100.0	215
8-9	1.8	3.9	9.3	7.8	77.2	100.0	195
10-11	1.6	2.1	4.4	5.5	86.3	100.0	159
12-13	5.5	2.1	3.3	5.3	83.8	100.0	188
14-15	9.0	1.3	3.9	4.4	81.5	100.0	154
16-17	16.2	1.0	.0	10.7	72.1	100.0	171
18-19	28.7	1.3	.0	2.3	67.8	100.0	130
20-21	39.5	.0	1.6	.3	58.6	100.0	106
22-23	57.0	.0	1.7	2.0	39.3	100.0	116
24-25	75.5	.7	.7	.9	22.2	100.0	225
26-27	89.3	.0	.0	.0	10.7	100.0	244
28-29	85.6	.9	.9	.2	12.6	100.0	195
30-31	83.9	1.1	1.1	1.1	12.7	100.0	151
32-33	95.9	.0	.0	1.4	2.7	100.0	122
34-35	96.5	.2	.0	.0	3.3	100.0	130

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Tchad, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	6.1	92.2	47.6	52.4	908
	Second	7.9	89.7	51.0	49.0	888
	Middle	12.6	85.1	45.9	54.1	1370
	Fourth	12.2	86.2	35.7	64.3	1106
	Richest	13.5	84.5	29.7	70.3	1102
Milieu de residence	Urbain	14.3	84.2	30.5	69.5	1303
	Rural	9.7	88.1	45.2	54.8	4071
Milieu de residence	N'Djam,na	13.2	85.4	19.7	80.3	601
	Autre ville	15.3	83.2	40.1	59.9	702
	Milieu rural	9.7	88.1	45.2	54.8	4071
Total		10.8	87.2	41.8	58.2	5374

World Summit for Children Goal => Number 14

Table 17a: Percentage of population consuming adequately iodized salt, Tchad, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	6.0	92.4	9.4	10.8	5761
	Second	7.7	90.6	8.8	11.0	5769
	Middle	6.7	91.7	8.1	11.9	5769
	Fourth	8.6	89.9	6.4	13.4	5781
	Richest	7.3	91.2	5.8	14.3	5819
Milieu de residence	Urbain	8.6	90.7	30.0	70.0	6945
	Rural	6.8	91.3	41.3	58.7	21955
Région	N'Djaména	7.4	92.1	19.5	80.5	3170
	Autres villes	9.7	89.5	39.0	61.0	3774
	Rural	6.8	91.3	41.3	58.7	21955
Total		7.3	91.1	38.6	61.4	28900

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Tchad, 2000

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	27.0	2.6	2.2	.4	67.8	100.0	1117
	Second	36.2	3.5	3.8	1.2	55.3	100.0	1015
	Middle	35.1	4.5	1.8	.6	57.9	100.0	801
	Fourth	41.5	3.8	4.8	.7	49.3	100.0	1009
	Richest	43.0	5.1	5.0	1.3	45.6	100.0	827
Sexe	Masculin	35.8	4.6	3.6	1.0	54.9	100.0	2340
	Feminin	36.5	3.0	3.4	.7	56.4	100.0	2429
Région	N'Djaména	52.9	5.1	7.8	.4	33.8	100.0	438
	Autres villes	48.3	4.6	2.8	.6	43.6	100.0	575
	Rural	32.3	3.5	3.1	.9	60.1	100.0	3756
Milieu de residence	Urbain	50.3	4.8	5.0	.5	39.4	100.0	1013
	Rural	32.3	3.5	3.1	.9	60.1	100.0	3756
Age	6-11 months	35.6	1.7	2.2	.4	60.1	100.0	570
	12-23 months	37.1	6.3	2.9	.4	53.2	100.0	873
	24-35 months	36.9	3.5	4.4	.6	54.7	100.0	1105
	36-47 months	36.8	3.6	4.3	1.0	54.3	100.0	1095
	48-59 months	34.4	3.4	3.0	1.5	57.8	100.0	1125
Mother's education level	None	32.2	2.7	2.2	.6	62.3	100.0	2548
	Primary	46.1	5.1	6.5	1.8	40.5	100.0	1088
	Secondary	50.6	7.1	6.3	.3	35.7	100.0	503
	Non-standard curriculum	23.2	2.5	1.5	.5	72.3	100.0	616
	Missing/DK	40.8	29.1	4.0	.0	26.1	100.0	15
Total		36.2	3.8	3.5	.8	55.7	100.0	4769

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Tchad, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	5.7	.7	293
	Second	16.8	.0	285
	Middle	10.5	.0	253
	Fourth	14.1	.2	306
	Richest	21.3	.4	232
Milieu de residence	Urbain	27.0	.6	297
	Rural	9.7	.2	1072
Région	N'Djaména	25.5	.9	136
	Autres villes	28.4	.4	161
	Rural	9.7	.2	1072
Woman's education level	None	10.8	.3	1068
	Primary	22.1	.0	230
	Secondary +	32.1	2.1	45
	Non-standard curriculum	14.0	.0	26
Total		13.4	.3	1369

World Summit for Children Goal => Number 15

Table 20: Percentage of live births in the last 12 months that weighed below 2500 grams at birth, Tchad, 2000

		Percent of live births below 2500 grams	Percent of live births weighed at birth	Number of live births
Wealth Index Quintiles	Poorest	9.4	2.0	293
	Second	7.0	2.2	285
	Middle	8.0	1.7	253
	Fourth	9.4	11.7	306
	Richest	8.5	26.4	232
Milieu de residence	Urbain	8.7	31.0	297
	Rural	8.4	2.0	1072
Région	N'Djaména	8.9	35.9	136
	Autres villes	8.5	26.9	161
	Rural	8.4	2.0	1072
Woman's education level	None	9.0	4.1	1068
	Primary	6.1	17.5	230
	Secondary +	5.9	60.6	45
	Non-standard curriculum	13.1	9.7	26
Total		8.5	8.3	1369

World Summit for Children Goal => Number 12

Table 20a. Birth weight and size at birth

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth Index	Poorest	.0	2.0	1.9	96.1
Quintiles	Second	.2	1.9	2.5	95.4
	Middle	.0	1.7	5.3	93.1
	Fourth	.8	10.8	5.6	82.7
	Richest	.7	25.7	6.8	66.8
Milieu de residence	Urbain	1.7	29.4	7.4	61.6
	Rural	.0	2.0	3.4	94.6
Région	N'Djaména	1.4	34.5	10.9	53.2
	Autres villes	1.9	25.0	4.4	68.6
	Rural	.0	2.0	3.4	94.6
Woman's education level	None	.3	3.8	3.9	92.0
	Primary	.4	17.0	5.8	76.7
	Secondary +	.8	59.8	6.4	33.0
	Non-standard curriculum	1.3	8.4	3.7	86.7
Total		.4	7.9	4.3	87.4

Table 20a. Birth weight and size at birth

		Taille de l'enfant ... la naissance					Total	Number
		Plus grand/e que la moyenne	Moyen/ne	Plus petit/e que la moyenne	Très petit	Ne sait pas		
Wealth Index	Poorest	22.9	39.1	22.6	15.4	.0	100.0	293
Quintiles	Second	28.2	44.1	18.2	8.7	.7	100.0	285
	Middle	21.2	45.8	19.9	11.5	1.5	100.0	253
	Fourth	17.7	41.9	27.7	11.8	1.0	100.0	306
	Richest	20.9	44.2	20.8	12.9	1.2	100.0	232
Milieu de residence	Urbain	18.5	44.0	27.1	9.5	1.0	100.0	297
	Rural	23.2	42.6	20.6	12.8	.8	100.0	1072
Région	N'Djaména	14.5	45.9	30.0	8.2	1.4	100.0	136
	Autres villes	21.8	42.4	24.6	10.6	.6	100.0	161
	Rural	23.2	42.6	20.6	12.8	.8	100.0	1072
Woman's education level	None	21.4	41.4	23.0	13.4	.8	100.0	1068
	Primary	27.2	49.0	16.4	6.6	.8	100.0	230
	Secondary +	26.7	48.7	17.9	4.7	2.1	100.0	45
	Non-standard curriculum	4.7	37.6	39.4	18.3	.0	100.0	26
Total		22.2	42.9	22.0	12.1	.9	100.0	1369

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year

BCG	Vaccination Card	9.8
	Mother's Report	35.6
	Not vaccinated	54.6
DPT1	Vaccination Card	9.8
	Mother's Report	35.3
	Not vaccinated	54.9
DPT2	Vaccination Card	10.4
	Mother's Report	22.5
	Not vaccinated	67.1
DPT3	Vaccination Card	10.5
	Mother's Report	10.2
	Not vaccinated	79.3
Polio 0	Vaccination Card	4.0
	Mother's Report	8.9
	Not vaccinated	87.1
Polio 1	Vaccination Card	1.8
	Mother's Report	88.4
	Not vaccinated	9.7
Polio 2	Vaccination Card	3.2
	Mother's Report	74.6
	Not vaccinated	22.2
Polio 3	Vaccination Card	5.6
	Mother's Report	45.0
	Not vaccinated	49.5
Measles	Vaccination Card	5.7
	Mother's Report	24.0
	Not vaccinated	70.3
All vaccinations	Vaccination Card	1.1
	Mother's Report	14.1
	Doesn't have all vaccinations	84.8
No vaccinations	Mother's Report	8.6
	Has some vaccinations	91.4
Number of children		872.7

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year

BCG	92.5
DPT 1	94.8
DPT 2	87.7
DPT 3	83.5
Polio 0	99.4
Polio 1	94.8
Polio 2	87.7
Polio 3	83.5
Measles	82.4
All vaccinations	61.7
No vaccinations	.5

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, tchad, 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	9.8	9.8	10.4	10.5	4.0	1.8	3.2	5.6	5.7	1.1	.0	872.7
Mother's report	35.6	35.3	22.5	10.2	8.9	88.4	74.6	45.0	24.0	14.1	8.6	872.7
Either	45.4	45.1	32.9	20.7	12.9	90.3	77.8	50.5	29.7	15.2	8.6	872.7
Vaccinated by 12 months of age	42.0	42.8	28.8	17.3	12.9	85.6	68.2	42.2	24.5	9.4	9.0	872.7

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Tchad, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles
Wealth Index Quintiles	Poorest	26.6	29.3	22.6	12.8	5.9	83.8	64.6	41.8	21.5
	Second	39.2	36.5	28.6	17.8	9.6	90.5	78.2	49.3	26.2
	Middle	39.6	42.1	22.2	11.6	6.3	92.2	80.0	41.2	21.3
	Fourth	52.3	53.4	38.9	25.5	17.7	89.4	76.8	53.6	31.6
	Richest	70.5	66.0	51.9	35.5	25.1	96.1	90.4	66.4	48.2
Sexe	Masculin	47.8	49.0	36.0	23.8	13.3	91.2	78.9	53.8	29.9
	Feminin	42.9	41.1	29.5	17.5	12.5	89.3	76.6	47.0	29.5
Milieu de residence	Urbain	69.8	64.8	53.8	37.3	29.0	95.5	86.1	59.5	48.2
	Rural	37.4	38.7	26.0	15.3	7.6	88.5	75.1	47.6	23.7
Région	N'Djaména	74.7	69.5	59.7	44.8	38.3	93.5	83.1	56.5	49.4
	Autres villes	66.3	61.4	49.6	31.9	22.4	96.9	88.2	61.7	47.3
	Rural	37.4	38.7	26.0	15.3	7.6	88.5	75.1	47.6	23.7
Mother's education level	None	36.5	37.5	26.9	15.4	7.7	88.9	73.9	42.3	23.5
	Primary	56.4	51.0	38.9	28.0	15.8	94.1	86.0	62.8	35.3
	Secondary	79.8	76.4	57.7	39.8	31.5	94.7	90.6	70.8	55.9
	Non-standard curriculum	32.6	38.2	24.0	12.4	11.3	85.9	69.3	45.7	22.9
	Missing/DK	76.1	67.7	67.7	67.7	60.8	91.5	76.1	67.7	23.9
Total		45.4	45.1	32.9	20.7	12.9	90.3	77.8	50.5	29.7

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Tchad, 2000

		All	None	% with health card	Number of children
Wealth Index Quintiles	Poorest	11.7	13.4	8.7	178
	Second	13.4	8.6	22.0	197
	Middle	6.9	7.8	20.5	149
	Fourth	17.8	9.8	30.4	183
	Richest	25.5	2.8	33.7	166
Sexe	Masculin	16.7	7.5	25.3	451
	Feminin	13.6	9.8	20.6	422
Milieu de residence	Urbain	28.1	3.0	34.3	216
	Rural	10.9	10.4	19.3	657
Région	N'Djaména	32.5	3.9	34.4	90
	Autres villes	24.9	2.3	34.2	126
	Rural	10.9	10.4	19.3	657
Mother's education level	None	10.1	9.8	16.5	464
	Primary	20.2	5.4	33.2	183
	Secondary	34.0	4.4	39.5	103
	Non-standard curriculum	10.8	12.7	17.1	119
	Missing/DK	23.9	.0	67.7	4
Total		15.2	8.6	23.0	873

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Tchad, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding
Wealth Index Quintiles	Poorest	26.3	1249	49.2	44.3	26.0	7.5	19.7	59.2
	Second	32.7	1147	46.1	49.0	31.0	9.5	17.7	56.3
	Middle	32.7	924	43.0	54.0	33.9	15.7	13.9	59.6
	Fourth	33.5	1139	44.4	50.5	30.8	23.0	15.8	58.2
	Richest	31.6	925	41.0	49.3	30.7	22.8	21.0	58.9
Sexe	Masculin	32.5	2662	47.0	48.8	31.1	16.5	16.7	59.5
	Feminin	29.9	2722	42.7	50.0	29.8	14.6	18.4	57.1
Milieu de residence	Urbain	32.5	1143	42.5	48.8	32.0	26.9	22.7	60.1
	Rural	30.9	4240	45.6	49.6	30.0	12.4	16.1	57.9
Région	N'Djaména	31.2	496	43.6	50.8	35.2	29.2	25.8	58.3
	Autres villes	33.4	647	41.7	47.4	29.7	25.3	20.5	61.3
	Rural	30.9	4240	45.6	49.6	30.0	12.4	16.1	57.9
Age	< 6 months	32.1	614	94.8	42.1	18.2	8.0	6.7	27.0
	6-11 months	41.7	570	92.3	47.9	28.8	16.4	12.1	52.5
	12-23 months	40.9	873	74.7	55.1	31.1	18.8	20.2	63.9
	24-35 months	34.9	1105	16.4	49.8	31.2	17.6	17.6	63.9
	36-47 months	26.3	1095	4.9	51.0	36.2	12.5	18.0	65.6
	48-59 months	19.0	1125	2.0	45.3	33.4	16.9	28.6	64.8
Mother's education level	None	28.3	2887	44.9	44.5	32.4	11.5	21.6	59.2
	Primary	39.4	1227	43.1	59.8	30.8	18.3	6.8	56.4
	Secondary	32.3	573	43.4	60.1	30.3	28.0	17.1	56.2
	Non-standard curriculum	27.2	678	50.9	32.7	20.1	14.7	27.8	61.9
	Missing/DK	43.2	19	49.1	57.2	56.4	.0	24.9	49.8
Total		31.2	5383	44.9	49.4	30.5	15.6	17.5	58.3

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Tchad, 2000

		Any recommende d treatment	No treatment	Number of children with diarrhea
				1.00
Wealth Index Quintiles	Poorest	94.2	5.8	329
	Second	92.9	7.1	375
	Middle	95.3	4.7	302
	Fourth	96.9	3.1	381
	Richest	94.0	6.0	292
Sexe	Masculin	95.7	4.3	866
	Feminin	93.6	6.4	813
Milieu de residence	Urbain	97.1	2.9	371
	Rural	94.0	6.0	1308
Région	N'Djaména	97.3	2.7	155
	Autres villes	96.9	3.1	216
	Rural	94.0	6.0	1308
Age	< 6 months	99.5	.5	197
	6-11 months	96.9	3.1	238
	12-23 months	97.9	2.1	357
	24-35 months	93.2	6.8	386
	36-47 months	91.4	8.6	288
	48-59 months	89.5	10.5	214
Mother's education level	None	94.6	5.4	818
	Primary	95.1	4.9	483
	Secondary	97.4	2.6	185
	Non-standard curriculum	91.7	8.3	184
	Missing/DK	85.4	14.6	8
Total		94.7	5.3	1679

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Tchad, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total	Eating during diarrhea		Total
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	
Wealth Index Quintiles	Poorest	26.3	1249	34.9	61.1	4.1	100.0	76.2	23.8	100.0
	Second	32.7	1147	45.2	51.2	3.6	100.0	79.3	20.7	100.0
	Middle	32.7	924	47.0	49.9	3.1	100.0	79.8	20.2	100.0
	Fourth	33.5	1139	46.1	51.9	2.1	100.0	81.5	18.5	100.0
	Richest	31.6	925	42.3	54.0	3.8	100.0	84.9	15.1	100.0
Sexe	Masculin	32.5	2662	43.9	53.7	2.4	100.0	81.4	18.6	100.0
	Feminin	29.9	2722	42.4	53.3	4.2	100.0	79.1	20.9	100.0
Région	N'Djaména	31.2	496	41.3	55.3	3.4	100.0	87.5	12.5	100.0
	Autres villes	33.4	647	43.2	54.7	2.1	100.0	80.0	20.0	100.0
	Rural	30.9	4240	43.4	53.1	3.4	100.0	79.4	20.6	100.0
Milieu de residence	Urbain	32.5	1143	42.4	55.0	2.6	100.0	83.1	16.9	100.0
	Rural	30.9	4240	43.4	53.1	3.4	100.0	79.4	20.6	100.0
Age	< 6 months	32.1	614	26.3	73.2	.5	100.0	72.5	27.5	100.0
	6-11 months	41.7	570	35.5	61.6	2.9	100.0	77.0	23.0	100.0
	12-23 months	40.9	873	45.4	52.5	2.1	100.0	81.5	18.5	100.0
	24-35 months	34.9	1105	48.7	47.7	3.6	100.0	81.0	19.0	100.0
	36-47 months	26.3	1095	48.0	48.1	4.0	100.0	81.9	18.1	100.0
	48-59 months	19.0	1125	47.2	46.0	6.8	100.0	85.3	14.7	100.0
Mother's education level	None	28.3	2887	38.7	57.1	4.2	100.0	79.3	20.7	100.0
	Primary	39.4	1227	54.9	42.4	2.7	100.0	82.2	17.8	100.0
	Secondary	32.3	573	46.6	50.7	2.7	100.0	84.1	15.9	100.0
	Non-standard curriculum	27.2	678	29.2	70.3	.5	100.0	75.4	24.6	100.0
	Missing/DK	43.2	19	43.6	41.7	14.6	100.0	79.1	20.9	100.0
Total		31.2	5383	43.2	53.5	3.3	100.0	80.2	19.8	100.0

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Tchad, 2000

		Received increased fluids and continued eating	Number of children with diarrhea
			1.00
Wealth Index Quintiles	Poorest	25.2	329
	Second	34.8	375
	Middle	40.4	302
	Fourth	39.2	381
	Richest	37.9	292
Sexe	Masculin	36.4	866
	Feminin	34.4	813
Région	N'Djaména	39.8	155
	Autres villes	34.5	216
	Rural	35.1	1308
Milieu de residence	Urbain	36.7	371
	Rural	35.1	1308
Age	< 6 months	22.4	197
	6-11 months	28.3	238
	12-23 months	35.6	357
	24-35 months	40.1	386
	36-47 months	40.4	288
	48-59 months	40.4	214
Mother's education level	None	30.8	818
	Primary	46.3	483
	Secondary	40.3	185
	Non-standard curriculum	22.5	184
	Missing/DK	43.6	8
Total		35.5	1679

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Tchad, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Private physician
Wealth Index Quintiles	Poorest	10.4	1249	.5	6.9	5.9	1.3	.0	.0
	Second	11.9	1147	.0	18.3	1.2	2.4	.0	.0
	Middle	16.0	924	2.5	7.9	7.0	1.1	.0	.0
	Fourth	13.0	1139	8.6	5.7	3.5	1.1	.2	1.1
	Richest	11.7	925	8.6	21.8	5.4	.3	.0	.5
Sexe	Masculin	12.4	2662	4.9	10.3	4.2	1.5	.1	.7
	Feminin	12.5	2722	3.0	12.9	4.9	1.1	.0	.0
Milieu de residence	Urbain	12.9	1143	13.3	16.5	4.9	.2	.2	.4
	Rural	12.3	4240	1.3	10.2	4.5	1.6	.0	.3
Région	N'Djaména	15.0	496	9.4	24.4	6.3	.0	.0	.8
	Autres villes	11.2	647	17.3	8.4	3.6	.4	.4	.0
	Rural	12.3	4240	1.3	10.2	4.5	1.6	.0	.3
Age	< 6 months	11.7	614	3.1	18.7	6.3	.0	.0	2.3
	6-11 months	17.2	570	7.3	11.6	7.0	.3	.0	.0
	12-23 months	13.4	873	7.0	14.0	7.8	1.4	.0	.0
	24-35 months	13.4	1105	3.4	12.9	2.7	2.3	.2	.4
	36-47 months	9.9	1095	2.3	5.7	4.2	1.5	.0	.0
	48-59 months	11.3	1125	1.0	9.0	1.3	1.3	.0	.0
Mother's education level	None	11.3	2887	2.5	8.7	5.0	1.1	.1	.0
	Primary	16.2	1227	2.7	10.3	4.6	.0	.0	.8
	Secondary	13.3	573	11.8	32.5	3.9	2.2	.0	.8
	Non-standard curriculum	10.2	678	5.5	6.2	3.3	4.9	.0	.0
	Missing/DK	.0	19
Total		12.4	5383	3.9	11.6	4.6	1.3	.0	.3

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Tchad, 2000

		Traditional healer	Other	Any appropriate provider	Number of children with ARI
					1.00
Wealth Index Quintiles	Poorest	9.0	22.8	14.6	130
	Second	5.1	14.9	22.0	137
	Middle	1.1	12.5	17.4	148
	Fourth	3.1	12.0	20.3	148
	Richest	.6	4.6	36.6	108
Sexe	Masculin	2.4	15.6	21.7	329
	Feminin	5.2	11.6	21.4	341
Milieu de residence	Urbain	1.5	8.6	35.6	147
	Rural	4.5	15.0	17.6	523
Région	N'Djaména	1.6	3.1	40.9	74
	Autres villes	1.3	14.2	30.2	73
	Rural	4.5	15.0	17.6	523
Age	< 6 months	.0	10.6	30.3	72
	6-11 months	1.7	5.7	26.1	98
	12-23 months	3.6	17.1	30.3	117
	24-35 months	8.3	15.0	20.7	148
	36-47 months	1.5	12.8	13.7	108
	48-59 months	4.5	17.3	12.6	127
Mother's education level	None	4.6	15.7	16.9	327
	Primary	1.1	9.5	18.5	198
	Secondary	2.2	8.0	51.1	76
	Non-standard curriculum	9.7	21.8	19.8	69
	Missing/DK	.	.	.	0
Total		3.8	13.6	21.5	670

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Tchad, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total	Eating during illness		Total	Received increased fluids and continued eating	Number of sick children
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none			
Wealth Index	Poorest	39.0	1249	32.3	64.3	3.4	100.0	77.9	22.1	100.0	24.0	487
Quintiles	Second	49.6	1147	44.1	53.6	2.4	100.0	80.4	19.6	100.0	35.1	569
	Middle	47.6	924	38.6	59.3	2.1	100.0	81.9	18.1	100.0	33.7	440
	Fourth	50.3	1139	42.0	56.5	1.5	100.0	83.6	16.4	100.0	36.3	573
	Richest	46.0	925	38.4	59.0	2.6	100.0	85.4	14.6	100.0	34.6	426
Sexe	Masculin	47.3	2662	40.4	58.0	1.7	100.0	81.9	18.1	100.0	33.7	1258
	Feminin	45.4	2722	38.3	58.6	3.1	100.0	81.6	18.4	100.0	32.0	1236
Région	N'Djaména	47.6	496	39.2	58.3	2.5	100.0	88.6	11.4	100.0	37.0	236
	Autres villes	47.0	647	38.5	60.0	1.5	100.0	82.5	17.5	100.0	31.6	305
	Rural	46.1	4240	39.5	58.0	2.5	100.0	80.8	19.2	100.0	32.6	1953
Milieu de résidence	Urbain	47.3	1143	38.8	59.3	1.9	100.0	85.1	14.9	100.0	33.9	541
	Rural	46.1	4240	39.5	58.0	2.5	100.0	80.8	19.2	100.0	32.6	1953
Age	< 6 months	48.5	614	22.5	77.0	.5	100.0	76.8	23.2	100.0	19.6	298
	6-11 months	58.5	570	30.5	66.9	2.6	100.0	78.8	21.2	100.0	25.3	333
	12-23 months	55.5	873	42.1	56.4	1.5	100.0	83.4	16.6	100.0	33.7	485
	24-35 months	50.3	1105	44.6	52.9	2.5	100.0	82.0	18.0	100.0	36.8	556
	36-47 months	39.4	1095	44.8	52.2	3.0	100.0	85.2	14.8	100.0	38.4	432
	48-59 months	34.6	1125	43.0	53.3	3.7	100.0	82.0	18.0	100.0	36.8	390
Mother's education level	None	42.4	2887	35.4	61.6	3.0	100.0	80.5	19.5	100.0	28.9	1225
	Primary	56.7	1227	48.1	49.7	2.1	100.0	84.2	15.8	100.0	41.8	696
	Secondary	49.4	573	42.5	55.7	1.8	100.0	86.2	13.8	100.0	36.4	283
	Non-standard curriculum	41.3	678	31.9	67.7	.3	100.0	76.8	23.2	100.0	24.6	280
	Missing/DK	49.5	19	38.0	49.2	12.8	100.0	81.8	18.2	100.0	38.0	9
Total		46.3	5383	39.4	58.3	2.4	100.0	81.8	18.2	100.0	32.9	2494

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Tchad, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly
Wealth Index Quintiles	Poorest	36.1	38.6	69.3	14.6	21.9	14.8	5.8
	Second	26.8	26.6	67.3	9.9	15.3	16.0	6.1
	Middle	32.7	31.4	72.9	9.8	12.8	16.2	6.1
	Fourth	36.8	29.0	74.7	11.9	16.1	13.9	8.4
	Richest	32.7	28.0	80.1	10.6	16.3	16.0	8.6
Région	N'Djaména	36.5	29.4	84.6	13.7	15.0	13.1	8.1
	Autres villes	33.5	29.7	77.3	11.3	17.1	17.4	9.2
	Rural	32.6	31.0	68.0	10.7	16.8	14.3	5.9
Milieu de residence	Urbain	34.4	29.6	79.6	12.0	16.4	16.0	8.9
	Rural	32.6	31.0	68.0	10.7	16.8	14.3	5.9
Mother's education level	None	34.8	37.1	71.7	14.2	16.7	15.1	8.0
	Primary	35.0	19.8	79.7	9.6	17.3	18.3	8.8
	Secondary	34.7	25.1	81.8	10.4	15.6	12.4	7.6
	Non-standard curriculum	25.4	25.9	64.7	4.8	16.2	15.2	3.0
	Missing/DK	25.0	37.5	100.0	6.3	18.8	.0	6.3
Total		33.6	30.2	74.2	11.4	16.6	15.2	7.5

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Tchad, 2000

		Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	67.0	515
	Second	51.3	425
	Middle	59.6	376
	Fourth	65.1	868
	Richest	65.4	940
Région	N'Djaména	69.2	520
	Autres villes	66.2	1152
	Rural	58.1	1452
Milieu de residence	Urbain	67.2	1672
	Rural	58.1	1452
Mother's education level	None	66.4	1580
	Primary	61.7	635
	Secondary	63.1	499
	Non-standard curriculum	51.0	394
	Missing/DK	62.5	16
Total		63.0	3124

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Tchad, 2000

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	
Wealth Index Quintiles	Poorest	22.5	77.5	.0	.4	98.1	1.5	1249
	Second	13.6	86.4	.0	.4	98.7	.9	1147
	Middle	19.5	80.3	.2	.0	99.2	.8	924
	Fourth	32.1	67.9	.0	.2	99.2	.6	1139
	Richest	50.3	49.7	.0	2.1	97.1	.8	925
Sexe	Masculin	26.6	73.4	.0	.5	98.7	.8	2662
	Feminin	27.2	72.7	.1	.6	98.3	1.1	2722
Région	N'Djaména	88.3	11.7	.0	1.7	96.3	2.0	496
	Autres villes	33.9	66.0	.0	1.0	98.7	.2	647
	Rural	18.6	81.3	.0	.4	98.7	.9	4240
Milieu de residence	Urbain	57.5	42.4	.0	1.3	97.7	1.0	1143
	Rural	18.6	81.3	.0	.4	98.7	.9	4240
Age	< 6 months	29.3	70.7	.0	.3	98.4	1.3	614
	6-11 months	27.3	72.4	.3	1.1	98.0	.9	570
	12-23 months	27.5	72.5	.0	.6	98.7	.7	873
	24-35 months	24.2	75.8	.0	.4	98.6	1.1	1105
	36-47 months	27.7	72.3	.0	.4	98.5	1.1	1095
	48-59 months	26.8	73.2	.0	.8	98.6	.6	1125
Total		26.9	73.1	.0	.6	98.5	.9	5383

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Tchad, 2000

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Other	Don't know
Wealth Index Quintiles	Poorest	23.8	1249	41.2	20.0	1.7	12.0	.6
	Second	30.5	1147	60.5	33.8	.5	7.6	.0
	Middle	30.0	924	52.9	28.9	1.8	4.2	3.0
	Fourth	32.5	1139	60.3	32.7	.9	6.3	1.2
	Richest	30.1	925	63.0	39.5	1.7	8.0	.1
Sexe	Masculin	29.1	2662	56.2	30.1	1.0	6.9	1.8
	Feminin	29.3	2722	55.6	32.0	1.5	8.3	.1
Milieu de residence	Urbain	28.4	1143	67.5	39.9	1.9	9.0	.4
	Rural	29.4	4240	52.9	28.8	1.1	7.2	1.1
Région	N'Djaména	27.8	496	63.4	38.7	1.7	6.0	.4
	Autres villes	28.9	647	70.6	40.8	2.1	11.2	.3
	Rural	29.4	4240	52.9	28.8	1.1	7.2	1.1
Age	< 6 months	22.7	614	43.4	20.7	.5	9.5	.0
	6-11 months	34.3	570	59.4	35.9	1.3	8.0	.9
	12-23 months	31.6	873	56.6	30.2	2.5	6.3	.1
	24-35 months	32.5	1105	58.3	30.2	.8	9.7	1.6
	36-47 months	26.9	1095	55.2	30.9	.3	6.8	1.7
	48-59 months	27.4	1125	56.5	34.7	1.8	6.0	.5
Mother's education level	None	25.8	2887	49.4	28.4	1.4	7.8	.2
	Primary	38.9	1227	67.5	34.0	.6	7.5	2.4
	Secondary	31.8	573	74.6	45.0	2.7	13.4	.0
	Non-standard curriculum	24.0	678	31.1	18.8	1.0	.6	.0
	Missing/DK	27.8	19	50.0	50.0	.0	.0	32.4
Total		29.2	5383	55.9	31.1	1.2	7.6	.9

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Tchad, 2000

		Any appropriate anti-malarial drug	Number of children with fever
			1.00
Wealth Index Quintiles	Poorest	21.1	298
	Second	34.3	350
	Middle	29.5	277
	Fourth	33.5	370
	Richest	40.5	278
Sexe	Masculin	30.9	776
	Feminin	32.8	797
Milieu de residence	Urbain	41.2	325
	Rural	29.5	1248
Région	N'Djaména	40.0	138
	Autres villes	42.0	187
	Rural	29.5	1248
Age	< 6 months	20.9	139
	6-11 months	36.2	195
	12-23 months	32.1	276
	24-35 months	30.8	359
	36-47 months	31.0	295
	48-59 months	35.9	309
Mother's education level	None	29.2	746
	Primary	34.5	477
	Secondary	46.2	182
	Non-standard curriculum	19.8	163
	Missing/DK	50.0	5
Total		31.9	1573

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Tchad, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women 1.00
Wealth Index Quintiles	Poorest	51.7	24.4	16.8	15.4	25.8	74.2	1090
	Second	64.2	27.7	12.4	11.1	29.0	71.0	1216
	Middle	68.7	31.9	16.3	14.6	33.6	66.4	1214
	Fourth	79.0	39.9	24.3	21.7	42.5	57.5	1192
	Richest	87.6	49.6	35.1	31.4	53.3	46.7	1191
Milieu de residence	Urbain	89.8	50.6	34.1	30.1	54.6	45.4	1451
	Rural	64.2	29.7	16.7	15.2	31.3	68.7	4453
Région	N'Djaména	96.2	57.1	39.7	35.2	61.6	38.4	676
	Autres villes	84.3	45.0	29.2	25.7	48.4	51.6	775
	Rural	64.2	29.7	16.7	15.2	31.3	68.7	4453
Age	15-19	72.4	27.7	19.4	16.0	31.0	69.0	1156
	20-24	68.1	36.2	22.8	20.8	38.2	61.8	979
	25-29	68.2	35.7	22.0	19.9	37.7	62.3	1124
	30-34	75.8	37.3	22.8	20.7	39.5	60.5	824
	35-39	73.8	41.1	23.5	21.7	42.9	57.1	748
	40-44	68.9	37.6	19.6	18.1	39.2	60.8	534
	45-49	64.7	30.8	14.3	13.1	32.1	67.9	539
Woman's education level	None	64.8	30.8	17.5	16.0	32.2	67.8	4469
	Primary	93.4	46.8	28.2	24.1	51.0	49.0	953
	Secondary +	98.0	66.5	57.1	49.6	74.1	25.9	305
	Non-standard curriculum	44.4	17.8	9.5	8.9	18.3	81.7	176
	Missing/DK	16.3	16.3	16.3	16.3	16.3	83.7	2
Total		70.5	34.8	21.0	18.8	37.0	63.0	5904

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Tchad, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women 1.00
Wealth Index Quintiles	Poorest	59.6	21.4	12.7	21.9	7.8	26.0	74.0	159
	Second	61.5	13.7	6.9	11.9	3.2	16.7	83.3	232
	Middle	69.9	26.8	19.3	23.2	14.2	30.0	70.0	248
	Fourth	78.5	30.4	21.9	30.2	16.4	35.3	64.7	244
	Richest	86.1	41.7	31.7	39.4	23.7	47.7	52.3	273
Milieu de residence	Urbain	87.6	43.4	32.0	42.0	24.3	50.2	49.8	333
	Rural	66.3	21.3	14.3	19.6	9.6	24.7	75.3	823
Région	N'Djaména	94.8	50.4	38.8	46.8	29.6	57.6	42.4	154
	Autres villes	81.3	37.4	26.1	37.8	19.7	43.9	56.1	179
	Rural	66.3	21.3	14.3	19.6	9.6	24.7	75.3	823
Age	15-19	72.4	27.7	19.4	26.1	13.8	32.1	67.9	1156
Woman's education level	None	62.7	22.0	15.2	19.4	10.9	24.2	75.8	648
	Primary	89.4	31.9	21.8	31.8	15.4	38.4	61.6	351
	Secondary +	96.8	58.5	45.1	55.2	31.4	69.9	30.1	103
	Non-standard curriculum	32.7	9.3	5.9	12.6	5.2	13.2	86.8	54
Total		72.4	27.7	19.4	26.1	13.8	32.1	67.9	1156

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Tchad, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women 1.00
Wealth Index Quintiles	Poorest	51.7	20.8	11.6	20.4	8.3	28.3	71.7	1090
	Second	64.2	23.5	6.9	21.6	2.7	34.4	65.6	1216
	Middle	68.7	26.7	9.4	26.0	4.0	38.6	61.4	1214
	Fourth	79.0	36.0	14.0	30.3	7.2	47.0	53.0	1192
	Richest	87.6	45.4	27.5	44.3	17.6	61.0	39.0	1191
Milieu de residence	Urbain	89.8	46.1	26.4	45.2	17.2	61.5	38.5	1451
	Rural	64.2	25.5	9.8	23.2	4.9	35.7	64.3	4453
Région	N'Djaména	96.2	52.4	32.9	52.6	22.5	69.4	30.6	676
	Autres villes	84.3	40.7	20.7	38.8	12.6	54.6	45.4	775
	Rural	64.2	25.5	9.8	23.2	4.9	35.7	64.3	4453
Age	15-19	72.4	24.6	11.8	24.9	6.3	37.3	62.7	1156
	20-24	68.1	32.2	14.9	30.9	8.3	44.4	55.6	979
	25-29	68.2	30.6	13.1	28.6	8.0	40.7	59.3	1124
	30-34	75.8	33.3	14.0	30.4	9.0	45.1	54.9	824
	35-39	73.8	34.5	17.0	32.1	9.4	47.1	52.9	748
	40-44	68.9	31.7	16.3	31.2	9.7	43.8	56.2	534
Woman's education level	45-49	64.7	29.8	10.9	22.2	5.2	37.4	62.6	539
	None	64.8	25.8	11.4	23.9	6.4	35.6	64.4	4469
	Primary	93.4	44.1	15.0	41.1	7.7	62.0	38.0	953
	Secondary +	98.0	65.7	48.1	65.6	32.8	84.7	15.3	305
	Non-standard curriculum	44.4	17.8	10.3	15.3	6.3	24.5	75.5	176
	Missing/DK	16.3	16.3	.0	16.3	.0	16.3	83.7	2
Total		70.5	30.6	13.8	28.6	7.9	42.1	57.9	5904

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Tchad, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00
Wealth Index Quintiles	Poorest	36.0	35.4	34.8	32.2	31.3	64.2	1090
	Second	43.1	41.5	41.3	39.6	38.4	57.5	1216
	Middle	50.5	49.2	47.6	44.4	43.4	50.4	1214
	Fourth	58.3	57.3	56.4	52.0	50.9	42.2	1192
	Richest	69.7	68.0	66.9	57.9	56.1	30.8	1191
Milieu de residence	Urbain	73.3	71.7	70.8	61.5	59.9	27.2	1451
	Rural	44.7	43.6	42.7	40.2	39.1	55.8	4453
Région	N'Djaména	80.3	79.1	78.2	64.7	63.3	20.0	676
	Autres villes	67.2	65.3	64.3	58.8	57.0	33.5	775
	Rural	44.7	43.6	42.7	40.2	39.1	55.8	4453
Age	15-19	44.9	43.8	42.4	38.4	37.0	55.5	1156
	20-24	52.2	51.0	50.3	44.2	43.1	48.4	979
	25-29	50.8	49.7	48.9	44.7	43.9	49.6	1124
	30-34	59.2	57.4	57.0	53.4	51.6	41.3	824
	35-39	59.3	58.4	57.3	53.9	53.0	41.2	748
	40-44	51.4	49.5	48.8	44.6	42.6	49.7	534
	45-49	46.2	45.1	43.9	41.3	40.3	54.2	539
Woman's education level	None	45.9	44.5	43.8	40.8	39.7	54.7	4469
	Primary	72.1	71.4	69.9	63.3	61.5	28.0	953
	Secondary +	88.0	86.8	85.5	70.2	68.7	12.2	305
	Non-standard curriculum	27.1	26.3	25.8	22.7	21.6	73.1	176
	Missing/DK	16.3	16.3	16.3	16.3	16.3	83.7	2
Total	51.8	50.5	49.6	45.4	44.2	48.8	5904	

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Tchad, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women
						1.00
Wealth Index Quintiles	Poorest	25.0	42.6	43.8	56.2	1090
	Second	31.0	53.2	54.9	45.1	1216
	Middle	32.1	57.6	59.7	40.3	1214
	Fourth	35.5	62.6	65.1	34.9	1192
	Richest	41.8	68.1	72.2	27.8	1191
Région	N'Djaména	46.8	71.9	77.5	22.5	676
	Autres villes	39.3	65.8	69.1	30.9	775
	Rural	30.1	53.3	54.9	45.1	4453
Milieu de residence	Urbain	42.8	68.7	73.0	27.0	1451
	Rural	30.1	53.3	54.9	45.1	4453
Age	15-19	35.4	58.5	60.6	39.4	1156
	20-24	30.2	54.7	56.6	43.4	979
	25-29	32.9	54.5	56.8	43.2	1124
	30-34	32.4	61.3	64.0	36.0	824
	35-39	34.9	60.5	63.9	36.1	748
	40-44	31.3	54.9	56.2	43.8	534
	45-49	35.6	54.6	57.2	42.8	539
Woman's education level	None	30.6	53.3	55.2	44.8	4469
	Primary	44.6	76.6	79.9	20.1	953
	Secondary +	38.0	63.8	69.7	30.3	305
	Non-standard curriculum	28.7	36.1	37.7	62.3	176
	Missing/DK	16.3	16.3	16.3	83.7	2
Total		33.2	57.1	59.4	40.6	5904

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Tchad, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
Wealth Index Quintiles	Poorest	51.7	14.0	8.3	6.8	1090
	Second	64.2	10.0	2.7	1.2	1216
	Middle	68.7	13.3	4.0	2.5	1214
	Fourth	79.0	19.8	7.2	5.6	1192
	Richest	87.6	28.6	17.6	12.2	1191
Milieu de residence	Urbain	89.8	27.1	17.2	12.1	1451
	Rural	64.2	13.9	4.9	3.5	4453
Région	N'Djaména	96.2	31.9	22.5	16.5	676
	Autres villes	84.3	22.8	12.6	8.2	775
	Rural	64.2	13.9	4.9	3.5	4453
Age	15-19	72.4	13.8	6.3	4.1	1156
	20-24	68.1	18.7	8.3	5.6	979
	25-29	68.2	18.2	8.0	5.7	1124
	30-34	75.8	19.1	9.0	6.8	824
	35-39	73.8	19.8	9.4	6.7	748
	40-44	68.9	17.3	9.7	8.4	534
	45-49	64.7	12.3	5.2	2.9	539
Woman's education level	None	64.8	14.6	6.4	4.8	4469
	Primary	93.4	22.1	7.7	4.8	953
	Secondary +	98.0	43.3	32.8	21.0	305
	Non-standard curriculum	44.4	8.4	6.3	4.4	176
	Missing/DK	16.3	16.3	.0	.0	2
Total		70.5	17.1	7.9	5.6	5904

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Tchad, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women 1.00
Wealth Index Quintiles	Poorest	3.5	.8	29.3	1090
	Second	6.0	.1	.0	1216
	Middle	6.3	.3	.0	1214
	Fourth	9.5	.9	18.4	1192
	Richest	18.6	2.3	86.9	1191
Milieu de residence	Urbain	20.8	2.2	76.9	1451
	Rural	5.0	.4	18.2	4453
Région	N'Djaména	26.1	3.1	82.4	676
	Autres villes	16.2	1.5	66.7	775
	Rural	5.0	.4	18.2	4453
Age	15-19	8.2	.2	70.6	1156
	20-24	10.4	1.5	64.7	979
	25-29	9.0	.9	32.4	1124
	30-34	10.6	1.1	80.0	824
	35-39	8.5	1.1	47.8	748
	40-44	6.7	.4	34.4	534
	45-49	7.2	1.1	42.0	539
Woman's education level	None	5.5	.6	19.0	4469
	Primary	15.7	.9	80.2	953
	Secondary +	34.3	5.7	90.9	305
	Non-standard curriculum	13.9	.7	100.0	176
	Missing/DK	16.3	.0	.	2
Total		8.9	.9	54.9	5904

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Country, Year

		Current method							
		No method	Female sterilization	Pill	IUD	Injections	Condom	Diaphragm/f oam/jelly	LAM
Wealth Index Quintiles	Poorest	91.4	.0	.7	.0	.0	.0	.0	5.5
	Second	94.9	.6	.1	.2	.2	.0	.0	3.5
	Middle	91.8	.8	.0	.0	.2	.0	.2	5.2
	Fourth	92.5	.6	1.9	.1	.1	.0	.0	3.8
	Richest	89.8	1.0	2.8	.1	.6	.2	.1	3.5
Milieu de residence	Urbain	87.2	1.4	4.4	.1	.4	.2	.1	3.8
	Rural	93.5	.4	.1	.0	.1	.0	.0	4.4
Région	N'Djaména	85.1	1.8	5.9	.3	.7	.3	.1	2.7
	Autres villes	89.0	1.0	3.2	.0	.3	.1	.0	4.8
	Rural	93.5	.4	.1	.0	.1	.0	.0	4.4
Woman's education level	None	92.3	.6	.6	.1	.1	.0	.0	4.6
	Primary	92.9	.4	1.5	.1	.4	.1	.3	3.9
	Secondary +	81.4	1.3	8.9	.0	1.2	.8	.0	2.4
	Non-standard curriculum	95.3	.3	3.4	.0	.0	.0	.5	.5
	Missing/DK	83.7	.0	16.3	.0	.0	.0	.0	.0
Total		92.1	.6	1.1	.1	.2	.0	.1	4.3

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Country, Year

		Current method			Total	Any modern method	Any traditional method	Any method	Number of currently married women
		Periodic abstinence	Withdrawal	Other					1.00
Wealth Index Quintiles	Poorest	2.4	.0	.0	100.0	.7	7.9	8.6	925
	Second	.5	.0	.0	100.0	1.1	4.0	5.1	968
	Middle	1.7	.0	.2	100.0	1.2	7.1	8.2	951
	Fourth	1.1	.0	.0	100.0	2.7	4.9	7.5	955
	Richest	1.8	.1	.0	100.0	4.8	5.4	10.2	821
Milieu de residence	Urbain	2.2	.1	.1	100.0	6.6	6.2	12.8	991
	Rural	1.3	.0	.0	100.0	.8	5.8	6.5	3629
Région	N'Djaména	3.1	.0	.0	100.0	9.0	5.9	14.9	453
	Autres villes	1.4	.1	.2	100.0	4.6	6.5	11.0	538
	Rural	1.3	.0	.0	100.0	.8	5.8	6.5	3629
Woman's education level	None	1.6	.0	.1	100.0	1.4	6.3	7.7	3735
	Primary	.5	.0	.0	100.0	2.8	4.4	7.1	604
	Secondary +	3.8	.0	.0	100.0	12.3	6.3	18.6	149
	Non-standard curriculum	.0	.0	.0	100.0	4.2	.5	4.7	129
	Missing/DK	.0	.0	.0	100.0	16.3	.0	16.3	2
Total		1.5	.0	.1	100.0	2.0	5.8	7.9	4620

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Tchad, 2000

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00
Wealth Index Quintiles	Poorest	20.3	.6	.0	20.9	293
	Second	36.2	2.5	.0	38.6	285
	Middle	32.1	2.8	.0	34.9	253
	Fourth	40.5	1.9	.6	42.9	306
	Richest	58.4	.4	.0	58.9	232
Milieu de residence	Urbain	61.3	1.1	.0	62.4	297
	Rural	30.0	1.8	.2	31.9	1072
Région	N'Djaména	66.8	.9	.0	67.7	136
	Autres villes	56.6	1.3	.0	57.8	161
	Rural	30.0	1.8	.2	31.9	1072
Woman's education level	None	29.9	1.2	.2	31.2	1068
	Primary	59.5	3.8	.0	63.3	230
	Secondary +	84.5	.0	.0	84.5	45
	Non-standard curriculum	34.6	4.7	.0	39.3	26
Total		36.7	1.6	.1	38.5	1369

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Tchad, 2000

		Person delivering antenatal care						Total
		No antenatal care received	Doctor	Nurse/mid wife	Auxiliary midwife	Traditional birth attendant	Other/missing	
Wealth Index Quintiles	Poorest	58.0	1.3	19.8	3.7	14.2	3.0	100.0
	Second	56.7	1.4	29.9	8.1	1.8	2.1	100.0
	Middle	55.4	1.4	25.5	9.0	7.9	.8	100.0
	Fourth	44.0	1.5	41.9	6.1	5.8	.7	100.0
	Richest	26.8	3.2	54.7	3.5	8.5	3.3	100.0
Milieu de residence	Urbain	27.2	2.5	61.2	3.4	5.0	.7	100.0
	Rural	54.8	1.5	26.2	6.9	8.3	2.3	100.0
Région	N'Djaména	26.8	2.3	64.1	1.4	5.5	.0	100.0
	Autres villes	27.5	2.8	58.7	5.1	4.7	1.3	100.0
	Rural	54.8	1.5	26.2	6.9	8.3	2.3	100.0
Woman's education level	None	54.7	1.6	27.3	5.6	8.9	1.9	100.0
	Primary	26.6	1.9	55.6	9.6	3.5	2.7	100.0
	Secondary +	11.8	4.1	78.7	3.8	.8	.8	100.0
	Non-standard curriculum	67.8	.0	29.9	.0	2.4	.0	100.0
Total		48.8	1.7	33.8	6.1	7.6	1.9	100.0

World Summit for Children Goals => Numbers 9, 11

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Tchad, 2000

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	24.8	293
	Second	39.4	285
	Middle	35.8	253
	Fourth	49.5	306
	Richest	61.4	232
Milieu de residence	Urbain	67.1	297
	Rural	34.5	1072
Région	N'Djaména	67.7	136
	Autres villes	66.5	161
	Rural	34.5	1072
Woman's education level	None	34.5	1068
	Primary	67.1	230
	Secondary +	86.6	45
	Non-standard curriculum	29.9	26
Total		41.6	1369

World Summit for Children Goals => Numbers 9, 11

Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Tchad, 2000

		Person assisting at delivery							Total
		Doctor	Nurse/mid wife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received	
Wealth Index Quintiles	Poorest	.6	2.7	1.4	50.2	33.2	1.9	9.9	100.0
	Second	.0	4.3	1.5	49.3	34.7	3.8	6.4	100.0
	Middle	.1	8.2	2.9	47.7	32.4	1.5	7.2	100.0
	Fourth	.4	18.5	3.9	27.5	43.1	1.8	4.8	100.0
	Richest	2.2	35.5	2.9	27.6	23.4	4.2	4.1	100.0
Milieu de residence	Urbain	2.3	39.2	4.5	21.4	25.2	2.5	4.9	100.0
	Rural	.2	5.9	2.0	46.0	36.3	2.6	7.0	100.0
Région	N'Djaména	2.7	46.8	2.7	14.1	25.0	2.7	5.9	100.0
	Autres villes	1.9	32.8	5.9	27.5	25.4	2.3	4.0	100.0
	Rural	.2	5.9	2.0	46.0	36.3	2.6	7.0	100.0
Woman's education level	None	.3	8.7	2.0	43.3	35.9	2.3	7.4	100.0
	Primary	1.2	25.4	3.9	31.3	31.1	3.6	3.6	100.0
	Secondary +	4.9	55.0	8.2	12.0	17.0	2.1	.8	100.0
	Non-standard curriculum	1.3	13.3	.0	63.0	7.3	6.0	9.0	100.0
Total		.6	13.1	2.5	40.7	33.9	2.6	6.6	100.0

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Tchad, 2000**

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	4.8	293
	Second	5.7	285
	Middle	11.2	253
	Fourth	22.8	306
	Richest	40.6	232
Milieu de residence	Urbain	46.0	297
	Rural	8.0	1072
Région	N'Djaména	52.3	136
	Autres villes	40.7	161
	Rural	8.0	1072
Woman's education level	None	11.1	1068
	Primary	30.5	230
	Secondary +	68.1	45
	Non-standard curriculum	14.6	26
Total		16.3	1369

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Country, Year

		Birth registered	DK if birth registered
Wealth Index Quintiles	Poorest	13.3	.7
	Second	20.9	1.2
	Middle	20.0	1.8
	Fourth	28.9	1.7
	Richest	45.9	2.0
Sexe	Masculin	25.7	1.4
	Feminin	24.2	1.5
Milieu de residence	Urbain	52.6	1.3
	Rural	17.5	1.5
Région	N'Djaména	65.5	1.3
	Autres villes	42.6	1.2
	Rural	17.5	1.5
Age	< 6 months	24.0	.1
	6-11 months	24.4	2.1
	12-23 months	25.3	1.2
	24-35 months	26.0	1.4
	36-47 months	24.5	1.7
	48-59 months	24.7	1.8
Mother's education level	None	19.5	1.4
	Primary	31.4	1.4
	Secondary	49.6	2.5
	Non-standard curriculum	15.1	.7
	Missing/DK	44.3	.0
Total		24.9	1.4

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Country, Year

		Registration status					
		Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other
Wealth Index Quintiles	Poorest	11.2	37.7	22.8	.2	16.0	9.1
	Second	16.3	28.6	18.9	.0	16.6	15.9
	Middle	10.5	28.7	31.7	.0	14.0	12.6
	Fourth	15.4	25.1	26.5	.0	13.9	15.2
	Richest	15.0	14.0	30.2	.0	10.9	23.4
Sexe	Masculin	13.3	27.0	26.4	.1	14.7	15.2
	Feminin	13.8	30.2	24.0	.0	14.7	13.2
Milieu de residence	Urbain	21.4	10.2	26.9	.0	13.1	20.4
	Rural	12.3	31.5	24.9	.0	15.0	13.3
Région	N'Djaména	14.2	5.0	34.9	.0	12.5	22.1
	Autres villes	24.7	12.6	23.4	.0	13.4	19.6
	Rural	12.3	31.5	24.9	.0	15.0	13.3
Age	< 6 months	12.4	27.2	25.7	.0	15.5	15.9
	6-11 months	13.4	32.3	26.5	.0	11.3	12.7
	12-23 months	12.3	23.8	27.9	.0	18.1	14.9
	24-35 months	14.6	30.4	22.5	.0	13.7	14.6
	36-47 months	13.9	30.2	24.9	.2	14.2	12.5
	48-59 months	13.7	28.1	24.9	.0	14.8	14.8
Mother's education level	None	11.3	30.3	30.9	.1	13.9	9.5
	Primary	22.4	20.3	21.7	.0	10.9	21.2
	Secondary	24.8	16.4	18.6	.0	6.4	30.7
	Non-standard curriculum	3.4	40.1	10.3	.0	27.9	15.1
	Missing/DK	43.7	.0	32.4	.0	6.3	11.4
Total		13.5	28.6	25.2	.0	14.7	14.2

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Country, Year

		Registration status	Total	Number of children
		Reason DK or Missing		
Wealth Index Quintiles	Poorest	3.1	100.0	1249
	Second	3.8	100.0	1147
	Middle	2.5	100.0	924
	Fourth	3.9	100.0	1139
	Richest	6.4	100.0	925
Sexe	Masculin	3.3	100.0	2662
	Feminin	4.1	100.0	2722
Milieu de residence	Urbain	8.0	100.0	1143
	Rural	3.1	100.0	4240
Région	N'Djaména	11.4	100.0	496
	Autres villes	6.4	100.0	647
	Rural	3.1	100.0	4240
Age	< 6 months	3.3	100.0	614
	6-11 months	3.9	100.0	570
	12-23 months	2.9	100.0	873
	24-35 months	4.1	100.0	1105
	36-47 months	4.1	100.0	1095
	48-59 months	3.7	100.0	1125
Mother's education level	None	4.0	100.0	2887
	Primary	3.6	100.0	1227
	Secondary	3.1	100.0	573
	Non-standard curriculum	3.1	100.0	678
	Missing/DK	6.3	100.0	19
Total		3.7	100.0	5383

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Tchad, 2000

		Living arrangement							
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive
Wealth Index Quintiles	Poorest	85.7	.1	.5	2.2	.0	7.5	2.3	1.1
	Second	79.6	.8	1.0	5.0	.3	7.2	3.3	2.1
	Middle	79.5	.6	.9	4.4	.2	7.8	3.9	1.8
	Fourth	76.4	.9	1.8	5.4	.6	9.3	2.7	1.9
	Richest	71.9	.9	1.4	7.3	.6	9.4	3.3	4.1
Sexe	Masculin	79.9	.4	1.1	4.1	.3	8.0	2.7	2.5
	Feminin	77.9	.9	1.1	5.4	.4	8.4	3.4	1.8
Région	N'Djaména	72.7	.9	1.5	7.0	.2	10.2	3.7	3.2
	Autres villes	68.6	.9	1.5	7.1	.5	13.8	4.0	2.8
	Rural	81.4	.6	1.0	4.1	.3	7.0	2.8	1.9
Milieu de residence	Urbain	70.4	.9	1.5	7.0	.4	12.2	3.9	3.0
	Rural	81.4	.6	1.0	4.1	.3	7.0	2.8	1.9
Age	0-4 years	85.0	.3	.3	1.8	.0	10.3	1.6	.6
	5-9 years	77.3	.7	1.3	6.2	.5	7.0	3.3	2.7
	10-14 years	72.1	1.2	2.1	7.2	.6	6.7	4.9	3.8
Total		78.9	.7	1.1	4.8	.3	8.2	3.0	2.1

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Tchad, 2000

		Living arrangement		Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Living with father only: mother dead	Impossible to determine						
Wealth Index Quintiles	Poorest	.5	.0	100.0	.0	2.9	3.4	3.4	3418
	Second	.8	.0	100.0	.0	7.0	6.1	6.1	3187
	Middle	.9	.0	100.0	.0	6.0	6.5	6.5	2616
	Fourth	.9	.0	100.0	.0	8.8	7.0	7.0	3005
	Richest	1.1	.0	100.0	.0	10.2	7.3	7.3	2760
Sexe	Masculin	.9	.0	100.0	.0	6.0	5.5	5.5	7421
	Feminin	.7	.0	100.0	.0	7.7	6.4	6.4	7565
Région	N'Djaména	.5	.0	100.0	.0	9.6	6.8	6.8	1482
	Autres villes	.8	.1	100.0	.0	10.0	7.7	7.7	1885
	Rural	.9	.0	100.0	.0	6.0	5.6	5.6	11619
Milieu de residence	Urbain	.7	.0	100.0	.0	9.8	7.3	7.3	3367
	Rural	.9	.0	100.0	.0	6.0	5.6	5.6	11619
Age	0-4 years	.2	.0	100.0	.0	2.4	2.4	2.4	5821
	5-9 years	1.1	.0	100.0	.0	8.7	6.8	6.8	5276
	10-14 years	1.4	.0	100.0	.0	11.0	10.2	10.2	3889
Total		.8	.0	100.0	.0	6.8	6.0	6.0	14986

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Tchad, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	2.7	24.8	72.0	4.9	61.37	69.9	2074
	Second	4.4	29.7	75.1	7.3	64.87	72.5	1948
	Middle	5.2	18.4	73.3	7.5	63.27	70.1	1629
	Fourth	2.6	21.7	75.1	8.6	49.88	62.3	1764
	Richest	1.9	20.7	74.1	8.7	35.18	51.4	1751
Sexe	Masculin	4.4	22.5	70.7	3.2	58.52	66.5	4543
	Feminin	2.3	24.1	77.1	11.3	52.01	64.6	4623
Milieu de residence	Urbain	1.7	22.8	75.3	7.2	34.27	52.3	2124
	Rural	3.8	23.5	73.5	7.4	61.56	69.5	7042
Région	N'Djaména	1.6	21.9	77.3	7.2	26.59	48.5	938
	Autres villes	1.9	23.6	73.8	7.2	40.36	55.3	1186
	Rural	3.8	23.5	73.5	7.4	61.56	69.5	7042
Age	5-9 years	1.5	22.0	73.2	3.7	43.92	54.3	5276
	10-14 years	5.8	25.2	74.9	12.3	70.59	80.8	3889
Total		3.3	23.3	73.9	7.3	55.24	65.5	9166

Monitoring Children's Rights Indicator