

**Table 1: Number of households and women, and response rates, Comores, 2000**

	Milieu de Residence		Total
	Urbain	Rural	
Sampled households	1165	2512	3677
Occupied households	1165	2512	3677
Completed households	1165	2512	3677
Household response rate	100.0	100.0	100.0
Eligible women	2084	4264	6348
Interviewed women	1672	3569	5241
Women response rate	80.2	83.7	82.6
Children under 5	1706	3893	5599
Interviewed children under 5	1503	3366	4869
Child response rate	88.1	86.5	87.0

**Table 2: Single year age distribution of household population by sex, Comores, 2000**

	Sexe			
	Masculin		Féminin	
	Number	Percent	Number	Percent
Age 0	560	4.2	505	3.6
1	578	4.3	489	3.5
2	576	4.3	512	3.7
3	621	4.7	625	4.5
4	579	4.3	577	4.1
5	519	3.9	389	2.8
6	416	3.1	450	3.2
7	442	3.3	396	2.8
8	512	3.8	439	3.2
9	346	2.6	358	2.6
10	515	3.9	446	3.2
11	299	2.2	267	1.9
12	380	2.9	341	2.4
13	316	2.4	317	2.3
14	290	2.2	374	2.7
15	352	2.6	418	3.0
16	259	1.9	370	2.7
17	234	1.8	302	2.2
18	300	2.2	346	2.5
19	188	1.4	242	1.7
20	293	2.2	470	3.4
21	87	.7	145	1.0
22	134	1.0	274	2.0

Table 2: Single year age distribution of household population by sex, Comores, 2000

		Sexe			
		Masculin		Féminin	
		Number	Percent	Number	Percent
Age	23	110	.8	203	1.5
	24	104	.8	142	1.0
	25	206	1.5	306	2.2
	26	99	.7	178	1.3
	27	110	.8	214	1.5
	28	144	1.1	240	1.7
	29	77	.6	127	.9
	30	278	2.1	438	3.1
	31	52	.4	82	.6
	32	123	.9	174	1.3
	33	81	.6	107	.8
	34	73	.5	90	.6
	35	196	1.5	209	1.5
	36	102	.8	140	1.0
	37	96	.7	132	1.0
	38	138	1.0	135	1.0
	39	73	.6	93	.7
	40	277	2.1	276	2.0
	41	49	.4	38	.3
	42	111	.8	46	.3
	43	47	.4	40	.3
	44	49	.4	30	.2
	45	162	1.2	119	.9
	46	43	.3	35	.2
	47	62	.5	35	.3
	48	61	.5	44	.3
	49	51	.4	102	.7
	50	248	1.9	223	1.6
	51	23	.2	13	.1
	52	54	.4	56	.4
	53	32	.2	30	.2
	54	38	.3	30	.2
	55	85	.6	57	.4
	56	37	.3	22	.2
	57	18	.1	30	.2
	58	34	.3	20	.1
	59	18	.1	8	.1
	60	180	1.3	161	1.2
	61	7	.1	7	.0

**Table 2: Single year age distribution of household population by sex, Comores, 2000**

		Sexe			
		Masculin		Féminin	
		Number	Percent	Number	Percent
Age	62	22	.2	15	.1
	63	11	.1	10	.1
	64	10	.1	4	.0
	65	55	.4	38	.3
	66	9	.1	10	.1
	67	9	.1	7	.1
	68	10	.1	19	.1
	69	7	.1	7	.1
	70+	239	1.8	201	1.4
	Manquant	427	3.2	140	1.0
Total		13347	100.0	13937	100.0

**Table 3: Percentage of cases missing information for selected questions, Comores, 2000**

	Percent missing	Number
Level of education	3.7	10598
Year of education	3.5	10564
Number of hours worked	33.1	1785

**Table 3: Percentage of cases missing information for selected questions, Country, Year**

	Percent missing	Number
Complete birth date	13.3	5242
Date of last tetanus toxoid injection	15.1	384
Ever been tested for HIV	1.9	4570

**Table 3: Percentage of cases missing information for selected questions, Comores, 2000**

	Percent missing	Number
Complete birth date	.0	4870
Diarrhoea in last 2 weeks	1.1	4870
Weight	.0	4870
Height	4.3	4870

**Table 4: Percent distribution of households by background characteristics, Comores, 2000**

		Percent	Number	Unweighted
Ile	Mwali	8.5	311	289
	Ndzuwani	28.5	1048	1042
	Ngazidja	63.1	2319	2346
Milieu de Residence	Urbain	21.8	801	1165
	Rural	78.2	2877	2512
Number of HH members	1	.1	5	5
	2-3	4.4	162	172
	4-5	20.4	749	785
	6-7	28.5	1047	1044
	8-9	24.0	882	859
	10+	22.6	832	812
Total		100.0	3677	3677

**Table 4: Percent distribution of households by background characteristics, Comores, 2000**

	Percent	Number	Unweighted
At least one child age < 15	99.6	3677	3677
At least one child age < 5	97.0	3677	3677
At least one woman age 15-49	99.5	3677	3677

**Table 4a: Percent distribution of households by background characteristics, Comores, 2000**

		Milieu de Residence		Total
		Urbain	Rural	
Ile	Mwali	21.1	5.0	8.5
	Ndzuwani	29.6	28.2	28.5
	Ngazidja	49.4	66.9	63.1
Number of HH members	1	.2	.1	.1
	2-3	4.3	4.4	4.4
	4-5	23.5	19.5	20.4
	6-7	29.5	28.2	28.5
	8-9	20.6	24.9	24.0
	10+	21.8	22.9	22.6
	Total	100.0	100.0	100.0
	Number	801	2877	3677
Unweighted	1165	2512	3677	

**Table 4a: Percent distribution of households by background characteristics, Country, Year**

	Milieu de Residence		Total
	Urbain	Rural	
At least one child age < 15	99.7	99.7	99.7
At least one child age < 5	96.0	97.0	96.8
At least one woman age 15-49	99.1	99.6	99.5
Number	801	2877	3677
Unweighted	1165	2512	3677

**Table 5: Percent distribution of women 15-49 by background characteristics, Comores, 2000**

		Percent	Number	Unweighted
Ile	Mwali	7.3	381	400
	Ndzuwani	30.4	1594	1615
	Ngazidja	62.3	3267	3227
Milieu de Residence	Urbain	22.5	1179	1673
	Rural	77.5	4063	3569
Age	15-19	22.1	1157	1131
	20-24	18.7	981	988
	25-29	18.7	982	994
	30-34	15.6	815	825
	35-39	12.7	667	680
	40-44	7.0	365	356
	45-49	5.2	274	268
Statut matrimonial	Marié(e)/en union	64.8	3393	3395
	Etait mariée	9.1	477	476
	Jamais mariée	26.1	1365	1365
Avez vous donne naissance a un enfant	Oui	70.3	3684	3692
	Non	29.7	1557	1549
Niveau d'éducation de la femme	Aucun	57.3	3005	2897
	Primaire	19.0	994	980
	Secondaire et +	20.7	1087	1209
	Programme non-formel	1.7	92	93
	Manquant	1.2	64	63
Total		100.0	5242	5242

**Table 6: Percent distribution of children under 5 by background characteristics, Comores, 2000**

		Percent	Number	Unweighted
Sexe	Masculin	51.9	2529	2515
	Féminin	48.1	2341	2355
Ile	Mwali	7.7	374	387
	Ndzuwani	33.0	1609	1565
	Ngazidja	59.3	2887	2918
Milieu de Residence	Urbain	20.8	1014	1504
	Rural	79.2	3856	3366
Age	< 6 Mois	9.6	469	462
	6-11 Mois	9.4	457	461
	12-23 Mois	19.6	956	956
	24-35 Mois	20.1	979	984
	36-47 Mois	21.8	1062	1058
Niveau d'éducation de la mère	48-59 Mois	19.4	942	943
	Aucun	67.0	3264	3119
	Primaire	15.3	746	777
	Secondaire	14.3	697	815
	Programme non-formel	2.0	95	96
	Manquant	1.4	67	63
Total		100.0	4870	4870

**Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Comores, 2000**

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	10.3	419
	Second	14.1	413
	Middle	7.6	392
	Fourth	12.2	405
	Richest	28.4	376
Sexe	Masculin	13.4	1013
	Féminin	15.2	992
Ile	Mwali	9.8	154
	Ndzuwani	9.0	734
	Ngazidja	18.4	1116
Milieu de Residence	Urbain	24.2	421
	Rural	11.7	1584
Age	36-47 months	9.9	1062
	48-59 months	19.3	942
Niveau d'éducation de la mère	Aucun	11.2	1421
	Primaire	15.5	251
	Secondaire	27.9	262
	Programme non-formel	25.7	48
	Manquant	14.2	23
Total		14.3	2004

World Summit for Children Goal => Number 26

**Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Comores, 2000**

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Poorest	60.5	79.5	83.6	73.8	29.7
	Second	57.8	75.0	79.2	56.9	19.6
	Middle	72.3	69.6	83.1	77.0	32.2
	Fourth	67.4	60.6	73.9	85.7	25.9
	Richest	65.5	59.4	68.7	71.5	19.1
Sexe	Masculin	61.8	66.2	78.3	69.1	22.1
	Féminin	67.4	69.9	75.5	75.6	26.9
Ile	Mwali	73.5	64.3	72.5	83.9	28.7
	Ndzuwani	45.9	54.4	62.1	59.7	9.3
	Ngazidja	67.3	72.3	82.0	72.2	28.8
Milieu de Residence	Urbain	65.0	59.7	60.8	74.7	17.6
	Rural	64.4	70.8	82.9	70.5	26.7
1.00		64.5	67.9	76.9	71.8	24.2

World Summit for Children Goal => Number 6

**Table 11: Percentage of children of primary school age attending primary school, Comores, 2000**

		Sexe				Total	
		Masculin		Féminin		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number	Attending	Number
Wealth Index Quintiles	Poorest	24.7	615	24.4	590	24.5	1204
	Second	27.7	606	25.1	563	26.5	1169
	Middle	31.4	614	32.8	564	32.0	1177
	Fourth	34.2	587	37.5	530	35.8	1117
	Richest	40.2	489	37.8	451	39.1	940
Ile	Mwali	45.9	256	40.0	235	43.1	490
	Ndzuwani	29.3	961	26.8	918	28.1	1879
	Ngazidja	30.2	1695	32.3	1545	31.2	3240
Milieu de Residence	Urbain	42.3	537	39.2	513	40.8	1050
	Rural	28.8	2374	29.2	2185	29.0	4559
Age	6	17.5	416	17.5	450	17.5	866
	7	23.9	442	26.4	396	25.1	838
	8	27.1	512	33.6	439	30.1	951
	9	36.5	346	33.1	358	34.8	704
	10	38.4	515	37.1	446	37.8	961
	11	43.8	299	36.8	267	40.5	566
	12	36.3	380	36.9	341	36.6	722
Total		31.3	2911	31.1	2697	31.2	5608

World Summit for Children Goal => Number 6

**Table 12: Percentage of the population aged 15 years and older that is literate, Comores, 2000**

		Sexe						Total		
		Masculin			Féminin			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	55.0	15.7	1127	42.4	19.3	1307	48.2	17.6	2434
	Second	58.5	17.0	1127	45.2	18.7	1421	51.1	17.9	2548
	Middle	59.8	14.4	1135	50.8	14.5	1453	54.7	14.5	2588
	Fourth	64.7	15.5	1231	56.8	14.6	1459	60.4	15.0	2689
	Richest	77.1	11.5	1349	66.5	13.7	1671	71.2	12.7	3019
Ile	Mwali	62.1	6.4	532	44.7	13.4	538	53.4	10.0	1070
	Ndzuwani	59.2	17.8	1406	48.3	16.2	2041	52.7	16.9	3447
	Ngazidja	65.3	14.7	4031	56.0	16.3	4731	60.2	15.5	8763
Milieu de Residence	Urbain	70.3	11.5	1367	58.1	13.8	1621	63.7	12.7	2988
	Rural	61.5	15.6	4601	51.5	16.7	5690	56.0	16.2	10291
Age	15-24	70.3	16.2	2060	65.9	14.2	2913	67.7	15.0	4973
	25-34	73.0	10.2	1244	59.9	11.2	1956	65.0	10.9	3200
	35-44	63.2	12.3	1138	42.7	16.3	1139	53.0	14.3	2277
	45-54	54.5	16.1	774	25.1	24.7	687	40.7	20.2	1462
	55-64	40.6	16.7	422	23.5	27.4	334	33.0	21.4	756
	65+	37.7	24.2	329	15.9	32.1	282	27.7	27.8	611
Total		63.6	14.7	5969	53.0	16.0	7311	57.7	15.4	13279

World Summit for Children Goal => Number 7

**Table 13: Percentage of the population using improved drinking water sources , Comores, 2000**

		Main source of water								
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well	Protected spring	Rainwater collection	Bottled water	Unprotected dug well
Ile	Mwali	1.2	26.3	35.9	.3	3.0	.0	2.2	.0	2.4
	Ndzuwani	20.8	24.5	43.9	.2	.0	.7	.5	.0	.0
	Ngazidja	3.0	3.4	5.9	1.4	3.5	2.9	75.6	.2	1.8
Milieu de Residence	Urbain	20.7	23.6	24.6	2.0	3.8	.4	15.5	.1	.2
	Rural	4.7	8.3	18.3	.6	2.0	2.4	55.9	.1	1.6
Total		8.2	11.6	19.7	.9	2.4	2.0	47.2	.1	1.3

World Summit for Children Goal => Number 4

**Table 13: Percentage of the population using improved drinking water sources , Comores, 2000**

		Main source of water					Total	Total with safe drinking water	Number of persons
		Unprotected spring	Pond, river or stream	Tanker truck vendor	Other	Missing/DK			
Ile	Mwali	.7	10.9	.0	16.8	.3	100.0	66.8	2234
	Ndzuwani	3.7	4.1	.1	.2	1.5	100.0	90.0	8139
	Ngazidja	.3	.0	.0	.6	1.4	100.0	20.0	16911
Milieu de Residence	Urbain	.3	.2	.1	7.1	1.4	100.0	75.0	5868
	Rural	1.6	2.6	.1	.4	1.3	100.0	36.4	21416
Total		1.3	2.1	.1	1.8	1.3	100.0	44.7	27284

World Summit for Children Goal => Number 4

**Table 13a: Percentage of the population using improved drinking water sources (With Rainwater Collection), Comores, 2000**

		Main source of water								
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well	Protected spring	Rainwater collection	Bottled water	Unprotected dug well
Ile	Mwali	1.2	26.3	35.9	.3	3.0	.0	2.2	.0	2.4
	Ndzuwani	20.8	24.5	43.9	.2	.0	.7	.5	.0	.0
	Ngazidja	3.0	3.4	5.9	1.4	3.5	2.9	75.6	.2	1.8
Milieu de Residence	Urbain	20.7	23.6	24.6	2.0	3.8	.4	15.5	.1	.2
	Rural	4.7	8.3	18.3	.6	2.0	2.4	55.9	.1	1.6
Total		8.2	11.6	19.7	.9	2.4	2.0	47.2	.1	1.3

World Summit for Children Goal => Number 4

**Table 13a: Percentage of the population using improved drinking water sources (With Rainwater Collection), Comores, 2000**

		Main source of water					Total	Total with safe drinking water	Number of persons
		Unprotected spring	Pond, river or stream	Tanker truck vendor	Other	Missing/DK			
Ile	Mwali	.7	10.9	.0	16.8	.3	100.0	69.0	2234
	Ndzuwani	3.7	4.1	.1	.2	1.5	100.0	90.5	8139
	Ngazidja	.3	.0	.0	.6	1.4	100.0	95.5	16911
Milieu de Residence	Urbain	.3	.2	.1	7.1	1.4	100.0	90.4	5868
	Rural	1.6	2.6	.1	.4	1.3	100.0	92.2	21416
Total		1.3	2.1	.1	1.8	1.3	100.0	91.8	27284

World Summit for Children Goal => Number 4

**Table 14: Percentage of the population using sanitary means of excreta disposal, Comores, 2000**

		Type de toilette							
		Chase d'eau avec égout ou avec fosse septique	Latrine à évacuation	Latrine améliorée à ventilation	Latrine traditionnelle	Trou ouvert	Sceau	Autre	Pas de toilette ou brousse ou champ
Ile	Mwali	1.3	.2	.5	88.2	1.0	.0	4.9	3.9
	Ndzuwani	2.2	.4	1.8	81.5	10.5	.2	2.6	.8
	Ngazidja	1.1	1.7	2.5	77.7	14.2	.2	2.6	.1
Milieu de Residence	Urbain	4.8	3.8	1.7	79.8	6.8	.1	2.6	.5
	Rural	.5	.4	2.2	79.6	13.5	.2	2.8	.7
Total		1.5	1.2	2.1	79.7	12.0	.2	2.8	.7

World Summit for Children Goal => Number 5

**Table 14: Percentage of the population using sanitary means of excreta disposal, Comores, 2000**

		Total	Total with sanitary means of excreta disposal	Number of persons
Ile	Mwali	100.0	90.1	2234
	Ndzuwani	100.0	85.9	8139
	Ngazidja	100.0	82.8	16911
Milieu de Residence	Urbain	100.0	90.0	5868
	Rural	100.0	82.8	21416
Total		100.0	84.3	27284

World Summit for Children Goal => Number 5

**Table 15: Percentage of under-five children with missing height or weight, Comores, 2000**

		Missing height or weight	Number of children
Wealth Index Quintiles	Poorest	6.7	1004
	Second	8.8	958
	Middle	8.1	992
	Fourth	10.8	980
	Richest	9.2	935
Sexe	Masculin	9.0	2529
	Féminin	8.4	2341
Ile	Mwali	6.1	374
	Ndzuwani	8.2	1609
	Ngazidja	9.4	2887
Milieu de Residence	Urbain	8.8	1014
	Rural	8.7	3856
Age	< 6 Mois	8.4	469
	6-11 Mois	8.2	457
	12-23 Mois	7.9	956
	24-35 Mois	9.9	979
	36-47 Mois	8.7	1062
	48-59 Mois	8.7	942
Niveau d'éducation de la mère	Aucun	8.1	3264
	Primaire	9.6	746
	Secondaire	9.2	697
	Programme non-formel	18.4	95
	Manquant	9.9	67
Total		8.7	4870

World Summit for Children Goal => Number 3, 9, 26

**Table 15: Percentage of under-five children who are severely or moderately undernourished, Comores, 2000**

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	29.7	13.4	45.5	27.4	13.8	4.6	637
	Second	29.2	9.8	48.1	28.5	12.9	4.9	596
	Middle	28.6	9.8	45.1	24.9	10.3	3.2	642
	Fourth	19.8	5.2	40.2	19.9	10.1	4.1	639
	Richest	20.3	4.5	33.4	16.5	10.6	2.0	664
Sexe	Masculin	26.4	8.5	43.2	24.2	12.1	4.3	1656
	Féminin	24.4	8.5	41.3	22.4	10.9	3.1	1523
Ile	Mwali	40.4	15.2	31.9	14.1	28.3	9.7	264
	Ndzuwani	35.3	13.6	53.2	35.9	9.8	3.3	1004
	Ngazidja	18.2	4.9	38.0	18.0	10.1	3.1	1910
Milieu de Residence	Urbain	25.5	9.4	31.8	15.7	15.8	5.7	717
	Rural	25.4	8.2	45.4	25.5	10.3	3.2	2462
Age	< 6 Mois	14.6	4.8	24.8	8.5	10.0	2.9	251
	6-11 Mois	24.1	6.0	36.1	15.4	9.8	2.5	278
	12-23 Mois	29.6	9.3	51.3	33.0	13.3	4.2	579
	24-35 Mois	28.7	10.7	43.6	24.1	11.3	4.7	668
	36-47 Mois	22.4	8.5	39.3	20.7	11.9	3.4	757
	48-59 Mois	26.6	8.0	45.8	26.1	11.1	3.6	646
Niveau d'éducation de la mère	Aucun	28.5	10.1	45.7	26.3	11.8	3.9	2122
	Primaire	19.2	5.2	37.8	17.2	11.3	4.9	489
	Secondaire	18.4	5.5	32.7	15.8	11.8	2.3	475
	Programme non-formel	23.1	5.1	38.3	20.9	5.1	.0	55
	Manquant	28.2	6.2	37.7	31.5	3.2	.0	38
Total		25.4	8.5	42.3	23.3	11.5	3.7	3179

World Summit for Children Goal => Number 3, 9, 26

**Table 16: Percent of living children by breastfeeding status, Comores, 2000**

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
Sexe	Masculin	24.1	133	32.9	168	65.3	168	48.4	118
	Féminin	24.6	109	36.0	152	65.4	173	40.8	92
Ile	Mwali	4.0	16	62.2	33	60.5	24	23.9	13
	Ndzuwani	29.0	62	37.6	74	58.4	82	35.1	57
	Ngazidja	24.5	164	28.9	213	68.2	235	51.2	139
Milieu de Residence	Urbain	19.0	49	41.2	74	61.2	70	31.4	42
	Rural	25.7	193	32.3	246	66.4	271	48.5	168
Niveau d'éducation de la mère	Aucun	27.5	137	36.9	207	62.8	202	42.9	128
	Primaire	18.3	56	36.9	59	75.5	64	42.7	48
	Secondaire	22.7	43	23.6	45	65.4	68	52.6	30
	Programme non-formel	9.7	5	17.1	4	50.0	5	72.4	2
	Manquant	100.0	1	.0	4	30.1	2	100.0	2
Total		24.3	242	34.3	320	65.3	341	45.1	210

World Summit for Children Goal => Number 16

**Table 16w: Percent distribution of children by breastfeeding status, Comores, 2000**

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	4.9	27.1	16.3	47.4	4.3	100.0	96
2-3	6.1	21.5	5.2	50.8	16.5	100.0	130
4-5	8.5	15.3	7.6	39.1	29.5	100.0	205
6-7	11.9	18.8	2.3	31.1	35.9	100.0	155
8-9	5.9	15.1	3.1	35.7	40.2	100.0	135
10-11	22.3	9.8	3.4	31.3	33.3	100.0	123
12-13	23.8	13.9	1.2	27.6	33.5	100.0	139
14-15	29.0	7.6	1.1	22.2	40.1	100.0	159
16-17	34.1	11.2	1.1	21.8	31.8	100.0	230
18-19	35.4	10.4	2.0	16.5	35.7	100.0	114
20-21	34.8	8.8	.0	24.9	31.5	100.0	79
22-23	55.0	5.3	.0	12.5	27.2	100.0	95
24-25	69.6	6.8	1.2	6.2	16.2	100.0	96
26-27	76.3	.0	.5	16.0	7.2	100.0	104
28-29	79.9	2.5	.0	7.9	9.8	100.0	299
30-31	89.6	.0	.0	3.3	7.1	100.0	112
32-33	88.9	4.3	.0	5.0	1.8	100.0	93
34-35	91.0	1.8	.0	1.7	5.4	100.0	66

Exclusively breastfed includes vitamin, mineral supplements and medicine

**Table 17: Percentage of households consuming adequately iodized salt, Comores, 2000**

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	8.4	85.8	22.3	77.7	735
	Second	7.5	86.0	19.4	80.6	735
	Middle	6.3	86.8	16.2	83.8	736
	Fourth	3.9	89.5	15.8	84.2	735
	Richest	2.2	91.9	15.2	84.8	736
Ile	Mwali	14.6	84.3	30.1	69.9	311
	Ndzuwani	1.7	91.1	9.3	90.7	1048
	Ngazidja	6.3	87.1	20.1	79.9	2319
Milieu de Residence	Urbain	3.8	90.4	17.5	82.5	801
	Rural	6.2	87.3	17.8	82.2	2877
Total		5.7	88.0	17.7	82.3	3677

World Summit for Children Goal => Number 14

**Table 17a: Percentage of population consuming adequately iodized salt, Comores, 2000**

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	7.8	86.0	22.3	77.7	5382
	Second	7.2	85.9	18.8	81.2	5386
	Middle	6.1	87.2	15.9	84.1	5501
	Fourth	3.7	89.3	14.9	85.1	5486
	Richest	1.8	92.1	15.6	84.4	5528
Ile	Mwali	13.0	86.3	31.6	68.4	2234
	Ndzuwani	1.6	91.1	8.7	91.3	8139
	Ngazidja	6.0	86.9	19.9	80.1	16911
Milieu de Residence	Urbain	3.5	90.1	17.4	82.6	5868
	Rural	5.8	87.6	17.4	82.6	21416
Total		5.3	88.1	17.4	82.6	27284

World Summit for Children Goal => Number 14

**Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Comores, 2000**

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	6.5	.6	4.8	34.9	53.2	100.0	894
	Second	5.2	1.4	2.0	36.6	54.9	100.0	871
	Middle	5.5	.8	4.5	41.8	47.4	100.0	884
	Fourth	4.5	2.5	4.3	35.8	52.9	100.0	884
	Richest	5.8	3.6	6.5	44.5	39.6	100.0	864
Sexe	Masculin	5.2	1.6	3.7	40.4	49.1	100.0	2270
	Féminin	5.8	2.0	5.1	36.9	50.2	100.0	2126
Ile	Mwali	5.9	1.5	2.6	8.4	81.7	100.0	343
	Ndzuwani	4.5	1.4	2.5	44.6	47.0	100.0	1466
	Ngazidja	6.0	2.1	5.7	39.4	46.9	100.0	2586
Milieu de Residence	Urbain	5.9	4.7	7.7	32.0	49.6	100.0	926
	Rural	5.4	1.0	3.5	40.5	49.6	100.0	3469
Age	6-11 Mois	7.2	1.9	3.4	31.8	55.8	100.0	457
	12-23 Mois	7.6	2.5	3.9	37.4	48.5	100.0	956
	24-35 Mois	5.9	2.3	4.1	37.9	49.8	100.0	979
	36-47 Mois	4.2	1.1	5.1	40.5	49.1	100.0	1062
	48-59 Mois	3.6	1.2	4.9	42.1	48.2	100.0	942
Niveau d'éducation de la mère	Aucun	4.0	1.3	3.9	40.5	50.3	100.0	2991
	Primaire	9.2	1.8	4.6	39.0	45.4	100.0	636
	Secondaire	7.4	4.2	6.0	31.7	50.8	100.0	619
	Programme non-formel	14.7	1.4	5.4	23.7	54.8	100.0	87
	Manquant	7.6	1.9	7.7	40.9	41.8	100.0	63
Total		5.5	1.8	4.4	38.7	49.6	100.0	4396

World Summit for Children Goal => Number 15

**Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Comores, 2000**

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	10.5	22.4	255
	Second	10.1	29.9	247
	Middle	10.2	35.8	268
	Fourth	14.1	26.5	252
	Richest	21.3	36.8	225
Ile	Mwali	15.3	.7	89
	Ndzuwani	8.9	35.0	444
	Ngazidja	15.3	30.9	714
Milieu de Residence	Urbain	18.9	25.7	256
	Rural	11.5	31.4	992
Niveau d'éducation de la femme	Aucun	9.7	31.7	799
	Primaire	19.4	26.8	222
	Secondaire et +	18.0	25.4	189
	Programme non-formel	23.2	40.5	25
	Manquant	16.8	46.9	12
Total		13.0	30.2	1247

World Summit for Children Goal => Number 15

**Table 20a. Birth weight and size at birth**

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth Index Quintiles	Poorest	8.0	22.7	64.8	4.5
	Second	11.2	29.4	57.1	2.3
	Middle	9.4	33.6	55.2	1.8
	Fourth	9.3	37.8	47.7	5.1
	Richest	8.1	51.6	34.2	6.1
Ile	Mwali	14.1	35.8	46.1	4.0
	Ndzuwani	4.0	17.6	70.9	7.4
	Ngazidja	11.8	45.1	41.4	1.7
Milieu de Residence	Urbain	11.0	45.0	34.3	9.7
	Rural	8.8	32.0	56.9	2.4
Niveau d'éducation de la femme	Aucun	7.8	25.7	62.5	4.0
	Primaire	9.9	48.5	38.4	3.1
	Secondaire et +	15.0	56.9	23.7	4.4
	Programme non-formel	4.7	23.4	68.8	3.1
	Manquant	6.5	40.1	43.1	10.3
Total		9.2	34.6	52.2	3.9

**Table 20a. Birth weight and size at birth**

		taille enfant vue par mere							Total	Number
		TrŠs gros	Plus gros que la moyenne	Moyen	Plus petit que la moyenne	TrŠs petit	Manquant	NSP		
Wealth Index Quintiles	Poorest	4.3	6.5	49.1	11.0	22.0	3.6	3.5	100.0	255
	Second	5.8	9.6	52.7	10.6	17.3	2.7	1.3	100.0	247
	Middle	7.1	10.1	45.6	13.5	16.0	5.5	2.1	100.0	268
	Fourth	6.1	10.6	51.9	10.4	12.8	5.3	2.9	100.0	251
	Richest	8.3	6.0	65.3	8.2	5.5	6.2	.5	100.0	224
Ile	Mwali	1.3	7.4	65.7	14.2	7.4	2.0	2.0	100.0	89
	Ndzuwani	9.6	11.3	45.7	7.3	17.1	6.3	2.6	100.0	443
	Ngazidja	4.8	7.1	55.1	12.6	14.5	4.0	1.8	100.0	713
Milieu de Residence	Urbain	6.6	8.6	56.1	11.3	9.3	7.2	.8	100.0	256
	Rural	6.2	8.6	51.6	10.7	16.4	4.0	2.4	100.0	989
Niveau d'éducation de la femme	Aucun	6.3	8.3	50.3	10.7	16.9	5.1	2.3	100.0	798
	Primaire	6.0	10.5	53.8	11.5	13.2	2.3	2.8	100.0	222
	Secondaire et +	4.4	8.3	60.2	13.1	9.0	5.0	.0	100.0	188
	Programme non-formel	11.8	4.9	50.8	.0	18.0	10.2	4.4	100.0	25
	Manquant	29.8	6.5	63.7	.0	.0	.0	.0	100.0	12
Total		6.3	8.6	52.5	10.9	14.9	4.7	2.1	100.0	1245

**Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year**

BCG	Carnet de vaccination	69.1
	Mémoire	10.0
	Pas de carnet	20.9
DPT1	Carnet de vaccination	68.2
	Mémoire	4.6
	Pas de carnet	27.2
DPT2	Carnet de vaccination	68.7
	Mémoire	2.5
	Pas de carnet	28.9
DPT3	Carnet de vaccination	67.7
	Mémoire	1.9
	Pas de carnet	30.4
Polio 0	Carnet de vaccination	64.7
	Mémoire	3.3
	Pas de carnet	32.0
Polio 1	Carnet de vaccination	69.9
	Mémoire	4.7
	Pas de carnet	25.4
Polio 2	Carnet de vaccination	69.1
	Mémoire	3.6
	Pas de carnet	27.3
Polio 3	Carnet de vaccination	67.9
	Mémoire	2.4
	Pas de carnet	29.6
Rougeole	Carnet de vaccination	65.9
	Mémoire	7.0
	Pas de carnet	27.1
Toutes les vaccinations	Carnet de vaccination	62.9
	Mémoire	3.1
	Pas eu toutes les vaccinations	33.9
Non vacciné	Carnet de vaccination	.1
	Mémoire	19.9
	A eu quelques vaccinations	80.0
Number of children		955.6

World Summit for Children Goal => Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Comores, 2000**

BCG	99.0
DPT 1	97.0
DPT 2	96.8
DPT 3	93.3
Polio 1	98.7
Polio 2	95.0
Polio 3	92.3
Measles	83.0
All vaccinations	71.7
No vaccinations	.0

World Summit for Children Goal => Number 22

**Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Comores, 2000**

	BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	69.1	68.2	68.7	67.7	69.9	69.1	67.9	65.9	62.9	.1	955.6
Mother's report	10.0	4.6	2.5	1.9	4.7	3.6	2.4	7.0	3.1	19.9	955.6
Either	79.1	72.8	71.1	69.6	74.6	72.7	70.4	72.9	66.1	20.0	955.6
Vaccinated by 12 months of age	78.4	70.6	68.8	64.9	73.6	69.1	64.9	60.5	47.4	20.0	955.6

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Comores, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None
Wealth Index Quintiles	Poorest	70.5	61.8	61.1	59.2	57.6	63.4	62.1	60.2	61.7	55.3	28.2
	Second	74.3	67.2	65.3	61.9	61.9	71.3	66.8	63.8	66.1	58.1	25.7
	Middle	81.2	75.8	72.5	71.4	68.6	75.0	74.5	73.4	75.5	67.9	17.2
	Fourth	80.8	73.6	73.0	72.4	72.3	77.3	75.2	71.6	76.0	68.5	18.6
	Richest	86.9	83.3	81.5	80.3	77.6	84.1	82.7	80.3	82.7	77.8	12.5
Sexe	Masculin	79.3	72.3	70.3	69.0	67.6	74.2	72.2	70.3	73.2	66.3	19.5
	Féminin	78.9	73.3	72.1	70.2	68.6	75.0	73.3	70.5	72.5	65.8	20.6
Ile	Mwali	80.5	70.8	70.8	69.8	73.7	76.7	75.7	74.7	72.8	68.9	19.5
	Ndzuwani	62.9	54.2	51.3	49.3	50.5	55.3	51.8	49.3	54.3	45.4	35.6
	Ngazidja	86.8	81.9	80.7	79.3	75.8	83.6	82.5	80.0	81.9	75.7	12.6
Milieu de Residence	Urbain	79.7	73.4	71.1	70.6	72.8	73.4	71.9	70.3	73.9	68.4	20.3
	Rural	79.0	72.7	71.1	69.3	66.8	74.9	72.9	70.4	72.7	65.5	19.9
Niveau d'éducation de la mère	Aucun	75.7	68.1	66.7	65.3	62.9	70.6	68.4	65.8	68.4	61.3	23.5
	Primaire	82.7	80.9	78.0	75.9	72.7	79.4	78.0	75.9	76.9	72.4	15.9
	Secondaire	88.8	82.2	81.0	79.5	81.8	85.0	83.9	81.4	86.7	77.2	10.4
	Programme non-formel	64.3	54.7	54.7	54.7	64.3	64.3	64.3	64.3	54.7	54.7	35.7
	Manquant	89.9	89.9	83.7	83.7	83.7	83.7	83.7	83.7	83.7	83.7	10.1
Total		79.1	72.8	71.1	69.6	68.0	74.6	72.7	70.4	72.9	66.1	20.0

**Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Comores, 2000**

		% with health card	Number of children
Wealth Index Quintiles	Poorest	60.4	186
	Second	67.9	158
	Middle	74.1	214
	Fourth	73.4	194
	Richest	79.5	204
Sexe	Masculin	71.1	511
	Féminin	71.8	445
Ile	Mwali	64.1	65
	Ndzuwani	53.7	289
	Ngazidja	80.7	602
Milieu de Residence	Urbain	69.4	190
	Rural	71.9	765
Niveau d'éducation de la mère	Aucun	67.9	604
	Primaire	78.1	171
	Secondaire	78.4	156
	Programme non-formel	54.7	13
	Manquant	83.7	12
Total		71.4	956

**Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Comores, 2000**

		A eu la diarrhée au cours des 2 dernières semaines	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding
Wealth Index Quintiles	Poorest	20.4	1004	34.6	22.1	16.0	16.0	7.8	38.7
	Second	21.4	958	38.3	21.5	10.0	16.3	10.8	39.2
	Middle	18.6	992	40.7	13.3	18.5	18.0	19.0	34.2
	Fourth	17.0	980	38.2	17.5	14.6	20.8	23.9	34.8
	Richest	13.8	935	44.8	20.3	20.2	23.5	20.8	29.2
Sexe	Masculin	19.7	2529	37.5	17.0	15.8	17.3	14.4	36.2
	Féminin	16.8	2341	40.5	21.5	15.1	19.9	17.4	35.2
Ile	Mwali	17.1	374	35.4	38.1	21.6	25.5	13.7	74.4
	Ndzuwani	21.1	1609	37.0	13.5	18.1	25.8	15.6	33.9
	Ngazidja	16.8	2887	40.6	20.3	12.8	12.4	16.1	32.0
Milieu de Residence	Urbain	18.7	1014	39.6	25.9	16.7	25.4	22.5	47.1
	Rural	18.2	3856	38.7	17.1	15.2	16.6	13.9	32.7
Age	< 6 Mois	19.7	469	62.5	15.7	13.4	13.9	18.9	26.5
	6-11 Mois	29.8	457	68.2	18.3	12.6	13.2	18.3	30.9
	12-23 Mois	23.8	956	48.7	17.1	13.5	21.3	14.2	34.2
	24-35 Mois	19.0	979	22.5	23.8	19.2	22.0	17.6	42.2
	36-47 Mois	12.3	1062	17.1	21.2	14.6	18.6	14.5	42.4
	48-59 Mois	12.2	942	16.0	15.9	18.3	17.3	10.4	33.3
Niveau d'éducation de la mère	Aucun	19.7	3264	35.9	18.5	14.1	17.4	13.2	35.9
	Primaire	15.1	746	55.9	20.0	13.6	15.4	17.0	36.1
	Secondaire	14.7	697	40.5	22.5	21.7	24.3	26.4	41.2
	Programme non-formel	22.8	95	21.8	15.9	32.7	47.7	42.7	13.5
	Manquant	16.1	67	55.6	11.2	21.3	.0	.0	21.3
Total		18.3	4870	38.9	19.0	15.5	18.5	15.7	35.8

World Summit for Children Goal => Number 23

**Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Comores, 2000**

		Any recommende d treatment	No treatment	Number of children with diarrhea
				1.00
Wealth Index Quintiles	Poorest	73.9	26.1	205
	Second	80.4	19.6	205
	Middle	76.9	23.1	184
	Fourth	75.8	24.2	167
	Richest	78.7	21.3	129
Sexe	Masculin	75.9	24.1	497
	Féminin	78.5	21.5	393
Ile	Mwali	92.1	7.9	64
	Ndzuwani	75.1	24.9	340
	Ngazidja	76.4	23.6	486
Milieu de Residence	Urbain	83.3	16.7	190
	Rural	75.4	24.6	700
Age	< 6 Mois	80.5	19.5	92
	6-11 Mois	85.6	14.4	136
	12-23 Mois	79.1	20.9	228
	24-35 Mois	78.9	21.1	186
	36-47 Mois	67.5	32.5	131
	48-59 Mois	67.5	32.5	115
Niveau d'éducation de la mère	Aucun	74.5	25.5	642
	Primaire	82.9	17.1	113
	Secondaire	84.1	15.9	102
	Programme non-formel	88.6	11.4	22
	Manquant	77.5	22.5	11
Total		77.0	23.0	890

World Summit for Children Goal => Number 23

**Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Comores, 2000**

		A eu la diarrhée au cours des 2 dernières semaines	Number of children under 5	Drinking during diarrhea			Total	Eating during diarrhea		
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK
Wealth Index Quintiles	Poorest	20.4	1004	43.9	34.4	21.7	100.0	50.6	43.0	6.3
	Second	21.4	958	41.6	41.2	17.2	100.0	52.6	42.8	4.7
	Middle	18.6	992	29.5	45.2	25.2	100.0	54.6	36.6	8.8
	Fourth	17.0	980	40.5	43.0	16.5	100.0	55.6	39.1	5.4
	Richest	13.8	935	31.2	41.9	26.8	100.0	48.3	47.0	4.7
Sexe	Masculin	19.7	2529	40.7	39.2	20.1	100.0	53.6	41.3	5.0
	Féminin	16.8	2341	34.4	43.1	22.5	100.0	51.0	41.7	7.3
Ile	Mwali	17.1	374	68.5	26.5	4.9	100.0	74.4	23.6	2.0
	Ndzuwani	21.1	1609	36.3	39.3	24.4	100.0	53.3	40.9	5.8
	Ngazidja	16.8	2887	35.0	43.9	21.1	100.0	49.0	44.2	6.7
Milieu de Residence	Urbain	18.7	1014	53.1	28.1	18.8	100.0	63.9	32.3	3.8
	Rural	18.2	3856	33.8	44.3	21.8	100.0	49.4	44.0	6.6
Age	< 6 Mois	19.7	469	34.2	49.7	16.1	100.0	52.6	38.5	9.0
	6-11 Mois	29.8	457	31.6	48.2	20.2	100.0	49.4	47.1	3.5
	12-23 Mois	23.8	956	34.4	45.7	19.9	100.0	52.7	41.1	6.3
	24-35 Mois	19.0	979	44.5	36.6	18.9	100.0	50.8	46.1	3.1
	36-47 Mois	12.3	1062	38.4	36.6	25.0	100.0	49.9	39.7	10.4
	48-59 Mois	12.2	942	44.4	26.8	28.8	100.0	61.9	32.0	6.1
Niveau d'éducation de la mère	Aucun	19.7	3264	37.7	39.5	22.8	100.0	53.3	39.9	6.8
	Primaire	15.1	746	41.7	45.9	12.4	100.0	49.2	48.1	2.7
	Secondaire	14.7	697	39.9	39.6	20.5	100.0	52.4	42.3	5.3
	Programme non-formel	22.8	95	10.9	66.8	22.3	100.0	54.7	37.1	8.2
	Manquant	16.1	67	44.4	33.1	22.5	100.0	32.5	67.5	.0
Total		18.3	4870	37.9	40.9	21.2	100.0	52.5	41.5	6.0

World Summit for Children Goal => Number 23

**Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Comores, 2000**

			Received increased fluids and continued eating	Number of children with diarrhea
		Total		1.00
Wealth Index Quintiles	Poorest	100.0	24.9	205
	Second	100.0	22.8	205
	Middle	100.0	16.3	184
	Fourth	100.0	25.6	167
	Richest	100.0	19.9	129
Sexe	Masculin	100.0	23.8	497
	Féminin	100.0	19.8	393
Ile	Mwali	100.0	53.8	64
	Ndzuwani	100.0	21.1	340
	Ngazidja	100.0	18.5	486
Milieu de Residence	Urbain	100.0	42.2	190
	Rural	100.0	16.6	700
Age	< 6 Mois	100.0	19.5	92
	6-11 Mois	100.0	18.9	136
	12-23 Mois	100.0	21.3	228
	24-35 Mois	100.0	21.6	186
	36-47 Mois	100.0	25.2	131
	48-59 Mois	100.0	26.7	115
Niveau d'éducation de la mère	Aucun	100.0	22.2	642
	Primaire	100.0	23.8	113
	Secondaire	100.0	21.4	102
	Programme non-formel	100.0	10.9	22
	Manquant	100.0	21.9	11
Total		100.0	22.0	890

World Summit for Children Goal => Number 23

**Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Comores, 2000**

		A eu un IRA	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Mobile/outreach
Wealth Index Quintiles	Poorest	9.8	1004	25.6	10.6	5.9	4.3	.0	.0
	Second	12.3	958	26.1	22.3	7.9	6.5	1.4	.0
	Middle	10.6	992	30.8	14.2	2.3	6.6	.0	2.7
	Fourth	10.3	980	23.7	10.1	7.0	1.6	1.7	.0
	Richest	7.4	935	31.5	8.3	6.6	1.1	.0	.7
Sexe	Masculin	10.7	2529	30.4	10.8	5.3	4.8	.6	.6
	Féminin	9.5	2341	23.4	17.3	6.6	3.8	.7	.7
Ile	Mwali	8.8	374	51.8	7.7	.0	3.9	.0	.0
	Ndzuwani	12.3	1609	23.2	13.9	11.6	6.8	.6	.6
	Ngazidja	9.0	2887	27.3	14.4	2.3	2.5	.9	.9
Milieu de Residence	Urbain	8.1	1014	42.8	10.5	2.7	1.5	1.2	1.2
	Rural	10.6	3856	24.2	14.4	6.5	4.9	.6	.6
Age	< 6 Mois	11.9	469	19.3	9.4	6.2	9.5	.0	.0
	6-11 Mois	15.0	457	38.0	17.4	5.1	5.9	1.7	.0
	12-23 Mois	11.0	956	21.8	15.3	5.5	3.5	1.2	.0
	24-35 Mois	9.8	979	32.5	12.8	6.1	2.4	.5	1.8
	36-47 Mois	9.4	1062	29.8	14.8	7.3	2.3	.5	1.1
	48-59 Mois	7.1	942	20.5	10.7	4.7	5.5	.0	.8
Niveau d'éducation de la mère	Aucun	11.3	3264	22.9	13.7	6.6	2.7	.5	.8
	Primaire	8.6	746	36.2	4.7	3.7	4.7	1.8	.0
	Secondaire	6.6	697	41.5	20.3	5.3	5.3	1.1	1.1
	Programme non-formel	10.9	95	67.3	33.3	.0	56.2	.0	.0
	Manquant	1.7	67	.0	100.0	.0	.0	.0	.0
Total		10.1	4870	27.3	13.7	5.9	4.3	.7	.7

World Summit for Children Goal => Number 24

**Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Comores, 2000**

		Private physician	Traditional healer	Other	Any appropriate provider	Number of children with ARI	
							1.00
Wealth Index Quintiles	Poorest	.6	9.1	15.2	41.6	98	
	Second	1.0	7.8	12.6	57.6	118	
	Middle	2.7	8.7	4.4	47.7	105	
	Fourth	2.9	8.2	8.5	41.1	101	
	Richest	15.0	1.7	16.0	57.2	69	
Sexe	Masculin	3.2	7.2	11.2	48.6	269	
	Féminin	4.2	7.8	10.8	49.1	222	
Ile	Mwali	1.9	3.9	13.5	61.4	33	
	Ndzuwani	2.9	15.4	13.9	47.6	198	
	Ngazidja	4.4	1.9	8.5	48.2	261	
Milieu de Residence	Urbain	11.1	3.6	4.5	63.8	82	
	Rural	2.2	8.2	12.3	45.8	409	
Age	< 6 Mois	3.0	10.5	12.9	40.3	56	
	6-11 Mois	.7	3.4	8.8	63.5	68	
	12-23 Mois	4.8	7.9	14.0	50.3	105	
	24-35 Mois	7.8	9.2	5.6	49.0	96	
	36-47 Mois	2.7	4.9	14.2	46.5	100	
	48-59 Mois	.8	9.8	10.0	41.9	67	
Niveau d'éducation de la mère	Aucun	2.1	7.6	10.4	45.0	369	
	Primaire	1.6	2.9	9.4	51.4	65	
	Secondaire	9.9	.0	12.8	70.6	46	
	Programme non-formel	44.5	56.2	38.2	67.3	10	
	Manquant	.0	100.0	.0	100.0	1	
Total	3.7	7.5	11.0	48.8	491		

World Summit for Children Goal => Number 24

**Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Comores, 2000**

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	45.7	1004	39.1	49.2	11.7	100.0
	Second	52.7	958	37.6	53.0	9.3	100.0
	Middle	47.4	992	32.5	56.2	11.2	100.0
	Fourth	44.9	980	37.8	54.4	7.8	100.0
	Richest	40.8	935	36.0	52.5	11.5	100.0
Sexe	Masculin	47.2	2529	39.0	50.6	10.4	100.0
	Féminin	45.3	2341	34.0	55.9	10.2	100.0
Ile	Mwali	49.9	374	45.1	51.9	3.0	100.0
	Ndzuwani	45.9	1609	34.9	51.6	13.5	100.0
	Ngazidja	46.1	2887	36.4	54.1	9.5	100.0
Milieu de Residence	Urbain	44.9	1014	42.7	48.5	8.8	100.0
	Rural	46.7	3856	35.1	54.3	10.6	100.0
Age	< 6 Mois	46.8	469	29.5	62.2	8.3	100.0
	6-11 Mois	61.2	457	32.0	57.6	10.5	100.0
	12-23 Mois	54.2	956	33.4	56.5	10.1	100.0
	24-35 Mois	46.6	979	44.7	44.5	10.9	100.0
	36-47 Mois	40.6	1062	36.4	54.9	8.7	100.0
	48-59 Mois	36.9	942	39.2	47.9	12.9	100.0
Niveau d'éducation de la mère	Aucun	47.1	3264	36.7	52.0	11.3	100.0
	Primaire	45.4	746	40.1	53.3	6.6	100.0
	Secondaire	44.4	697	36.5	55.0	8.5	100.0
	Programme non-formel	42.5	95	8.7	73.5	17.8	100.0
	Manquant	46.1	67	34.3	57.8	7.9	100.0
Total		46.3	4870	36.6	53.1	10.3	100.0

Monitoring IMCI and Malaria Indicator

**Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Comores, 2000**

		Eating during illness			Total	Received increased fluids and continued eating	Number of sick children
		somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth Index Quintiles	Poorest	53.0	41.7	5.3	100.0	20.9	459
	Second	57.7	39.2	3.1	100.0	21.7	505
	Middle	55.7	39.6	4.7	100.0	18.3	470
	Fourth	58.2	38.3	3.5	100.0	23.1	440
	Richest	59.8	36.9	3.3	100.0	22.8	382
Sexe	Masculin	59.4	37.0	3.6	100.0	23.2	1195
	Féminin	53.8	41.7	4.4	100.0	19.2	1062
Ile	Mwali	69.9	29.0	1.0	100.0	32.9	187
	Ndzuwani	58.3	36.9	4.8	100.0	20.6	738
	Ngazidja	54.1	42.0	3.9	100.0	20.1	1332
Milieu de Residence	Urbain	64.5	32.9	2.6	100.0	30.8	455
	Rural	54.8	40.8	4.3	100.0	18.9	1801
Age	< 6 Mois	49.1	42.7	8.2	100.0	14.6	220
	6-11 Mois	54.4	42.8	2.8	100.0	17.8	280
	12-23 Mois	55.3	41.3	3.5	100.0	19.2	518
	24-35 Mois	57.6	38.4	4.0	100.0	24.9	457
	36-47 Mois	58.0	38.0	4.0	100.0	22.7	431
	48-59 Mois	63.6	33.4	3.0	100.0	25.4	348
Niveau d'éducation de la mère	Aucun	56.9	38.8	4.4	100.0	21.4	1536
	Primaire	57.2	40.7	2.1	100.0	24.3	339
	Secondaire	57.7	38.9	3.4	100.0	20.7	309
	Programme non-formel	49.6	37.3	13.1	100.0	5.9	40
	Manquant	47.5	52.5	.0	100.0	13.2	31
Total		56.8	39.2	4.0	100.0	21.3	2256

Monitoring IMCI and Malaria Indicator

**Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Comores, 2000**

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly
Wealth Index Quintiles	Poorest	13.2	39.6	45.3	11.0	14.9	12.8	9.3
	Second	9.8	42.0	48.6	13.4	14.1	15.3	8.3
	Middle	12.2	36.4	48.0	10.0	17.1	14.0	7.0
	Fourth	13.6	35.3	53.1	13.5	15.1	15.4	8.9
	Richest	14.0	31.7	57.2	14.8	18.2	16.7	8.9
Ile	Mwali	27.2	56.4	53.7	31.1	35.8	30.7	30.0
	Ndzuwani	17.6	34.9	46.2	14.0	17.2	17.4	10.3
	Ngazidja	8.9	35.3	52.6	10.0	13.3	12.1	5.4
Milieu de Residence	Urbain	16.5	39.8	57.3	17.8	20.6	21.9	11.6
	Rural	10.9	35.2	47.8	10.2	13.9	11.7	7.1
Niveau d'éducation de la mère	Aucun	12.5	37.3	48.5	12.8	16.4	14.7	7.8
	Primaire	10.6	35.6	53.1	9.6	12.5	13.0	7.8
	Secondaire	16.3	36.6	58.9	16.2	19.0	19.8	11.6
	Programme non-formel	7.0	25.4	36.6	5.6	8.5	1.4	12.7
	Manquant	7.0	39.5	48.8	7.0	14.0	7.0	2.3
Total		12.7	36.7	50.8	12.7	16.0	14.9	8.5

Monitoring IMCI and Malaria Indicator

**Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Comores, 2000**

		Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	29.2	689
	Second	30.5	666
	Middle	28.7	673
	Fourth	26.9	740
	Richest	29.7	873
Ile	Mwali	54.5	257
	Ndzuwani	29.6	1034
	Ngazidja	25.9	2350
Milieu de Residence	Urbain	33.9	1162
	Rural	26.7	2479
Niveau d'éducation de la mère	Aucun	28.6	2297
	Primaire	27.5	593
	Secondaire	34.4	637
	Programme non-formel	9.9	71
	Manquant	20.9	43
Total		29.0	3641

Monitoring IMCI and Malaria Indicator

**Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Comores, 2000**

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	1.00
Wealth Index Quintiles	Poorest	23.4	73.6	3.0	5.0	94.4	.6	1001
	Second	25.6	69.6	4.8	6.0	92.6	1.5	951
	Middle	32.8	64.1	3.1	7.0	90.4	2.5	988
	Fourth	40.9	55.6	3.5	9.1	88.7	2.1	977
	Richest	60.6	36.8	2.6	19.9	77.4	2.8	931
Sexe	Masculin	37.3	59.3	3.5	9.3	88.8	1.9	2517
	Féminin	35.5	61.2	3.3	9.3	88.9	1.8	2330
Ile	Mwali	65.8	34.2	.0	14.5	84.3	1.2	374
	Ndzuwani	29.9	67.5	2.6	3.9	93.5	2.6	1601
	Ngazidja	36.2	59.5	4.3	11.6	86.8	1.6	2872
Milieu de Residence	Urbain	56.8	41.2	2.0	16.8	80.7	2.5	1010
	Rural	31.1	65.2	3.8	7.3	90.9	1.7	3837
Age	< 6 Mois	53.6	44.4	2.0	11.6	84.8	3.6	467
	6-11 Mois	50.8	45.8	3.4	11.2	86.1	2.7	456
	12-23 Mois	42.5	54.3	3.2	11.3	86.6	2.1	947
	24-35 Mois	36.0	60.1	3.9	8.9	89.3	1.8	977
	36-47 Mois	30.6	66.4	3.0	9.1	90.2	.8	1055
	48-59 Mois	21.7	74.3	4.0	5.7	92.4	1.8	940
Total		36.4	60.2	3.4	9.3	88.8	1.9	4841

Monitoring IMCI and Malaria Indicator

**Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Comores, 2000**

		A eu de la fièvre au cours des 2 dernières semaines	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Other	Don't know
Wealth Index	Poorest	29.8	1004	58.2	48.4	4.3	11.0	1.5
Quintiles	Second	33.9	958	68.5	66.6	3.7	8.8	.5
	Middle	33.0	992	64.9	60.3	3.9	11.2	1.3
	Fourth	29.9	980	61.2	67.4	3.7	13.9	2.8
	Richest	28.5	935	67.7	64.6	4.3	13.3	2.6
Sexe	Masculin	30.5	2529	63.1	60.7	4.1	12.4	1.9
	Féminin	31.5	2341	65.2	62.2	3.8	10.6	1.5
Ile	Mwali	25.7	374	79.1	63.4	.7	36.6	.0
	Ndzuwani	31.0	1609	53.1	62.9	3.9	9.1	1.5
	Ngazidja	31.7	2887	68.5	60.5	4.4	10.2	2.0
Milieu de Residence	Urbain	25.0	1014	64.7	63.0	3.8	18.0	2.6
	Rural	32.6	3856	64.0	61.1	4.0	10.2	1.5
Age	< 6 Mois	30.2	469	55.4	55.6	2.0	14.3	3.3
	6-11 Mois	39.4	457	60.6	59.8	3.7	13.4	1.4
	12-23 Mois	36.4	956	66.0	62.8	2.9	9.1	.6
	24-35 Mois	31.8	979	64.2	63.4	4.6	12.5	2.3
	36-47 Mois	27.2	1062	63.0	62.3	3.9	12.7	1.6
	48-59 Mois	25.3	942	70.5	60.8	6.3	9.5	1.9
Niveau d'éducation de la mère	Aucun	31.4	3264	63.0	59.2	3.1	10.5	1.8
	Primaire	30.8	746	66.7	65.0	3.0	11.7	2.2
	Secondaire	30.0	697	67.6	66.2	5.2	17.2	1.1
	Programme non-formel	24.7	95	84.8	77.8	44.9	10.0	.0
	Manquant	32.2	67	35.4	66.3	.0	5.6	.0
Total		31.0	4870	64.1	61.5	4.0	11.5	1.7

Monitoring IMCI and Malaria Indicator

**Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Comores, 2000**

		Any appropriate anti-malarial drug	Number of children with fever
			1.00
Wealth Index Quintiles	Poorest	51.2	299
	Second	67.5	324
	Middle	60.7	327
	Fourth	67.9	293
	Richest	66.3	266
Sexe	Masculin	62.2	772
	Féminin	63.1	738
Ile	Mwali	64.0	96
	Ndzuwani	63.8	498
	Ngazidja	61.9	916
Milieu de Residence	Urbain	65.2	254
	Rural	62.1	1257
Age	< 6 Mois	55.6	142
	6-11 Mois	61.5	180
	12-23 Mois	63.8	348
	24-35 Mois	64.7	311
	36-47 Mois	64.0	289
	48-59 Mois	62.0	238
Niveau d'éducation de la mère	Aucun	60.3	1026
	Primaire	66.2	230
	Secondaire	68.1	209
	Programme non-formel	77.8	24
	Manquant	66.3	22
Total		62.7	1510

Monitoring IMCI and Malaria Indicator

**Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Comores, 2000**

		Connaissanc e VIH/SIDA	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women 1.00
Wealth Index Quintiles	Poorest	85.7	31.9	30.1	23.0	39.1	60.9	994
	Second	84.3	37.9	36.1	29.3	44.8	55.2	1003
	Middle	85.7	37.7	33.9	27.5	44.1	55.9	1059
	Fourth	88.5	43.9	40.9	32.9	51.9	48.1	1056
	Richest	91.1	50.2	49.8	40.3	59.8	40.2	1130
Ile	Mwali	98.8	53.0	44.7	38.2	59.5	40.5	381
	Ndzuwani	80.3	22.6	21.6	16.6	27.6	72.4	1594
	Ngazidja	89.2	47.9	46.0	36.9	57.0	43.0	3267
Milieu de Residence	Urbain	93.4	44.9	43.7	34.1	54.6	45.4	1179
	Rural	85.4	39.3	36.9	29.9	46.4	53.6	4063
Age	15-19	85.0	36.0	35.5	27.4	44.1	55.9	1157
	20-24	90.2	49.5	46.6	39.3	56.7	43.3	981
	25-29	89.7	44.0	42.8	33.3	53.6	46.4	982
	30-34	88.4	42.6	39.9	32.4	50.0	50.0	815
	35-39	87.2	38.3	34.4	28.9	43.9	56.1	667
	40-44	80.7	34.5	30.6	23.0	42.2	57.8	365
	45-49	81.2	23.7	22.1	16.2	29.6	70.4	274
Niveau d'éducation de la femme	Aucun	83.5	32.5	29.8	23.4	38.9	61.1	3005
	Primaire	90.1	46.2	44.6	36.3	54.5	45.5	994
	Secondaire et +	95.6	59.5	57.4	47.6	69.3	30.7	1087
	Programme non-formel	82.2	23.4	27.2	16.9	33.7	66.3	92
	Manquant	75.9	37.6	42.5	28.4	51.7	48.3	64
Total		87.2	40.6	38.5	30.8	48.2	51.8	5242

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Comores, 2000

		Connaissanc e VIH/SIDA	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Numb er of wome n
									1.00
Wealth Index Quintiles	Poorest	85.7	31.9	30.1	29.0	17.0	42.1	57.9	994
	Second	84.3	37.9	36.1	32.2	20.8	46.8	53.2	1003
	Middle	85.7	37.7	33.9	28.1	17.0	46.7	53.3	1059
	Fourth	88.5	43.9	40.9	32.5	20.6	54.3	45.7	1056
	Richest	91.1	50.2	49.8	42.6	28.8	63.7	36.3	1130
Ile	Mwali	98.8	53.0	44.7	49.7	32.1	63.1	36.9	381
	Ndzuwani	80.3	22.6	21.6	17.7	10.3	29.9	70.1	1594
	Ngazidja	89.2	47.9	46.0	38.6	25.0	59.9	40.1	3267
Milieu de Residence	Urbain	93.4	44.9	43.7	39.7	25.1	58.3	41.7	1179
	Rural	85.4	39.3	36.9	31.1	19.8	48.9	51.1	4063
Age	15-19	85.0	36.0	35.5	29.6	18.5	46.7	53.3	1157
	20-24	90.2	49.5	46.6	40.1	28.6	59.0	41.0	981
	25-29	89.7	44.0	42.8	36.2	22.5	56.1	43.9	982
	30-34	88.4	42.6	39.9	33.9	21.6	53.1	46.9	815
	35-39	87.2	38.3	34.4	29.7	19.4	47.2	52.8	667
	40-44	80.7	34.5	30.6	33.8	16.9	46.2	53.8	365
	45-49	81.2	23.7	22.1	15.6	6.9	32.8	67.2	274
Niveau d'éducation de la femme	Aucun	83.5	32.5	29.8	27.0	16.3	41.5	58.5	3005
	Primaire	90.1	46.2	44.6	36.5	23.8	57.5	42.5	994
	Secondaire et +	95.6	59.5	57.4	47.5	32.3	72.9	27.1	1087
	Programme non-formel	82.2	23.4	27.2	23.3	10.6	34.9	65.1	92
	Manquant	75.9	37.6	42.5	35.8	22.7	51.7	48.3	64
Total		87.2	40.6	38.5	33.1	21.0	51.0	49.0	5242

Monitoring HIV/AIDS Indicator

Table 30b: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Comores, 2000, 2000

		Connaissanc e VIH/SIDA	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Numb er of wome n 1.00
Wealth Index Quintiles	Poorest	81.6	28.7	28.5	25.2	14.3	39.6	60.4	207
	Second	81.6	34.0	35.8	31.8	20.5	44.9	55.1	226
	Middle	86.1	35.2	30.6	25.3	16.8	41.4	58.6	259
	Fourth	84.8	39.8	36.3	25.8	16.3	49.1	50.9	253
	Richest	91.0	41.9	46.9	41.7	25.2	59.1	40.9	212
Ile	Mwali	100.0	48.6	45.5	46.7	34.2	60.5	39.5	100
	Ndzuwani	76.4	17.8	17.2	15.5	9.6	24.2	75.8	444
	Ngazidja	88.8	47.1	47.0	37.1	22.4	60.6	39.4	614
Milieu de Residence	Urbain	92.0	40.5	37.6	35.7	24.4	52.9	47.1	249
	Rural	83.1	34.8	34.9	28.0	16.9	45.0	55.0	908
Age	15-19	85.0	36.0	35.5	29.6	18.5	46.7	53.3	1157
Niveau d'éducation de la femme	Aucun	79.9	26.8	25.8	21.1	13.7	35.2	64.8	433
	Primaire	84.7	36.0	33.3	28.1	18.5	44.4	55.6	339
	Secondaire et +	94.4	50.2	52.0	42.8	25.9	65.9	34.1	343
	Programme non-formel	65.7	6.5	15.8	18.1	4.2	18.1	81.9	26
	Manquant	59.3	29.7	21.8	29.7	13.9	37.5	62.5	16
Total		85.0	36.0	35.5	29.6	18.5	46.7	53.3	1157

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Comores, 2000

		Connaissanc e VIH/SIDA	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconcep tions	Knows at least one misconcep tion	Doesn't correctly identify any misconcepti on	Number of women 1.00
Wealth Index Quintiles	Poorest	85.7	33.1	18.8	47.3	10.2	58.0	42.0	994
	Second	84.3	35.4	22.8	47.3	13.3	59.3	40.7	1003
	Middle	85.7	36.8	22.7	51.0	14.5	61.5	38.5	1059
	Fourth	88.5	42.4	27.6	53.6	17.6	65.3	34.7	1056
	Richest	91.1	52.5	34.3	65.7	23.1	77.9	22.1	1130
Ile	Mwali	98.8	58.8	33.3	55.5	18.9	79.2	20.8	381
	Ndzuwani	80.3	22.2	20.7	35.4	11.0	43.9	56.1	1594
	Ngazidja	89.2	47.1	26.9	61.7	18.0	73.2	26.8	3267
Milieu de Residence	Urbain	93.4	53.2	35.2	63.3	23.9	76.8	23.2	1179
	Rural	85.4	36.6	22.6	50.3	13.6	61.2	38.8	4063
Age	15-19	85.0	38.2	26.0	51.5	16.0	62.2	37.8	1157
	20-24	90.2	44.4	28.2	58.6	17.2	70.3	29.7	981
	25-29	89.7	44.8	28.2	58.1	16.9	71.7	28.3	982
	30-34	88.4	44.0	27.2	56.7	18.3	67.3	32.7	815
	35-39	87.2	37.1	22.4	49.9	15.0	59.9	40.1	667
	40-44	80.7	34.5	19.3	46.0	12.9	56.9	43.1	365
	45-49	81.2	23.4	14.1	32.1	6.4	44.9	55.1	274
Niveau d'éducation de la femme	Aucun	83.5	31.6	19.3	44.3	10.9	55.0	45.0	3005
	Primaire	90.1	44.2	24.9	60.0	14.7	72.2	27.8	994
	Secondaire et +	95.6	62.4	43.5	73.5	31.2	86.7	13.3	1087
	Programme non-formel	82.2	20.3	17.6	35.3	9.8	42.5	57.5	92
	Manquant	75.9	46.7	29.1	54.2	20.5	60.9	39.1	64
Total		87.2	40.3	25.5	53.3	15.9	64.7	35.3	5242

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Comores, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00
Wealth Index Quintiles	Poorest	53.7	49.5	44.9	40.4	35.5	47.7	994
	Second	45.6	42.2	38.6	37.1	32.2	54.9	1003
	Middle	51.1	46.4	40.2	39.2	30.9	49.6	1059
	Fourth	53.7	50.3	42.8	40.7	33.0	46.8	1056
	Richest	58.9	54.3	49.6	43.3	37.0	41.7	1130
Ile	Mwali	73.3	71.6	66.3	67.4	61.2	26.9	381
	Ndzuwani	39.2	34.6	30.1	29.8	22.1	61.8	1594
	Ngazidja	56.9	52.9	47.1	42.1	36.2	43.8	3267
Milieu de Residence	Urbain	61.0	58.0	52.4	48.9	41.5	38.8	1179
	Rural	50.3	46.0	40.7	37.7	31.5	50.7	4063
Age	15-19	49.3	45.3	40.3	39.4	32.4	51.6	1157
	20-24	57.4	52.4	46.3	42.8	36.2	44.2	981
	25-29	55.2	51.4	44.7	40.2	33.3	44.6	982
	30-34	57.7	52.4	48.7	43.7	37.2	43.6	815
	35-39	51.6	49.2	43.0	39.8	33.7	48.7	667
	40-44	44.8	42.6	38.3	37.0	32.2	54.8	365
	45-49	40.4	35.4	32.3	29.5	24.0	61.0	274
Niveau d'éducation de la femme	Aucun	46.6	43.1	38.0	36.2	30.0	53.9	3005
	Primaire	58.5	53.0	46.5	45.0	38.4	43.1	994
	Secondaire et +	65.9	62.1	56.7	49.0	41.6	33.8	1087
	Programme non-formel	44.9	36.5	33.3	28.3	23.8	62.2	92
	Manquant	37.9	33.5	30.5	23.7	19.2	64.8	64
Total		52.7	48.7	43.3	40.2	33.8	48.0	5242

Monitoring HIV/AIDS Indicator

**Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS (HA13/HA14=2or 9) Comores, 2000**

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women
						1.00
Wealth Index Quintiles	Poorest	54.2	59.3	63.0	37.0	994
	Second	43.2	50.1	54.2	45.8	1003
	Middle	44.8	50.6	54.0	46.0	1059
	Fourth	42.0	48.7	54.3	45.7	1056
	Richest	40.8	47.3	53.5	46.5	1130
Ile	Mwali	64.4	78.8	82.2	17.8	381
	Ndzuwani	42.9	53.0	56.2	43.8	1594
	Ngazidja	43.5	46.8	52.4	47.6	3267
Milieu de Residence	Urbain	47.1	58.2	63.2	36.8	1179
	Rural	44.2	48.9	53.5	46.5	4063
Age	15-19	43.0	49.8	53.8	46.2	1157
	20-24	46.5	52.1	56.5	43.5	981
	25-29	42.5	47.8	52.9	47.1	982
	30-34	46.9	52.7	58.6	41.4	815
	35-39	46.0	52.2	56.6	43.4	667
	40-44	46.5	52.7	57.4	42.6	365
	45-49	44.2	53.8	57.8	42.2	274
Niveau d'éducation de la femme	Aucun	47.2	53.7	57.6	42.4	3005
	Primaire	49.6	53.2	59.5	40.5	994
	Secondaire et +	35.3	43.1	48.2	51.8	1087
	Programme non-formel Manquant	34.1	41.7	45.5	54.5	92
Total	37.6	37.5	51.1	48.9	64	
		44.9	51.0	55.7	44.3	5242

Monitoring HIV/AIDS Indicator

**Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Comores, 2000**

		Connaissanc e VIH/SIDA	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconception s about HIV transmission	Have sufficient knowledge	Number of women 1.00
Wealth Index Quintiles	Poorest	85.7	17.0	10.2	4.3	994
	Second	84.3	20.8	13.3	6.5	1003
	Middle	85.7	17.0	14.5	5.2	1059
	Fourth	88.5	20.6	17.6	7.5	1056
	Richest	91.1	28.8	23.1	9.7	1130
Ile	Mwali	98.8	32.1	18.9	7.9	381
	Ndzuwani	80.3	10.3	11.0	3.9	1594
	Ngazidja	89.2	25.0	18.0	7.9	3267
Milieu de Residence	Urbain	93.4	25.1	23.9	9.3	1179
	Rural	85.4	19.8	13.6	5.9	4063
Age	15-19	85.0	18.5	16.0	5.9	1157
	20-24	90.2	28.6	17.2	7.8	981
	25-29	89.7	22.5	16.9	6.9	982
	30-34	88.4	21.6	18.3	7.7	815
	35-39	87.2	19.4	15.0	7.2	667
	40-44	80.7	16.9	12.9	5.8	365
	45-49	81.2	6.9	6.4	2.6	274
Niveau d'éducation de la femme	Aucun	83.5	16.3	10.9	4.9	3005
	Primaire	90.1	23.8	14.7	6.0	994
	Secondaire et +	95.6	32.3	31.2	12.5	1087
	Programme non-formel	82.2	10.6	9.8	1.4	92
	Manquant	75.9	22.7	20.5	9.3	64
Total		87.2	21.0	15.9	6.7	5242

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Comores, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women 1.00
Wealth Index Quintiles	Poorest	25.0	6.7	73.8	994
	Second	25.5	7.8	74.0	1003
	Middle	30.5	9.7	69.4	1059
	Fourth	31.8	11.1	79.5	1056
	Richest	42.1	20.7	80.3	1130
Ile	Mwali	50.7	10.3	80.3	381
	Ndzuwani	23.6	4.8	62.1	1594
	Ngazidja	32.7	14.8	78.7	3267
Milieu de Residence	Urbain	42.8	18.2	84.2	1179
	Rural	27.9	9.5	72.6	4063
Age	15-19	24.9	5.6	64.9	1157
	20-24	35.0	12.0	79.0	981
	25-29	33.8	14.0	80.5	982
	30-34	36.6	16.3	80.6	815
	35-39	33.7	15.4	75.9	667
	40-44	24.7	8.1	65.0	365
	45-49	22.8	4.9	69.3	274
Niveau d'éducation de la femme	Aucun	25.3	8.2	71.6	3005
	Primaire	31.6	12.8	72.5	994
	Secondaire et +	47.6	19.5	85.1	1087
	Programme non-formel	29.5	3.9	34.3	92
	Manquant	28.4	13.5	100.0	64
Total		31.3	11.4	76.7	5242

Monitoring HIV/AIDS Indicator

**Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Comores, 2000**

		Current method								
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Implants	Condom	Female condom
Wealth Index Quintiles	Poorest	79.1	.7	.0	5.3	.4	9.3	.5	.4	.0
	Second	77.7	.1	.0	7.9	.3	8.7	.6	.3	.0
	Middle	75.2	.5	.0	7.9	.5	8.1	.3	1.1	.0
	Fourth	72.7	.5	.1	9.6	.3	8.2	1.2	.8	.0
	Richest	67.0	1.8	.0	10.6	.4	8.2	.7	.9	.2
Ile	Mwali	77.3	.0	.0	3.4	.0	9.9	.7	.2	.0
	Ndzuwani	72.8	1.5	.1	8.9	1.1	6.9	1.5	.5	.0
	Ngazidja	74.6	.5	.0	8.6	.1	9.0	.3	.9	.0
Milieu de Residence	Urbain	66.3	1.5	.1	9.6	.6	9.9	1.2	1.5	.1
	Rural	76.5	.5	.0	7.9	.3	8.1	.5	.5	.0
Niveau d'éducation de la femme	Aucun	78.3	.4	.0	6.5	.4	7.7	.9	.3	.0
	Primaire	72.4	1.1	.0	8.2	.1	11.0	.1	1.2	.0
	Secondaire et +	62.3	1.5	.0	13.7	.3	8.6	.4	2.0	.0
	Programme non-formel	46.7	.0	.0	33.3	3.6	9.7	.0	.0	.0
	Manquant	67.6	4.4	.0	5.3	2.2	13.5	.0	.0	.0
Total		74.3	.7	.0	8.3	.4	8.5	.7	.7	.0

World Summit for Children Goal => Number 10

**Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Comores, 2000**

		Current method				Total	Any modern method	Any traditional method	Any method	Number of currently married women
		LAM	Periodic abstinence	Withdrawal	Other					1.00
Wealth Index Quintiles	Poorest	.8	2.6	.4	.6	100.0	16.5	4.4	20.9	653
	Second	1.2	1.8	.9	.6	100.0	17.9	4.5	22.3	682
	Middle	2.6	1.9	1.2	.6	100.0	18.5	6.3	24.8	697
	Fourth	2.3	2.1	1.5	.6	100.0	20.8	6.5	27.3	667
	Richest	1.1	5.8	2.0	1.2	100.0	22.8	10.2	33.0	695
Ile	Mwali	1.0	3.4	1.5	2.7	100.0	14.3	8.4	22.7	246
	Ndzuwani	1.8	3.3	.6	1.0	100.0	20.4	6.7	27.2	945
	Ngazidja	1.6	2.6	1.4	.3	100.0	19.4	6.0	25.4	2203
Milieu de Residence	Urbain	.6	5.1	2.1	1.3	100.0	24.5	9.1	33.7	737
	Rural	1.9	2.2	1.0	.5	100.0	17.9	5.6	23.5	2657
Niveau d'éducation de la femme	Aucun	1.9	1.9	.9	.7	100.0	16.3	5.5	21.7	2234
	Primaire	.9	2.5	1.6	.8	100.0	21.9	5.8	27.6	570
	Secondaire et +	1.4	7.2	2.0	.6	100.0	26.4	11.2	37.7	495
	Programme non-formel	.0	6.7	.0	.0	100.0	46.6	6.7	53.3	60
	Manquant	3.5	.0	3.5	.0	100.0	25.4	7.0	32.4	35
Total		1.6	2.9	1.2	.7	100.0	19.3	6.4	25.7	3393

World Summit for Children Goal => Number 10

**Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Comores, 2000**

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00
Wealth Index Quintiles	Poorest	36.3	5.0	1.5	42.8	255
	Second	43.1	2.2	.7	46.0	247
	Middle	39.8	1.8	2.1	43.7	268
	Fourth	36.4	3.8	2.1	42.3	252
	Richest	51.0	4.2	2.8	58.0	225
Ile	Mwali	50.9	6.1	2.7	59.7	89
	Ndzuwani	31.3	3.1	2.7	37.1	444
	Ngazidja	45.9	3.2	1.2	50.3	714
Milieu de Residence	Urbain	44.0	5.7	3.7	53.4	256
	Rural	40.3	2.8	1.3	44.4	992
Niveau d'éducation de la femme	Aucun	36.0	3.1	1.9	41.1	799
	Primaire	48.0	2.3	2.2	52.6	222
	Secondaire et +	51.7	6.4	1.2	59.4	189
	Programme non-formel	53.9	.0	.0	53.9	25
	Manquant	51.9	.0	.0	51.9	12
Total		41.1	3.4	1.8	46.3	1247

World Summit for Children Goal => Number 22

**Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Comores, 2000**

		Person delivering antenatal care						Total
		No antenatal care received	Doctor	Nurse/mid wife	Auxiliary midwife	Traditional birth attendant	Other/missing	
Wealth Index Quintiles	Poorest	16.0	5.2	45.0	11.0	18.5	4.2	100.0
	Second	9.5	4.1	60.1	10.2	13.0	3.1	100.0
	Middle	6.5	10.1	53.9	10.3	13.5	5.8	100.0
	Fourth	5.7	14.0	55.0	11.2	9.3	4.7	100.0
	Richest	5.8	13.8	55.7	12.8	8.2	3.7	100.0
Ile	Mwali	10.8	3.3	50.5	18.7	11.9	4.7	100.0
	Ndzuwani	15.2	6.3	47.6	10.6	15.2	5.1	100.0
	Ngazidja	4.4	12.1	58.1	10.4	11.1	3.9	100.0
Milieu de Residence	Urbain	8.8	6.8	62.0	12.5	4.6	5.2	100.0
	Rural	8.7	10.0	51.7	10.7	14.7	4.1	100.0
Niveau d'éducation de la femme	Aucun	11.3	7.3	51.8	9.8	15.8	4.0	100.0
	Primaire	4.4	12.1	58.2	14.9	6.5	3.9	100.0
	Secondaire et +	2.8	13.7	60.2	12.0	5.1	6.2	100.0
	Programme non-formel	9.6	22.3	38.5	11.4	11.1	7.1	100.0
	Manquant	10.3	.0	42.8	9.1	37.7	.0	100.0
Total		8.7	9.4	53.8	11.1	12.6	4.4	100.0

World Summit for Children Goals => Numbers 9, 11

**Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Comores, 2000**

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	61.3	255
	Second	74.3	247
	Middle	74.2	268
	Fourth	80.2	252
	Richest	82.3	225
Ile	Mwali	72.6	89
	Ndzuwani	64.5	444
	Ngazidja	80.6	714
Milieu de Residence	Urbain	81.3	256
	Rural	72.5	992
Niveau d'éducation de la femme	Aucun	68.9	799
	Primaire	85.2	222
	Secondaire et +	85.8	189
	Programme non-formel	72.3	25
	Manquant	51.9	12
Total		74.3	1247

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery  
Comores, 2000**

		Person assisting at delivery							Total
		Doctor	Nurse/mid wife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received	
Wealth Index Quintiles	Poorest	2.5	31.3	14.9	34.1	7.7	2.9	6.5	100.0
	Second	2.6	40.1	13.9	32.2	5.8	2.4	3.0	100.0
	Middle	2.3	45.0	12.2	25.6	9.5	3.4	2.0	100.0
	Fourth	5.5	47.5	15.6	20.7	4.3	3.9	2.5	100.0
	Richest	8.6	51.8	16.9	14.8	1.8	2.5	3.6	100.0
Ile	Mwali	3.3	39.1	26.2	28.7	2.0	.7	.0	100.0
	Ndzuwani	2.6	34.5	10.2	28.9	11.9	3.6	8.3	100.0
	Ngazidja	5.3	48.7	16.0	23.4	2.7	3.0	.9	100.0
Milieu de Residence	Urbain	7.2	53.7	18.1	10.0	3.1	3.5	4.5	100.0
	Rural	3.4	40.2	13.7	29.8	6.7	2.9	3.3	100.0
Niveau d'éducation de la femme	Aucun	2.5	35.7	14.8	31.8	7.8	3.0	4.5	100.0
	Primaire	6.4	53.8	14.5	18.7	3.2	2.9	.5	100.0
	Secondaire et +	7.3	62.1	13.9	9.7	1.3	3.2	2.6	100.0
	Programme non-formel	18.0	26.5	18.9	22.1	4.4	7.1	3.1	100.0
	Manquant	.0	61.1	10.3	9.1	9.1	.0	10.3	100.0
Total		4.2	43.0	14.6	25.7	5.9	3.0	3.5	100.0

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery  
Comores, 2000**

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	48.8	255
	Second	56.6	247
	Middle	59.5	268
	Fourth	68.6	252
	Richest	77.3	225
Ile	Mwali	68.6	89
	Ndzuwani	47.2	444
	Ngazidja	70.0	714
Milieu de Residence	Urbain	79.0	256
	Rural	57.4	992
Niveau d'éducation de la femme	Aucun	52.9	799
	Primaire	74.7	222
	Secondaire et +	83.2	189
	Programme non-formel	63.4	25
	Manquant	71.4	12
Total		61.8	1247

World Summit for Children Goal => Numbers 11

**Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Comores, 2000**

		Birth registered	DK if birth registered
Wealth Index Quintiles	Poorest	72.0	7.3
	Second	82.7	6.3
	Middle	82.1	7.4
	Fourth	88.4	4.4
	Richest	92.7	4.0
Sexe	Masculin	83.4	5.9
	Féminin	83.5	5.9
Ile	Mwali	77.0	2.4
	Ndzuwani	73.4	8.9
	Ngazidja	89.9	4.7
Milieu de Residence	Urbain	86.9	3.1
	Rural	82.5	6.6
Age	< 6 Mois	82.3	5.0
	6-11 Mois	84.8	3.2
	12-23 Mois	86.5	5.5
	24-35 Mois	83.8	6.0
	36-47 Mois	82.2	6.3
	48-59 Mois	81.2	7.5
Niveau d'éducation de la mère	Aucun	79.3	7.2
	Primaire	91.8	3.0
	Secondaire	94.6	2.8
	Programme non-formel	75.5	7.3
	Manquant	88.2	2.8
Total		83.4	5.9

Monitoring Children's Rights Indicator

**Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Comores, 2000**

		Registration status					
		Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other
Wealth Index Quintiles	Poorest	25.9	13.7	12.0	2.8	4.3	16.7
	Second	43.6	11.5	6.4	3.7	2.2	16.9
	Middle	29.8	17.4	17.1	6.7	.6	5.9
	Fourth	27.3	15.7	11.8	11.9	1.6	17.4
	Richest	45.5	27.0	.0	1.7	.0	10.3
Sexe	Masculin	31.9	14.1	12.3	4.4	2.6	16.0
	Féminin	31.3	16.1	9.9	5.6	2.4	12.5
Ile	Mwali	4.9	4.9	1.6	2.5	4.9	57.0
	Ndzuwani	39.4	12.8	12.9	5.9	3.3	5.7
	Ngazidja	30.7	24.3	12.7	4.4	.0	8.9
Milieu de Residence	Urbain	25.7	9.3	4.4	9.3	.0	28.8
	Rural	33.0	16.5	12.8	3.9	3.1	10.8
Age	< 6 Mois	40.4	20.8	4.1	5.1	1.1	9.3
	6-11 Mois	32.0	14.0	11.2	4.7	.0	11.3
	12-23 Mois	32.0	20.2	9.7	5.2	3.7	8.5
	24-35 Mois	26.1	9.7	15.1	4.0	3.1	20.4
	36-47 Mois	29.6	14.6	13.1	7.3	2.9	13.8
	48-59 Mois	33.3	13.7	10.5	2.9	2.7	18.4
Niveau d'éducation de la mère	Aucun	33.2	12.7	12.2	5.3	2.7	13.4
	Primaire	32.3	15.3	1.3	1.3	3.2	24.4
	Secondaire	9.8	15.6	13.5	3.5	.0	26.0
	Programme non-formel	15.2	54.0	7.6	7.6	.0	8.0
	Manquant	20.0	80.0	.0	.0	.0	.0
Total		31.6	15.1	11.1	4.9	2.5	14.3

Monitoring Children's Rights Indicator

**Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Comores, 2000**

		Registration status	Total	Number of children
		Reason DK or Missing		
Wealth Index Quintiles	Poorest	24.5	100.0	1004
	Second	15.6	100.0	958
	Middle	22.5	100.0	992
	Fourth	14.3	100.0	980
	Richest	15.6	100.0	935
Sexe	Masculin	18.7	100.0	2529
	Féminin	22.3	100.0	2341
Ile	Mwali	24.3	100.0	374
	Ndzuwani	20.2	100.0	1609
	Ngazidja	18.9	100.0	2887
Milieu de Residence	Urbain	22.5	100.0	1014
	Rural	19.9	100.0	3856
Age	< 6 Mois	19.3	100.0	469
	6-11 Mois	26.8	100.0	457
	12-23 Mois	20.7	100.0	956
	24-35 Mois	21.7	100.0	979
	36-47 Mois	18.8	100.0	1062
	48-59 Mois	18.5	100.0	942
Niveau d'éducation de la mère	Aucun	20.5	100.0	3264
	Primaire	22.3	100.0	746
	Secondaire	31.6	100.0	697
	Programme non-formel	7.6	100.0	95
	Manquant	.0	100.0	67
Total		20.4	100.0	4870

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Comores, 2000

		Living arrangement							
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive
Wealth Index Quintiles	Poorest	72.2	.3	.3	3.0	.5	15.7	2.4	.2
	Second	72.3	.1	.3	3.9	.6	13.0	2.6	.5
	Middle	72.1	.7	.5	4.3	.7	12.3	2.8	.8
	Fourth	69.5	.6	.2	5.9	.6	12.8	2.5	1.0
	Richest	66.2	.1	.5	7.8	1.3	9.4	2.8	1.8
Sexe	Masculin	71.3	.3	.3	4.5	.8	12.6	2.6	.9
	Féminin	69.8	.4	.4	5.3	.7	12.9	2.7	.8
Ile	Mwali	69.8	.4	.5	8.8	.4	13.8	3.0	1.8
	Ndzuwani	72.8	.4	.4	4.0	.7	12.5	1.5	1.2
	Ngazidja	69.5	.3	.3	4.8	.9	12.8	3.2	.5
Milieu de Residence	Urbain	69.9	.3	.7	7.5	.6	12.0	2.2	1.7
	Rural	70.8	.4	.3	4.2	.8	12.9	2.7	.6
Age	0-4 years	74.4	.2	.1	3.3	.5	10.8	1.6	.7
	5-9 years	71.4	.5	.3	4.8	.7	14.1	2.5	.7
	10-14 years	63.6	.5	.9	7.5	1.2	14.2	4.4	1.2
Total		70.6	.4	.4	4.9	.8	12.8	2.6	.8

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Comores, 2000

		Living arrangement		Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Living with father only: mother dead	Impossible to determine						
Wealth Index Quintiles	Poorest	.0	5.2	100.0	.3	4.2	3.6	3.9	2848
	Second	.1	6.6	100.0	.2	4.9	3.7	3.9	2735
	Middle	.1	5.7	100.0	.4	6.1	4.8	5.2	2777
	Fourth	.1	6.7	100.0	.2	7.4	4.1	4.3	2663
	Richest	.5	9.5	100.0	.1	9.8	5.2	5.3	2415
Sexe	Masculin	.1	6.5	100.0	.1	5.9	4.2	4.3	6951
	Féminin	.2	6.8	100.0	.4	6.9	4.4	4.8	6486
Ile	Mwali	.0	1.6	100.0	.0	10.1	4.3	4.3	1130
	Ndzuwani	.1	6.6	100.0	.2	5.4	3.0	3.1	4397
	Ngazidja	.2	7.5	100.0	.3	6.4	5.0	5.3	7910
Milieu de Residence	Urbain	.1	4.8	100.0	.1	9.1	3.9	4.0	2686
	Rural	.2	7.1	100.0	.3	5.7	4.3	4.6	10751
Age	0-4 years	.1	8.2	100.0	.2	4.2	2.6	2.8	5623
	5-9 years	.2	4.8	100.0	.2	6.3	4.1	4.3	4269
	10-14 years	.2	6.6	100.0	.4	10.0	7.1	7.5	3545
Total		.1	6.7	100.0	.2	6.4	4.3	4.5	13437

Monitoring Children's Rights Indicator

**Table 42a: Percentage of children 5-14 years of age who are currently working, Comores, 2000**

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	2.0	17.5	45.4	2.5	32.61	42.2	1702
	Second	2.1	11.5	42.5	2.1	28.49	36.7	1602
	Middle	1.2	13.6	43.4	1.7	30.59	38.8	1618
	Fourth	.6	13.0	44.5	1.9	24.73	31.6	1530
	Richest	.5	12.9	46.0	2.5	24.00	32.8	1363
Sexe	Masculin	1.9	14.2	39.1	1.2	27.58	35.5	4037
	Féminin	.7	13.4	49.9	3.2	29.07	38.0	3777
Ile	Mwali	.8	22.9	62.3	2.9	63.12	72.4	698
	Ndzuwani	2.8	13.0	39.8	1.7	26.26	35.9	2538
	Ngazidja	.6	12.9	44.1	2.3	24.13	31.7	4578
Milieu de Residence	Urbain	.3	11.1	51.5	2.8	32.22	38.4	1515
	Rural	1.6	14.4	42.6	2.0	27.36	36.3	6299
Age	5-9 years	.9	11.6	37.8	1.0	21.37	28.9	4269
	10-14 years	1.9	16.4	52.1	3.5	36.64	46.0	3545
Total		1.3	13.8	44.3	2.1	28.30	36.7	7814

Monitoring Children's Rights Indicator