

**WHO/UNICEF  
Review of National Immunization Coverage  
1980-2008**


---

***Cook Islands***

---

**July, 2009**

# Cook Islands



## Description of trend

Trend follows WHO officially reported data. No survey data available.

## Data presented in chart

Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980	29	29					
1981	44						
1982	59						
1983	74	74					
1984	60	98	98				
1985	99	92	92				
1986	87	84	84				
1987	89	99	99				
1988	90	99	99				
1989	94	90	90				
1990	99	100	100				
1991	96	96	96				
1992	94	92	92				
1993	94	92	92				
1994	99	99	99				
1995	96	92	92				
1996	90	90	90				
1997	84	85	85				
1998	99	98	98				
1999	74	97	97	74	74		
2000	99	100	100	100	100		
2001	99	98	98	100			
2002	95	98	98	95	95		
2003	99	100	100	100	100		
2004	99	102	102	102	102		
2005	99	104	104		104		
2006	99	102	102		102		
2007	99	106	106		106		
2008	99	100	100	100	100		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Cook Islands

## DTP1 (1980-2008)



### Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. The estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	65						
1981	71						
1982	75						
1983	80						
1984	72						
1985	92						
1986	95						
1987	94						
1988	97						
1989	96						
1990	97						
1991	95						
1992	95						
1993	99						
1994	95						
1995	97						
1996	91						
1997	97						
1998	98						
1999	88						
2000	98	99	99	99	99		
2001	97	97	97	97	97		
2002	99	100	100	100	100		
2003	96	96	96	96	96		
2004	99	103	103	103	103		
2005	99	106	106		106		
2006	99	118	118		118		
2007	99	100	100		100		
2008	99	100	100	100	100		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Cook Islands

## DTP3 (1980-2008)



### Description of trend

Trend follows WHO officially reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	40	40					
1981	46						
1982	51						
1983	57	57					
1984	48	81	81				
1985	78	72	72				
1986	87	88	88				
1987	83	80	80				
1988	94	90	90				
1989	89	85	85				
1990	93	93	93				
1991	87	87	87				
1992	87	84	84				
1993	99	97	97				
1994	86	85	85				
1995	93	89	89				
1996	75	75	75				
1997	91	93	93				
1998	95	93	93				
1999	70	92	92	70	70		
2000	97	92	92	97	94		
2001	92	90	90	92	92		
2002	99	97	97	100	100		
2003	96	96	96	96	96		
2004	99	107	107	107	107		
2005	99	114	114		114		
2006	99	137	137		137		
2007	99	106	106		106		
2008	99	100	100	100	102		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Cook Islands

## Pol3 (1980-2008)



### Description of trend

Trend follows WHO officially reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980	39	39					
1981	48						
1982	57	57					
1983	47	47					
1984	96	81	81				
1985	91	78	78				
1986	82	88	88				
1987	82	80	80				
1988	94	90	90				
1989	89	85	85				
1990	83	93	93				
1991	87	87	87				
1992	87	84	84				
1993	99	97	97				
1994	86	85	85				
1995	93	89	89				
1996	75	75	75				
1997	92	93	93				
1998	95	93	93				
1999	70	92	92	70	70		
2000	94	92	92	94	94		
2001	92	90	90	92	92		
2002	99	97	97	100	100		
2003	95	95	95	95	95		
2004	99	107	107	107	107		
2005	99	114	114		114		
2006	99	137	137		137		
2007	99	106	106		106		
2008	99	100	100	100	102		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Cook Islands

## MCV (1980-2008)



### Description of trend

Trend follows WHO officially reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980							
1981							
1982							
1983	68	68					
1984	65	98	98				
1985	76	75	75				
1986	70	70	70				
1987	84	81	81				
1988	92	88	88				
1989	99	100	100				
1990	67	67	67				
1991	94	94	94				
1992	87	85	85				
1993	99	80	80				
1994	72	72	72				
1995	96	92	92				
1996	72	72	72				
1997	87	88	88				
1998	94	97	97				
1999	63	84	84	63	63		
2000	76	76	76	76	77		
2001	84	83	83	84	84		
2002	98	95	95	98	98		
2003	99	100	100	100	104		
2004	99	107	107	107	107		
2005	99	131	131		131		
2006	99	111	111		111		
2007	98	98	98		98		
2008	95	95	95	95	97		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Cook Islands

## HepB3 (1980-2008)



### Description of trend

Hepatitis B vaccine was introduced in 1989. Trend follows WHO officially reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990	71	71					
1991	85	71	71				
1992	98	96	96				
1993	76	96	96				
1994	79	76	76				
1995	85	82	82				
1996	65	65					
1997	98	99	99				
1998	86	88	88				
1999	67	90	90	67	67		
2000	97	98	98	97	97		
2001	92	93	93	92	98		
2002	99	93	93	100	100		
2003	93	93	93	93	95		
2004	99	104	104	104	104		
2005	99	108	108		108		
2006	99	151	151		151		
2007	99	106	106		106		
2008	99	100	100	100	102		

\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

