

**WHO/UNICEF  
Review of National Immunization Coverage  
1980-2008**


---

***Dominica***

---

**July, 2009**

# Dominica



## Description of trend

Trend follows officially reported data. No survey data available. The sharp decrease in coverage in 2006 is unexplained.

## Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
	—	□	■	○	✕	▮	+
1980	65	65					
1981	57						
1982	48	48	48				
1983	99	100	100				
1984	84	84	84				
1985	90	90	90				
1986	87	87	87				
1987	98	98	98				
1988	98	98	95				
1989	99	99	99				
1990	99	99	99				
1991	99	99	99				
1992	99	99					
1993	99	99	99				
1994	99	99	99				
1995	99	100	100				
1996	99	100	100				
1997	99	100	100				
1998	99	99	99				
1999	99	99	100	99	99		
2000	99	99	99	99	99		
2001	99	99	99		99		
2002	99	99	99	99	99		
2003	99	100	100				
2004	99	100	100	100	100		
2005	98	98	98	98			
2006	99	100	100	100	100		
2007	90	90	90	90	86		
2008	98	98	98	98	98		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Dominica

## DTP1 (1980-2008)



### Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. The DTP1 estimates from 2000-2004 are based on these reports. For years prior to 2000 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	84						
1981	98						
1982	99						
1983	97						
1984	94						
1985	97						
1986	97						
1987	98						
1988	98						
1989	97						
1990	97						
1991	98						
1992	99						
1993	99						
1994	99						
1995	99						
1996	99						
1997	97						
1998	99						
1999	99						
2000	98	98	98	98	98		
2001	99	100	100	100			
2002	99	99	99	99			
2003	98	98	98		98		
2004	99	102	102		102		
2005	98						
2006	99	112	112	93	112		
2007	93	93	93	93	93		
2008	99	104	104	104	105		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Dominica

## DTP3 (1980-2008)



### Description of trend

Trend follows officially reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980	63	63					
1981	97	97	93				
1982	99	100	100				
1983	93	93	93				
1984	84	84	84				
1985	91	91	91				
1986	93	93	93				
1987	95	95	95				
1988	96	96	96				
1989	92	92	92				
1990	92	92	92				
1991	98	98	98				
1992	99	99					
1993	99	99	99				
1994	99	99	99	99	99		
1995	99	100	100				
1996	99	100	100				
1997	92	92	92				
1998	99	99	99				
1999	99	99	99	99	99		
2000	99	99	99	99	100		
2001	99	99	99		99		
2002	98	98	98	98	98		
2003	99	99					
2004	99	100	100	100	100		
2005	98	98	98	98			
2006	95	95	95	95	95		
2007	96	96	96	96	96		
2008	96	96	96	96	96		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Dominica

## Pol3 (1980-2008)



### Description of trend

Trend follows officially reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
	—	□	■	○	✕	▮	+
1980	53	53					
1981	97	97	97				
1982	73	73	73				
1983	92	92	92				
1984	82	82	82				
1985	89	89	89				
1986	92	92	92				
1987	95	95	95				
1988	97	97	97				
1989	94	94	94				
1990	94	94	94				
1991	94	94	94				
1992	99	99					
1993	99	99	99				
1994	99	99	99				
1995	99	100	100				
1996	99	100	100				
1997	97	97	97				
1998	99	99	98				
1999	99	99	99	99	99		
2000	99	99	99	99	100		
2001	99	99	99		99		
2002	98	98	98	98			
2003	99	99					
2004	99	100	100	100	100		
2005	98	98	98	98			
2006	88	88	88	88	88		
2007	93	93	93	93	96		
2008	95	95	95	95	95		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Dominica

## MCV (1980-2008)



### Description of trend

Trend follows officially reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980							
1981							
1982	43	43	43				
1983	63	63	63				
1984	85	85	85				
1985	93	93	93				
1986	97	97	97				
1987	87	87	87				
1988	90	90	90				
1989	88	88	88				
1990	88	88	88				
1991	98	98	98				
1992	99	99	99				
1993	99	99	99				
1994	99	99	99				
1995	99	100	100	100	100		
1996	99	100	100				
1997	99	100	100				
1998	98	98	98				
1999	99	99	99	99	99		
2000	99	99	99	99	105		
2001	99	100	100		100		
2002	98	99	99	99	99		
2003	99	100	100				
2004	99	99	99	99	99		
2005	98	98	98	98			
2006	99	102	102	102	102		
2007	96	96	96	96	96		
2008	99	100	100	100	100		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Dominica

## HepB3 (1980-2008)



### Description of trend

DTP-HepB-Hib Pentavalent vaccine introduced in late 2006. Estimate based on reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002							
2003							
2004							
2005							
2006	7	7	7	7	7		
2007	93	93	93	93	93		
2008	96	96	96	96	96		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Dominica

## Hib3 (1980-2008)



### Description of trend

DTP-HepB-Hib Pentavalent vaccine introduced in late 2006. Estimate based on reported data. No survey data available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002							
2003							
2004							
2005							
2006	7	7	7	7	7		
2007	93	93	93	93	93		
2008	96	96	96	96	96		

\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.