


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Greece

July, 2009

Greece

BCG (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between the two reported coverage rates, the imputed coverage is the linear interpolation between the two reported coverage rates. If coverage has ceased to be reported, it is assumed to remain constant.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	95						
1981	95	95					
1982	76						
1983	56	56					
1984	60						
1985	65						
1986	69						
1987	73						
1988	77						
1989	82						
1990	86		56				
1991	90	90					
1992	76	76					
1993	65	65					
1994	50	50	50				
1995	50	50					
1996	70	70					
1997	70	70	70				
1998	79						
1999	88	88		88	88		
2000	88			88			
2001	89						
2002	89						
2003	90						
2004	90						
2005	90						
2006	91						
2007	91	91	91	91			
2008	91	91	91	91			


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Greece

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001. The DTP1 are derived from the WHO/UNICEF estimates of DTP3 and relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 21 surveys conducted in 101 countries which were published between 1980 and 2004.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	89						
1981	98						
1982	94						
1983	89						
1984	82						
1985	77						
1986	93						
1987	94						
1988	94						
1989	77						
1990	77						
1991	95						
1992	96						
1993	96						
1994	96						
1995	96						
1996	96						
1997	96						
1998	96						
1999	96						
2000	96						
2001	97						
2002	97						
2003	98						
2004	98						
2005	98						
2006	99						
2007	99	100	100	100			
2008	99	100	100	100			


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Greece

DTP3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between the two reported coverage rates. If coverage has ceased to be reported, it is assumed to remain constant.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	72	72					
1981	95	95					
1982	83						
1983	72						
1984	60	60					
1985	54	54					
1986	80	80	80				
1987	82	82	82				
1988	83	83	83				
1989	54	54	54				
1990	54	54	54				
1991	85	85	54				
1992	89	89					
1993	89	89					
1994	90	90	78				
1995	90	90					
1996	90	90					
1997	90	90	85				
1998	89						
1999	88	88		88	88		
2000	89						
2001	91						
2002	92						
2003	94						
2004	95						
2005	96						
2006	98						
2007	99	99	99	99			
2008	99	99	99	99			


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Greece

Pol3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between years the imputed coverage is the linear inter between the two reported coverage rates. If coverage has ceased to be reported, it is assumed to remain constant.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✗	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980	90	90					
1981	95	95					
1982	96						
1983	97						
1984	98	98					
1985	96	96					
1986	97		97				
1987	97	97	97				
1988	98	98	98				
1989	96	96	96				
1990	96	96	96				
1991	77	77	77				
1992	95	95					
1993	95	95					
1994	95		95				
1995	95	95					
1996	95	95					
1997	95	95	95				
1998	91						
1999	87	87		87	87		
2000	89						
2001	90						
2002	92						
2003	93						
2004	95						
2005	96						
2006	98						
2007	99	99	99	99			
2008	99	99	99	99			


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Greece

MCV (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between the two reported coverage rates the imputed coverage is the linear interpolation between the two reported coverage rates. If coverage has ceased to be reported, it is assumed to remain constant.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982							
1983							
1984	75	75					
1985	77	77					
1986	39	39	39				
1987	81	81	81				
1988	82	82	82				
1989	76	76	76				
1990	76	76	76				
1991	72	72	76				
1992	72	72					
1993	72	72					
1994	70	70	70				
1995	70	70					
1996	90	90					
1997	90	90	90				
1998	89						
1999	88	88		88	88		
2000	89						
2001	91						
2002	92						
2003	94						
2004	95						
2005	96						
2006	98						
2007	99	99	99	99			
2008	99	99	99	99			


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Greece

HepB3 (1980-2008)



Description of trend

Hepatitis B vaccine was recommended nationally in 2000. Estimated immunization coverage levels are based on reported data. For missing between years the imputed coverage is the linear interpolation between the two reported coverage rates. If coverage has ceased to be reported is assumed to remain constant.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991	10	10					
1992	15	15					
1993	2	2					
1994	2	2					
1995	12	12					
1996	12	12					
1997	12	12					
1998	69						
1999	88	88		88	88		
2000	89						
2001	90						
2002	91						
2003	92						
2004	93						
2005	93						
2006	94						
2007	95	95	95	95			
2008	95	95	95	95			


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Greece

Hib3 (1980-2008)



Description of trend

Hib vaccine reporting started in 1994. Estimated immunization coverage levels are based on reported data. For missing data between years imputed coverage is the linear interpolation between the two reported coverage rates. If coverage has ceased to be reported, it is assumed to remain constant.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994	2	2	2		2		
1995	19						
1996	36						
1997	54						
1998	71						
1999	88	88	88	88	88		
2000	89						
2001	91						
2002	92						
2003	93						
2004	94						
2005	96						
2006	97						
2007	98	98	98	98			
2008	83	83	83	83			

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.