

Table 1: Number of households and women, and response rates, Bissau, 2000

	Zona		Total
	Urbana	Rural	
Sampled households	1885	2486	4372
Occupied households	1885	2486	4372
Completed households	1885	2486	4372
Household response rate	100.0	100.0	100.0
Eligible women	4611	5220	9831
Interviewed women	3902	4070	7972
Women response rate	84.6	78.0	81.1
Children under 5	2424	3890	6314
Interviewed children under 5	2282	3574	5856
Child response rate	94.1	91.8	92.7

Table 2: Single year age distribution of household population by sex, Guinea Bissau, 2000

	Sexo			
	Homem		Mulher	
	Number	Percent	Number	Percent
Age 0	729	4.4	662	3.6
1	560	3.4	589	3.2
2	613	3.7	621	3.4
3	611	3.7	636	3.4
4	632	3.8	725	3.9
5	611	3.7	548	3.0
6	615	3.7	549	3.0
7	556	3.4	533	2.9
8	550	3.3	555	3.0
9	416	2.5	443	2.4
10	584	3.5	534	2.9
11	379	2.3	409	2.2
12	473	2.9	421	2.3
13	350	2.1	400	2.2
14	370	2.2	366	2.0
15	504	3.0	404	2.2
16	301	1.8	333	1.8
17	304	1.8	325	1.8
18	418	2.5	512	2.8
19	286	1.7	345	1.9
20	383	2.3	565	3.1

Table 2: Single year age distribution of household population by sex, Guinea Bissau, 2000

		Sexo			
		Homem		Mulher	
		Number	Percent	Number	Percent
Age	21	209	1.3	251	1.4
	22	256	1.5	370	2.0
	23	252	1.5	286	1.5
	24	179	1.1	279	1.5
	25	286	1.7	475	2.6
	26	169	1.0	241	1.3
	27	181	1.1	258	1.4
	28	165	1.0	317	1.7
	29	118	.7	148	.8
	30	233	1.4	494	2.7
	31	76	.5	103	.6
	32	131	.8	243	1.3
	33	82	.5	126	.7
	34	82	.5	102	.5
	35	227	1.4	382	2.1
	36	112	.7	144	.8
	37	115	.7	145	.8
	38	154	.9	298	1.6
	39	113	.7	137	.7
	40	246	1.5	395	2.1
	41	59	.4	83	.4
	42	127	.8	120	.6
	43	79	.5	98	.5
	44	64	.4	55	.3
	45	223	1.3	266	1.4
	46	69	.4	72	.4
	47	73	.4	57	.3
	48	123	.7	112	.6
	49	69	.4	49	.3
	50	205	1.2	390	2.1
	51	50	.3	88	.5
	52	91	.6	148	.8
	53	52	.3	65	.4
	54	56	.3	56	.3
	55	120	.7	150	.8
	56	58	.4	58	.3
	57	47	.3	27	.1
	58	79	.5	55	.3

Table 2: Single year age distribution of household population by sex, Guinea Bissau, 2000

		Sexo			
		Homem		Mulher	
		Number	Percent	Number	Percent
Age	59	42	.3	32	.2
	60	220	1.3	228	1.2
	61	39	.2	22	.1
	62	53	.3	50	.3
	63	33	.2	29	.2
	64	26	.2	12	.1
	65	136	.8	97	.5
	66	39	.2	20	.1
	67	35	.2	20	.1
	68	64	.4	36	.2
	69	25	.1	26	.1
	70+	539	3.3	299	1.6
	Missing/DK	3	.0	3	.0
Total		16525	100.0	18490	100.0

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Level of education	.6	10793
Year of education	.2	10762
Number of hours worked	2.5	1593

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	5856
Diarrhoea in last 2 weeks	.0	5856
Weight	.0	5856
Height	2.6	5856

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	7976
Date of last tetanus toxoid injection	.7	284
Ever been tested for HIV	.4	4170

Table 4: Percent distribution of households by background characteristics, Guinea Bissau, 2000

		Percent	Number	Unweighted
Região	Tombali	6.5	285	271
	Quinará	4.3	190	183
	Oio	16.6	725	723
	Biombo	6.5	282	274
	Bolama/Bijagós	3.0	132	130
	Bafatá	12.6	552	534
	Gabú	11.4	498	505
	Cacheu	15.4	675	686
	SAB	23.6	1032	1065
Zona	Urbana	35.1	1535	1885
	Rural	64.9	2837	2486
Number of HH members	1	.2	8	8
	2-3	4.0	175	177
	4-5	19.7	860	859
	6-7	28.3	1237	1233
	8-9	20.7	907	902
	10+	27.1	1185	1192
Total	100.0	4372	4372	

Table 4: Percent distribution of households by background characteristics, Country, Year

	Percent	Number	Unweighted
At least one child age < 15	97.7	4371	4370
At least one child age < 5	84.1	4371	4370
At least one woman age 15-49	94.5	4371	4370

Table 4: Percent distribution of households by background characteristics, Country, Year

		Zona		Total
		Urbana	Rural	
Região	Tombali	2.3	8.8	6.5
	Quinará	1.7	5.8	4.3
	Oio	5.5	22.6	16.6
	Biombo	1.5	9.1	6.5
	Bolama/Bijagós	2.2	3.5	3.0
	Bafatá	8.2	15.0	12.6
	Gabú	6.6	14.0	11.4
	Cacheu	4.7	21.3	15.4
	SAB	67.3	.0	23.6
	Number	1	.2	.2
of HH members	2-3	3.7	4.2	4.0
	4-5	18.2	20.5	19.7
	6-7	27.7	28.6	28.3
	8-9	19.7	21.3	20.7
	10+	30.5	25.3	27.1
	Total	100.0	100.0	100.0
	Number	1535	2837	4372
Unweighted	1885	2486	4372	

Table 4: Percent distribution of households by background characteristics, Country, Year

	Zona		Total
	Urbana	Rural	
At least one child age < 15	96.9	98.1	97.7
At least one child age < 5	77.8	87.5	84.1
At least one woman age 15-49	97.4	93.0	94.5
Number	1535	2837	4372
Unweighted	1886	2486	4372

Table 5: Percent distribution of women 15-49 by background characteristics, Country, Year

		Percent	Number	Unweighted
Região	Tombali	6.8	539	337
	Quinará	4.8	380	259
	Oio	16.8	1342	1429
	Biombo	5.6	444	419
	Bolama/Bijagós	3.1	245	227
	Bafatá	11.6	924	988
	Gabú	10.1	806	826
	Cacheu	13.8	1097	974
	SAB	27.6	2199	2512
Zona	Urbana	39.1	3120	3901
	Rural	60.9	4856	4070
Idade	12-14	11.2	891	922
	15-19	19.6	1564	1595
	20-24	18.6	1482	1498
	25-29	15.7	1255	1235
	30-34	10.9	866	846
	35-39	11.4	905	893
	40-44	7.7	612	591
	45-49	5.0	399	389
Marital status	Currently married	62.5	4987	4810
	Formerly married	28.3	2259	2433
	Never married divorced	9.1	729	727
Já teve filhos alguma vez	Sim	71.6	5711	5616
	Não	28.4	2265	2355
Woman's education level	Nenhum	69.2	5521	5243
	Primaria	21.5	1715	1876
	Secundario +	8.6	688	793
	Curriculo nao official	.2	18	20
	Em branco / Nao sabe	.4	34	39
Total		100.0	7976	7971

Table 6: Percent distribution of children under 5 by background characteristics, Country, Year

		Percent	Number	Unweighted
Sexo	Homem	49.1	2876	2874
	Mulher	50.9	2980	2977
Região	Tombali	6.6	385	319
	Quinará	4.6	269	239
	Oio	18.8	1098	1131
	Biombo	5.8	338	301
	Bolama/Bijagós	3.2	187	172
	Bafatá	16.1	943	971
	Gabú	12.9	758	772
	Cacheu	13.5	792	773
	SAB	18.5	1086	1173
Zona	Urbana	30.2	1766	2280
	Rural	69.8	4089	3571
Age	< 6 months	12.4	721	733
	6-11 months	9.8	574	566
	12-23 months	19.2	1119	1120
	24-35 months	19.4	1131	1126
	36-47 months	20.0	1166	1164
	48-59 months	19.1	1113	1110
Mother's education level	None	81.7	4781	4663
	Primary	11.8	693	758
	Secondary	5.7	334	377
	Medio/Superior	.3	15	17
	Non-standard curriculum	.3	16	16
	Missing/DK	.3	17	20
Total		100.0	5856	5851

Table 9: Percentage of children aged 36-49 months who are attending some form of organized early childhood education programme, Country, Year

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	4.7	464
	Second	1.7	494
	Middle	3.8	485
	Fourth	7.0	464
	Richest	17.8	373
Sexo	Homem	7.0	1069
	Mulher	6.1	1211
Região	Tombali	4.3	153
	Quinará	.6	105
	Oio	2.4	433
	Biombo	12.7	118
	Bolama/Bijagós	4.3	67
	Bafatá	3.0	387
	Gabú	2.7	327
	Cacheu	6.0	279
	SAB	18.3	410
Zona	Urbana	16.0	674
	Rural	2.5	1605
Age	36-47 months	5.1	1166
	48-59 months	7.9	1113
Mother's education level	None	3.8	1917
	Primary	15.9	224
	Secondary	28.1	116
	Medio/Superior	100.0	5
	Non-standard curriculum	.0	9
	Missing/DK	27.8	9
Total		6.5	2280

World Summit for Children Goal => Number 26

Table 10a: Percentage of children entering first grade of primary school who eventually reach grade 4, Guinée Bissau , 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent who reach grade 4 of those who enter grade 1
Wealth	Poorest	74.8	85.6	95.8	61.4
Index Quintiles	Second	74.2	87.5	87.9	57.1
	Middle	79.0	80.4	88.1	56.0
	Fourth	64.7	81.6	80.6	42.6
	Richest	70.2	82.7	85.0	49.3
Sexo	Homem	71.8	84.7	88.8	54.0
	Mulher	71.6	81.2	81.9	47.7
Região	Tombali	50.5	60.1	54.2	16.4
	Quinará	44.4	76.8	90.7	30.9
	Oio	86.2	87.2	91.5	68.8
	Biombo	85.6	75.5	100.0	64.6
	Bolama/Bijagós	82.5	100.0	88.4	73.0
	Bafatá	69.9	86.1	96.2	57.9
	Gabú	60.5	75.5	82.5	37.7
	Cacheu	77.6	91.8	88.2	62.9
	SAB	70.1	82.4	84.2	48.6
Zona	Urbana	71.7	83.5	85.5	51.2
	Rural	71.7	82.3	87.1	51.4
1.00		71.7	83.1	86.0	51.2

World Summit for Children Goal => Number 6

Table 10b: Percentage of children entering first grade of primary school who eventually reach grade 5, Country, Year

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Poorest	74.8	85.6	95.8	77.7	47.7
	Second	74.2	87.5	87.9	80.5	45.9
	Middle	79.0	80.4	88.1	79.9	44.7
	Fourth	64.7	81.6	80.6	83.7	35.7
	Richest	70.2	82.7	85.0	89.1	43.9
Sexo	Homem	71.8	84.7	88.8	82.4	44.5
	Mulher	71.6	81.2	81.9	88.7	42.3
Região	Tombali	50.5	60.1	54.2	65.3	10.7
	Quinará	44.4	76.8	90.7	53.5	16.6
	Oio	86.2	87.2	91.5	91.0	62.6
	Biombo	85.6	75.5	100.0	21.7	14.0
	Bolama/Bijagós	82.5	100.0	88.4	57.7	42.1
	Bafatá	69.9	86.1	96.2	86.1	49.9
	Gabú	60.5	75.5	82.5	68.9	26.0
	Cacheu	77.6	91.8	88.2	84.5	53.1
	SAB	70.1	82.4	84.2	89.4	43.5
	Zona	Urbana	71.7	83.5	85.5	88.6
	Rural	71.7	82.3	87.1	72.5	37.3
1.00		71.7	83.1	86.0	85.1	43.6

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Country, Year

		Sexo				Total	
		Homem		Mulher		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number	Attending	Number
Wealth Index Quintiles	Poorest	30.2	571	16.1	498	23.6	1070
	Second	30.3	583	21.1	530	25.9	1113
	Middle	36.5	627	28.9	607	32.8	1234
	Fourth	48.0	608	41.3	649	44.5	1257
	Richest	77.9	569	75.0	610	76.4	1179
Região	Tombali	45.6	240	30.2	205	38.5	445
	Quinará	27.3	159	27.6	145	27.4	304
	Oio	26.8	580	17.1	507	22.3	1087
	Biombo	31.8	181	25.5	179	28.7	360
	Bolama/Bijagós	50.1	108	38.1	112	44.0	220
	Bafatá	25.0	304	18.3	312	21.6	616
	Gabú	22.6	275	15.7	282	19.1	557
	Cacheu	44.7	441	35.8	426	40.3	868
	SAB	83.2	671	77.2	728	80.1	1399
	Zona	Urbana	73.0	1057	66.9	1117	69.8
Rural		28.5	1901	19.4	1778	24.1	3679
Idade presumida	7	30.2	556	26.2	533	28.3	1089
	8	37.0	550	29.6	555	33.3	1106
	9	45.7	416	41.0	443	43.3	858
	10	45.1	584	40.2	534	42.7	1118
	11	58.8	379	47.5	409	52.9	787
	12	56.2	473	47.1	421	52.0	895
Total		44.4	2958	37.7	2895	41.1	5853

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Country, Year

		Sexo						Total		
		Homem			Mulher			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	35.6	11.7	1714	6.6	14.4	2177	19.4	13.2	3891
	Second	38.2	10.7	1634	7.3	15.8	2137	20.7	13.6	3771
	Middle	42.4	9.0	1563	14.7	12.8	2001	26.8	11.1	3564
	Fourth	55.6	7.5	1635	27.2	12.4	2051	39.8	10.2	3686
	Richest	85.6	5.1	1928	62.9	12.1	2130	73.7	8.8	4058
Região	Tombali	56.4	3.1	555	12.4	6.5	740	31.3	5.1	1295
	Quinará	44.8	13.1	388	11.1	17.3	526	25.4	15.5	914
	Oio	32.2	27.9	1491	5.8	36.1	1923	17.3	32.5	3414
	Biombo	46.0	.1	508	11.2	.0	574	27.5	.0	1082
	Bolama/Bijagós	57.7	.4	257	25.9	2.2	344	39.5	1.5	601
	Bafatá	17.8	.3	806	7.9	.1	1241	11.8	.2	2047
	Gabú	20.7	13.5	791	8.3	17.6	1001	13.8	15.8	1792
	Cacheu	54.6	.1	1209	17.7	.4	1533	34.0	.3	2743
	SAB	86.7	5.7	2469	62.2	15.1	2613	74.1	10.5	5081
Zona	Urbana	80.7	5.7	3399	52.7	14.0	3767	66.0	10.1	7167
	Rural	33.8	10.7	5074	7.5	13.3	6728	18.8	12.2	11802
Age	12-24	70.0	6.4	3092	40.8	11.1	3669	54.1	9.0	6762
	25-34	62.7	7.3	1522	23.9	13.3	2507	38.5	11.0	4029
	35-44	53.7	7.4	1295	13.9	15.1	1857	30.2	11.9	3152
	45-54	38.5	12.2	1010	6.9	17.0	1303	20.7	14.9	2314
	55-64	22.4	13.3	717	4.6	17.4	663	13.9	15.3	1380
	65+	11.0	13.4	836	4.0	12.4	497	8.4	13.0	1333
Total		52.6	8.7	8474	23.8	13.5	10496	36.6	11.4	18969

World Summit for Children Goal => Number 7

Table 13a: Percentage of the population with access to safe drinking water, Country, Year

		Main source of water									
		Agua canalizada casa	Agua canalizada fora casa	Agua canalizada patio/quintal	Fontenario	Furo	Poço/fonte protegido	Poço/fonte nao protegido	Agua chuva	Lagoa, rio, ribeiro	Camiao cisterna
Região	Tombali	.0	.5	.1	2.5	15.1	28.4	51.5	.0	1.8	.0
	Quinará	.3	.0	.3	1.5	26.4	32.3	33.9	.0	5.3	.0
	Oio	.0	.6	.7	.1	19.8	18.2	58.2	.0	2.3	.0
	Biombo	.0	.0	.2	.0	11.3	50.8	31.1	.0	5.8	.0
	Bolama/Bijagós	.0	.0	1.1	.0	25.3	28.3	27.3	.0	18.0	.0
	Bafatá	.5	.1	.0	14.4	19.8	20.0	38.7	.0	5.9	.2
	Gabú	.0	1.3	.4	9.5	16.6	17.7	53.4	.0	1.2	.0
	Cacheu	.3	.7	.0	5.6	9.2	36.1	46.5	.1	1.5	.0
	SAB	13.1	31.5	7.8	4.0	.6	35.1	7.2	.0	.5	.1
Zona	Urbana	9.0	21.8	5.6	3.9	4.0	34.9	19.4	.0	1.0	.1
	Rural	.1	.4	.2	5.2	17.9	25.3	46.9	.0	4.0	.0
Total		3.3	8.1	2.2	4.7	12.9	28.8	37.0	.0	2.9	.0

World Summit for Children Goal => Number 4

Table 13a: Percentage of the population with access to safe drinking water, Country, Year

		Main source of water		Total	Total with safe drinking water	Number of persons
		Outras	D'ont Know			
Região	Tombali	.0	.0	100.0	18.3	2434
	Quinará	.0	.1	100.0	28.4	1705
	Oio	.0	.1	100.0	21.2	6355
	Biombo	.0	.7	100.0	11.5	2059
	Bolama/Bijagós	.0	.0	100.0	26.4	1176
	Bafatá	.2	.2	100.0	34.9	4108
	Gabú	.0	.0	100.0	27.7	3552
	Cacheu	.0	.0	100.0	15.8	5028
	SAB	.2	.0	100.0	56.9	8600
Zona	Urbana	.2	.1	100.0	44.4	12660
	Rural	.0	.1	100.0	23.7	22355
Total		.1	.1	100.0	31.2	35015

World Summit for Children Goal => Number 4

Table 14: Percentage of the population with access to sanitary means of excreta disposal, Country, Year

		Onde a família faz necessidades								Total
		Sistema de esgoto ou fossa séptica	Latrina com descarga de água	Latrina melhorada	Latrina tradicional ou cerco	No mato ou ar livre	Valas a céu aberto	Rios, ribeiros e linha de água	Outro	
Região	Tombali	.4	1.2	1.0	45.0	52.5	.0	.0	.0	100.0
	Quinará	1.9	.2	1.1	47.6	49.1	.0	.1	.0	100.0
	Oio	.1	.2	.2	35.5	63.8	.0	.1	.0	100.0
	Biombo	.0	.0	1.0	12.1	85.9	.0	.0	1.1	100.0
	Bolama/Bijagós	.9	1.1	1.1	45.1	49.2	.0	.0	2.6	100.0
	Bafatá	.3	.3	.4	86.6	12.2	.2	.0	.0	100.0
	Gabú	.4	.7	.3	86.2	12.2	.0	.1	.0	100.0
	Cacheu	.7	.8	1.3	31.0	61.5	.0	4.7	.0	100.0
	SAB	22.3	4.4	3.9	67.3	1.6	.2	.2	.1	100.0
Zona	Urbana	15.5	3.5	3.6	72.5	4.1	.1	.4	.1	100.0
	Rural	.4	.3	.2	43.5	54.4	.0	.9	.2	100.0
Total		5.8	1.5	1.5	54.0	36.2	.1	.8	.2	100.0

World Summit for Children Goal => Number 5

Table 14: Percentage of the population with access to sanitary means of excreta disposal, Country, Year

		Total with sanitary means of excreta disposal	Number of persons
Região	Tombali	47.5	2434
	Quinará	50.8	1705
	Oio	36.0	6355
	Biombo	12.7	2059
	Bolama/Bijagós	48.2	1176
	Bafatá	87.6	4108
	Gabú	87.7	3552
	Cacheu	33.8	5028
	SAB	97.9	8600
Zona	Urbana	95.2	12660
	Rural	44.4	22355
Total		62.8	35015

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Guinea Bissau, 2000

		Missing height or weight	Number of children
Wealth Index Quintiles	Poorest	.6	1226
	Second	1.9	1239
	Middle	3.3	1294
	Fourth	3.2	1165
	Richest	5.5	932
Sexo	Homem	2.9	2876
	Mulher	2.6	2980
Região	Tombali	.8	385
	Quinará	.0	269
	Oio	.7	1098
	Biombo	.1	338
	Bolama/Bijagós	4.4	187
	Bafatá	5.2	943
	Gabú	3.8	758
	Cacheu	.3	792
	SAB	5.7	1086
Zona	Urbana	4.7	1766
	Rural	1.9	4089
Age	< 6 months	2.2	721
	6-11 months	2.3	574
	12-23 months	2.0	1119
	24-35 months	3.3	1131
	36-47 months	3.2	1166
	48-59 months	3.1	1113
Mother's education level	None	2.3	4781
	Primary	3.9	693
	Secondary	6.4	334
	Medio/Superior	24.1	15
	Non-standard curriculum	11.9	16
	Missing/DK	.0	17
Total		2.8	5856

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Guinee Bissau , 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	26.5	6.1	29.8	9.8	11.0	3.3	1170
	Second	27.0	6.0	34.7	14.8	11.7	2.9	1149
	Middle	28.5	9.4	35.1	16.4	10.6	2.2	1171
	Fourth	26.5	7.6	31.2	14.7	10.8	2.2	1056
	Richest	13.7	2.6	18.0	6.4	6.5	1.0	837
Sexo	Homem	24.8	6.2	30.6	13.0	10.7	2.6	2631
	Mulher	25.2	6.8	30.3	12.5	10.0	2.2	2752
Região	Tombali	21.0	3.7	26.0	8.4	9.8	2.4	352
	Quinará	23.8	5.4	23.2	8.8	13.2	3.1	249
	Oio	32.4	8.5	34.5	12.9	15.1	4.9	1042
	Biombo	17.2	4.7	28.3	10.4	5.0	.5	330
	Bolama/Bijagós	16.2	1.9	26.2	9.2	5.6	.0	176
	Bafatá	28.5	8.2	37.5	18.2	9.1	2.6	837
	Gabú	37.1	14.3	45.2	25.7	13.7	2.6	657
	Cacheu	23.3	4.8	29.1	10.3	9.2	2.0	763
	SAB	13.5	1.9	16.1	5.1	6.9	.9	977
	Zona	Urbana	16.2	3.1	19.6	7.1	8.2	1.5
Rural		28.8	8.0	35.0	15.1	11.2	2.8	3783
Age	< 6 months	6.0	1.2	12.5	4.3	7.1	1.8	619
	6-11 months	21.3	6.9	22.3	10.7	13.8	3.7	509
	12-23 months	33.0	9.4	38.8	17.4	15.8	3.9	1035
	24-35 months	31.2	8.4	32.0	13.5	10.2	2.3	1055
	36-47 months	25.2	6.1	33.1	12.5	8.1	2.2	1106
	48-59 months	23.6	5.2	32.0	13.5	7.6	1.1	1047
Mother's education level	None	27.3	7.5	33.0	14.2	10.8	2.7	4410
	Primary	18.0	2.7	20.4	6.8	8.5	1.8	636
	Secondary	8.4	.6	14.2	4.0	7.2	.5	301
	Medio/Superior	9.4	.0	9.4	9.4	9.4	.0	10
	Non-standard curriculum	7.5	.0	22.4	7.5	.0	.0	12
	Missing/DK	30.4	10.4	35.2	17.5	23.2	.0	14
Total		25.0	6.5	30.4	12.7	10.3	2.4	5383

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Country, Year

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
Wealth Index Quintiles	Poorest	30.7	104	46.4	77	93.9	90	78.7	81
	Second	37.1	97	32.8	96	97.5	86	68.2	57
	Middle	49.1	100	30.6	102	90.1	111	63.7	58
	Fourth	50.6	104	17.8	72	87.4	95	60.4	62
	Richest	38.8	58	54.2	64	80.9	61	54.4	32
Sexo	Homem	38.0	251	38.5	215	91.6	223	64.3	148
	Mulher	45.8	212	32.3	196	89.3	220	69.8	143
Região	Tombali	4.7	24	16.4	43	87.0	23	78.9	26
	Quinará	7.5	17	31.5	21	100.0	14	76.3	14
	Oio	60.7	92	44.9	70	97.7	89	77.8	61
	Biombo	21.0	36	65.1	22	100.0	23	66.6	19
	Bolama/Bijagós	6.7	14	58.2	18	82.3	17	87.5	9
	Bafatá	71.0	67	26.8	64	90.7	70	73.4	51
	Gabú	74.5	62	15.4	41	83.1	67	64.0	28
	Cacheu	11.2	68	29.8	58	90.8	66	56.7	36
	SAB	29.2	82	48.1	73	86.4	75	42.0	46
Zona	Urbana	33.9	148	42.4	120	86.8	129	45.0	71
	Rural	45.1	316	32.7	290	92.0	315	74.0	220
Mother's education level	None	45.3	386	32.8	328	92.6	359	72.3	234
	Primary	20.9	56	44.0	52	87.3	54	44.9	38
	Secondary	20.5	19	51.8	27	70.9	27	40.2	16
	Medio/Superior	100.0	1	37.4	1	50.0	2	.	0
	Non-standard curriculum	.	0	41.7	2	100.0	1	100.0	1
	Missing/DK	100.0	1	.	0	.	0	59.9	3
Total		41.5	463	35.6	411	90.5	444	67.0	291

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Country, Year

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	1.0	57.9	11.8	26.6	2.7	100.0	166
2-3	2.2	33.0	19.1	35.3	10.4	100.0	251
4-5	3.9	28.1	11.3	32.7	23.9	100.0	237
6-7	6.3	20.6	6.0	27.4	39.7	100.0	196
8-9	3.2	19.4	5.5	33.4	38.5	100.0	177
10-11	7.3	23.7	6.3	24.9	37.8	100.0	153
12-13	6.9	20.6	5.3	24.7	42.5	100.0	195
14-15	3.9	19.6	3.4	26.8	46.2	100.0	221
16-17	14.1	22.5	5.1	24.1	34.3	100.0	220
18-19	24.7	12.3	3.0	14.0	45.9	100.0	149
20-21	25.3	15.5	5.3	21.1	32.7	100.0	141
22-23	36.7	14.0	3.4	13.8	32.1	100.0	140
24-25	60.7	14.5	2.5	7.9	14.3	100.0	227
26-27	72.5	7.3	.0	5.9	14.3	100.0	239
28-29	79.3	3.8	1.2	4.4	11.3	100.0	195
30-31	81.9	9.3	1.2	4.0	3.7	100.0	132
32-33	90.6	4.5	.7	1.5	2.7	100.0	146
34-35	93.7	1.7	.4	1.1	3.2	100.0	139

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Guinea Bissau, Year

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	
Wealth Index Quintiles	Poorest	.4	99.0	98.6	1.4	1003
	Second	.4	98.7	98.2	1.8	884
	Middle	.2	99.0	97.8	2.2	810
	Fourth	.3	98.5	97.8	2.2	835
	Richest	.0	99.9	99.3	.7	839
Região	Tombali	.0	97.8	96.4	3.6	285
	Quinará	.6	98.1	96.4	3.6	190
	Oio	.1	99.5	97.4	2.6	725
	Biombo	.0	99.6	100.0	.0	282
	Bolama/Bijagós	7.3	87.1	95.8	4.2	132
	Bafatá	.0	99.3	97.6	2.4	552
	Gabú	.1	99.2	97.0	3.0	498
	Cacheu	.0	100.0	100.0	.0	675
	SAB	.0	99.7	99.7	.3	1032
	Zona					
	Urbana	.1	99.3	99.0	1.0	1535
	Rural	.4	98.9	98.0	2.0	2837
Total		.3	99.0	98.3	1.7	4372

World Summit for Children Goal => Number 14

Table 17: Percentage of population consuming adequately iodized salt, Guinea Bissau, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	.8	98.6	98.9	1.1	6990
	Second	.3	98.7	98.0	2.0	7004
	Middle	.2	99.0	97.8	2.2	7002
	Fourth	.2	98.7	97.9	2.1	7006
	Richest	.0	99.9	99.4	.6	7004
Região	Tombali	.0	98.5	97.2	2.8	2434
	Quinará	.5	98.6	97.3	2.7	1705
	Oio	.0	99.4	97.0	3.0	6345
	Biombo	.0	99.6	100.0	.0	2059
	Bolama/Bijagós	7.4	86.2	95.5	4.5	1176
	Bafatá	.0	99.2	97.8	2.2	4108
	Gabú	.1	99.1	97.1	2.9	3552
	Cacheu	.0	100.0	100.0	.0	5028
	SAB	.0	99.8	99.8	.2	8600
	Zona	Urbana	.1	99.4	99.2	.8
Rural		.4	98.8	98.0	2.0	22345
Total		.3	99.0	98.4	1.6	35004

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Country, Year

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	20.4	8.8	5.9	1.1	63.8	100.0	1061
	Second	21.0	10.3	6.8	.9	61.0	100.0	1089
	Middle	23.0	9.2	6.1	.5	61.3	100.0	1122
	Fourth	32.0	10.4	6.7	.9	50.0	100.0	1022
	Richest	51.6	7.5	4.2	.6	36.0	100.0	821
Sexo	Homem	29.4	8.6	5.5	.8	55.6	100.0	2495
	Mulher	27.4	10.0	6.5	.8	55.3	100.0	2621
Região	Tombali	4.3	8.9	13.0	1.6	72.2	100.0	350
	Quinará	7.7	14.9	20.9	1.4	55.2	100.0	234
	Oio	9.1	8.8	4.0	.8	77.2	100.0	947
	Biombo	40.6	9.8	7.8	.0	41.8	100.0	284
	Bolama/Bijagós	49.4	2.0	2.8	.7	45.1	100.0	161
	Bafatá	40.4	16.3	3.3	.4	39.6	100.0	839
	Gabú	5.7	4.0	4.0	1.2	85.0	100.0	670
	Cacheu	34.3	10.0	8.8	.9	46.1	100.0	676
	SAB	55.7	6.8	3.5	.7	33.4	100.0	954
	Zona	Urbana	45.1	8.0	4.9	.8	41.2	100.0
Rural		21.3	9.9	6.5	.8	61.6	100.0	3580
Age	6-11 months	27.0	1.9	2.4	.0	68.7	100.0	574
	12-23 months	30.0	8.5	6.5	.6	54.3	100.0	1119
	24-35 months	29.6	10.3	6.4	.7	53.0	100.0	1131
	36-47 months	28.4	11.7	6.5	.9	52.5	100.0	1166
	48-59 months	26.4	10.4	6.3	1.4	55.4	100.0	1113
Mother's education level	None	24.0	9.7	6.2	.8	59.3	100.0	4177
	Primary	45.5	7.5	5.6	.6	40.9	100.0	597
	Secondary	53.7	8.1	4.8	.2	33.1	100.0	297
	Medio/Superior	51.3	12.8	.0	.0	35.9	100.0	14
	Non-standard curriculum	47.6	6.0	.0	.0	46.4	100.0	16
	Missing/DK	35.3	10.1	3.9	9.9	40.8	100.0	15
Total		28.4	9.3	6.0	.8	55.4	100.0	5116

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Country, Year

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	26.8	3.7	338
	Second	29.5	1.2	361
	Middle	22.2	2.6	413
	Fourth	29.6	2.7	329
	Richest	36.9	2.7	259
Região	Tombali	24.1	5.3	116
	Quinará	36.2	.0	80
	Oio	16.0	1.5	314
	Biombo	52.2	.0	101
	Bolama/Bijagós	4.0	.0	59
	Bafatá	23.5	.2	255
	Gabú	19.1	3.5	240
	Cacheu	40.8	5.3	244
	SAB	39.2	3.6	291
	Zona	Urbana	34.5	3.3
Rural		25.8	2.2	1198
Woman's education level	Nenhum	26.4	2.5	1375
	Primaria	34.7	2.3	227
	Secundario +	41.3	3.5	94
	Curriculo nao official	.0	.0	2
	Em branco / Nao sabe	36.3	.0	2
Total		28.3	2.5	1699

World Summit for Children Goal => Number 15

Working table for table 20

		Number of weighed births	Number of weighed births below 2500 grams	Percent of live births below 2500 grams	Total number of births	Estimated number of live births below 2500 grams
Tamanho da última criança	Muito grande	90.7	4.3	4.8	202.0	9.6
	Mais grande que a média	92.5	5.8	6.3	334.9	21.0
	Tamanho médio	223.8	55.9	25.0	822.7	205.6
	Mais pequeno que a média	27.2	8.4	31.0	117.1	36.3
	Muito pequeno	20.1	11.1	55.2	108.1	59.7
	Missing	3.8	.0	.0	47.9	.0
	Não sabe	9.5	.0	.0	65.7	.0

Table 20: Percentage of live births in the last 12 months that weighed below 2500 grams at birth, Country, Year

		Estimated number of live births below 2500 grams
Wealth Index Quintiles	Poorest	100.5
	Second	109.9
	Middle	126.3
	Fourth	118.4
	Richest	93.6
Região	Tombali	102.9
	Quinará	121.1
	Oio	97.8
	Biombo	104.2
	Bolama/Bijagós	34.1
	Bafatá	150.4
	Gabú	152.0
Zona	Cacheu	99.1
	SAB	86.2
	Urbana	99.2
Woman's education level	Rural	116.2
	Nenhum	114.4
	Primaria	95.9
	Secundario +	100.5
	Curriculo nao official	4.8
Total	Em branco / Nao sabe	205.6
		111.2

World Summit for Children Goal => Number 12

Table 20: Percentage of live births in the last 12 months that weighed below 2500 grams at birth, Country, Year

		Percent of live births weighed at birth	Number of live births
Wealth Index Quintiles	Poorest	18.6	338
	Second	18.5	361
	Middle	26.0	413
	Fourth	30.2	329
	Richest	50.8	259
Região	Tombali	28.1	116
	Quinará	21.4	80
	Oio	21.2	314
	Biombo	28.2	101
	Bolama/Bijagós	14.4	59
	Bafatá	23.7	255
	Gabú	13.9	240
	Cacheu	32.5	244
	SAB	48.5	291
	Zona	Urbana	45.4
Rural		20.0	1198
Woman's education level	Nenhum	21.8	1375
	Primaria	47.8	227
	Secundario +	61.7	94
	Curriculo nao official	.0	2
	Em branco / Nao sabe	72.6	2
Total		27.5	1699

World Summit for Children Goal => Number 12

Table 20a. Birth weight and size at birth

		Birth weight				Tamanho da última criança					
		<2500	2500+	DK/Missing	Not weighted at birth	Muito grande	Mais grande que a média	Tamanho médio	Mais pequeno que a média	Muito pequeno	Não sabe
Wealth Index Quintiles	Poorest	1.7	16.8	5.9	75.5	9.4	23.7	41.9	9.9	8.2	7.0
	Second	4.7	14.1	4.3	76.9	13.6	18.6	47.5	9.3	6.3	4.8
	Middle	6.6	20.4	4.7	68.4	11.6	15.9	56.9	5.2	4.8	5.5
	Fourth	5.0	26.0	5.2	63.8	11.7	20.4	52.6	5.9	4.7	4.8
	Richest	7.9	43.8	13.0	35.3	13.6	21.4	39.5	3.6	8.7	13.2
Região	Tombali	1.6	26.4	11.2	60.7	9.9	9.6	43.2	14.2	9.9	13.2
	Quinará	2.2	21.4	2.2	74.1	3.1	4.9	50.0	17.4	17.9	6.7
	Oio	2.6	19.2	3.1	75.1	16.9	26.3	40.9	5.1	7.7	3.1
	Biombo	4.9	23.3	2.6	69.3	10.7	27.1	45.5	9.0	1.3	6.4
	Bolama/Bijagós	7.5	9.0	3.5	80.1	30.5	53.6	9.0	4.0	.0	2.9
	Bafatá	8.6	15.6	3.6	72.2	4.7	15.3	70.0	3.4	2.7	3.8
	Gabú	4.0	10.3	3.8	82.0	10.0	9.1	70.1	2.2	6.9	1.7
	Cacheu	6.2	26.4	6.5	61.0	13.7	21.4	42.2	12.9	3.0	6.8
	SAB	6.6	43.1	14.5	35.8	12.7	22.6	35.5	4.8	9.0	15.4
	Zona	Urbana	6.2	40.1	11.2	42.4	14.0	21.6	42.7	4.7	6.4
	Rural	4.6	15.8	4.1	75.4	11.0	18.9	50.8	7.8	6.3	5.0
Woman's education level	Nenhum	4.8	17.3	5.5	72.4	11.1	19.1	50.0	7.5	6.4	5.9
	Primaria	6.3	42.7	7.6	43.3	15.9	21.2	40.8	4.1	7.5	10.4
	Secundario +	6.3	57.3	13.8	22.6	13.9	25.5	44.1	4.4	2.8	9.3
	Curriculo nao official	.0	.0	.0	100.0	50.0	.0	.0	.0	.0	50.0
	Em branco / Nao sabe	.0	72.6	.0	27.4	.0	.0	100.0	.0	.0	.0
Total		5.1	23.0	6.2	65.7	11.9	19.7	48.4	6.9	6.4	6.7

Table 20a. Birth weight and size at birth

		Total	Number
Wealth Index Quintiles	Poorest	100.0	338
	Second	100.0	361
	Middle	100.0	412
	Fourth	100.0	329
	Richest	100.0	259
Região	Tombali	100.0	116
	Quinará	100.0	80
	Oio	100.0	313
	Biombo	100.0	101
	Bolama/Bijagós	100.0	59
	Bafatá	100.0	255
	Gabú	100.0	240
	Cacheu	100.0	244
	SAB	100.0	291
	Zona	Urbana	100.0
Rural		100.0	1197
Woman's education level	Nenhum	100.0	1374
	Primaria	100.0	227
	Secundario +	100.0	94
	Curriculo nao official	100.0	2
	Em branco / Nao sabe	100.0	2
Total		100.0	1698

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year

BCG	Vaccination Card	42.2
	Mother's Report	31.8
	Not vaccinated	26.0
DPT1	Vaccination Card	38.4
	Mother's Report	30.1
	Not vaccinated	31.5
DPT2	Vaccination Card	32.4
	Mother's Report	21.7
	Not vaccinated	45.9
DPT3	Vaccination Card	25.3
	Mother's Report	12.5
	Not vaccinated	62.3
Polio 0	Vaccination Card	47.1
	Mother's Report	9.7
	Not vaccinated	43.2
Polio 1	Vaccination Card	43.5
	Mother's Report	33.0
	Not vaccinated	23.5
Polio 2	Vaccination Card	34.9
	Mother's Report	26.2
	Not vaccinated	38.9
Polio 3	Vaccination Card	28.4
	Mother's Report	13.9
	Not vaccinated	57.7
Measles	Vaccination Card	38.3
	Mother's Report	31.9
	Not vaccinated	29.8
All vaccinations	Vaccination Card	20.1
	Mother's Report	14.0
	Doesn't have all vaccinations	65.9
No vaccinations	Mother's Report	15.1
	Has some vaccinations	84.9
Number of children		1118.9

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year

BCG	94.9
DPT 1	88.8
DPT 2	80.1
DPT 3	75.6
Polio 0	95.9
Polio 1	87.8
Polio 2	78.9
Polio 3	72.3
Measles	69.2
All vaccinations	35.4
No vaccinations	.2

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Guinee bissau, 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	42.2	38.4	32.4	25.3	47.1	43.5	34.9	28.4	38.3	20.1	.0	1118.9
Mother's report	31.8	30.1	21.7	12.5	9.7	33.0	26.2	13.9	31.9	14.0	15.1	1118.9
Either	74.0	68.5	54.1	37.7	56.8	76.5	61.1	42.3	70.2	34.1	15.1	1118.9
Vaccinated by 12 months of age	70.3	60.8	43.4	28.5	95.9	67.2	48.3	30.6	48.6	12.1	15.3	1118.9

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Country, Year

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All
Wealth Index Quintiles	Poorest	68.1	67.3	49.7	33.6	49.1	71.6	54.9	33.3	62.1	29.6
	Second	67.6	61.0	46.2	35.2	53.0	69.7	58.6	39.6	63.6	31.8
	Middle	68.3	64.1	49.1	34.0	48.3	74.6	55.9	38.1	69.1	29.7
	Fourth	78.0	67.8	56.1	37.6	58.5	78.1	61.2	43.7	73.1	34.4
	Richest	92.3	86.3	73.8	51.3	80.6	91.8	79.1	61.3	87.0	48.6
Sexo	Homem	72.2	67.6	53.9	37.3	56.4	75.0	60.5	42.4	70.2	34.1
	Mulher	75.8	69.5	54.4	38.2	57.2	77.9	61.7	42.3	70.3	34.1
Região	Tombali	72.7	68.0	48.2	33.3	65.6	69.3	53.9	34.9	68.0	33.3
	Quinará	82.7	74.6	47.9	29.2	69.3	80.0	53.2	29.2	66.6	22.6
	Oio	57.4	62.8	43.7	27.0	46.1	67.6	52.3	31.1	58.1	23.1
	Biombo	84.7	77.4	70.6	52.6	48.0	75.2	74.0	46.3	71.8	40.7
	Bolama/Bijagós	83.1	75.5	62.3	27.3	48.6	91.6	72.3	45.0	75.1	24.5
	Bafatá	74.9	63.9	57.4	43.7	55.6	86.8	66.5	51.8	82.1	42.2
	Gabú	46.4	38.8	24.2	12.5	20.0	48.3	29.4	13.0	45.8	10.3
	Cacheu	84.1	72.8	56.6	46.5	67.2	77.1	64.9	48.8	69.2	41.8
	SAB	91.7	87.1	73.7	52.1	80.0	90.8	78.7	60.8	86.2	48.7
	Zona	Urbana	88.7	83.4	70.0	49.2	72.8	89.5	75.8	59.3	83.8
	Rural	67.5	61.9	47.1	32.6	49.7	70.7	54.6	34.8	64.2	28.9
Mother's education level	None	69.5	64.1	48.5	34.2	51.7	72.4	56.1	37.1	66.7	31.1
	Primary	88.3	80.9	72.2	45.4	71.1	89.7	75.6	55.5	78.5	38.8
	Secondary	90.2	89.5	75.1	57.3	77.2	91.7	83.3	67.8	87.9	54.2
	Medio/Superior	100.0	100.0	100.0	75.0	100.0	100.0	100.0	100.0	100.0	75.0
	Non-standard curriculum	100.0	100.0	66.7	66.7	66.7	100.0	100.0	100.0	66.7	66.7
	Missing/DK	100.0	64.6	58.0	36.8	100.0	82.3	61.2	36.8	100.0	36.8
Total		74.0	68.5	54.1	37.7	56.8	76.5	61.1	42.3	70.2	34.1

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Country, Year

		None	% with health card	Number of children
Wealth Index Quintiles	Poorest	19.4	57.1	237
	Second	21.7	59.7	228
	Middle	16.0	57.8	244
	Fourth	13.2	65.4	227
	Richest	2.5	76.1	183
Sexo	Homem	16.0	63.7	554
	Mulher	14.2	61.5	564
Região	Tombali	16.7	66.4	71
	Quinará	6.6	66.6	48
	Oio	22.7	57.7	207
	Biombo	15.3	42.3	60
	Bolama/Bijagós	5.6	94.4	40
	Bafatá	11.3	73.7	190
	Gabú	37.7	22.1	127
	Cacheu	11.6	71.4	153
	SAB	3.7	72.5	222
	Zona	Urbana	5.1	72.2
Rural		19.5	58.3	775
Mother's education level	None	18.1	59.8	866
	Primary	4.7	72.3	158
	Secondary	6.0	70.7	83
	Medio/Superior	.0	100.0	4
	Non-standard curriculum	.0	66.7	3
	Missing/DK	.0	82.3	5
Total		15.1	62.6	1119

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Country, Year

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding	Any recommende d treatment
Wealth Index Quintiles	Poorest	36.5	1226	51.1	14.6	5.5	37.4	9.4	50.7	89.7
	Second	35.7	1239	48.2	13.1	6.1	40.2	9.5	49.7	88.8
	Middle	28.3	1294	44.8	14.7	8.9	38.2	12.8	44.8	80.8
	Fourth	26.6	1165	42.4	19.9	10.4	34.5	13.2	39.9	78.9
	Richest	29.8	932	50.3	28.6	25.6	45.8	19.1	37.0	85.5
Sexo	Homem	32.5	2876	47.5	18.6	11.2	39.1	12.6	44.7	86.1
	Mulher	30.5	2980	47.7	15.9	9.2	38.9	11.8	46.2	84.4
Região	Tombali	19.6	385	45.7	10.3	5.4	13.2	.7	17.8	60.4
	Quinará	17.3	269	45.8	.0	.0	20.8	.0	37.6	75.0
	Oio	45.5	1098	48.7	19.3	7.3	48.0	11.9	49.1	87.9
	Biombo	28.5	338	52.1	22.3	13.1	39.1	14.5	52.8	96.1
	Bolama/Bijagós	43.8	187	53.3	7.2	.0	20.8	4.9	64.3	98.6
	Bafatá	24.7	943	54.8	15.7	9.4	37.2	24.9	39.6	81.4
	Gabú	25.2	758	37.1	9.6	5.7	54.2	9.4	37.3	77.2
	Cacheu	37.6	792	46.8	11.0	3.7	22.1	4.0	57.8	91.4
	SAB	29.7	1086	45.4	30.7	28.2	46.3	18.4	37.9	83.9
	Zona	Urbana	30.3	1766	47.3	26.6	20.9	43.8	16.7	36.7
	Rural	32.0	4089	47.7	13.5	5.8	37.1	10.4	49.0	86.1
Age	< 6 months	19.8	721	75.8	26.5	8.0	23.4	13.1	13.4	86.6
	6-11 months	36.5	574	77.3	29.7	15.5	40.3	13.7	19.1	88.3
	12-23 months	42.3	1119	67.4	19.5	9.9	41.7	10.3	33.4	83.6
	24-35 months	37.5	1131	32.9	14.8	11.5	40.2	11.9	62.0	86.6
	36-47 months	28.9	1166	24.0	12.1	8.8	38.4	11.6	59.8	84.4
	48-59 months	22.4	1113	26.0	8.6	7.5	41.3	15.4	62.3	85.4
Mother's education level	None	32.0	4781	47.8	15.4	8.2	38.5	11.6	45.7	85.1
	Primary	30.4	693	46.5	21.9	17.3	40.5	13.0	43.9	86.8
	Secondary	27.6	334	47.3	33.6	25.1	44.8	19.4	46.5	85.1
	Medio/Superior	30.1	15	40.0	60.0	40.0	60.0	40.0	40.0	100.0
	Non-standard curriculum	6.0	16	.0	.0	.0	.0	.0	.0	.0
	Missing/DK	36.2	17	58.8	53.0	15.3	24.4	.0	15.3	83.2
Total		31.5	5856	47.6	17.3	10.2	39.0	12.2	45.4	85.3

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Country, Year

		No treatment	Number of children with diarrhea
			1.00
Wealth Index Quintiles	Poorest	10.3	448
	Second	11.2	442
	Middle	19.2	366
	Fourth	21.1	310
	Richest	14.5	278
Sexo	Homem	13.9	934
	Mulher	15.6	909
Região	Tombali	39.6	76
	Quinará	25.0	46
	Oio	12.1	500
	Biombo	3.9	96
	Bolama/Bijagós	1.4	82
	Bafatá	18.6	233
	Gabú	22.8	191
	Cacheu	8.6	298
	SAB	16.1	322
Zona	Urbana	16.7	534
	Rural	13.9	1309
Age	< 6 months	13.4	142
	6-11 months	11.7	209
	12-23 months	16.4	473
	24-35 months	13.4	424
	36-47 months	15.6	337
	48-59 months	14.6	250
Mother's education level	None	14.9	1529
	Primary	13.2	210
	Secondary	14.9	92
	Medio/Superior	.0	5
	Non-standard curriculum	100.0	1
	Missing/DK	16.8	6
Total		14.7	1843

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Country, Year

		Had diarrhea in last two weeks	Number of children under 5	Drank more	Drank the same or less	Ate somewhat less, same or more	Ate much less or none	Received increased fluids and continued eating	Number of children with diarrhea 1.00
Wealth Index Quintiles	Poorest	36.5	1226	16.0	35.4	33.6	61.2	13.3	448
	Second	35.7	1239	21.0	30.5	35.2	61.0	16.1	442
	Middle	28.3	1294	17.4	25.6	32.4	61.8	13.7	366
	Fourth	26.6	1165	20.7	17.9	37.4	57.4	14.9	310
	Richest	29.8	932	9.3	18.7	39.2	53.8	5.4	278
Sexo	Homem	32.5	2876	16.7	26.5	36.1	58.9	13.0	934
	Mulher	30.5	2980	17.9	27.2	34.4	60.2	13.3	909
Região	Tombali	19.6	385	20.3	41.1	31.1	49.4	11.7	76
	Quinará	17.3	269	18.1	23.5	36.2	56.9	8.4	46
	Oio	45.5	1098	4.4	24.4	22.2	72.2	2.0	500
	Biombo	28.5	338	43.6	42.6	47.5	48.3	40.0	96
	Bolama/Bijagós	43.8	187	33.5	40.4	29.2	69.4	22.5	82
	Bafatá	24.7	943	28.7	19.3	37.6	57.5	23.6	233
	Gabú	25.2	758	18.1	16.8	29.8	66.1	14.9	191
	Cacheu	37.6	792	22.7	42.7	48.2	51.5	19.7	298
	SAB	29.7	1086	10.6	16.4	43.7	48.6	6.3	322
	Zona	Urbana	30.3	1766	10.6	20.7	35.3	58.0	7.2
	Rural	32.0	4089	20.0	29.3	35.2	60.2	15.6	1309
Age	< 6 months	19.8	721	24.3	40.7	36.7	58.8	16.2	142
	6-11 months	36.5	574	17.5	27.3	33.7	60.5	11.1	209
	12-23 months	42.3	1119	18.8	24.7	34.6	61.5	12.9	473
	24-35 months	37.5	1131	16.8	23.2	40.1	53.9	14.0	424
	36-47 months	28.9	1166	16.0	29.8	35.4	59.8	14.2	337
	48-59 months	22.4	1113	12.4	25.2	28.5	65.3	10.2	250
Mother's education level	None	32.0	4781	18.1	27.5	34.2	60.7	14.0	1529
	Primary	30.4	693	13.6	22.8	41.7	53.6	9.8	210
	Secondary	27.6	334	11.1	25.5	37.3	54.0	6.7	92
	Medio/Superior	30.1	15	40.0	.0	60.0	40.0	20.0	5
	Non-standard curriculum	6.0	16	.0	100.0	.0	100.0	.0	1
	Missing/DK	36.2	17	5.8	34.8	21.1	62.1	5.8	6
Total		31.5	5856	17.3	26.8	35.2	59.5	13.1	1843

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Country, Year

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Mobile/outreach clinic	Private physician	
Wealth Index Quintiles	Poorest	10.7	1226	16.6	37.3	3.4	6.4	.0	.0	.0	
	Second	8.1	1239	30.2	39.4	.0	3.9	.0	.0	.0	
	Middle	9.4	1294	26.4	34.4	1.4	.9	.0	.0	.0	
	Fourth	8.7	1165	51.8	19.5	.9	.0	5.5	1.8	2.7	
	Richest	14.9	932	64.9	17.2	4.0	4.6	10.7	1.3	8.7	
Sexo	Homem	10.1	2876	39.4	27.3	1.9	3.0	5.4	.6	2.6	
	Mulher	10.2	2980	37.1	31.2	2.3	3.6	1.5	.6	2.4	
Região	Tombali	7.2	385	18.8	28.9	.0	.0	.0	.0	.0	
	Quinará	3.6	269	39.8	.0	.0	.0	.0	.0	.0	
	Oio	16.4	1098	5.9	49.8	2.1	.0	.0	.0	.0	
	Biombo	10.8	338	39.3	43.1	3.7	23.4	.0	.0	.0	
	Bolama/Bijagós	4.2	187	.0	71.4	.0	.0	.0	.0	.0	
	Bafatá	8.2	943	60.8	19.3	.0	.0	.0	.0	.0	
	Gabú	3.6	758	78.7	.0	.0	.0	.0	.0	.0	
	Cacheu	8.9	792	41.0	21.2	.0	9.3	.0	.0	.0	
	SAB	14.4	1086	60.9	16.0	4.7	3.0	13.0	2.4	9.5	
	Zona	Urbana	12.6	1766	57.6	18.3	3.6	2.9	9.1	1.7	6.6
		Rural	9.1	4089	26.5	35.9	1.2	3.6	.0	.0	.0
Age	< 6 months	7.9	721	33.8	33.4	2.9	5.7	4.9	.0	3.3	
	6-11 months	13.1	574	39.5	27.7	1.2	3.7	2.5	.0	1.2	
	12-23 months	13.1	1119	43.5	28.0	2.5	4.2	1.9	1.3	1.9	
	24-35 months	10.0	1131	37.4	29.6	1.7	2.9	6.6	.8	3.3	
	36-47 months	10.2	1166	34.0	30.9	1.6	2.7	3.1	.0	3.1	
	48-59 months	7.3	1113	38.9	28.3	2.9	1.4	2.3	1.1	2.3	
Mother's education level	None	9.4	4781	30.3	33.5	1.8	3.4	1.6	.4	.8	
	Primary	12.6	693	65.6	17.6	2.1	3.2	7.4	1.1	5.3	
	Secondary	14.4	334	57.7	11.6	3.9	3.4	13.5	1.9	13.5	
	Medio/Superior	36.1	15	66.7	33.3	16.7	.0	.0	.0	.0	
	Non-standard curriculum	.0	16	
	Missing/DK	6.6	17	100.0	.0	.0	.0	.0	.0	.0	
Total		10.1	5856	38.2	29.3	2.1	3.3	3.4	.6	2.5	

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Country, Year

		Traditional healer	Other	Any appropriate provider	Number of children with ARI 1.00
Wealth Index Quintiles	Poorest	2.3	1.6	51.8	131
	Second	4.1	1.1	65.7	100
	Middle	3.8	.5	55.3	122
	Fourth	5.6	6.0	67.6	101
	Richest	1.3	.0	80.4	139
Sexo	Homem	3.8	1.7	64.0	290
	Mulher	2.7	1.6	64.5	303
Região	Tombali	.0	.0	47.6	28
	Quinará	.0	.0	39.8	10
	Oio	4.9	.6	57.5	181
	Biombo	.0	.0	61.7	36
	Bolama/Bijagós	.0	.0	71.4	8
	Bafatá	6.2	4.6	63.8	77
	Gabú	4.0	2.3	78.7	27
	Cacheu	2.5	4.0	56.0	70
	SAB	1.8	1.2	78.1	156
	Zona	Urbana	1.9	1.4	75.6
	Rural	4.1	1.8	57.4	371
Age	< 6 months	6.5	.0	61.6	57
	6-11 months	.0	1.5	62.1	75
	12-23 months	3.6	2.3	70.7	147
	24-35 months	2.6	.0	63.2	113
	36-47 months	3.3	4.1	61.0	119
	48-59 months	4.1	.8	64.4	81
Mother's education level	None	3.5	2.0	59.7	451
	Primary	2.9	1.1	80.6	87
	Secondary	1.9	.0	74.4	48
	Medio/Superior	.0	.0	83.3	6
	Non-standard curriculum	.	.	.	0
	Missing/DK	.0	.0	100.0	1
Total		3.2	1.7	64.2	593

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Country, Year

		Reported illness in last two weeks	Number of children under 5	Drank more	Drank the same or less	Ate somewhat less, same or more	Ate much less or none	Received increased fluids and continued eating	Number of sick children
									1.00
Wealth Index Quintiles	Poorest	50.6	1226	24.8	31.6	41.1	54.0	21.8	620
	Second	50.0	1239	24.2	33.6	36.7	59.4	18.8	620
	Middle	41.1	1294	21.8	29.8	35.8	57.7	18.1	532
	Fourth	44.7	1165	23.5	22.7	39.0	54.0	17.3	521
	Richest	49.1	932	8.5	24.4	30.7	54.4	4.8	458
Sexo	Homem	49.0	2876	20.7	28.8	37.1	56.3	16.2	1410
	Mulher	45.0	2980	21.6	28.9	36.8	55.7	17.2	1341
Região	Tombali	33.3	385	20.5	40.3	26.1	54.4	9.7	128
	Quinará	25.9	269	17.6	28.7	35.3	54.5	10.2	70
	Oio	53.4	1098	6.7	25.9	22.2	71.5	3.4	587
	Biombo	49.2	338	56.6	31.3	62.0	34.8	53.7	166
	Bolama/Bijagós	67.6	187	34.5	45.9	35.3	63.8	26.5	127
	Bafatá	44.0	943	37.3	24.0	47.0	49.7	29.9	415
	Gabú	35.8	758	20.1	21.0	32.3	63.9	17.1	271
	Cacheu	55.9	792	24.8	40.7	50.2	48.8	22.4	442
	SAB	50.2	1086	8.5	22.6	32.4	51.1	5.1	545
	Zona	Urbana	49.7	1766	11.3	25.7	31.1	56.8	8.0
	Rural	45.8	4089	25.7	30.3	39.7	55.6	20.8	1872
Age	< 6 months	34.3	721	23.4	43.5	34.0	57.1	15.9	247
	6-11 months	56.1	574	22.3	31.9	31.5	61.9	13.6	322
	12-23 months	57.4	1119	20.2	26.6	35.5	58.0	14.6	642
	24-35 months	51.3	1131	19.4	25.2	40.1	53.2	16.5	580
	36-47 months	45.4	1166	23.6	28.8	40.9	53.2	20.8	529
	48-59 months	37.6	1113	19.5	25.9	36.2	55.1	17.7	418
Mother's education level	None	46.4	4781	23.1	28.6	37.7	56.5	18.5	2217
	Primary	49.6	693	15.0	28.6	36.6	53.1	11.4	344
	Secondary	50.6	334	8.7	31.7	29.5	55.0	5.2	169
	Medio/Superior	54.2	15	22.2	33.3	33.3	55.6	11.1	8
	Non-standard curriculum	29.8	16	.0	40.0	20.0	60.0	.0	5
	Missing/DK	50.4	17	4.1	29.1	15.1	72.8	4.1	8
Total		47.0	5856	21.1	28.8	37.0	56.0	16.7	2751

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Guinea Bissau, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	24.1	62.4	61.4	19.1	12.1	26.0	2.7	47.2	927
	Second	34.1	64.1	69.0	28.5	24.8	44.5	7.9	59.9	933
	Middle	37.4	69.4	73.6	39.9	39.7	48.0	17.1	64.1	1009
	Fourth	42.6	71.9	76.0	45.7	47.9	53.7	24.1	68.6	972
	Richest	44.1	79.4	91.4	64.8	67.0	64.0	52.1	79.1	833
Região	Tombali	1.9	45.0	32.3	3.0	4.5	1.5	.4	8.6	269
	Quinará	2.5	48.5	40.1	1.0	1.0	1.0	.0	1.0	202
	Oio	29.7	80.6	56.2	21.7	7.2	37.8	1.5	51.8	932
	Biombo	21.0	55.5	73.5	28.2	22.7	22.3	.0	65.5	238
	Bolama/Bijagós	.0	.8	58.6	.8	.8	1.5	1.5	3.0	133
	Bafatá	68.8	77.3	87.8	61.6	64.7	75.4	21.9	94.2	743
	Gabú	49.3	86.2	88.6	62.5	63.3	73.2	31.3	85.5	578
	Cacheu	19.2	41.0	67.1	6.4	11.4	21.2	.2	48.2	614
	SAB	46.4	83.8	96.9	71.7	74.1	69.3	59.9	84.1	965
	Zona	Urbana	44.1	75.5	82.8	55.3	56.6	55.6	40.3	71.6
	Rural	31.4	65.2	68.2	28.7	25.7	41.4	7.1	58.4	2841
Mother's education level	None	35.8	69.1	71.7	35.9	33.5	45.1	15.2	61.9	3678
	Primary	38.5	65.8	78.9	47.8	48.9	52.2	34.1	65.9	634
	Secondary	39.1	75.6	88.1	56.6	63.1	56.6	45.6	75.6	320
	Medio/Superior	31.3	81.3	93.8	50.0	56.3	50.0	43.8	81.3	16
	Non-standard curriculum	20.0	80.0	90.0	50.0	50.0	50.0	40.0	70.0	10
	Missing/DK	43.8	87.5	87.5	75.0	62.5	68.8	50.0	81.3	16
Total		36.4	69.2	73.9	39.2	37.8	47.0	20.1	63.5	4674

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Country, 2000

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	
Wealth Index Quintiles	Poorest	60.5	39.4	.1	2.3	97.1	.6	1226
	Second	63.4	36.6	.0	2.7	97.1	.2	1239
	Middle	66.6	33.1	.3	4.1	95.2	.7	1294
	Fourth	71.2	28.1	.7	9.3	90.7	.0	1165
	Richest	74.5	24.3	1.2	22.9	76.6	.5	932
Sexo	Homem	67.1	32.5	.4	7.9	91.8	.3	2876
	Mulher	66.6	33.0	.4	7.0	92.4	.5	2980
Região	Tombali	84.6	14.2	1.2	1.9	97.7	.4	385
	Quinará	78.4	21.6	.0	1.9	97.7	.5	269
	Oio	79.6	20.4	.0	.6	99.4	.0	1098
	Biombo	43.4	56.6	.0	4.2	95.0	.8	338
	Bolama/Bijagós	62.9	36.5	.6	1.6	98.4	.0	187
	Bafatá	68.4	31.2	.4	5.0	94.5	.5	943
	Gabú	47.8	52.0	.2	.4	98.7	.9	758
	Cacheu	47.8	52.1	.1	7.9	91.8	.3	792
	SAB	78.3	20.5	1.2	26.4	73.1	.4	1086
	Age	< 6 months	67.0	32.8	.2	8.0	91.9	.1
6-11 months		69.4	29.8	.7	8.8	91.2	.0	574
12-23 months		69.6	30.1	.3	9.3	89.9	.8	1119
24-35 months		67.1	32.1	.7	9.3	90.3	.4	1131
36-47 months		66.9	32.8	.3	6.2	93.3	.5	1166
48-59 months		62.2	37.4	.4	4.0	95.6	.4	1113
Zona	Urbana	74.7	24.3	1.0	18.9	80.7	.4	1766
	Rural	63.4	36.4	.2	2.5	97.1	.4	4089
Total		66.8	32.8	.4	7.4	92.1	.4	5856

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Country, Year

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Other	Don't know	Any appropriate anti-malarial drug	Number of children with fever 1.00
Wealth Index Quintiles	Poorest	42.3	1226	55.3	43.7	.7	17.1	3.0	43.7	519
	Second	40.0	1239	62.3	56.0	.9	20.5	2.0	56.0	496
	Middle	39.5	1294	66.3	57.1	3.8	11.4	2.4	57.3	512
	Fourth	45.1	1165	69.9	61.7	3.4	17.8	2.6	61.8	526
	Richest	44.7	932	82.7	76.2	3.7	28.9	1.6	76.8	417
Sexo	Homem	42.3	2876	65.3	57.4	2.7	19.1	1.9	57.5	1216
	Mulher	42.0	2980	68.0	59.1	2.2	18.4	2.8	59.4	1252
Região	Tombali	31.6	385	39.8	30.9	1.2	15.0	.9	30.9	122
	Quinará	35.9	269	35.2	36.5	.0	24.0	2.7	36.5	97
	Oio	51.3	1098	65.8	46.7	.0	12.1	1.8	46.7	563
	Biombo	38.7	338	57.8	60.6	.0	21.6	4.2	60.6	131
	Bolama/Bijagós	57.6	187	61.1	38.8	.0	34.0	4.0	38.8	108
	Bafatá	43.2	943	74.5	66.8	4.3	10.0	2.0	67.2	407
	Gabú	34.3	758	73.1	71.2	9.2	6.3	3.2	71.4	260
	Cacheu	37.9	792	56.3	55.9	.7	27.8	3.3	55.9	300
	SAB	44.3	1086	81.0	74.0	3.3	30.8	1.5	74.4	481
	Zona	Urbana	46.5	1766	79.6	71.5	3.4	24.0	1.5	71.9
	Rural	40.3	4089	60.3	51.7	2.0	16.1	2.7	51.7	1647
Age	< 6 months	26.2	721	52.1	50.3	2.7	18.3	3.6	50.3	189
	6-11 months	49.8	574	61.0	52.2	2.5	22.4	3.8	52.5	285
	12-23 months	48.6	1119	68.8	60.9	1.9	20.3	2.1	61.0	543
	24-35 months	43.9	1131	68.4	61.0	2.8	19.7	2.0	61.1	497
	36-47 months	42.2	1166	67.2	59.5	2.0	18.5	1.8	59.5	492
	48-59 months	40.7	1113	71.2	58.3	3.1	14.2	2.2	58.8	453
Mother's education level	None	42.0	4781	64.1	55.4	2.4	16.5	2.3	55.6	2009
	Primary	42.5	693	75.3	67.3	2.5	23.6	2.8	67.3	294
	Secondary	42.7	334	83.4	77.7	3.7	38.0	2.1	78.3	143
	Medio/Superior	48.2	15	87.5	75.0	.0	25.0	.0	75.0	7
	Non-standard curriculum	52.4	16	61.4	50.0	11.4	65.9	11.4	61.4	8
	Missing/DK	40.3	17	85.0	86.3	.0	.0	.0	86.3	7
Total		42.2	5856	66.7	58.3	2.5	18.8	2.3	58.4	2469

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Country, Year

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women 1.00
Wealth Index Quintiles	Poorest	36.7	14.0	17.2	13.2	18.1	81.9	1576
	Second	35.2	10.8	12.2	9.3	13.7	86.3	1546
	Middle	45.9	16.1	16.4	13.9	18.6	81.4	1473
	Fourth	57.5	21.3	26.0	19.0	28.4	71.6	1577
	Richest	82.3	39.2	50.7	37.1	52.7	47.3	1805
Região	Tombali	29.8	5.2	5.8	4.1	6.9	93.1	539
	Quinará	31.4	5.4	7.0	4.1	8.3	91.7	380
	Oio	26.9	11.5	12.3	11.0	12.8	87.2	1342
	Biombo	65.7	35.3	38.9	34.3	40.0	60.0	444
	Bolama/Bijagós	34.2	16.1	29.1	15.4	29.8	70.2	245
	Bafatá	49.4	12.8	10.3	8.0	15.0	85.0	924
	Gabú	36.1	11.1	10.2	9.0	12.2	87.8	806
	Cacheu	54.1	18.9	24.1	17.7	25.4	74.6	1097
	SAB	83.4	38.9	50.8	36.8	52.8	47.2	2199
	Zona	Urbana	78.5	36.1	45.2	33.7	47.6	52.4
Rural		35.9	11.2	12.7	9.7	14.1	85.9	4856
Idade	12-14	36.4	10.2	12.7	9.6	13.4	86.6	891
	15-19	58.9	25.1	30.3	23.6	31.8	68.2	1564
	20-24	63.7	27.1	34.2	24.5	36.8	63.2	1482
	25-29	55.9	23.6	27.8	21.0	30.3	69.7	1255
	30-34	52.7	19.0	23.0	16.5	25.5	74.5	866
	35-39	48.7	18.9	22.8	17.7	24.1	75.9	905
	40-44	42.1	16.4	18.5	15.1	19.8	80.2	612
Woman's education level	45-49	36.0	13.0	15.6	12.1	16.5	83.5	399
	Nenhum	41.0	12.9	14.5	11.4	16.1	83.9	5521
	Primaria	71.8	30.9	39.3	28.9	41.3	58.7	1715
	Secundario +	96.9	59.2	76.8	55.9	80.1	19.9	688
	Curriculo nao official	24.4	14.8	19.6	14.8	19.6	80.4	18
	Em branco / Nao sabe	70.6	40.3	47.6	40.3	47.6	52.4	34
Total		52.5	20.9	25.4	19.1	27.2	72.8	7976

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Country, Year

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women 1.00
Wealth Index Quintiles	Poorest	43.3	19.8	23.9	16.9	14.8	25.2	74.8	306
	Second	36.9	11.8	12.5	9.2	7.9	13.9	86.1	271
	Middle	52.2	21.6	23.2	18.5	16.4	24.7	75.3	265
	Fourth	66.5	26.7	32.1	18.7	16.1	35.5	64.5	317
	Richest	84.0	38.9	50.4	22.3	17.3	54.6	45.4	404
Região	Tombali	49.8	8.0	9.6	6.7	5.9	9.6	90.4	92
	Quinará	26.4	.9	5.2	4.2	.9	5.2	94.8	76
	Oio	33.7	18.9	19.7	16.0	15.0	20.3	79.7	272
	Biombo	75.1	49.6	52.1	50.3	44.4	55.4	44.6	89
	Bolama/Bijagós	39.6	19.0	31.1	17.9	12.0	34.0	66.0	58
	Bafatá	48.9	12.4	11.6	8.8	7.2	15.2	84.8	145
	Gabú	46.4	15.7	13.0	10.1	7.9	17.2	82.8	120
	Cacheu	58.3	21.7	27.2	14.9	13.8	29.1	70.9	191
	SAB	83.7	38.2	49.7	21.8	17.5	53.4	46.6	521
	Zona	Urbana	80.1	36.7	45.5	23.4	18.7	49.7	50.3
Rural		41.2	15.3	17.6	12.8	11.4	18.7	81.3	851
Idade	15-19	58.9	25.1	30.3	17.6	14.8	32.9	67.1	1564
Woman's education level	Nenhum	42.5	15.9	17.0	13.1	11.3	19.0	81.0	863
	Primaria	75.6	31.6	40.5	20.5	16.4	43.9	56.1	554
	Secundario +	96.1	57.4	74.2	35.8	31.1	77.3	22.7	131
	Curriculo nao official	57.6	38.4	57.6	.0	.0	57.6	42.4	5
	Em branco / Nao sabe	62.5	24.8	24.8	16.5	16.5	24.8	75.2	11
Total		58.9	25.1	30.3	17.6	14.8	32.9	67.1	1564

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Country, Year

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women 1.00
Wealth Index Quintiles	Poorest	36.7	13.7	13.8	11.7	2.3	22.1	77.9	1576
	Second	35.2	12.4	10.9	12.9	3.6	20.2	79.8	1546
	Middle	45.9	12.8	14.7	21.8	6.7	26.3	73.7	1473
	Fourth	57.5	25.3	23.1	28.8	14.4	36.9	63.1	1577
	Richest	82.3	44.7	44.4	49.9	31.0	60.1	39.9	1805
Região	Tombali	29.8	5.0	3.6	9.0	1.9	11.2	88.8	539
	Quinará	31.4	2.6	3.3	8.5	.6	11.2	88.8	380
	Oio	26.9	3.7	11.7	15.2	2.2	16.2	83.8	1342
	Biombo	65.7	37.9	37.8	11.8	3.6	45.7	54.3	444
	Bolama/Bijagós	34.2	26.6	16.5	12.7	4.8	30.0	70.0	245
	Bafatá	49.4	16.9	14.8	24.2	11.6	28.5	71.5	924
	Gabú	36.1	11.0	7.9	16.9	6.3	19.3	80.7	806
	Cacheu	54.1	24.1	18.3	21.9	6.2	35.6	64.4	1097
	SAB	83.4	44.1	44.1	49.6	31.0	59.6	40.4	2199
	Zona	Urbana	78.5	39.5	39.3	46.1	26.0	56.1	43.9
	Rural	35.9	11.7	11.2	12.7	3.5	19.9	80.1	4856
Idade	12-14	36.4	9.4	11.2	13.6	4.9	17.8	82.2	891
	15-19	58.9	23.8	24.6	28.0	11.3	38.7	61.3	1564
	20-24	63.7	32.1	30.0	33.8	17.7	44.9	55.1	1482
	25-29	55.9	26.4	24.4	29.9	15.1	37.8	62.2	1255
	30-34	52.7	23.7	21.7	25.7	13.3	33.4	66.6	866
	35-39	48.7	18.9	20.2	23.6	11.1	30.7	69.3	905
	40-44	42.1	16.4	17.0	20.2	9.5	25.8	74.2	612
	45-49	36.0	15.3	13.6	15.6	7.4	20.9	79.1	399
Woman's education level	Nenhum	41.0	12.5	12.7	16.1	5.0	22.3	77.7	5521
	Primaria	71.8	35.0	33.4	37.8	20.2	49.2	50.8	1715
	Secundario +	96.9	71.9	69.1	73.2	49.9	89.4	10.6	688
	Curriculo nao official	24.4	14.3	19.6	14.8	4.8	24.4	75.6	18
	Em branco / Nao sabe	70.6	40.8	45.6	48.7	29.1	58.1	41.9	34
Total		52.5	22.6	22.2	25.8	12.3	34.0	66.0	7976

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Country, Year

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00
Wealth Index Quintiles	Poorest	12.5	10.9	10.1	10.5	9.0	88.1	1576
	Second	13.2	12.0	11.9	11.2	10.3	87.1	1546
	Middle	20.4	19.0	18.9	18.3	17.3	79.8	1473
	Fourth	27.4	25.9	25.3	25.1	23.7	73.2	1577
	Richest	43.1	42.3	40.9	40.1	38.8	57.0	1805
Região	Tombali	12.6	12.3	12.3	11.6	11.6	87.7	539
	Quinará	11.8	11.3	11.3	11.6	11.2	88.2	380
	Oio	15.2	14.7	14.7	14.4	14.2	85.0	1342
	Biombo	14.5	11.4	10.7	10.0	7.4	86.3	444
	Bolama/Bijagós	17.6	16.4	15.3	13.7	12.4	82.4	245
	Bafatá	30.3	29.2	29.1	28.1	27.7	70.2	924
	Gabú	18.9	17.4	16.5	16.7	15.6	82.0	806
	Cacheu	16.5	13.2	12.4	11.7	8.4	83.9	1097
	SAB	39.8	39.0	37.7	37.6	36.1	60.4	2199
	Zona	Urbana	39.9	38.6	37.4	36.8	35.2	60.5
	Rural	13.7	12.4	12.2	11.9	10.9	86.6	4856
Idade	12-14	12.1	11.2	10.6	10.6	9.7	88.1	891
	15-19	26.7	25.0	24.4	23.7	22.3	73.9	1564
	20-24	31.1	29.7	29.0	28.2	26.8	69.4	1482
	25-29	27.1	25.5	25.1	24.7	23.3	73.1	1255
	30-34	24.9	23.9	23.4	22.8	21.8	75.4	866
	35-39	22.4	21.2	20.2	20.2	19.2	78.2	905
	40-44	17.9	17.5	16.4	17.4	15.7	81.7	612
	45-49	14.4	13.0	12.9	12.0	11.4	86.2	399
Woman's education level	Nenhum	16.4	15.3	14.8	14.8	13.8	84.0	5521
	Primaria	32.6	30.8	30.2	29.6	27.7	67.7	1715
	Secundario +	62.1	60.4	58.9	56.5	54.3	37.9	688
	Curriculo nao official	19.6	19.6	19.6	19.6	19.6	80.4	18
	Em branco / Nao sabe	42.8	41.1	39.1	39.1	39.1	58.9	34
Total		24.0	22.7	22.0	21.7	20.4	76.4	7976

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Guinee Bissau, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women 1.00
Wealth Index Quintiles	Poorest	28.7	33.5	34.4	65.6	1576
	Second	25.6	30.7	31.1	68.9	1546
	Middle	28.8	36.3	37.8	62.2	1473
	Fourth	34.0	39.1	41.2	58.8	1577
	Richest	43.1	46.7	49.8	50.2	1805
Região	Tombali	20.6	23.8	25.1	74.9	539
	Quinará	26.0	26.3	27.7	72.3	380
	Oio	14.7	24.9	25.4	74.6	1342
	Biombo	55.2	60.5	62.1	37.9	444
	Bolama/Bijagós	26.4	24.9	28.1	71.9	245
	Bafatá	33.9	38.1	39.4	60.6	924
	Gabú	22.4	27.7	28.7	71.3	806
	Cacheu	38.9	47.2	47.9	52.1	1097
	SAB	43.0	46.0	49.1	50.9	2199
Zona	Urbana	40.7	46.5	49.4	50.6	3120
	Rural	27.0	31.8	32.7	67.3	4856
Idade	12-14	22.6	26.7	27.7	72.3	891
	15-19	36.3	42.8	45.4	54.6	1564
	20-24	37.3	44.0	45.6	54.4	1482
	25-29	35.1	39.7	41.4	58.6	1255
	30-34	34.1	38.7	39.9	60.1	866
	35-39	29.1	34.1	35.5	64.5	905
	40-44	26.9	30.7	32.4	67.6	612
	45-49	24.3	26.4	27.3	72.7	399
Woman's education level	Nenhum	28.8	34.0	35.1	64.9	5521
	Primaria	41.0	46.7	49.5	50.5	1715
	Secundario +	39.9	43.8	46.6	53.4	688
	Curriculo nao official	19.1	24.4	24.4	75.6	18
	Em branco / Nao sabe	39.7	44.5	48.8	51.2	34
Total		32.4	37.6	39.2	60.8	7976

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Country, Year

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
Wealth Index Quintiles	Poorest	36.7	11.0	2.3	.7	1576
	Second	35.2	7.1	3.6	1.5	1546
	Middle	45.9	10.9	6.7	2.8	1473
	Fourth	57.5	11.5	14.4	5.8	1577
	Richest	82.3	18.3	31.0	11.3	1805
Região	Tombali	29.8	3.3	1.9	1.1	539
	Quinará	31.4	3.9	.6	.0	380
	Oio	26.9	9.0	2.2	.4	1342
	Biombo	65.7	32.0	3.6	1.7	444
	Bolama/Bijagós	34.2	7.6	4.8	1.3	245
	Bafatá	49.4	4.4	11.6	2.6	924
	Gabú	36.1	5.8	6.3	3.4	806
	Cacheu	54.1	14.1	6.2	3.2	1097
	SAB	83.4	18.1	31.0	11.9	2199
	Zona	Urbana	78.5	18.5	26.0	10.3
	Rural	35.9	7.8	3.5	1.0	4856
Idade	12-14	36.4	7.4	4.9	2.3	891
	15-19	58.9	14.8	11.3	4.5	1564
	20-24	63.7	15.1	17.7	6.2	1482
	25-29	55.9	12.2	15.1	6.0	1255
	30-34	52.7	9.5	13.3	4.4	866
	35-39	48.7	11.4	11.1	4.4	905
	40-44	42.1	10.7	9.5	4.0	612
	45-49	36.0	7.8	7.4	2.2	399
Woman's education level	Nenhum	41.0	8.4	5.0	1.8	5521
	Primaria	71.8	16.5	20.2	8.0	1715
	Secundario +	96.9	29.0	49.9	18.6	688
	Curriculo nao official	24.4	5.3	4.8	.0	18
	Em branco / Nao sabe	70.6	19.9	29.1	10.2	34
Total		52.5	12.0	12.3	4.6	7976

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Country, Year

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women 1.00
Wealth Index Quintiles	Poorest	6.0	1.2	88.8	1576
	Second	8.2	1.8	70.6	1546
	Middle	10.8	2.4	74.9	1473
	Fourth	21.1	4.5	70.3	1577
	Richest	35.2	10.4	83.1	1805
Região	Tombali	6.8	4.0	89.3	539
	Quinará	8.1	3.2	94.1	380
	Oio	10.7	1.7	83.2	1342
	Biombo	3.9	.7	50.0	444
	Bolama/Bijagós	7.2	.8	100.0	245
	Bafatá	13.7	1.4	40.9	924
	Gabú	12.4	2.4	50.1	806
	Cacheu	7.1	1.9	57.5	1097
	SAB	36.3	10.3	83.4	2199
	Zona	Urbana	33.1	8.7	81.3
	Rural	6.5	1.4	69.3	4856
Idade	12-14	8.0	1.4	85.5	891
	15-19	17.3	3.4	82.7	1564
	20-24	23.5	6.0	85.2	1482
	25-29	20.0	5.1	74.7	1255
	30-34	16.2	4.0	57.3	866
	35-39	16.1	5.4	79.8	905
	40-44	13.6	4.5	78.8	612
	45-49	9.8	3.4	88.1	399
Woman's education level	Nenhum	9.8	1.9	69.6	5521
	Primaria	23.9	5.8	80.9	1715
	Secundario +	56.5	19.4	84.6	688
	Curriculo nao official	.0	.0	.	18
	Em branco / Nao sabe	25.2	5.1	100.0	34
Total		16.9	4.3	78.9	7976

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Country, Year

		Current method										
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Implants	Condom	Female condom	Diaphragm/f oam/jelly	LAM
Wealth Index Quintiles	Poorest	94.2	.0	.0	.0	.2	.2	.0	.0	.0	.0	.0
	Second	95.4	.2	.0	.1	.8	.1	.0	.0	.0	.0	.0
	Middle	95.2	.1	.0	.1	1.8	.3	.0	.0	.0	.0	.3
	Fourth	92.4	.4	.1	.2	3.6	.4	.0	.2	.1	.0	.8
	Richest	79.6	.9	.1	1.7	7.2	2.2	.3	.3	.1	.1	4.7
Região	Tombali	99.1	.5	.0	.2	.2	.0	.0	.0	.0	.0	.0
	Quinará	99.5	.0	.0	.0	.5	.0	.0	.0	.0	.0	.0
	Oio	99.1	.0	.0	.0	.5	.1	.0	.0	.0	.0	.0
	Biombo	85.5	.0	.0	.0	.7	.1	.0	.0	.0	.0	.0
	Bolama/Bijagós	93.2	.0	.8	.0	6.0	.0	.0	.0	.0	.0	.0
	Bafatá	94.9	.0	.0	.3	2.7	.2	.0	.0	.0	.0	.0
	Gabú	94.7	.3	.0	.1	3.2	.1	.0	.0	.0	.0	.0
	Cacheu	88.3	.0	.0	.1	.8	1.1	.0	.0	.0	.0	.0
	SAB	79.5	1.2	.1	1.5	6.6	1.8	.2	.5	.2	.1	5.5
Zona	Urbana	84.4	.9	.1	1.1	5.7	1.6	.1	.3	.1	.1	3.2
	Rural	95.3	.1	.0	.0	1.0	.1	.0	.0	.0	.0	.0
Woman's education level	Nenhum	94.4	.1	.0	.0	1.3	.2	.0	.0	.0	.0	.6
	Primaria	84.1	1.2	.3	1.6	6.8	1.2	.2	.3	.0	.2	1.6
	Secundario +	69.7	.8	.0	2.7	12.1	4.4	.0	.4	.4	.0	5.2
	Curriculo nao official	87.7	.0	.0	.0	.0	.0	.0	.0	.0	.0	12.3
	Em branco / Nao sabe	93.8	.0	.0	.0	6.2	.0	.0	.0	.0	.0	.0
Total		92.4	.3	.0	.3	2.3	.5	.0	.1	.0	.0	.9

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Country, Year

		Current method			Total	Any modern method	Any traditional method	Any method	Number of currently married women
		Periodic abstinence	Withdrawal	Other					1.00
Wealth Index Quintiles	Poorest	5.3	.1	.0	100.0	.4	5.4	5.8	1148
	Second	2.9	.4	.3	100.0	1.1	3.5	4.6	1106
	Middle	1.2	.0	.9	100.0	2.4	2.4	4.8	1068
	Fourth	.7	.5	.6	100.0	5.0	2.6	7.6	996
	Richest	1.9	.4	.5	100.0	12.9	7.5	20.4	669
Região	Tombali	.0	.0	.0	100.0	.9	.0	.9	398
	Quinará	.0	.0	.0	100.0	.5	.0	.5	277
	Oio	.0	.3	.0	100.0	.6	.3	.9	967
	Biombo	13.6	.0	.0	100.0	.8	13.6	14.5	286
	Bolama/Bijagós	.0	.0	.0	100.0	6.8	.0	6.8	108
	Bafatá	.0	.9	1.0	100.0	3.2	1.9	5.1	769
	Gabú	.0	.0	1.5	100.0	3.7	1.5	5.3	677
	Cacheu	9.8	.0	.0	100.0	1.9	9.8	11.7	731
	SAB	1.8	.5	.5	100.0	12.2	8.3	20.5	774
Zona	Urbana	1.7	.3	.4	100.0	10.0	5.6	15.6	1338
	Rural	2.8	.3	.4	100.0	1.2	3.5	4.7	3649
Woman's education level	Nenhum	2.5	.3	.5	100.0	1.8	3.8	5.6	4260
	Primaria	2.4	.0	.0	100.0	11.9	3.9	15.9	504
	Secundario +	3.4	.9	.0	100.0	20.9	9.4	30.3	203
	Curriculo nao official	.0	.0	.0	100.0	.0	12.3	12.3	7
	Em branco / Nao sabe	.0	.0	.0	100.0	6.2	.0	6.2	13
Total		2.5	.3	.4	100.0	3.6	4.1	7.6	4987

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Country, Year

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00	
Wealth Index Quintiles	Poorest	59.0	1.9	.0	60.9	338	
	Second	60.8	3.2	.0	64.0	361	
	Middle	60.2	2.6	.4	63.2	413	
	Fourth	61.2	1.9	.2	63.3	329	
	Richest	81.1	1.0	.8	82.9	259	
Região	Tombali	44.2	.7	.0	44.9	116	
	Quinará	54.9	2.2	2.2	59.4	80	
	Oio	58.4	3.9	.0	62.3	314	
	Biombo	71.9	2.6	.0	74.5	101	
	Bolama/Bijagós	54.5	.0	.0	54.5	59	
	Bafatá	66.6	3.2	.4	70.2	255	
	Gabú	49.4	2.9	.0	52.3	240	
	Cacheu	64.9	1.8	.3	67.0	244	
	SAB	85.5	.3	.3	86.1	291	
	Zona	Urbana	76.1	1.1	.3	77.5	502
		Rural	58.2	2.7	.2	61.1	1198
Woman's education level	Nenhum	60.6	2.7	.2	63.5	1375	
	Primaria	74.2	.0	.4	74.5	227	
	Secundario +	81.2	.8	.8	82.8	94	
	Curriculo nao official	100.0	.0	.0	100.0	2	
	Em branco / Nao sabe	.0	.0	.0	.0	2	
Total		63.5	2.2	.3	66.0	1699	

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Country, Year

		Person delivering antenatal care							Total	Any skilled personnel	Number of women	
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Parentes/amigos	Other/missing	No antenatal care received			1.00	
Wealth Index Quintiles	Poorest	5.3	38.6	10.2	10.4	20.9	14.6	.0	100.0	54.1	338	
	Second	9.9	43.8	10.5	11.5	13.6	10.5	.2	100.0	64.2	361	
	Middle	13.8	30.7	7.7	24.9	14.2	8.7	.0	100.0	52.2	413	
	Fourth	16.0	40.9	10.5	17.4	5.7	9.2	.3	100.0	67.4	329	
	Richest	29.9	46.1	2.5	7.3	4.8	9.4	.0	100.0	78.5	259	
Região	Tombali	6.9	59.7	1.6	3.3	11.9	16.5	.0	100.0	68.3	116	
	Quinará	4.5	61.2	2.2	4.5	16.5	11.2	.0	100.0	67.9	80	
	Oio	.6	37.8	23.6	21.5	8.6	7.7	.3	100.0	61.9	314	
	Biombo	3.9	43.8	.3	2.6	41.4	8.1	.0	100.0	48.0	101	
	Bolama/Bijagós	10.4	85.6	.0	2.0	.0	2.0	.0	100.0	96.0	59	
	Bafatá	25.9	27.5	14.0	23.2	.0	9.5	.0	100.0	67.3	255	
	Gabú	9.6	35.4	4.4	36.3	4.8	9.2	.3	100.0	49.4	240	
	Cacheu	13.7	21.0	6.9	3.9	36.5	18.0	.0	100.0	41.7	244	
	SAB	32.5	45.2	1.5	7.2	4.5	9.0	.0	100.0	79.2	291	
	Zona	Urbana	23.3	49.4	3.4	8.4	7.2	8.1	.1	100.0	76.2	502
		Rural	10.3	35.2	10.7	17.8	14.5	11.5	.1	100.0	56.2	1198
	Woman's education level	Nenhum	11.2	37.5	9.9	17.3	13.1	10.9	.0	100.0	58.6	1375
Primaria		23.7	45.3	3.5	5.8	10.5	10.7	.4	100.0	72.6	227	
Secundario +		32.9	51.9	.9	4.4	5.5	4.5	.0	100.0	85.7	94	
Curriculo nao official		50.0	50.0	.0	.0	.0	.0	.0	100.0	100.0	2	
Em branco / Nao sabe		36.3	63.7	.0	.0	.0	.0	.0	100.0	100.0	2	
Total		14.1	39.4	8.5	15.0	12.3	10.5	.1	100.0	62.1	1699	

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Country, Year**

		Person assisting at delivery							Total	Any skilled personnel	Number of women
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received			1.00
Wealth Index Quintiles	Poorest	1.4	19.2	2.9	27.6	33.8	15.2	.0	100.0	23.5	338
	Second	5.3	15.6	2.4	33.4	32.0	11.1	.3	100.0	23.3	361
	Middle	9.3	19.9	3.4	40.3	15.4	11.7	.0	100.0	32.6	413
	Fourth	7.4	26.4	3.6	34.4	15.1	12.4	.7	100.0	37.4	329
	Richest	17.8	45.4	1.8	11.4	8.9	14.7	.0	100.0	65.0	259
Região	Tombali	5.3	27.1	.0	6.6	34.6	26.4	.0	100.0	32.4	116
	Quinará	.9	28.6	.0	7.6	44.2	18.7	.0	100.0	29.5	80
	Oio	.6	12.0	5.9	41.3	32.8	7.1	.3	100.0	18.5	314
	Biombo	.0	32.7	1.3	10.6	45.7	9.7	.0	100.0	34.0	101
	Bolama/Bijagós	1.5	29.4	.0	43.1	9.5	16.5	.0	100.0	30.9	59
	Bafatá	14.2	13.4	3.4	57.1	1.3	9.7	.9	100.0	31.0	255
	Gabú	6.3	21.7	1.0	52.9	9.0	9.2	.0	100.0	29.0	240
	Cacheu	7.7	23.0	5.7	16.4	29.2	17.9	.0	100.0	36.4	244
	SAB	18.4	42.2	1.5	10.5	13.6	13.9	.0	100.0	62.0	291
Zona	Urbana	14.0	40.6	2.8	18.0	12.3	12.3	.0	100.0	57.4	502
	Rural	5.2	17.0	2.9	36.1	25.4	13.1	.3	100.0	25.2	1198
Woman's education level	Nenhum	6.2	18.9	3.0	34.7	23.5	13.4	.2	100.0	28.1	1375
	Primaria	12.8	41.3	2.3	17.0	15.7	10.9	.0	100.0	56.4	227
	Secundario +	18.8	55.0	2.6	6.7	7.6	9.3	.0	100.0	76.4	94
	Curriculo nao official	50.0	.0	.0	.0	.0	50.0	.0	100.0	50.0	2
	Em branco / Nao sabe	.0	72.6	.0	.0	27.4	.0	.0	100.0	72.6	2
Total		7.8	24.0	2.9	30.7	21.5	12.8	.2	100.0	34.7	1699

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Country, Year

		Birth registered	DK if birth registered	Registration status						
				Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other	Reason DK or Missing
Wealth Index Quintiles	Poorest	61.6	1.6	23.8	18.3	8.6	8.6	5.1	23.1	12.5
	Second	49.6	2.9	31.2	22.6	4.7	5.1	6.7	20.0	9.8
	Middle	35.7	2.3	34.0	22.4	3.2	5.3	5.5	16.1	13.3
	Fourth	29.4	2.8	27.4	18.9	1.6	5.9	4.5	30.1	11.5
	Richest	31.4	2.6	20.5	11.0	.7	8.5	1.7	53.5	4.1
Sexo	Homem	43.1	2.5	28.2	19.1	2.9	6.3	4.5	28.3	10.7
	Mulher	41.2	2.4	27.7	18.7	3.8	6.7	4.9	28.2	10.1
Região	Tombali	61.2	3.6	11.3	22.5	16.9	5.7	21.1	17.7	4.8
	Quinará	69.3	1.4	7.4	31.2	14.0	4.1	25.4	15.5	2.4
	Oio	60.9	2.5	30.2	15.5	8.5	9.2	12.4	7.3	16.9
	Biombo	65.8	2.8	27.0	9.3	.3	20.6	.0	35.0	7.7
	Bolama/Bijagós	8.1	3.0	10.5	4.1	.0	.0	.0	84.7	.7
	Bafatá	20.4	.8	41.9	30.1	.8	4.5	1.8	16.4	4.6
	Gabú	14.4	3.4	26.4	21.8	3.8	1.4	3.3	15.4	27.9
	Cacheu	73.3	1.5	33.7	20.0	3.9	18.0	2.8	21.3	.3
	SAB	23.7	3.4	22.2	10.0	.4	7.9	1.8	52.4	5.4
	Zona	Urbana	31.7	3.3	21.7	9.8	1.3	9.7	2.4	47.6
	Rural	46.6	2.1	31.3	23.8	4.5	4.7	6.0	17.7	11.9
Age	< 6 months	42.1	1.2	26.8	20.3	2.9	3.5	3.6	35.1	7.7
	6-11 months	44.8	2.0	28.1	20.2	1.9	5.2	6.4	31.6	6.7
	12-23 months	44.2	2.1	29.0	17.8	3.8	5.4	3.5	31.1	9.4
	24-35 months	42.8	1.8	26.9	19.2	3.2	8.1	2.6	29.8	10.2
	36-47 months	41.3	2.9	25.9	19.9	3.8	7.2	6.2	25.2	11.7
	48-59 months	38.8	3.9	30.6	16.9	3.6	7.8	5.9	21.3	13.9
Mother's education level	None	42.7	2.3	29.7	21.0	3.9	5.9	5.5	22.4	11.6
	Primary	38.3	3.5	20.9	11.4	1.3	9.0	1.6	51.5	4.3
	Secondary	41.9	2.6	18.5	6.1	.0	9.7	.4	59.9	5.4
	Medio/Superior	57.8	6.0	.0	.0	.0	16.7	.0	66.7	16.7
	Non-standard curriculum	29.8	.0	54.2	20.3	.0	.0	.0	25.4	.0
	Missing/DK	31.8	9.9	9.5	9.5	.0	5.9	.0	47.5	27.7
Total		42.1	2.4	27.9	18.9	3.4	6.5	4.7	28.3	10.4

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Country, Year

		Total	Number of children	
Wealth Index Quintiles	Poorest	100.0	1226	
	Second	100.0	1239	
	Middle	100.0	1294	
	Fourth	100.0	1165	
	Richest	100.0	932	
Sexo	Homem	100.0	2876	
	Mulher	100.0	2980	
Região	Tombali	100.0	385	
	Quinará	100.0	269	
	Oio	100.0	1098	
	Biombo	100.0	338	
	Bolama/Bijagós	100.0	187	
	Bafatá	100.0	943	
	Gabú	100.0	758	
	Cacheu	100.0	792	
	SAB	100.0	1086	
	Zona	Urbana	100.0	1766
		Rural	100.0	4089
Age	< 6 months	100.0	721	
	6-11 months	100.0	574	
	12-23 months	100.0	1119	
	24-35 months	100.0	1131	
	36-47 months	100.0	1166	
	48-59 months	100.0	1113	
Mother's education level	None	100.0	4781	
	Primary	100.0	693	
	Secondary	100.0	334	
	Medio/Superior	100.0	15	
	Non-standard curriculum	100.0	16	
	Missing/DK	100.0	17	
Total		100.0	5856	

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Guinea Bissau, 2000

		Living arrangement								
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive	Living with father only: mother dead
Wealth Index Quintiles	Poorest	67.6	.7	2.6	11.9	1.8	7.8	3.3	3.2	.5
	Second	71.4	.3	1.9	9.5	1.4	8.1	3.9	2.7	.3
	Middle	79.5	.4	1.0	6.3	1.1	6.9	2.7	1.4	.5
	Fourth	76.1	.3	.9	6.6	1.4	8.5	2.4	2.8	.6
	Richest	56.9	.7	1.2	11.3	1.4	18.5	4.8	3.5	.6
Sexo	Homem	71.7	.4	1.4	8.1	1.4	9.1	3.5	3.4	.5
	Mulher	69.7	.5	1.6	10.0	1.4	10.4	3.3	2.0	.5
Zona	Urbana	60.3	.7	1.4	10.6	1.4	16.1	4.6	3.4	.6
	Rural	76.1	.3	1.6	8.2	1.4	6.5	2.7	2.3	.4
Age	0-4 years	78.0	.2	.3	4.6	.4	13.1	1.8	1.1	.2
	5-9 years	68.7	.5	1.8	11.2	1.8	7.9	3.7	3.4	.5
	10-14 years	62.3	.8	3.0	12.8	2.4	7.2	5.3	4.2	1.1
Total		70.7	.4	1.5	9.0	1.4	9.8	3.4	2.7	.5

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Guinea Bissau, 2000

		Living arrangement		One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Impossible to determine	Total					
Wealth Index Quintiles	Poorest	.7	100.0	.0	16.9	8.8	8.9	3105
	Second	.5	100.0	.1	13.0	7.8	7.8	3233
	Middle	.2	100.0	.1	8.8	5.6	5.7	3434
	Fourth	.4	100.0	.0	9.2	5.6	5.6	3319
	Richest	1.1	100.0	.1	14.6	8.7	8.8	2945
Sexo	Homem	.7	100.0	.0	11.2	7.1	7.2	8045
	Mulher	.5	100.0	.1	13.5	7.4	7.4	7991
Zona	Urbana	.8	100.0	.1	14.0	8.8	8.8	5491
	Rural	.4	100.0	.0	11.5	6.5	6.5	10545
Age	0-4 years	.4	100.0	.0	5.5	2.9	2.9	6376
	5-9 years	.5	100.0	.0	15.3	8.2	8.3	5377
	10-14 years	.9	100.0	.1	19.0	12.5	12.6	4283
Total		.6	100.0	.0	12.4	7.2	7.3	16036

Monitoring Children's Rights Indicator

Table 42: Percentage of children 5-14 years of age who are currently working, Country, Year

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	5.4	10.4	71.9	2.3	79.43	80.4	1792
	Second	5.6	6.8	71.7	2.4	76.91	78.9	1879
	Middle	7.9	5.8	68.4	3.9	74.08	76.9	2011
	Fourth	5.1	11.0	68.4	5.9	53.22	60.1	2042
	Richest	1.6	14.4	78.8	3.7	19.80	31.8	1937
Sexo	Homem	5.8	9.3	63.1	2.5	60.72	65.2	4904
	Mulher	4.5	10.1	80.7	4.9	59.93	65.6	4758
Região	Tombali	11.8	26.2	90.6	.0	83.05	84.9	724
	Quinará	11.6	29.9	89.8	.2	85.19	88.1	498
	Oio	1.0	2.0	64.6	3.3	81.84	82.4	1743
	Biombo	2.0	6.9	72.9	1.9	85.25	85.7	609
	Bolama/Bijagós	.3	10.0	38.2	.6	47.15	51.8	371
	Bafatá	17.2	1.7	66.9	4.0	74.39	77.7	1032
	Gabú	4.1	3.4	57.6	12.2	58.31	64.0	932
	Cacheu	4.6	5.7	73.0	2.9	74.56	76.2	1421
	SAB	1.8	15.1	79.5	3.8	13.42	27.0	2333
Zona	Urbana	2.5	11.5	75.1	3.8	29.69	39.7	3568
	Rural	6.7	8.6	69.8	3.6	78.28	80.4	6094
Age	5-9 years	3.7	7.8	66.9	3.2	57.14	61.4	5377
	10-14 years	6.9	12.1	77.9	4.3	64.34	70.4	4285
Total		5.1	9.7	71.8	3.7	60.33	65.4	9662

Monitoring Children's Rights Indicator