

**Table 1: Number of households and women, and response rates, Guyana, 2000**

	Area		Total
	Urban	Rural	
Sampled households	1124	3623	4747
Occupied households	1095	3600	4695
Completed households	1020	3518	4538
Household response rate	93.2	97.7	96.7
Eligible women	1219	3753	4972
Interviewed women	1170	3631	4801
Women response rate	96.0	96.7	96.6
Children under 5	440	2257	2697
Interviewed children under 5	434	2238	2672
Child response rate	98.6	99.2	99.1

Table 2: Single year age distribution of household population by sex, Guyana, 2000

Age	Sex			
	Male		Female	
	Number	Percent	Number	Percent
0	238	2.5	180	1.9
1	226	2.4	202	2.1
2	230	2.4	211	2.2
3	256	2.7	242	2.5
4	218	2.3	205	2.1
5	284	3.0	269	2.8
6	214	2.3	264	2.8
7	268	2.8	232	2.4
8	230	2.4	213	2.2
9	214	2.3	221	2.3
10	210	2.2	184	1.9
11	200	2.1	212	2.2
12	200	2.1	201	2.1
13	217	2.3	231	2.4
14	192	2.0	194	2.0
15	175	1.9	161	1.7
16	178	1.9	177	1.9
17	154	1.6	193	2.0
18	199	2.1	190	2.0
19	171	1.8	181	1.9
20	209	2.2	174	1.8
21	175	1.9	152	1.6
22	154	1.6	198	2.1
23	149	1.6	148	1.6
24	158	1.7	169	1.8
25	164	1.7	176	1.8
26	151	1.6	162	1.7
27	159	1.7	188	2.0
28	157	1.7	144	1.5
29	157	1.7	188	2.0
30	188	2.0	157	1.7
31	114	1.2	128	1.3
32	158	1.7	137	1.4
33	116	1.2	126	1.3
34	104	1.1	129	1.4
35	123	1.3	158	1.7
36	149	1.6	109	1.1
37	126	1.3	138	1.4
38	140	1.5	127	1.3
39	113	1.2	141	1.5
40	138	1.5	172	1.8
41	97	1.0	93	1.0
42	133	1.4	128	1.3
43	95	1.0	116	1.2
44	88	.9	104	1.1
45	115	1.2	96	1.0
46	73	.8	88	.9
47	98	1.0	99	1.0
48	78	.8	90	.9
49	102	1.1	83	.9
50	63	.7	98	1.0
51	51	.5	46	.5
52	77	.8	62	.6
53	65	.7	62	.7
54	39	.4	59	.6
55	40	.4	49	.5
56	35	.4	30	.3
57	38	.4	49	.5
58	31	.3	34	.4
59	35	.4	42	.4
60	61	.6	40	.4
61	22	.2	20	.2
62	25	.3	32	.3
63	34	.4	39	.4
64	23	.2	24	.3
65	36	.4	43	.5
66	26	.3	17	.2
67	23	.2	20	.2
68	15	.2	30	.3
69	17	.2	29	.3
70+	183	1.9	223	2.3
Missing/DK	222	2.4	202	2.1
Total	9417	100.0	9536	100.0

**Table 3: Percentage of cases missing information for selected questions, Guyana, 2000**

	Percent missing	Number
Level of education	.0	16698
Year of education	.0	16698
Number of hours worked	.0	649

**Table 3: Percentage of cases missing information for selected questions, Guyana, 2000**

	Percent missing	Number
Complete birth date	.0	4801
Date of last tetanus toxoid injection	.9	110
Ever been tested for HIV	.0	4507

**Table 3: Percentage of cases missing information for selected questions, Guyana, 2000**

	Percent missing	Number
Complete birth date	.0	2672
Diarrhoea in last 2 weeks	.0	2672
Weight	4.0	2672
Height	4.3	2672

**Table 4a: Percent distribution of households by background characteristics, Guyana, 2000**

		Area		Total
		Urban	Rural	
District	Interior rural	.0	10.5	7.1
	Coast (Urban)	100.0	.0	32.7
	Coast (rural)	.0	89.5	60.3
Region	Region 1	.0	2.9	2.0
	Region 2	.0	8.4	5.6
	Region 3	.0	19.6	13.2
	Region 4	70.7	34.5	46.3
	Region 5	.0	8.9	6.0
	Region 6	12.7	18.1	16.3
	Region 7	.0	3.1	2.1
	Region 8	.0	.8	.5
	Region 9	.0	2.4	1.6
	Region 10	16.6	1.3	6.3
Number of HH members	1	11.9	8.3	9.4
	2-3	31.5	30.1	30.5
	4-5	35.5	37.9	37.2
	6-7	14.9	17.4	16.6
	8-9	4.2	4.4	4.4
	10+	1.9	1.9	1.9
	Total	100.0	100.0	100.0
Number	1412	3126	4538	
Unweighted	1020	3518	4538	

**Table 4b: Percent distribution of households by background characteristics, Guyana, 2000**

	Area		Total
	Urban	Rural	
At least one child age < 15	60.2	66.3	64.4
At least one child age < 5	31.0	35.8	34.3
At least one woman age 15-49	79.2	79.9	79.7
Number	1412	3126	4538
Unweighted	1020	3518	4538

**Table 5: Percent distribution of women 15-49 by background characteristics, Guyana, 2000**

		Percent	Number	Unweighted
District	Interior rural	7.3	349	1396
	Coast (Urban)	33.6	1612	1170
	Coast (rural)	59.2	2840	2235
Region number	Region 1	1.9	92	411
	Region 2	5.3	256	207
	Region 3	12.3	592	465
	Region 4	46.8	2246	1598
	Region 5	6.3	302	285
	Region 6	16.7	801	682
	Region 7	2.3	111	372
	Region 8	.5	25	124
	Region 9	1.7	80	318
	Region 10	6.2	296	339
Area	Urban	33.6	1612	1170
	Rural	66.4	3189	3631
Age	15-19	17.8	855	882
	20-24	16.9	811	834
	25-29	17.2	827	793
	30-34	13.3	640	668
	35-39	13.4	642	646
	40-44	12.3	592	573
	45-49	9.0	434	405
Marital status	Currently married	70.6	3390	3453
	Formerly married	9.9	477	464
	Never married	19.5	934	884
Ever given birth	Yes	68.7	3297	3414
	No	31.3	1504	1387
Woman's education level	None	1.2	55	81
	Primary	19.0	912	1018
	Secondary +	79.1	3795	3668
	Non-standard curriculum	.5	24	18
	Missing/DK	.3	14	16
Total		100.0	4801	4801

**Table 6: Percent distribution of children under 5 by background characteristics, Country, Year**

		Percent	Number	Unweighted
Sex	Male	53.2	1422	1391
	Female	46.8	1250	1281
District	Interior rural	13.5	360	1211
	Coast (Urban)	27.3	730	434
	Coast (rural)	59.2	1582	1027
Region number	Region 1	4.3	115	417
	Region 2	8.3	221	156
	Region 3	10.5	280	183
	Region 4	38.8	1036	604
	Region 5	6.6	178	132
	Region 6	16.2	433	303
	Region 7	3.1	84	236
	Region 8	1.1	28	110
	Region 9	3.5	93	312
	Region 10	7.6	204	219
Area	Urban	27.3	730	434
	Rural	72.7	1942	2238
Age	< 6 months	7.9	211	209
	6-11 months	9.6	257	254
	12-23 months	20.1	536	558
	24-35 months	20.0	533	542
	36-47 months	22.5	602	571
	48-59 months	19.9	533	538
Mother's education level	None	2.1	55	93
	Primary	22.8	608	687
	Secondary+	74.4	1989	1873
	Non-standard curriculum	.3	9	5
	Missing/DK	.4	11	14
Total		100.0	2672	2672

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Guyana, 2000**

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.088	.048	855
20-24	.509	.060	811
25-29	1.086	.076	827
30-34	1.449	.087	640
35-39	1.589	.103	642
40-44	1.839	.122	592
45-49	2.103	.145	434
Total	1.111	.102	4801

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Guyana, 2000**

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.068	.004	855
20-24	.450	.049	811
25-29	.940	.067	827
30-34	1.385	.079	640
35-39	1.595	.072	642
40-44	1.710	.093	592
45-49	2.098	.082	434
Total	1.048	.076	4801

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Guyana, 2000**

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.304	.012	66
20-24	1.628	.044	65
25-29	3.069	.075	52
30-34	4.198	.095	52
35-39	4.857	.079	49
40-44	6.137	.123	40
45-49	6.228	.117	25
Total	3.272	.092	349

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Guyana, 2000**

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.093	.092	284
20-24	.710	.058	300
25-29	1.587	.069	287
30-34	2.439	.105	220
35-39	2.910	.077	187
40-44	3.413	.143	185
45-49	3.997	.169	149
Total	1.862	.112	1612

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Guyana, 2000**

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.172	.014	504
20-24	1.023	.057	446
25-29	2.169	.073	488
30-34	2.870	.069	368
35-39	3.110	.094	406
40-44	3.336	.086	368
45-49	4.121	.082	259
Total	2.190	.079	2840

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Guyana, 2000**

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.093	.092	284
20-24	.710	.058	300
25-29	1.587	.069	287
30-34	2.439	.105	220
35-39	2.910	.077	187
40-44	3.413	.143	185
45-49	3.997	.169	149
Total	1.862	.112	1612

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Guyana, 2000**

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.188	.014	570
20-24	1.100	.054	511
25-29	2.255	.073	540
30-34	3.034	.074	420
35-39	3.297	.091	455
40-44	3.611	.093	408
45-49	4.308	.086	285
Total	2.308	.081	3189

**Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Guyana, 2000**

	Mean number of CEB	Proportion dead	Number of women
Age 15-19	.156	.029	855
20-24	.956	.055	811
25-29	2.024	.072	827
30-34	2.830	.083	640
35-39	3.184	.088	642
40-44	3.549	.108	592
45-49	4.201	.113	434
Total	2.158	.090	4801

**Table 8 : Infant and Under-five mortality rate Guyana, 2000**

	Qotient de mortalite infantile	Qotient de mortalite infanto-juvenile
Sexe Male	58.0	77
Female	50.0	66
Area of residence Urban	54.0	72
Rural	54.0	72
District Interior rural	51.0	67
Coast Urban	54.0	72
Coast rural	55.0	74
Total Pays	55.0	72

World Summit for Children Goal =&gt; Number 26

**Table 9: Percentage of children aged 36-49 months who are attending some form of organized early childhood education programme, Guyana, 2000**

		Attending programme	Number of children
Sex	Male	36.3	588
	Female	33.9	547
District	Interior rural	34.7	143
	Coast (Urban)	48.0	323
	Coast (rural)	29.1	669
Region number	Region 1	17.4	45
	Region 2	26.8	98
	Region 3	33.8	121
	Region 4	40.9	442
	Region 5	26.4	63
	Region 6	31.4	199
	Region 7	53.0	34
	Region 8	31.7	11
	Region 9	40.6	36
	Region 10	32.3	87
Area	Urban	48.0	323
	Rural	30.1	812
Age	36-47 months	18.1	602
	48-59 months	54.4	533
Mother's education level	None	20.2	19
	Primary	27.8	287
	Secondary+	38.0	816
	Non-standard curriculum	.0	6
	Missing/DK	80.3	6
Total		35.1	1135

World Summit for Children Goal => Number 26

**Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Guyana, 2000**

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Sex	Male	100.0	99.6	99.4	97.9	96.9
	Female	99.6	98.7	100.0	98.7	97.0
District	Interior rural	100.0	100.0	100.0	100.0	100.0
	Coast (Urban)	100.0	97.9	100.0	98.3	96.2
	Coast (rural)	99.7	99.6	99.4	98.0	96.7
Region	Region 1	100.0	100.0	100.0	100.0	100.0
	Region 2	100.0	100.0	100.0	96.3	96.3
	Region 3	100.0	100.0	100.0	100.0	100.0
	Region 4	100.0	97.9	99.2	98.4	95.6
	Region 5	96.7	100.0	100.0	88.0	85.1
	Region 6	100.0	100.0	100.0	100.0	100.0
	Region 7	100.0	100.0	100.0	100.0	100.0
	Region 8	100.0	100.0	100.0	100.0	100.0
	Region 9	100.0	100.0	100.0	100.0	100.0
	Region 10	100.0	100.0	100.0	100.0	100.0
Area	Urban	100.0	97.9	100.0	98.3	96.2
	Rural	99.7	99.7	99.5	98.3	97.3
1.00		99.8	99.2	99.7	98.3	97.0

World Summit for Children Goal =&gt; Number 6

**Table 11: Percentage of children of primary school age attending primary school, Guyana, 2000**

		Sex				Total	
		Male		Female		Attending	Number
		Attending school		Attending school			
		Attending	Number	Attending	Number		
District	Interior rural	83.3	155	86.1	149	84.7	304
	Coast (Urban)	89.2	365	89.5	371	89.3	736
	Coast (rural)	85.3	816	88.4	807	86.8	1623
Region	Region 1	78.1	49	85.5	44	81.6	93
	Region 2	83.1	98	84.5	93	83.8	191
	Region 3	81.8	174	92.9	141	86.8	315
	Region 4	87.4	545	86.9	562	87.2	1107
	Region 5	91.8	71	89.9	89	90.7	160
	Region 6	86.8	219	89.8	229	88.3	448
	Region 7	82.3	38	83.8	34	83.0	72
	Region 8	83.2	14	86.6	11	84.7	25
	Region 9	88.0	40	86.6	44	87.3	85
	Region 10	89.2	87	95.3	79	92.1	166
Area	Urban	89.2	365	89.5	371	89.3	736
	Rural	84.9	971	88.1	955	86.5	1927
Age	6	44.7	214	61.0	264	53.7	478
	7	91.1	268	93.3	232	92.1	500
	8	97.6	230	94.8	213	96.3	443
	9	97.4	214	97.2	221	97.3	435
	10	96.5	210	96.5	184	96.5	394
	11	87.3	200	94.9	212	91.2	413
Total		86.1	1336	88.4	1327	87.3	2662

World Summit for Children Goal =&gt; Number 6

T7 - Total

Table 13: Percentage of the population with access to safe drinking water, Guyana 2000

		Main source of water													Total	Total with safe drinking water	Number of persons
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well	Protected spring	Bottled water	Rainwater collection	Unprotected dug well	Unprotected spring	Pond, river or stream	Tanker truck vendor	Other			
District	Interior rural	4.2	5.3	1.2	1.0	7.0	.7	.5	25.0	15.1	4.7	34.3	.1	.9	100.0	44.4	1658
	Coast (Urban)	43.6	22.8	6.5	.0	1.9	1.7	13.4	6.9	.1	.3	.4	1.3	1.2	100.0	83.3	5673
	Coast (rural)	16.4	33.5	12.9	.1	.7	.2	3.0	25.1	.1	.0	3.8	1.2	3.1	100.0	88.7	11622
Region	Region 1	1.0	2.9	2.3	1.4	2.6	.2	.0	32.7	4.6	2.7	48.4	.4	.7	100.0	43.1	483
	Region 2	.7	6.0	.0	.0	.0	.1	.0	68.5	.0	.0	24.7	.0	.0	100.0	75.3	1178
	Region 3	30.1	24.5	6.9	.2	.0	.0	2.2	33.3	.3	.0	.7	.8	.9	100.0	95.0	2364
	Region 4	29.5	26.9	9.0	.0	2.1	1.2	11.2	16.4	.1	.1	.9	1.1	1.4	100.0	85.1	8413
	Region 5	34.3	40.7	10.1	.0	.0	.0	1.0	2.4	.0	.0	4.4	.0	7.1	100.0	87.6	1205
	Region 6	3.3	54.2	22.5	.0	.1	.0	1.5	9.0	.2	.0	.6	3.3	5.2	100.0	89.2	3147
	Region 7	4.7	8.2	.4	.3	.0	.5	1.3	43.8	.0	.0	40.8	.0	.0	100.0	57.9	453
	Region 8	2.0	6.3	.5	.0	1.1	1.4	.6	10.6	1.9	41.7	31.5	.0	2.3	100.0	22.1	129
	Region 9	.1	4.6	.1	2.1	24.8	.5	.3	.6	54.6	.0	11.4	.0	.9	100.0	32.8	413
	Region 10	59.2	6.9	9.7	.0	.7	1.5	4.9	6.0	.0	1.7	5.3	.0	4.1	100.0	84.0	1167
Area	Urban	43.6	22.8	6.5	.0	1.9	1.7	13.4	6.9	.1	.3	.4	1.3	1.2	100.0	83.3	5673
	Rural	14.8	30.0	11.4	.2	1.5	.2	2.7	25.1	2.0	.6	7.6	1.1	2.9	100.0	83.2	13280
Total		23.4	27.8	9.9	.1	1.6	.7	5.9	19.7	1.4	.5	5.4	1.2	2.4	100.0	83.2	18953

World Summit for Children Goal => Number 4

## T7 - Total

Table 14: Percentage of the population with access to sanitary means of excreta disposal, Guyana 2000

		Type of toilet facility								Total	Total with sanitary means of excreta disposal	Number of persons
		Flush to sewage system/septic tank	Pour flush latrine	Improved pit latrine	Traditional pit latrine	Open pit	Other	No facilities/bush/field	97			
District	Interior rural	8.1	.2	.5	75.3	6.6	2.9	6.3	.0	100.0	84.1	1658
	Coast (Urban)	71.4	.4	.6	26.8	.4	.0	.5	.0	100.0	99.1	5673
	Coast (rural)	22.6	.3	1.8	74.2	.5	.0	.4	.0	100.0	99.0	11622
Region	Region 1	1.6	.3	.5	72.4	9.2	3.8	12.2	.0	100.0	74.8	483
	Region 2	10.0	.1	.8	85.7	1.5	.0	1.9	.0	100.0	96.6	1178
	Region 3	19.0	.4	1.0	79.0	.2	.0	.5	.0	100.0	99.3	2364
	Region 4	54.6	.5	2.2	41.7	.5	.0	.4	.0	100.0	99.0	8413
	Region 5	16.0	.8	1.2	81.7	.1	.0	.3	.0	100.0	99.6	1205
	Region 6	23.4	.0	.5	75.5	.4	.1	.1	.0	100.0	99.4	3147
	Region 7	13.5	.0	.1	77.0	.4	6.5	2.4	.0	100.0	90.6	453
	Region 8	.0	.0	.0	69.5	14.4	.0	16.0	.0	100.0	69.5	129
	Region 9	3.2	.0	1.3	82.1	10.1	.0	3.3	.0	100.0	86.6	413
	Region 10	54.8	.2	.0	44.5	.2	.1	.1	.0	100.0	99.6	1167
Area	Urban	71.4	.4	.6	26.8	.4	.0	.5	.0	100.0	99.1	5673
	Rural	20.8	.3	1.7	74.4	1.3	.4	1.2	.0	100.0	97.2	13280
Total		35.9	.3	1.3	60.1	1.0	.3	1.0	.0	100.0	97.8	18953

World Summit for Children Goal =&gt; Number 5

**Table 15: Percentage of under-five children with missing height or weight, Guyana 2000**

		Missing height or weight	Number of children
Sex	Male	4.0	1422
	Female	4.6	1250
District	Interior rural	5.6	360
	Coast (Urban)	5.6	730
	Coast (rural)	3.4	1582
Region number	Region 1	1.6	115
	Region 2	2.5	221
	Region 3	5.8	280
	Region 4	5.6	1036
	Region 5	.9	178
	Region 6	1.5	433
	Region 7	9.7	84
	Region 8	3.1	28
	Region 9	9.5	93
	Region 10	3.3	204
Area	Urban	5.6	730
	Rural	3.8	1942
Age	< 6 months	9.1	211
	6-11 months	4.0	257
	12-23 months	3.1	536
	24-35 months	3.3	533
	36-47 months	4.9	602
	48-59 months	3.9	533
Mother's education level	None	8.8	55
	Primary	3.8	608
	Secondary+	4.1	1989
	Non-standard curriculum	38.3	9
	Missing/DK	10.9	11
Total		4.3	2672

World Summit for Children Goal =&gt; Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Guyana, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Sex	Male	14.4	3.5	11.6	3.2	11.4	2.9	1301
	Female	12.8	2.4	9.9	3.2	9.7	2.1	1158
District	Interior rural	10.4	1.2	19.5	4.5	4.0	.6	333
	Coast (Urban)	10.3	1.7	6.2	1.1	8.6	2.8	653
	Coast (rural)	15.9	3.9	10.9	3.9	13.0	2.8	1473
Region number	Region 1	12.7	1.6	26.1	5.7	4.0	.6	110
	Region 2	12.2	1.1	16.1	5.3	10.4	1.9	215
	Region 3	23.6	10.7	17.4	10.2	24.2	4.7	238
	Region 4	12.2	2.3	7.1	1.2	10.7	3.5	937
	Region 5	15.2	3.5	8.8	.9	11.2	2.2	170
	Region 6	15.7	2.6	9.5	3.5	8.5	1.2	415
	Region 7	10.4	1.6	16.0	4.2	3.2	.9	75
	Region 8	10.2	2.7	28.5	7.6	4.4	1.8	26
	Region 9	8.9	.6	15.9	3.6	4.1	.0	83
	Region 10	7.9	1.1	3.6	.8	7.8	1.9	188
Area	Urban	10.3	1.7	6.2	1.1	8.6	2.8	653
	Rural	14.9	3.4	12.5	4.0	11.3	2.4	1805
Age	< 6 months	3.1	.1	7.2	.1	6.8	2.1	171
	6-11 months	5.5	1.5	5.8	1.6	6.8	1.6	231
	12-23 months	16.0	4.2	13.5	3.5	15.2	3.3	492
	24-35 months	15.9	5.3	9.5	3.8	10.4	2.8	500
	36-47 months	14.2	2.1	13.5	4.7	9.4	2.6	560
	48-59 months	15.7	2.0	9.9	2.5	10.8	2.0	504
Mother's education level	None	31.4	3.8	29.4	4.0	21.2	3.1	48
	Primary	19.3	3.6	15.4	5.6	10.5	3.7	568
	Secondary+	11.2	2.7	8.7	2.5	10.3	2.1	1828
	Non-standard curriculum	46.7	.0	46.7	.0	.0	.0	5
	Missing/DK	27.8	23.7	19.1	4.1	28.7	23.7	8
Total		13.6	3.0	10.8	3.2	10.6	2.5	2458

World Summit for Children Goal =&gt; Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Guyana 2000

		Exclusive breastfeeding		Solid foods		Breastfed		Breastfed	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
Sex	Male	15.1	83	42.6	96	43.1	103	33.5	99
	Female	15.7	52	41.9	74	56.2	102	26.9	82
District	Interior rural	24.4	16	51.2	23	87.9	28	52.7	25
	Coast (Urban)	17.0	40	47.2	47	37.7	57	23.4	51
	Coast (rural)	12.6	79	37.9	100	46.2	120	28.7	105
Region number	Region 1	18.2	6	33.8	7	82.3	10	31.5	5
	Region 2	.0	5	100.0	8	83.8	17	36.9	19
	Region 3	.0	13	27.3	12	42.3	18	15.9	24
	Region 4	12.1	62	32.7	80	33.1	77	27.8	61
	Region 5	28.8	11	82.3	9	27.0	14	27.1	19
	Region 6	5.4	21	45.8	28	52.2	31	33.2	28
	Region 7	34.5	4	70.9	6	80.3	6	58.8	7
	Region 8	14.3	2	18.0	2	90.0	2	68.3	2
	Region 9	37.3	4	58.0	7	97.0	8	76.1	5
	Region 10	55.5	9	32.7	13	53.5	23	17.4	11
Area	Urban	17.0	40	47.2	47	37.7	57	23.4	51
	Rural	14.6	95	40.4	123	54.2	148	33.3	130
Mother's education level	None	.0	2	66.0	8	18.5	4	85.0	2
	Primary	14.1	35	41.9	30	55.4	34	28.4	56
	Secondary+	16.3	97	40.8	131	49.2	167	29.8	122
	Non-standard curriculum	.	0	.	0	.	0	100.0	1
	Missing/DK	.0	1	100.0	0	100.0	0	.	0
Total		15.3	135	42.3	170	49.6	205	30.5	181

World Summit for Children Goal =&gt; Number 16

Table 16w: Percent distribution of children by breastfeeding status, Guyana,2000

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	3.2	18.8	6.9	68.4	2.8	100.0	53
2-3	12.9	13.6	10.5	53.0	10.0	100.0	79
4-5	25.5	1.6	4.9	47.9	20.1	100.0	74
6-7	27.2	6.9	3.5	17.5	44.9	100.0	79
8-9	40.9	.3	.2	10.7	47.9	100.0	76
10-11	47.9	.2	2.6	18.5	30.7	100.0	82
12-13	42.8	.3	5.5	13.0	38.3	100.0	109
14-15	42.3	.0	1.6	12.6	43.4	100.0	69
16-17	37.9	.3	.0	13.7	48.0	100.0	72
18-19	52.8	.0	1.0	11.7	34.5	100.0	63
20-21	71.5	.0	.0	5.8	22.7	100.0	84
22-23	64.1	.0	.3	8.7	26.8	100.0	87
24-25	68.7	.0	.0	10.1	21.2	100.0	64
26-27	70.0	.0	2.5	13.4	14.1	100.0	82
28-29	75.5	.0	.0	1.9	22.7	100.0	81
30-31	78.2	.0	.0	2.2	19.6	100.0	78
32-33	77.1	.0	.3	3.5	19.0	100.0	79
34-35	84.7	.0	.0	10.0	5.3	100.0	90

Exclusively breastfed includes vitamin, mineral supplements and medicine

## T7 - Total

Table 20a. Birth weight and size at birth

		Birth weight				Size of child						Total	Number
		<2500	2500+	DK/Missing	Not weighted at birth	Very large	Larger than average	Average	Smaller than average	Very small	Don't know		
District	Interior rural	3.6	58.9	8.7	28.8	3.7	15.1	53.6	18.2	7.8	1.6	100.0	58
	Coast (Urban)	10.0	79.2	8.0	2.8	3.6	11.0	62.1	16.1	4.0	3.1	100.0	108
	Coast (rural)	9.6	69.1	15.4	5.8	5.2	18.9	51.1	13.7	9.0	2.1	100.0	241
Region number	Region 1	.9	48.0	4.0	47.1	3.6	12.5	66.5	16.3	1.1	.0	100.0	18
	Region 2	9.6	68.1	9.1	13.3	.0	19.9	42.4	23.9	13.8	.0	100.0	22
	Region 3	6.6	46.6	40.7	6.2	.0	2.5	69.9	14.8	10.0	2.7	100.0	42
	Region 4	9.1	76.8	11.2	2.9	3.3	19.3	52.3	15.8	5.2	4.2	100.0	175
	Region 5	25.1	67.8	.0	7.1	9.1	16.1	44.6	19.8	10.4	.0	100.0	26
	Region 6	10.4	69.6	11.9	8.0	13.3	16.1	48.4	10.3	12.0	.0	100.0	58
	Region 7	10.8	77.1	12.1	.0	3.6	12.8	50.5	8.8	18.3	5.9	100.0	13
	Region 8	.0	42.8	12.3	44.9	.0	16.9	58.4	20.8	.0	3.9	100.0	5
	Region 9	1.5	56.3	10.2	32.0	4.8	18.9	38.6	28.8	8.9	.0	100.0	17
	Region 10	2.9	93.8	1.4	1.8	2.7	17.4	76.7	1.8	1.5	.0	100.0	30
Area	Urban	10.0	79.2	8.0	2.8	3.6	11.0	62.1	16.1	4.0	3.1	100.0	108
	Rural	8.5	67.1	14.1	10.3	4.9	18.1	51.6	14.6	8.8	2.0	100.0	299
Woman's education level	None	11.1	45.0	6.3	37.6	.0	10.7	61.8	6.1	.0	21.4	100.0	12
	Primary	11.5	51.9	22.9	13.8	6.3	19.6	48.1	16.7	7.5	1.8	100.0	75
	Secondary +	8.2	75.7	10.3	5.8	4.4	15.7	55.6	14.9	7.7	1.7	100.0	318
	Missing/DK	.0	42.6	.0	57.4	.0	.0	42.6	26.3	31.1	.0	100.0	1
Total		8.9	70.3	12.5	8.3	4.6	16.2	54.4	15.0	7.5	2.3	100.0	406

**Table 21a Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Guyana, 2000**

BCG	Vaccination Card	88.1
	Mother's Report	9.8
	Not vaccinated	2.1
DPT1	Vaccination Card	86.6
	Mother's Report	8.9
	Not vaccinated	4.5
DPT2	Vaccination Card	85.8
	Mother's Report	5.8
	Not vaccinated	8.4
DPT3	Vaccination Card	85.1
	Mother's Report	3.7
	Not vaccinated	11.3
Polio 1	Vaccination Card	88.1
	Mother's Report	6.4
	Not vaccinated	5.4
Polio 2	Vaccination Card	87.4
	Mother's Report	4.6
	Not vaccinated	8.0
Polio 3	Vaccination Card	85.3
	Mother's Report	2.3
	Not vaccinated	12.4
Measles	Vaccination Card	87.6
	Mother's Report	4.1
	Not vaccinated	8.3
All vaccinations	Vaccination Card	83.2
	Mother's Report	1.8
	Doesn't have all vaccinations	15.0
No vaccinations	Mother's Report	1.7
	Has some vaccinations	98.3
Number of children		536.4

World Summit for Children Goal =&gt; Number 22

**Table 21b Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Guyana, 2000**

BCG	99.3
DPT 1	99.3
DPT 2	98.7
DPT 3	96.9
Polio 1	99.2
Polio 2	98.8
Polio 3	97.0
Measles	49.2
All vaccinations	46.3
No vaccinations	.0

World Summit for Children Goal => Number 22

**Table 21c Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Guyana, 2000, 2000**

	BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	88.1	86.6	85.8	85.1	88.1	87.4	85.3	87.6	83.2	.0	536.4
Mother's report	9.8	8.9	5.8	3.7	6.4	4.6	2.3	4.1	1.8	1.7	536.4
Either	97.9	95.5	91.6	88.7	94.6	92.0	87.6	91.7	85.0	1.7	536.4
Vaccinated by 12 months of age	97.3	94.8	90.4	86.0	93.8	90.9	85.0	45.1	39.3	1.7	536.4

World Summit for Children Goal => Number 22

## T7 - Total

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Guyana, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	% with health card	Number of children
Sex	Male	98.5	95.7	90.8	87.5	94.5	91.3	85.7	91.6	83.4	1.4	87.0	290
	Female	97.3	95.4	92.6	90.2	94.7	92.7	89.9	91.7	86.8	2.1	90.8	246
District	Interior rural	95.9	91.4	86.6	76.8	91.6	88.5	76.5	90.7	72.0	3.7	83.6	78
	Coast (Urban)	95.7	92.9	89.6	89.6	93.5	92.4	90.1	91.1	88.3	4.3	90.4	149
	Coast (rural)	99.5	97.8	93.9	91.3	95.8	92.6	89.2	92.2	86.6	.0	89.3	310
Region number	Region 1	87.8	80.9	73.3	66.4	81.3	76.1	62.4	78.8	59.3	11.1	76.3	24
	Region 2	100.0	97.0	94.3	91.6	97.0	97.0	94.3	88.6	88.6	.0	88.6	49
	Region 3	100.0	100.0	94.5	91.9	97.1	94.5	91.9	94.5	91.9	.0	91.0	66
	Region 4	100.0	95.5	92.5	90.9	96.9	94.5	90.9	97.7	87.8	.0	92.6	178
	Region 5	100.0	100.0	98.2	96.3	89.0	85.4	85.4	85.4	83.6	.0	85.4	37
	Region 6	98.3	98.4	95.2	93.5	98.2	95.2	92.2	92.1	90.5	.0	93.3	91
	Region 7	100.0	93.8	88.6	62.0	95.2	92.3	69.3	98.6	58.8	.0	85.2	19
	Region 8	100.0	100.0	96.2	88.9	91.6	84.3	73.2	88.5	73.2	.0	84.7	6
	Region 9	98.7	96.5	93.3	91.4	96.5	96.5	90.5	94.6	88.6	1.3	85.6	18
	Region 10	87.0	86.3	79.4	79.0	83.7	80.1	75.9	75.9	74.9	13.0	74.9	49
Area	Urban	95.7	92.9	89.6	89.6	93.5	92.4	90.1	91.1	88.3	4.3	90.4	149
	Rural	98.8	96.5	92.4	88.4	95.0	91.8	86.6	91.9	83.7	.7	88.1	388
Mother's education level	None	85.6	89.3	63.7	69.6	85.6	82.0	69.6	75.3	57.0	10.7	79.0	7
	Primary	97.5	95.1	89.9	87.7	96.2	94.8	89.1	92.2	85.1	1.2	87.7	120
	Secondary+	98.3	95.7	92.6	89.3	94.2	91.2	87.4	91.8	85.3	1.7	89.1	405
	Non-standard curriculum	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	.0	100.0	3
	Missing/DK	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	.0	100.0	0
Total		97.9	95.5	91.6	88.7	94.6	92.0	87.6	91.7	85.0	1.7	88.7	536

T7 - Total

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Guyana, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Porridge	Home Fluids	ORS packet	Other milk or infant formula	Water with feeding	Any recommende d treatment	Ors or Home Fluids	No recommen ded	Number of children with diarrhea
Sex	Male	9.9	1422	30.8	60.6	55.2	30.5	49.5	62.4	92.1	63.5	7.9	140
	Female	10.7	1250	31.1	75.4	61.0	37.9	44.9	69.1	96.9	75.4	3.1	134
District	Interior rural	18.0	360	44.3	61.5	63.1	24.5	40.4	70.0	93.8	67.3	6.2	65
	Coast (Urban)	7.7	730	29.2	65.8	42.2	32.5	51.0	78.9	91.0	63.0	9.0	56
	Coast (rural)	9.7	1582	26.0	71.2	61.8	38.8	48.8	59.0	96.0	72.5	4.0	153
Region number	Region 1	15.5	115	37.1	44.1	67.0	21.5	36.0	70.4	93.5	70.8	6.5	18
	Region 2	16.1	221	46.1	72.0	52.5	57.6	36.1	64.8	96.6	74.7	3.4	36
	Region 3	10.8	280	19.6	65.5	61.0	37.9	53.0	57.7	100.0	74.5	.0	30
	Region 4	7.8	1036	18.5	75.5	55.9	26.9	59.3	69.7	91.7	68.0	8.3	81
	Region 5	4.2	178	8.9	73.9	60.4	21.7	69.4	47.7	100.0	60.4	.0	7
	Region 6	9.3	433	34.2	69.6	68.2	47.8	43.3	62.5	100.0	76.1	.0	40
	Region 7	16.8	84	41.8	56.6	62.7	13.5	30.6	62.3	95.7	66.3	4.3	14
	Region 8	14.0	28	45.9	62.8	41.5	33.2	74.4	66.8	100.0	60.0	.0	4
	Region 9	26.9	93	49.7	77.9	70.0	33.8	39.3	71.8	92.8	73.4	7.2	25
	Region 10	9.2	204	34.3	42.7	26.2	18.7	35.4	67.0	80.4	43.0	19.6	19
Area	Urban	7.7	730	29.2	65.8	42.2	32.5	51.0	78.9	91.0	63.0	9.0	56
	Rural	11.2	1942	31.4	68.3	62.2	34.6	46.3	62.2	95.4	71.0	4.6	218
Age	< 6 months	5.6	211	79.8	51.5	3.6	19.0	40.3	27.2	96.2	20.8	3.8	12
	6-11 months	15.1	257	59.5	83.4	53.6	28.9	59.3	73.8	100.0	73.1	.0	39
	12-23 months	15.4	536	41.6	66.8	65.3	41.7	49.6	69.5	93.6	76.7	6.4	83
	24-35 months	9.5	533	22.8	66.8	61.7	22.5	47.2	74.3	94.3	64.8	5.7	50
	36-47 months	10.1	602	10.3	62.6	60.3	41.7	37.4	65.8	93.3	75.4	6.7	61
Mother's education level	48-59 months	5.5	533	.6	68.7	54.1	30.1	48.1	44.6	91.5	58.0	8.5	29
	None	11.4	55	21.6	52.8	70.3	15.4	6.8	61.5	91.3	74.3	8.7	6
	Primary	12.1	608	32.5	68.8	62.3	36.7	45.4	68.6	96.7	68.8	3.3	73
	Secondary+	9.7	1989	30.6	67.9	56.2	33.9	49.3	64.6	93.7	69.5	6.3	194
	Non-standard curriculum	.0	9	.	.	.	.	.	.	.	.	.	.
	Missing/DK	5.0	11	50.0	50.0	.0	.0	50.0	100.0	100.0	.0	.0	1
Total		10.3	2672	31.0	67.8	58.0	34.1	47.3	65.7	94.4	69.3	5.6	274

World Summit for Children Goal => Number 23

T7 - Total

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, GUYANA, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Community health worker	MCH clinic	Mobile/outreach clinic	Private physician	Traditional healer	Other	Any appropriate provider	Number of children with ARI
Sex	Male	5.2	1422	30.5	20.7	2.3	8.2	3.7	.0	11.0	.0	6.5	72.4	73
	Female	4.1	1250	36.6	39.1	2.8	8.6	.0	.0	5.7	.0	6.1	85.0	52
District	Interior rural	10.5	360	19.7	29.6	1.6	21.0	.0	.0	.9	.0	2.8	68.2	38
	Coast (Urban)	3.9	730	68.7	11.9	.0	.0	7.0	.0	5.5	.0	19.6	86.2	29
	Coast (rural)	3.7	1582	24.0	35.5	4.4	4.4	1.1	.0	15.6	.0	2.2	79.5	58
Region number	Region 1	11.2	115	27.3	19.5	.0	3.2	.0	.0	.0	.0	.0	46.3	13
	Region 2	3.4	221	34.8	31.4	.0	33.7	.0	.0	34.8	.0	.0	100.0	8
	Region 3	3.1	280	100.0	7.1	.0	.0	.0	.0	.0	.0	.0	100.0	9
	Region 4	1.9	1036	54.1	32.4	.0	.0	.0	.0	.0	.0	6.3	86.5	20
	Region 5	2.9	178	.0	.0	21.9	.0	13.1	.0	33.3	.0	.0	68.3	5
	Region 6	7.8	433	15.9	43.1	4.2	.0	.0	.0	14.2	.0	.0	77.4	34
	Region 7	7.7	84	7.4	38.8	5.4	26.7	.0	.0	.0	.0	3.7	70.1	7
	Region 8	11.9	28	.0	61.2	.0	8.4	.0	.0	.0	.0	.0	69.6	3
	Region 9	13.6	93	18.3	28.5	1.9	43.8	.0	.0	.0	.0	6.4	86.6	13
	Region 10	6.9	204	51.6	3.5	.0	.0	14.3	.0	13.6	.0	40.0	68.7	14
Area	Urban	3.9	730	68.7	11.9	.0	.0	7.0	.0	5.5	.0	19.6	86.2	29
	Rural	5.0	1942	22.3	33.2	3.3	10.9	.7	.0	9.8	.0	2.4	75.0	96
Age	< 6 months	5.6	211	47.6	15.8	.0	.0	.0	.0	13.9	.0	2.0	77.3	12
	6-11 months	3.4	257	30.2	42.8	.0	13.0	.0	.0	3.7	.0	.0	83.7	9
	12-23 months	5.4	536	33.8	19.8	4.7	8.8	2.3	.0	19.5	.0	4.4	79.8	29
	24-35 months	4.3	533	29.0	32.7	1.5	15.3	.0	.0	.0	.0	3.5	76.8	23
	36-47 months	5.1	602	30.7	33.5	.0	8.7	.0	.0	11.0	.0	6.4	80.1	31
	48-59 months	4.0	533	32.6	28.6	6.7	2.7	9.4	.0	.0	.0	17.0	69.5	21
Mother's education level	None	7.0	55	26.5	13.7	.0	13.7	.0	.0	.0	.0	.0	47.0	4
	Primary	5.1	608	25.3	40.8	3.6	12.6	.0	.0	15.0	.0	1.8	85.8	31
	Secondary+	4.4	1989	34.8	25.2	2.3	6.9	3.1	.0	7.3	.0	8.5	76.1	87
	Non-standard curriculum	.0	9	.	.	.	.	.	.	.	.	.	.	0
	Missing/DK	26.0	11	67.7	8.2	.0	.0	.0	.0	.0	.0	.0	75.9	3
Total		4.7	2672	33.0	28.3	2.5	8.4	2.1	.0	8.8	.0	6.4	77.6	125

World Summit for Children Goal => Number 24

T7 - Total

**Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, GUYANA 2000**

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total	Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK			
				Sex	Male	9.9		1422	14.2	82.1			
	Female	10.7	1250	13.6	85.0	1.5	100.0	53.3	46.2	.5	100.0	7.3	134
District	Interior rural	18.0	360	20.7	75.3	4.0	100.0	56.8	41.0	2.2	100.0	10.6	65
	Coast (Urban)	7.7	730	12.1	84.6	3.3	100.0	57.2	42.8	.0	100.0	9.2	56
	Coast (rural)	9.7	1582	11.6	86.6	1.8	100.0	54.5	44.9	.6	100.0	4.8	153
Region number	Region 1	15.5	115	.5	5.9	.2	6.5	3.6	3.0	.0	6.5	2.2	18
	Region 2	16.1	221	.9	12.1	.0	13.0	7.0	6.0	.0	13.0	3.2	36
	Region 3	10.8	280	2.5	7.9	.6	11.1	6.8	4.3	.0	11.1	20.6	30
	Region 4	7.8	1036	3.9	24.5	1.0	29.5	14.4	14.8	.4	29.5	2.3	81
	Region 5	4.2	178	.0	2.7	.0	2.7	2.3	.5	.0	2.7	.0	7
	Region 6	9.3	433	.9	13.7	.0	14.7	7.8	6.8	.0	14.7	3.3	40
	Region 7	16.8	84	1.1	3.9	.1	5.1	3.0	1.9	.2	5.1	13.0	14
	Region 8	14.0	28	.0	1.4	.0	1.4	1.0	.4	.0	1.4	.0	4
	Region 9	26.9	93	3.2	5.4	.5	9.1	5.3	3.7	.1	9.1	18.6	25
	Region 10	9.2	204	.9	5.8	.2	6.9	4.5	2.3	.2	6.9	10.7	19
Area	Urban	7.7	730	12.1	84.6	3.3	100.0	57.2	42.8	.0	100.0	9.2	56
	Rural	11.2	1942	14.3	83.2	2.4	100.0	55.2	43.7	1.1	100.0	6.6	218
Age	< 6 months	5.6	211	16.5	79.7	3.8	100.0	36.4	59.9	3.8	100.0	12.7	12
	6-11 months	15.1	257	13.9	86.1	.0	100.0	67.6	32.4	.0	100.0	5.2	39
	12-23 months	15.4	536	12.9	83.7	3.3	100.0	53.6	46.0	.4	100.0	4.6	83
	24-35 months	9.5	533	14.8	84.6	.5	100.0	68.3	31.0	.7	100.0	10.5	50
	36-47 months	10.1	602	13.2	82.8	4.0	100.0	48.5	51.5	.0	100.0	10.7	61
	48-59 months	5.5	533	15.1	80.5	4.4	100.0	45.8	49.9	4.4	100.0	1.2	29
Mother's education level	None	11.4	55	.0	95.6	4.4	100.0	36.8	63.2	.0	100.0	.0	6
	Primary	12.1	608	7.0	88.8	4.1	100.0	53.3	44.9	1.8	100.0	4.1	73
	Secondary+	9.7	1989	16.9	81.1	2.0	100.0	57.1	42.4	.6	100.0	8.5	194
	Non-standard curriculum	.0	9	.0	.0	.0	.0	.0	.0	.0	.0	.	0
	Missing/DK	5.0	11	.0	100.0	.0	100.0	50.0	50.0	.0	100.0	.0	1
Total		10.3	2672	13.9	83.5	2.6	100.0	55.6	43.5	.9	100.0	7.1	274

World Summit for Children Goal => Number 23

T7 - Total

**Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Guyana, 2000**

	Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total	Eating during illness			Total	Received increased fluids and continued eating	Number of sick children 1.00	
			More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK				
			Sex	Male	34.3		1422	10.8	88.2				1.1
	Female	33.1	1250	13.8	85.7	.5	100.0	62.4	37.4	.2	100.0	9.0	414
District	Interior rural	48.2	360	16.3	82.2	1.5	100.0	61.1	38.1	.8	100.0	8.9	173
	Coast (Urban)	31.3	730	22.4	76.8	.8	100.0	60.9	39.1	.0	100.0	15.9	229
	Coast (rural)	31.6	1582	6.1	93.4	.5	100.0	60.1	39.7	.2	100.0	3.6	499
Region number	Region 1	42.0	115	7.6	91.4	1.0	100.0	57.6	42.4	.0	100.0	1.8	48
	Region 2	34.8	221	3.1	96.9	.0	100.0	60.8	39.2	.0	100.0	1.5	77
	Region 3	31.3	280	14.6	83.4	1.9	100.0	54.4	45.6	.0	100.0	11.4	88
	Region 4	31.8	1036	14.6	84.5	.9	100.0	60.9	38.8	.3	100.0	8.7	329
	Region 5	24.3	178	.0	100.0	.0	100.0	60.5	39.5	.0	100.0	.0	43
	Region 6	33.1	433	6.5	93.5	.0	100.0	57.9	42.1	.0	100.0	3.8	144
	Region 7	47.5	84	16.3	82.9	.8	100.0	65.0	33.4	1.6	100.0	12.3	40
	Region 8	40.3	28	8.5	91.5	.0	100.0	69.3	30.7	.0	100.0	4.3	11
	Region 9	61.7	93	26.7	70.8	2.4	100.0	61.3	38.1	.6	100.0	13.7	57
	Region 10	31.6	204	16.5	82.8	.7	100.0	69.1	30.2	.7	100.0	15.8	64
Area	Urban	31.3	730	22.4	76.8	.8	100.0	60.9	39.1	.0	100.0	15.9	229
	Rural	34.6	1942	8.7	90.5	.8	100.0	60.4	39.3	.4	100.0	4.9	673
Age	< 6 months	33.8	211	17.5	81.9	.6	100.0	46.3	53.1	.6	100.0	13.9	71
	6-11 months	42.0	257	7.4	92.6	.0	100.0	63.6	36.4	.0	100.0	3.9	108
	12-23 months	40.3	536	8.7	90.0	1.3	100.0	56.7	43.1	.2	100.0	4.8	216
	24-35 months	32.0	533	13.9	85.9	.2	100.0	72.1	27.6	.2	100.0	10.0	171
	36-47 months	31.1	602	11.8	86.9	1.3	100.0	64.0	36.0	.0	100.0	7.7	187
	48-59 months	27.9	533	16.6	82.6	.9	100.0	52.6	46.5	.9	100.0	9.2	148
Mother's education level	None	42.6	55	3.3	95.5	1.2	100.0	50.9	49.1	.0	100.0	2.2	23
	Primary	37.2	608	10.0	88.6	1.3	100.0	59.6	39.8	.6	100.0	6.1	226
	Secondary+	32.4	1989	13.4	86.0	.6	100.0	61.3	38.5	.2	100.0	8.6	645
	Non-standard curriculum	.0	9	.0	.0	.0	.0	.0	.0	.0	.0	.0	0
	Missing/DK	66.7	11	.0	100.0	.0	100.0	44.6	55.4	.0	100.0	.0	7
Total		33.7	2672	12.2	87.0	.8	100.0	60.5	39.2	.3	100.0	7.7	901

Monitoring IMCI and Malaria Indicator

## T7 - Total

**Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Guyana, 2000**

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
District	Interior rural	7.3	33.3	73.8	13.0	20.4	11.8	7.6	43.6	799
	Coast (Urban)	9.7	30.2	58.0	30.2	30.8	22.7	15.7	46.5	331
	Coast (rural)	10.7	32.5	65.5	15.4	27.3	21.6	10.9	48.7	751
Region number	Region 1	6.5	35.4	75.6	6.1	16.3	4.9	3.3	45.1	246
	Region 2	13.3	48.0	81.6	26.5	33.7	24.5	12.2	65.3	98
	Region 3	10.1	15.2	57.2	10.1	36.2	28.3	5.1	44.2	138
	Region 4	13.6	33.9	61.5	26.5	32.2	23.9	19.0	51.0	457
	Region 5	10.4	62.5	69.8	12.5	17.7	25.0	15.6	67.7	96
	Region 6	3.1	20.9	63.1	9.8	18.7	9.8	.9	32.4	225
	Region 7	2.3	20.9	80.2	6.4	20.3	2.9	4.1	32.0	172
	Region 8	1.3	24.4	75.6	9.0	23.1	11.5	15.4	52.6	78
	Region 9	15.7	52.5	73.0	28.4	27.9	24.5	14.2	53.9	204
	Region 10	6.6	18.6	55.7	20.4	18.6	22.2	9.6	32.9	167
Area	Urban	9.7	30.2	58.0	30.2	30.8	22.7	15.7	46.5	331
	Rural	8.9	32.9	69.8	14.2	23.7	16.5	9.2	46.1	1550
Mother's education level	None	11.1	55.6	68.5	9.3	16.7	5.6	3.7	48.1	54
	Primary	9.2	38.0	67.6	16.0	25.2	17.3	8.3	47.1	469
	Secondary+	9.0	29.7	67.7	17.8	25.2	18.2	11.4	45.7	1345
	Non-standard curriculum	.0	33.3	66.7	.0	33.3	33.3	.0	66.7	3
	Missing/DK	.0	20.0	80.0	.0	30.0	10.0	10.0	50.0	10
Total		9.0	32.4	67.7	17.0	25.0	17.6	10.4	46.1	1881

Monitoring IMCI and Malaria Indicator

**Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Guyana 2000**

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	
Sex	Male	68.7	31.1	.1	6.1	93.8	.1	180
	Female	65.8	34.0	.2	4.9	94.9	.2	178
District	Interior rural	67.3	32.5	.2	8.0	91.8	.2	358
	Coast (Urban)	.0	.0	.0	.0	100.0	.0	0
Region number	Region 1	90.5	9.5	.0	10.1	89.7	.2	115
	Region 7	75.7	24.0	.3	4.6	95.1	.3	82
	Region 8	47.7	52.3	.0	11.3	87.7	1.0	28
	Region 9	49.7	50.3	.0	8.6	91.4	.0	93
	Region 10	37.2	61.6	1.1	1.1	98.9	.0	40
Area	Urban	.0	.0	.0	.0	100.0	.0	0
	Rural	67.3	32.5	.2	8.0	91.8	.2	358
Age	< 6 months	62.3	37.7	.0	4.3	95.1	.7	29
	6-11 months	65.9	34.1	.0	1.0	99.0	.0	35
	12-23 months	71.4	28.6	.0	6.3	93.2	.4	78
	24-35 months	68.4	31.0	.6	6.2	93.8	.0	74
	36-47 months	66.3	33.7	.0	5.8	94.2	.0	71
	48-59 months	65.3	34.3	.4	6.3	93.7	.0	71
Total		67.3	32.5	.2	5.5	94.3	.1	358

Monitoring IMCI and Malaria Indicator

**Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Guyana 2000**

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Other	Don't know	Any appropriate anti-malarial drug	Number of children with fever 1.00
Sex	Male	3.5	1422	26.8	.0	1.0	4.4	15.6	1.0	50
	Female	3.7	1250	20.0	4.3	.0	2.7	17.2	4.3	47
District	Interior rural	27.0	360	23.5	2.1	.5	3.6	16.4	2.6	97
	Coast (Urban)	.0	730	.	.	.	.	.	.	0
	Coast (rural)	.0	1582	.	.	.	.	.	.	0
Region number	Region 1	27.2	115	16.0	.6	.9	3.3	10.2	1.5	31
	Region 2	.0	221	.	.	.	.	.	.	0
	Region 3	.0	280	.	.	.	.	.	.	0
	Region 4	.0	1036	.	.	.	.	.	.	0
	Region 5	.0	178	.	.	.	.	.	.	0
	Region 6	.0	433	.	.	.	.	.	.	0
	Region 7	23.0	84	35.1	4.0	1.3	3.9	17.4	5.3	19
	Region 8	24.0	28	22.7	6.4	.0	7.3	6.8	6.4	7
	Region 9	37.8	93	22.9	1.0	.0	3.4	25.4	1.0	35
	Region 10	2.4	204	31.6	5.6	.0	.0	.0	5.6	5
Area	Urban	.0	730	.	.	.	.	.	.	0
	Rural	5.0	1942	23.5	2.1	.5	3.6	16.4	2.6	97
Age	< 6 months	3.6	211	16.8	.0	.0	3.7	17.9	.0	8
	6-11 months	4.1	257	35.3	2.4	.0	3.8	9.9	2.4	11
	12-23 months	4.5	536	26.2	2.8	1.1	2.9	16.8	3.9	24
	24-35 months	3.5	533	22.3	1.9	1.3	2.6	14.4	3.2	19
	36-47 months	2.8	602	16.5	2.8	.0	3.1	20.8	2.8	17
	48-59 months	3.5	533	23.5	1.4	.0	5.7	16.8	1.4	19
Mother's education level	None	14.0	55	9.4	.0	.0	3.6	18.0	.0	8
	Primary	5.4	608	18.0	1.5	1.6	2.7	19.1	3.0	33
	Secondary+	2.8	1989	29.1	2.8	.0	3.7	14.4	2.8	56
	Non-standard curriculum Missing/DK	.0	9	.	.	.	.	.	.	0
Total	Missing/DK	8.4	11	.0	.0	.0	29.7	25.4	.0	1
		3.6	2672	23.5	2.1	.5	3.6	16.4	2.6	97

**Table 29a: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Guyana 2000**

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Other	Don't know	Any appropriate anti-malarial drug	Number of children with fever 1.00
Sex	Male	18.6	270	26.8	.0	1.0	4.4	15.6	1.0	50
	Female	18.5	254	20.0	4.3	.0	2.7	17.2	4.3	47
District	Interior rural	27.0	360	23.5	2.1	.5	3.6	16.4	2.6	97
	Coast (Urban)	.0	164	.	.	.	.	.	.	0
Region number	Region 1	27.2	115	16.0	.6	.9	3.3	10.2	1.5	31
	Region 7	23.0	84	35.1	4.0	1.3	3.9	17.4	5.3	19
	Region 8	24.0	28	22.7	6.4	.0	7.3	6.8	6.4	7
	Region 9	37.8	93	22.9	1.0	.0	3.4	25.4	1.0	35
	Region 10	2.4	204	31.6	5.6	.0	.0	.0	5.6	5
Area	Urban	.0	164	.	.	.	.	.	.	0
	Rural	27.0	360	23.5	2.1	.5	3.6	16.4	2.6	97
Age	< 6 months	19.0	40	16.8	.0	.0	3.7	17.9	.0	8
	6-11 months	21.3	50	35.3	2.4	.0	3.8	9.9	2.4	11
	12-23 months	21.0	116	26.2	2.8	1.1	2.9	16.8	3.9	24
	24-35 months	17.7	106	22.3	1.9	1.3	2.6	14.4	3.2	19
	36-47 months	17.0	100	16.5	2.8	.0	3.1	20.8	2.8	17
	48-59 months	16.8	113	23.5	1.4	.0	5.7	16.8	1.4	19
Mother's education level	None	37.9	20	9.4	.0	.0	3.6	18.0	.0	8
	Primary	29.2	112	18.0	1.5	1.6	2.7	19.1	3.0	33
	Secondary+	14.3	389	29.1	2.8	.0	3.7	14.4	2.8	56
	Missing/DK	41.7	2	.0	.0	.0	29.7	25.4	.0	1
Total		18.5	524	23.5	2.1	.5	3.6	16.4	2.6	97

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Guyana, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women
								1.00
District	Interior rural	85.0	48.3	45.5	37.7	56.2	43.8	349
	Coast (Urban)	99.5	77.5	69.2	58.2	88.5	11.5	1612
	Coast (rural)	96.7	74.5	68.2	62.2	80.5	19.5	2840
Region number	Region 1	86.8	50.8	46.3	40.7	56.4	43.6	92
	Region 2	94.8	58.2	63.7	49.7	72.3	27.7	256
	Region 3	95.9	72.1	67.0	60.2	79.0	21.0	592
	Region 4	98.9	80.8	69.4	62.8	87.4	12.6	2246
	Region 5	98.3	78.7	77.2	69.0	86.9	13.1	302
	Region 6	95.7	68.7	64.9	58.3	75.3	24.7	801
	Region 7	94.0	54.5	53.0	41.0	66.4	33.6	111
	Region 8	74.8	31.9	30.1	24.6	37.4	62.6	25
	Region 9	67.0	31.4	29.1	26.3	34.1	65.9	80
	Region 10	99.8	72.3	70.3	53.0	89.6	10.4	296
Area	Urban	99.5	77.5	69.2	58.2	88.5	11.5	1612
	Rural	95.4	71.6	65.7	59.5	77.8	22.2	3189
Age	15-19	96.2	74.5	69.7	60.5	83.7	16.3	855
	20-24	95.9	71.7	68.5	59.7	80.4	19.6	811
	25-29	96.3	73.1	66.3	58.3	81.1	18.9	827
	30-34	98.5	74.1	66.1	58.1	82.1	17.9	640
	35-39	97.7	74.1	67.7	59.6	82.2	17.8	642
	40-44	97.1	75.0	65.4	59.8	80.6	19.4	592
	45-49	96.4	72.9	61.9	56.3	78.4	21.6	434
Woman's education level	None	72.7	41.4	33.8	30.9	44.3	55.7	55
	Primary	92.9	62.5	56.3	49.8	69.0	31.0	912
	Secondary +	98.1	76.8	69.9	61.8	84.9	15.1	3795
	Non-standard curriculum	100.0	65.9	74.4	53.3	87.0	13.0	24
	Missing/DK	96.2	68.4	60.2	60.2	68.4	31.6	14
Total		96.8	73.6	66.9	59.1	81.4	18.6	4801

Monitoring HIV/AIDS Indicator

Table 30: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Guyana, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women
									1.00
District	Interior rural	81.3	45.6	40.1	37.7	23.8	55.5	44.5	66
	Coast (Urban)	99.5	76.4	72.1	63.5	43.6	90.5	9.5	284
	Coast (rural)	96.3	77.2	72.2	58.1	46.1	85.4	14.6	504
Region number	Region 1	82.3	49.9	41.8	45.5	31.4	57.0	43.0	19
	Region 2	95.7	72.6	74.1	53.2	39.7	85.7	14.3	56
	Region 3	93.8	75.5	69.2	51.4	39.8	84.5	15.5	95
	Region 4	99.6	81.0	73.3	72.0	54.4	91.0	9.0	392
	Region 5	99.0	78.3	73.6	45.6	35.8	91.0	9.0	56
	Region 6	93.7	70.7	71.0	42.9	33.7	78.6	21.4	152
	Region 7	96.9	56.0	46.9	40.0	22.6	69.9	30.1	17
	Region 8	72.7	23.5	27.4	27.4	11.3	39.7	60.3	5
	Region 9	60.3	30.4	24.5	23.7	16.1	35.7	64.3	18
	Region 10	99.6	66.4	66.7	56.3	31.6	83.6	16.4	45
Area	Urban	99.5	76.4	72.1	63.5	43.6	90.5	9.5	284
	Rural	94.6	73.5	68.5	55.7	43.5	81.9	18.1	570
Age	15-19	96.2	74.5	69.7	58.3	43.5	84.8	15.2	855
Woman's education level	None	63.0	35.9	35.9	35.9	35.9	35.9	64.1	3
	Primary	82.1	48.2	50.3	37.2	24.2	58.8	41.2	51
	Secondary +	97.2	76.8	71.1	59.6	45.0	86.6	13.4	790
	Non-standard curriculum	100.0	42.1	70.9	71.8	29.1	84.8	15.2	11
Total		96.2	74.5	69.7	58.3	43.5	84.8	15.2	855

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Guyana, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women
									1.00
District	Interior rural	85.0	51.4	40.3	62.4	33.5	68.5	31.5	349
	Coast (Urban)	99.5	82.9	60.0	93.3	53.6	97.9	2.1	1612
	Coast (rural)	96.7	71.8	49.0	83.3	41.7	90.0	10.0	2840
Region number	Region 1	86.8	51.8	34.8	61.5	29.5	67.9	32.1	92
	Region 2	94.8	64.8	40.6	76.8	30.7	86.5	13.5	256
	Region 3	95.9	72.1	52.6	82.6	46.9	89.7	10.3	592
	Region 4	98.9	80.3	56.0	92.0	49.3	96.4	3.6	2246
	Region 5	98.3	81.4	52.4	86.3	45.6	92.8	7.2	302
	Region 6	95.7	64.6	43.5	76.7	36.0	85.2	14.8	801
	Region 7	94.0	62.1	54.7	74.0	47.0	80.9	19.1	111
	Region 8	74.8	32.8	30.4	37.7	19.8	47.6	52.4	25
	Region 9	67.0	30.0	23.6	41.4	16.9	47.0	53.0	80
	Region 10	99.8	83.4	67.8	94.5	60.2	98.8	1.2	296
Area	Urban	99.5	82.9	60.0	93.3	53.6	97.9	2.1	1612
	Rural	95.4	69.6	48.0	81.0	40.8	87.7	12.3	3189
Age	15-19	96.2	78.6	56.7	85.7	49.8	92.5	7.5	855
	20-24	95.9	74.9	57.1	82.7	49.7	89.5	10.5	811
	25-29	96.3	70.6	50.8	85.1	43.2	90.6	9.4	827
	30-34	98.5	74.9	49.1	86.6	43.3	92.4	7.6	640
	35-39	97.7	74.9	50.5	86.4	44.7	91.8	8.2	642
	40-44	97.1	73.6	49.8	85.2	42.9	91.4	8.6	592
	45-49	96.4	67.9	45.7	84.4	37.1	89.1	10.9	434
Woman's education level	None	72.7	44.0	15.8	50.6	15.8	53.8	46.2	55
	Primary	92.9	58.8	41.7	73.2	31.4	82.4	17.6	912
	Secondary +	98.1	78.1	55.1	88.5	48.8	93.8	6.2	3795
	Non-standard curriculum	100.0	85.9	44.6	93.2	44.6	93.2	6.8	24
	Missing/DK	96.2	67.8	69.4	82.5	61.2	82.5	17.5	14
Total		96.8	74.0	52.1	85.1	45.1	91.1	8.9	4801

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Guyana, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00
District	Interior rural	64.5	59.7	44.9	39.9	30.2	36.7	349
	Coast (Urban)	88.3	83.0	61.7	58.1	43.5	12.9	1612
	Coast (rural)	83.8	78.7	56.3	59.7	43.1	17.7	2840
Region number	Region 1	60.6	56.8	44.5	37.3	29.9	40.5	92
	Region 2	75.8	69.7	55.9	55.5	44.0	25.4	256
	Region 3	81.6	74.2	57.0	53.3	40.0	21.1	592
	Region 4	89.4	85.1	61.1	61.7	46.2	11.8	2246
	Region 5	90.3	86.4	57.0	66.7	43.1	10.3	302
	Region 6	81.2	75.5	55.9	59.4	43.0	20.2	801
	Region 7	75.9	70.5	52.4	47.3	35.6	25.4	111
	Region 8	49.7	45.1	33.0	34.6	25.1	51.2	25
	Region 9	50.3	45.7	38.1	33.0	27.8	51.2	80
	Region 10	77.7	70.5	47.3	44.1	25.4	23.7	296
Area	Urban	88.3	83.0	61.7	58.1	43.5	12.9	1612
	Rural	81.7	76.7	55.1	57.6	41.7	19.7	3189
Age	15-19	83.8	76.8	55.3	55.8	40.5	17.9	855
	20-24	84.4	78.4	58.9	56.7	41.8	16.9	811
	25-29	80.6	77.1	52.7	52.7	36.6	20.4	827
	30-34	86.5	82.0	59.7	59.5	43.1	14.5	640
	35-39	84.9	81.2	59.2	59.4	46.7	16.6	642
	40-44	85.9	79.7	57.9	63.0	45.6	16.1	592
	45-49	81.9	76.9	59.6	60.9	45.6	19.4	434
Woman's education level	None	55.9	53.3	39.3	50.2	37.8	45.9	55
	Primary	77.1	72.6	54.4	55.6	41.8	24.6	912
	Secondary +	85.9	80.6	58.1	58.3	42.4	15.3	3795
	Non-standard curriculum	100.0	91.6	64.5	69.5	56.7	8.4	24
	Missing/DK	80.9	74.3	71.1	52.3	52.3	25.7	14
Total		83.9	78.8	57.3	57.7	42.3	17.5	4801

Monitoring HIV/AIDS Indicator

## T7 - Total

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Guyana, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women
						1.00
District	Interior rural	52.5	67.1	72.7	27.3	349
	Coast (Urban)	44.8	81.4	84.4	15.6	1612
	Coast (rural)	62.0	87.1	88.4	11.6	2840
Region number	Region 1	65.0	72.5	79.9	20.1	92
	Region 2	63.9	82.4	86.3	13.7	256
	Region 3	64.0	88.9	90.0	10.0	592
	Region 4	50.9	84.6	86.7	13.3	2246
	Region 5	76.0	92.5	92.9	7.1	302
	Region 6	57.7	82.3	83.4	16.6	801
	Region 7	46.1	67.4	74.0	26.0	111
	Region 8	44.6	52.7	59.4	40.6	25
	Region 9	45.3	55.9	58.2	41.8	80
	Region 10	43.8	82.3	87.5	12.5	296
Area	Urban	44.8	81.4	84.4	15.6	1612
	Rural	60.9	84.9	86.7	13.3	3189
Age	15-19	54.2	81.5	84.2	15.8	855
	20-24	53.7	83.7	85.9	14.1	811
	25-29	54.1	82.8	85.3	14.7	827
	30-34	57.2	84.0	86.6	13.4	640
	35-39	59.5	85.1	86.9	13.1	642
	40-44	55.2	85.2	87.1	12.9	592
	45-49	56.2	85.2	86.7	13.3	434
Woman's education level	None	59.2	70.6	71.0	29.0	55
	Primary	64.6	83.4	85.2	14.8	912
	Secondary +	53.2	84.0	86.2	13.8	3795
	Non-standard curriculum	59.7	81.1	94.2	5.8	24
	Missing/DK	60.6	90.3	93.0	7.0	14
Total		55.5	83.7	85.9	14.1	4801

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Guyana, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
District	Interior rural	85.0	29.0	33.5	17.3	349
	Coast (Urban)	99.5	42.9	53.6	25.7	1612
	Coast (rural)	96.7	44.5	41.7	24.2	2840
Region number	Region 1	86.8	35.6	29.5	17.5	92
	Region 2	94.8	31.8	30.7	14.9	256
	Region 3	95.9	43.3	46.9	27.0	592
	Region 4	98.9	49.2	49.3	28.2	2246
	Region 5	98.3	47.3	45.6	25.2	302
	Region 6	95.7	34.8	36.0	16.6	801
	Region 7	94.0	31.6	47.0	21.6	111
	Region 8	74.8	18.4	19.8	12.8	25
	Region 9	67.0	17.9	16.9	9.5	80
	Region 10	99.8	35.6	60.2	23.6	296
Area	Urban	99.5	42.9	53.6	25.7	1612
	Rural	95.4	42.8	40.8	23.4	3189
Age	15-19	96.2	43.5	49.8	26.7	855
	20-24	95.9	42.2	49.7	26.4	811
	25-29	96.3	42.5	43.2	21.9	827
	30-34	98.5	42.8	43.3	21.6	640
	35-39	97.7	43.1	44.7	24.5	642
	40-44	97.1	42.7	42.9	24.7	592
	45-49	96.4	42.9	37.1	22.1	434
Woman's education level	None	72.7	26.8	15.8	10.2	55
	Primary	92.9	37.5	31.4	17.9	912
	Secondary +	98.1	44.3	48.8	26.0	3795
	Non-standard curriculum	100.0	44.5	44.6	4.8	24
	Missing/DK	96.2	51.2	61.2	44.6	14
Total		96.8	42.8	45.1	24.2	4801

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Guyana, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women
					1.00
District	Interior rural	40.3	8.1	83.0	349
	Coast (Urban)	81.2	19.6	90.8	1612
	Coast (rural)	65.6	14.4	85.2	2840
Region number	Region 1	30.1	6.4	90.6	92
	Region 2	59.4	6.3	81.1	256
	Region 3	55.0	11.0	81.5	592
	Region 4	80.2	21.8	91.7	2246
	Region 5	73.5	9.7	82.3	302
	Region 6	58.5	10.4	73.5	801
	Region 7	58.5	12.2	76.7	111
	Region 8	20.6	6.2	88.7	25
	Region 9	25.2	5.2	84.4	80
	Region 10	76.4	15.3	84.7	296
Area	Urban	81.2	19.6	90.8	1612
	Rural	62.8	13.7	85.0	3189
Age	15-19	66.9	7.6	78.7	855
	20-24	69.4	18.8	89.5	811
	25-29	68.2	17.4	89.4	827
	30-34	73.9	18.8	86.4	640
	35-39	69.8	17.1	85.9	642
	40-44	70.5	18.9	89.2	592
	45-49	63.4	11.5	89.2	434
Woman's education level	None	38.5	10.9	96.4	55
	Primary	57.7	11.3	87.1	912
	Secondary +	72.1	16.8	87.3	3795
	Non-standard curriculum	82.6	20.8	100.0	24
	Missing/DK	46.7	9.4	100.0	14
Total		69.0	15.7	87.5	4801

Monitoring HIV/AIDS Indicator

T7 - Total

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Guyana 2000

	Current method															Total	Any modern method	Any traditional method	Any method	Number of currently married women
	No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Implants	Condom	Female condom	Diaphragm/f oam/jelly	LAM	Periodic abstinence	Withdrawal	Other						
District	71.4	2.9	.0	10.6	3.4	6.6	.3	3.8	.0	.2	.2	.5	.0	.2	100.0	27.7	.9	28.6	267	
	62.7	4.4	.1	11.0	2.2	3.2	1.0	13.3	.0	.5	.5	.8	.0	.2	100.0	35.7	1.6	37.3	1104	
	61.6	4.7	.0	11.3	8.9	3.6	1.1	7.0	.1	.4	.2	.3	.6	.2	100.0	37.2	1.2	38.4	2019	
Region number	77.4	1.7	.0	6.8	1.9	7.4	.2	3.8	.0	.0	.3	.0	.0	.6	100.0	21.8	.8	22.6	75	
	55.5	6.2	.0	9.2	17.3	3.8	.0	3.1	.0	.0	.7	.0	3.5	.8	100.0	39.5	5.0	44.5	184	
	63.9	10.1	.0	7.0	10.7	.8	.0	6.9	.0	.4	.0	.0	.0	.3	100.0	35.9	.3	36.1	441	
	61.9	3.7	.1	12.3	4.2	3.7	1.7	10.4	.2	.7	.3	.5	.2	.1	100.0	37.0	1.1	38.1	1549	
	67.9	.3	.0	14.8	3.7	3.1	2.1	8.1	.0	.0	.0	.0	.0	.0	100.0	32.1	.0	32.1	211	
	61.8	2.2	.0	11.6	8.1	4.2	.5	9.8	.0	.4	.7	.0	.5	.2	100.0	36.8	1.4	38.2	558	
	65.4	4.1	.0	12.4	8.3	5.3	.2	3.7	.0	.7	.0	.0	.0	.0	100.0	34.6	.0	34.6	81	
	82.4	2.0	.0	9.2	1.2	2.2	.0	2.9	.0	.0	.0	.0	.0	.0	100.0	17.6	.0	17.6	19	
	76.7	1.7	.0	13.1	.0	2.8	.0	4.4	.0	.0	.0	1.0	.0	.3	100.0	21.9	1.3	23.3	60	
	57.8	9.6	.0	8.8	3.2	7.0	.2	9.7	.0	.0	.5	3.0	.0	.0	100.0	38.6	3.6	42.2	212	
Area	62.7	4.4	.1	11.0	2.2	3.2	1.0	13.3	.0	.5	.5	.8	.0	.2	100.0	35.7	1.6	37.3	1104	
	62.7	4.5	.0	11.2	8.2	3.9	1.0	6.6	.1	.4	.2	.3	.5	.2	100.0	36.1	1.2	37.3	2286	
Woman's education level	69.9	4.5	.0	5.0	10.6	8.9	.0	.0	.0	1.1	.0	.0	.0	.0	100.0	30.1	.0	30.1	49	
	64.1	6.5	.0	9.3	8.1	2.7	1.9	4.9	.0	.3	.7	.5	.7	.2	100.0	33.8	2.1	35.9	738	
	62.0	3.9	.1	11.8	5.7	3.9	.8	10.1	.1	.5	.2	.5	.3	.2	100.0	36.9	1.1	38.0	2580	
	78.0	9.6	.0	12.5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	100.0	22.0	.0	22.0	12	
	95.7	.0	.0	1.8	.0	2.6	.0	.0	.0	.0	.0	.0	.0	.0	100.0	4.3	.0	4.3	11	
Total	62.7	4.5	.1	11.2	6.3	3.7	1.0	8.8	.1	.4	.3	.5	.4	.2	100.0	36.0	1.3	37.3	3390	

World Summit for Children Goal => Number 10

## T7 - Total

**Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Guyana, 2000**

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00
District	Interior rural	61.0	.4	.0	61.4	58
	Coast (Urban)	60.6	3.1	.0	63.8	108
	Coast (rural)	60.9	.0	.0	60.9	241
Region number	Region 1	65.6	.0	.0	65.6	18
	Region 2	75.1	.0	.0	75.1	22
	Region 3	41.0	.0	.0	41.0	42
	Region 4	62.2	.6	.0	62.9	175
	Region 5	62.6	.0	.0	62.6	26
	Region 6	63.8	.0	.0	63.8	58
	Region 7	43.4	.0	.0	43.4	13
	Region 8	68.6	.0	.0	68.6	5
	Region 9	63.9	1.5	.0	65.4	17
	Region 10	64.4	7.4	.0	71.8	30
Area	Urban	60.6	3.1	.0	63.8	108
	Rural	60.9	.1	.0	61.0	299
Woman's education level	None	68.8	.0	.0	68.8	12
	Primary	62.2	.3	.0	62.5	75
	Secondary +	60.1	1.1	.0	61.2	318
	Missing/DK	100.0	.0	.0	100.0	1
Total		60.8	.9	.0	61.7	406

World Summit for Children Goal =&gt; Number 22

**Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Guyana 2000**

		Person delivering antenatal care						Total	Any skilled personnel	Number of women
		Doctor	Nurse/midwife	Single trained midwife	Medex	Other/missing	No antenatal care received			
District	Interior rural	14.7	31.9	1.9	13.6	30.2	7.6	100.0	48.5	58
	Coast (Urban)	49.6	39.0	1.1	3.6	5.4	1.4	100.0	89.7	108
	Coast (rural)	44.5	38.8	1.5	7.3	4.8	3.1	100.0	84.7	241
Region number	Region 1	16.0	52.8	4.1	10.1	8.3	8.7	100.0	72.8	18
	Region 2	28.7	9.6	.0	33.4	23.7	4.6	100.0	38.2	22
	Region 3	52.1	38.9	3.7	4.0	1.2	.0	100.0	94.8	42
	Region 4	61.0	28.4	1.3	2.5	4.4	2.3	100.0	90.8	175
	Region 5	26.8	55.7	.0	5.0	5.2	7.4	100.0	82.5	26
	Region 6	7.6	74.1	1.5	8.9	4.4	3.4	100.0	83.3	58
	Region 7	20.9	12.3	.0	17.5	43.2	6.2	100.0	33.2	13
	Region 8	7.5	16.1	.0	32.4	26.5	17.5	100.0	23.6	5
	Region 9	5.3	21.9	2.2	10.5	53.2	7.0	100.0	29.4	17
	Region 10	52.2	41.1	.0	6.8	.0	.0	100.0	93.2	30
Area	Urban	49.6	39.0	1.1	3.6	5.4	1.4	100.0	89.7	108
	Rural	38.7	37.4	1.6	8.6	9.8	4.0	100.0	77.7	299
Woman's education level	None	6.9	38.8	9.1	.0	34.4	10.9	100.0	54.8	12
	Primary	30.0	46.8	.0	7.7	11.9	3.6	100.0	76.8	75
	Secondary +	45.6	35.7	1.5	7.5	6.9	2.8	100.0	82.8	318
	Missing/DK	42.6	31.1	.0	.0	.0	26.3	100.0	73.7	1
Total		41.6	37.8	1.4	7.3	8.6	3.3	100.0	80.9	406

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery  
Guyana 2000**

		Person assisting at delivery							Total	Any skilled personnel	Number of women
		Doctor	Nurse/midwife	Single Trained midwife	Medex	Community Health Worker	Other/missing	No assistance received			1.00
District	Interior rural	6.5	34.1	2.4	6.9	17.0	30.8	2.3	100.0	42.9	58
	Coast (Urban)	30.2	68.2	1.6	.0	.0	.0	.0	100.0	100.0	108
	Coast (rural)	24.4	61.8	3.3	1.7	4.3	4.1	.4	100.0	89.5	241
Region number	Region 1	3.9	40.8	4.3	6.5	3.3	39.0	2.2	100.0	49.0	18
	Region 2	9.8	24.4	10.4	14.8	22.9	17.6	.0	100.0	44.6	22
	Region 3	27.0	64.0	3.7	.0	.0	5.2	.0	100.0	94.8	42
	Region 4	32.9	60.9	1.5	.0	3.0	1.1	.5	100.0	95.3	175
	Region 5	19.3	73.6	.0	.0	.0	7.1	.0	100.0	92.9	26
	Region 6	11.4	81.9	5.1	1.5	.0	.0	.0	100.0	98.5	58
	Region 7	4.7	36.6	3.3	6.5	43.6	3.6	1.8	100.0	44.5	13
	Region 8	9.6	22.4	.0	4.6	3.9	59.5	.0	100.0	32.0	5
	Region 9	5.5	15.0	1.1	10.5	20.1	43.4	4.3	100.0	21.7	17
	Region 10	31.2	68.8	.0	.0	.0	.0	.0	100.0	100.0	30
Area	Urban	30.2	68.2	1.6	.0	.0	.0	.0	100.0	100.0	108
	Rural	20.9	56.4	3.1	2.7	6.8	9.3	.8	100.0	80.4	299
Woman's education level	None	.0	58.1	.0	4.8	4.7	30.9	1.5	100.0	58.1	12
	Primary	13.5	58.7	3.4	1.5	7.6	14.8	.6	100.0	75.5	75
	Secondary +	26.5	59.9	2.6	2.0	4.4	4.0	.5	100.0	89.1	318
	Missing/DK	42.6	31.1	.0	.0	.0	26.3	.0	100.0	73.7	1
Total		23.4	59.5	2.7	2.0	5.0	6.8	.6	100.0	85.6	406

World Summit for Children Goal => Numbers 11

T7 - Total

**Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Guyana, 2000**

		Birth registered	DK if birth registered	Registration status							Total	Number of children
				Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other	Reason DK or Missing		
Sex	Male	96.9	.0	9.4	11.5	2.5	4.9	2.9	13.4	55.4	100.0	1422
	Female	96.0	.0	8.6	9.9	1.3	14.3	4.7	6.3	54.9	100.0	1250
District	Interior rural	85.5	.3	14.3	9.7	3.4	4.3	7.2	15.2	45.9	100.0	360
	Coast (Urban)	98.6	.0	.0	.0	.0	8.6	.0	11.6	79.8	100.0	730
	Coast (rural)	98.1	.0	3.8	16.1	.0	19.4	.0	.0	60.7	100.0	1582
Region number	Region 1	78.1	.0	22.2	7.3	.0	2.6	5.3	15.8	46.9	100.0	115
	Region 2	97.8	.0	23.5	52.9	.0	.0	.0	.0	23.5	100.0	221
	Region 3	98.5	.0	.0	.0	.0	100.0	.0	.0	.0	100.0	280
	Region 4	98.7	.0	.0	.0	.0	18.7	.0	.0	81.3	100.0	1036
	Region 5	98.7	.0	.0	.0	.0	.0	.0	.0	100.0	100.0	178
	Region 6	96.3	.0	.0	14.5	.0	.0	.0	8.1	77.4	100.0	433
	Region 7	94.7	1.1	24.2	19.2	7.5	15.1	15.1	12.1	6.9	100.0	84
	Region 8	76.3	1.0	4.6	13.3	4.0	.0	23.3	8.7	46.2	100.0	28
	Region 9	84.3	.0	.0	11.1	9.1	3.8	.0	19.8	56.1	100.0	93
	Region 10	99.3	.0	19.8	.0	.0	32.3	15.8	.0	32.2	100.0	204
Area	Urban	98.6	.0	.0	.0	.0	8.6	.0	11.6	79.8	100.0	730
	Rural	95.7	.1	10.2	12.1	2.1	10.1	4.4	9.4	51.6	100.0	1942
Age	< 6 months	89.4	.2	4.7	7.1	.0	9.3	2.1	2.1	74.7	100.0	211
	6-11 months	96.1	.0	17.7	.0	.0	.0	5.5	16.3	60.5	100.0	257
	12-23 months	96.4	.0	10.0	8.2	.0	14.8	4.3	13.5	49.3	100.0	536
	24-35 months	97.5	.0	9.9	7.6	.0	29.0	3.5	7.7	42.2	100.0	533
	36-47 months	97.4	.0	8.7	17.4	5.3	.0	3.2	12.2	53.2	100.0	602
	48-59 months	97.6	.1	7.5	23.8	7.1	2.6	6.3	11.2	41.5	100.0	533
Mother's education level	None	78.1	.0	4.5	8.8	.0	.0	11.2	32.9	42.6	100.0	55
	Primary	95.3	.0	21.2	8.6	3.4	2.3	1.9	6.5	56.1	100.0	608
	Secondary+	97.4	.0	3.5	12.3	1.5	16.5	3.2	6.0	57.1	100.0	1989
	Non-standard curriculum	100.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	9
	Missing/DK	95.0	.0	.0	.0	.0	.0	.0	.0	100.0	100.0	11
Total		96.5	.0	9.0	10.6	1.8	9.9	3.9	9.7	55.1	100.0	2672

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Guyana, 2000

		Living arrangement							
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive
Wealth Index Quintiles	Poorest	73.0	.6	.6	4.9	.2	16.2	2.2	.6
	Second	69.9	.7	.5	5.5	.7	15.9	3.6	2.0
	Middle	66.3	.3	.7	5.9	.8	20.9	2.3	1.5
	Fourth	59.6	.3	.6	8.3	.8	23.2	2.8	3.1
	Richest	48.8	1.4	.6	9.9	.8	31.5	2.6	3.6
Sex	Male	65.3	.8	.5	5.8	.6	21.0	2.9	1.9
	Female	64.4	.4	.7	7.4	.7	20.4	2.4	2.1
Region	Region 1	78.7	1.0	.3	4.4	.2	12.6	1.5	.9
	Region 2	76.9	.4	1.0	9.9	.0	7.3	.8	2.4
	Region 3	73.6	.3	1.3	4.9	1.1	13.4	2.4	2.3
	Region 4	57.1	.8	.5	7.1	.8	26.6	3.7	1.9
	Region 5	63.0	.0	.4	7.7	.5	24.6	2.6	1.1
	Region 6	73.4	.7	.3	5.5	.5	14.7	2.2	1.2
	Region 7	71.5	.0	.0	4.7	.3	18.2	1.8	1.7
	Region 8	76.2	.0	.0	4.5	.3	14.8	2.8	.7
	Region 9	83.1	.6	.3	4.2	.6	8.7	1.1	.4
	Region 10	44.2	.6	1.6	7.9	.6	34.9	2.0	5.9
Area	Urban	47.0	.6	.7	8.6	1.0	32.4	4.0	4.0
	Rural	71.7	.6	.6	5.8	.5	16.2	2.2	1.2
Age	0-4 years	70.8	.4	.2	4.5	.2	20.8	.9	1.4
	5-9 years	63.4	.8	.4	7.7	.9	20.1	3.3	2.2
	10-14 years	60.2	.6	1.3	7.6	.9	21.3	3.9	2.4
Total		64.9	.6	.6	6.6	.6	20.7	2.7	2.0

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Guyana, 2000

		Living arrangement		Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Living with father only: mother dead	Impossible to determine						
Wealth Index Quintiles	Poorest	1.0	.9	100.0	.1	6.2	4.5	4.6	1678
	Second	.1	.8	100.0	.5	7.5	5.7	6.2	1485
	Middle	.6	.7	100.0	.0	7.7	4.7	4.7	1287
	Fourth	.6	.7	100.0	.1	10.0	5.1	5.2	1151
	Richest	.2	.5	100.0	.3	12.7	5.7	5.9	1056
Sex	Male	.4	.7	100.0	.2	7.7	5.2	5.4	3395
	Female	.7	.7	100.0	.2	9.3	5.0	5.2	3262
Region	Region 1	.1	.3	100.0	.0	5.9	3.2	3.2	240
	Region 2	1.0	.2	100.0	.2	11.3	3.3	3.5	503
	Region 3	.2	.5	100.0	.0	7.6	5.3	5.3	748
	Region 4	.6	.8	100.0	.4	9.2	6.3	6.7	2758
	Region 5	.0	.0	100.0	.0	8.7	3.5	3.5	405
	Region 6	.3	1.1	100.0	.1	7.0	4.1	4.2	1112
	Region 7	.5	1.4	100.0	.0	5.0	2.6	2.6	178
	Region 8	.0	.8	100.0	.0	4.8	3.1	3.1	62
	Region 9	.6	.3	100.0	.0	5.7	3.3	3.3	211
	Region 10	1.3	1.0	100.0	.0	10.7	6.2	6.2	440
Area	Urban	.5	1.2	100.0	.4	11.0	6.8	7.2	1848
	Rural	.5	.6	100.0	.1	7.5	4.4	4.5	4808
Age	0-4 years	.1	.5	100.0	.0	5.4	1.9	2.0	2206
	5-9 years	.3	.9	100.0	.4	9.7	5.6	6.0	2409
	10-14 years	1.2	.8	100.0	.2	10.3	7.8	8.0	2041
Total		.5	.7	100.0	.2	8.5	5.1	5.3	6657

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Guyana, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Sex	Male	2.5	13.3	70.8	.6	17.8	29.2	2228
	Female	1.6	11.9	72.8	1.2	14.1	24.8	2222
District	Interior rural	2.7	8.5	84.8	1.1	39.4	44.8	469
	Coast (Urban)	1.5	12.8	72.5	.9	10.9	22.0	1246
	Coast (rural)	2.2	13.2	69.2	.9	14.2	26.2	2735
Region	Region 1	.6	3.5	85.1	.4	37.3	39.4	145
	Region 2	3.1	15.7	80.3	.0	38.9	46.2	321
	Region 3	1.8	6.8	53.6	1.5	5.8	15.1	516
	Region 4	1.6	10.9	73.3	.3	11.4	20.5	1902
	Region 5	2.9	14.5	70.8	2.5	8.5	26.3	258
	Region 6	2.0	18.1	66.8	1.4	13.1	29.6	754
	Region 7	4.7	16.2	86.5	.2	37.4	46.5	108
	Region 8	1.6	2.7	79.4	3.1	53.7	56.0	39
	Region 9	3.5	7.2	85.0	2.0	44.6	49.0	135
	Region 10	2.5	22.6	79.9	2.8	15.2	36.0	272
Area	Urban	1.5	12.8	72.5	.9	10.9	22.0	1246
	Rural	2.2	12.5	71.5	.9	17.9	28.9	3205
Age	5-9 years	1.2	11.1	62.4	.3	11.8	21.4	2409
	10-14 years	2.9	14.4	82.9	1.7	20.8	33.6	2041
Total		2.0	12.6	71.8	.9	16.0	27.0	4450

Monitoring Children's Rights Indicator