

**WHO/UNICEF  
Review of National Immunization Coverage  
1980-2008**

---


***Iceland***

---

**July, 2009**

# Iceland

## BCG (1980-2008)



### Description of trend

BCG vaccine is not in schedule.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002							
2003							
2004							
2005							
2006							
2007							
2008							


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Iceland

## DTP1 (1980-2008)



### Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. The DTP1 estimates from 2000 onward are based on these reports. For years prior to 2000 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	99						
1981	99						
1982	98						
1983	97						
1984	99						
1985	99						
1986	99						
1987	99						
1988	99						
1989	99						
1990	99						
1991	99						
1992	99						
1993	99						
1994	99						
1995	99						
1996	99						
1997	99						
1998	99						
1999	98						
2000	99	99	99	99			
2001	95	95	95	95			
2002	96						
2003	97	97	97	97	97		
2004	99	99	99	99	99		
2005	95	95	95	95	95		
2006	97	97	97	97	97		
2007	97	97	97		97		
2008	94	94	94		94		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Iceland

## DTP3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. Coverage is assumed to be zero prior to the first reported year if the reported value was less than 25%. Where coverage was 25% or higher in the first year data was reported, the years prior to that are assumed to be the same as the first reported level. Coverage has been imputed for those years for which no data have been reported. For missing data between years the imputed coverage is the linear interpolation between the two reported coverage rates. If coverage has ceased to be reported, it is assumed to remain constant.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	99						
1981	99	99					
1982	98	98					
1983	94	94					
1984	99	99					
1985	99						
1986	99	99	99				
1987	99						
1988	99	99	99				
1989	99	99	99				
1990	99	99	99				
1991	99	99	90				
1992	99	99					
1993	99	99	98				
1994	99	99					
1995	99	99					
1996	99	100					
1997	99	100					
1998	99						
1999	98						
2000	98	98	98	98			
2001	92	92		92			
2002	95						
2003	97	97	97	97	97		
2004	99	99	99	99	99		
2005	95	95	95	95	95		
2006	97	97	97	97	97		
2007	97	97	97	97	97		
2008	98	98	98		98		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Iceland

## Pol3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. Coverage is assumed to be zero prior to the first reported year if the reported value was less than 25%. Where coverage was 25% or higher in the first year data was reported, the years prior to that are assumed to be the same as the first reported level. Coverage has been imputed for those years for which no data have been reported. For missing data between two years imputed coverage is the linear interpolation between the two reported coverage rates. If coverage has ceased to be reported, it is assumed to be constant.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	99						
1981	99	99					
1982	98	98					
1983	97	97					
1984	99	99					
1985	99						
1986	99	99	99				
1987	99						
1988	99	99	99				
1989	99	99	99				
1990	99	99	99				
1991	99	99	99				
1992	94	94					
1993	99	99	99				
1994	99	99					
1995	99	99					
1996	99	100					
1997	99	100					
1998	98						
1999	96						
2000	95	95	95	95			
2001	91	91		91			
2002	94						
2003	97	97	97	97			
2004	99	99	99	99	99		
2005	95	95	95	95	95		
2006	97	97	97	97	97		
2007	97	97	97	97	97		
2008	98	98	98		98		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Iceland

## MCV (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. Coverage has been imputed for those years for which no data have been reported. For missing data between two years the imputed coverage is the linear interpolation between the two reported coverage rates. If coverage has ceased to be reported, it is assumed to remain constant.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983	81	81					
1984	96	96					
1985	96						
1986	95	95	95				
1987	97						
1988	99	99	99				
1989	99	99	99				
1990	99	99	99				
1991	99	99	90				
1992	99	99					
1993	99	99	98				
1994	98	98					
1995	99	99					
1996	99	100					
1997	99	100					
1998	96						
1999	94						
2000	91	91	91	91			
2001	88	88		88			
2002	91						
2003	93	93	93	93	93		
2004	93	93	93	93	93		
2005	90	90	90	90			
2006	95	95	95	95	95		
2007	95	95	95		95		
2008	96	96	96		96		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Iceland

## Hib3 (1980-2008)



### Description of trend

Monovalent Hib vaccine introduced in 1999. Estimates are based on reported data.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991	99	99	99		99		
1992	99	99	99		99		
1993	99	99	99		99		
1994	99	99	99		99		
1995	99	99	99		99		
1996	99						
1997	99						
1998	98						
1999	98						
2000	98	98	98	98			
2001	92	92	92	92			
2002	94						
2003	97	97	97	97			
2004	99	99	99	99	99		
2005	95	95	95	95			
2006	97	97	97	97			
2007	97	97	97	97			
2008	98	98	98	98			

\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

