

Table 1: Number of households and women, and response rates, Indonesia, 2000

	VILLAGE CLASSIFICATION		Total
	URBAN	RURAL	
Sampled households	4926	4926	9852
Occupied households	4873	4858	9731
Completed households	4873	4858	9731
Household response rate	100.0	100.0	100.0
Eligible women	5956	5232	11188
Interviewed women	5953	5230	11183
Women response rate	99.9	100.0	100.0
Children under 5	1996	2057	4053
Interviewed children under 5	1996	2057	4053
Child response rate	100.0	100.0	100.0

Table 2: Single year age distribution of household population by sex, Indonesia, 2000

	Sex of hh member			
	male		female	
	Number	Percent	Number	Percent
Age 0	2150757	2.1	1981393	1.9
1	1961473	1.9	1619034	1.6
2	2156590	2.1	1936998	1.9
3	2219668	2.2	2125495	2.1
4	2017309	2.0	1888741	1.8
5	2223852	2.2	2024055	2.0
6	2122146	2.1	2123466	2.1
7	2150863	2.1	2126355	2.1
8	1908440	1.9	2131922	2.1
9	2300727	2.2	2361828	2.3
10	2199010	2.1	2190267	2.1
11	2083023	2.0	1896578	1.9
12	2252477	2.2	2071838	2.0
13	2015850	2.0	2148922	2.1
14	2201124	2.2	2151879	2.1

Table 2: Single year age distribution of household population by sex, Indonesia, 2000

		Sex of hh member			
		male		female	
		Number	Percent	Number	Percent
Age	15	2290309	2.2	2233881	2.2
	16	2142286	2.1	2077342	2.0
	17	2270593	2.2	2334584	2.3
	18	2308950	2.3	1790836	1.7
	19	2017270	2.0	1820142	1.8
	20	2116357	2.1	2112785	2.1
	21	1725675	1.7	1628417	1.6
	22	1731428	1.7	1799574	1.8
	23	1651435	1.6	1789642	1.7
	24	1703362	1.7	2031085	2.0
	25	1794494	1.8	1962058	1.9
	26	1847198	1.8	1591930	1.6
	27	1685089	1.6	2088834	2.0
	28	1477056	1.4	1753791	1.7
	29	1590766	1.6	1654231	1.6
	30	1960006	1.9	1794841	1.8
	31	1470825	1.4	1715895	1.7
	32	1550026	1.5	1570265	1.5
	33	1236564	1.2	1231898	1.2
	34	1692850	1.7	1729616	1.7
	35	1729159	1.7	1803553	1.8
	36	1496255	1.5	1568767	1.5
	37	1460099	1.4	1612938	1.6
	38	1172190	1.1	1357047	1.3
	39	1647384	1.6	1503573	1.5
	40	1667650	1.6	1714833	1.7
	41	1321664	1.3	1211617	1.2
	42	1369307	1.3	1397635	1.4
	43	1291601	1.3	1106287	1.1
	44	1022633	1.0	1056690	1.0
	45	1451027	1.4	1031488	1.0
	46	1082303	1.1	1039335	1.0
	47	1023859	1.0	829905	.8
	48	873208	.9	829747	.8
	49	951276	.9	715499	.7

Table 2: Single year age distribution of household population by sex, Indonesia, 2000

		Sex of hh member			
		male		female	
		Number	Percent	Number	Percent
Age	50	863746	.8	1222111	1.2
	51	682714	.7	926185	.9
	52	711950	.7	1022020	1.0
	53	608009	.6	605616	.6
	54	738609	.7	957870	.9
	55	777458	.8	799780	.8
	56	780474	.8	758829	.7
	57	822802	.8	639764	.6
	58	552280	.5	665455	.6
	59	646027	.6	553750	.5
	60	947509	.9	837321	.8
	61	624850	.6	654922	.6
	62	540849	.5	593691	.6
	63	424280	.4	599320	.6
	64	435431	.4	488358	.5
	65	513924	.5	623588	.6
	66	433160	.4	328406	.3
	67	387219	.4	366382	.4
	68	369459	.4	324556	.3
	69	253298	.2	355181	.3
	70+	2411937	2.4	2788211	2.7
	Missing/DK	20158	.0	28171	.0
Total		102331606	100.0	102408819	100.0

Table 4: Percent distribution of households by background characteristics, Indonesia, 2000

		Percent	Number	Unweighted
VILLAGE CLASSIFICATION	URBAN	42.1	20816615	4926
	RURAL	57.9	28607270	4926
Number of HH members	1	5.1	2532686	529
	2-3	33.7	16640142	3244
	4-5	41.8	20664646	4086
	6-7	15.4	7587407	1566
	8-9	3.3	1639338	345
	10+	.7	359666	82
Total		100.0	49423885	9852

Table 4: Percent distribution of households by background characteristics, Indonesia, 2000

	Percent	Number	Unweighted
At least one child age < 15	66.7	49423885	9852
At least one child age < 5	34.2	49423885	9852
At least one woman age 15-49	83.2	49423885	9852

Table 4: Percent distribution of households by background characteristics, Country, Year

		VILLAGE CLASSIFICATION		Total
		URBAN	RURAL	
Number of HH members	1	5.3	5.0	5.1
	2-3	31.7	35.1	33.7
	4-5	41.8	41.8	41.8
	6-7	16.6	14.4	15.4
	8-9	3.8	3.0	3.3
	10+	.8	.7	.7
	Total	100.0	100.0	100.0
Number	20816615	28607270	49423885	
Unweighted	4926	4926	9852	

Table 4: Percent distribution of households by background characteristics, Indonesia, 2000

	VILLAGE CLASSIFICATION		Total
	URBAN	RURAL	
At least one child age < 15	64.1	68.7	66.7
At least one child age < 5	33.6	34.5	34.2
At least one woman age 15-49	85.0	81.9	83.2
Number	20816615	28607270	49423885
Unweighted	4926	4926	9852

Table 5: Percent distribution of women 15-49 by background characteristics, Indonesia, 2000

		Percent	Number	Unweighted
VILLAGE CLASSIFICATION	Urban	43.4	24079547	5953
	Rural	56.6	31411014	5230
woman age group	15-19	18.5	10254207	2087
	20-24	16.9	9364081	1914
	25-29	16.3	9050844	1834
	30-34	14.5	8042515	1613
	35-39	14.1	7845878	1551
	40-44	11.7	6487062	1295
	45-49	8.0	4445974	889
Marital status	Currently married	67.8	37603067	7399
	Widowed	2.3	1297482	253
	Divorced	2.1	1145396	225
	Never married	27.8	15444616	3306
HAVE YOU EVER BEEN PREGNANT	Yes	66.4	36838917	7237
	No	5.1	2815930	561
	missing	28.5	15835714	3385
Total		100.0	55490561	11183

Table 6: Percent distribution of children under 5 by background characteristics, Indonesia, 2000

		Percent	Number	Unweighted
Sex of HH Member	Males	52.4	10505797	2117
	Females	47.6	9551661	1936
VILLAGE CLASSIFICATION	Urban	39.2	7856989	1996
	Rural	60.8	12200469	2057
Mother's education	Not school	5.4	1081684	213
	General Elementary	52.2	10470462	1958
	General Junior High	16.0	3206349	691
	General High	19.6	3923864	878
	University	4.2	851549	204
	Do not know	2.6	523550	109
Total		100.0	20057458	4053

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Indonesia, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breastfed	PORRIDGE	Yoghurt/starch water	Oral rehydration/intravenous feeding	Others Milk
Sex of HH Member	Males	5.9	10505797	56.7	54.3	6.7	43.6	18.6
	Females	6.4	9551661	60.8	43.5	2.5	42.8	18.9
VILLAGE CLASSIFICATION	Urban	6.3	7856989	58.4	45.0	5.8	43.3	32.8
	Rural	6.0	12200469	58.9	51.6	3.9	43.1	9.2
child age group	0 - 4	6.1	20057458	58.7	48.9	4.6	43.2	18.7
Mother's education	Not school	7.1	1081684	57.4	49.5	10.6	29.7	.0
	General Elementary	6.6	10470462	60.7	44.8	3.1	41.3	12.7
	General Junior High	7.8	3206349	54.9	61.2	4.0	49.1	26.2
	General High	4.4	3923864	60.7	47.5	10.2	50.6	28.8
	University	3.4	851549	71.6	53.9	.0	34.1	82.2
	Do not know	3.3	523550	.0	35.4	.0	35.4	26.2
Total		6.1	20057458	58.7	48.9	4.6	43.2	18.7

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Indonesia, 2000

		Water and food	Any recommended treatment	No treatment	Number of children with diarrhea
					1.00
Sex of HH Member	Males	51.4	95.1	4.9	617962
	Females	52.4	94.9	5.1	615206
VILLAGE CLASSIFICATION	Urban	46.3	93.7	6.3	497151
	Rural	55.7	96.0	4.0	736017
child age group	0 - 4	51.9	95.0	5.0	1233168
Mother's education	Not school	64.7	100.0	.0	76663
	General Elementary	48.1	94.0	6.0	687703
	General Junior High	50.1	98.2	1.8	251388
	General High	62.1	94.7	5.3	170730
	University	73.2	100.0	.0	29264
	Do not know	37.8	64.0	36.0	17420
Total		51.9	95.0	5.0	1233168

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode,Indonesia, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total
				More	Reduced	Missing/DK	
Sex of HH Member	Males	5.9	10505797	32.1	66.7	1.2	100.0
	Females	6.4	9551661	32.5	66.4	1.2	100.0
VILLAGE CLASSIFICATION	Urban	6.3	7856989	28.3	69.5	2.2	100.0
	Rural	6.0	12200469	35.0	64.5	.5	100.0
child age group	0 - 4	6.1	20057458	32.3	66.6	1.2	100.0
Mother's education	Not school	7.1	1081684	25.3	74.7	.0	100.0
	General Elementary	6.6	10470462	30.9	67.0	2.1	100.0
	General Junior High	7.8	3206349	31.0	69.0	.0	100.0
	General High	4.4	3923864	41.6	58.4	.0	100.0
	University	3.4	851549	46.1	53.9	.0	100.0
	Do not know	3.3	523550	20.1	79.9	.0	100.0
Total		6.1	20057458	32.3	66.6	1.2	100.0

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode,Indonesia, 2000

		Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea
		Same/more	Reduced/has not eaten	Missing/DK			1.00
Sex of HH Member	Males	13.9	86.1	.0	100.0	2.7	617962
	Females	19.6	79.2	1.2	100.0	7.2	615206
VILLAGE CLASSIFICATION	Urban	13.6	84.9	1.5	100.0	5.9	497151
	Rural	18.9	81.1	.0	100.0	4.2	736017
child age group	0 - 4	16.8	82.6	.6	100.0	4.9	1233168
Mother's education	Not school	21.2	78.8	.0	100.0	10.6	76663
	General Elementary	13.8	85.2	1.1	100.0	4.1	687703
	General Junior High	21.8	78.2	.0	100.0	7.5	251388
	General High	7.7	92.3	.0	100.0	.0	170730
	University	74.3	25.7	.0	100.0	20.4	29264
	Do not know	36.0	64.0	.0	100.0	.0	17420
Total		16.8	82.6	.6	100.0	4.9	1233168

World Summit for Children Goal => Number 23

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Indonesia, 2000

	Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total	Eating during illness			Total	Received increased fluids and continued eating	Number of sick children 1.00	
			More	Same/Less	Missing/DK		Same/more, reduced	Has not eaten	Missing/DK				
Sex of HH Member	Males	37.5	10505797	16.7	81.4	1.8	100.0	97.1	1.6	1.4	100.0	16.6	3939641
	Females	35.7	9551661	20.0	77.5	2.5	100.0	95.2	2.5	2.3	100.0	19.7	3405665
VILLAGE CLASSIFICATION	Urban	38.1	7856989	17.4	79.8	2.7	100.0	95.6	1.9	2.4	100.0	17.3	2990493
	Rural	35.7	12200469	18.8	79.4	1.8	100.0	96.6	2.0	1.4	100.0	18.6	4354813
child age group	0 - 4	36.6	20057458	18.3	79.6	2.2	100.0	96.2	2.0	1.8	100.0	18.0	7345306
Mother's education	Not school	36.0	1081684	10.9	88.2	.9	100.0	98.7	1.3	.0	100.0	10.9	389418
	General Elementary	35.7	10470462	18.2	79.8	1.9	100.0	97.4	.9	1.7	100.0	18.0	3734607
	General Junior High	39.6	3206349	18.7	78.5	2.8	100.0	94.6	3.2	2.1	100.0	18.7	1269798
	General High	37.2	3923864	20.0	78.4	1.6	100.0	93.8	4.7	1.6	100.0	19.5	1460032
	University	37.0	851549	18.1	78.2	3.8	100.0	97.4	.0	2.6	100.0	18.1	315234
	Do not know	33.7	523550	17.7	75.1	7.2	100.0	94.8	.0	5.2	100.0	17.7	176217
Total		36.6	20057458	18.3	79.6	2.2	100.0	96.2	2.0	1.8	100.0	18.0	7345306

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Indonesia, 2000

	Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	
VILLAGE CLASSIFICATION	Urban	35.4	65.5	74.1	23.7	35.9	40.0	14.4
	Rural	36.4	68.6	64.2	25.3	34.8	41.0	12.9
Mother's education	Not school	32.5	65.0	66.7	21.4	34.2	36.8	8.5
	General Elementary	30.6	63.2	62.1	21.1	30.8	36.4	10.1
	General Junior High	39.6	69.9	73.0	26.5	36.0	41.4	16.2
	General High	39.2	67.9	73.7	25.7	38.1	43.6	15.0
	University	42.8	72.5	83.3	30.4	41.3	47.1	22.5
	Do not know	37.0	72.8	71.7	30.4	46.7	46.7	16.3
Total		35.9	67.0	69.5	24.5	35.4	40.5	13.7

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Indonesia, 2000

		Knows at least two signs	Number of caretakers
VILLAGE CLASSIFICATION	Urban	67.8	1003
	Rural	67.3	877
Mother's education	Not school	65.8	117
	General Elementary	60.4	692
	General Junior High	73.0	389
	General High	70.8	452
	University	74.6	138
	Do not know	73.9	92
Total		67.6	1880

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Indonesia, 2000

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	1.00
Sex of HH Member	Males	32.2	64.6	3.3	.2	97.8	2.0	10502698
	Females	31.8	64.7	3.5	.2	97.0	2.8	9551661
VILLAGE CLASSIFICATION	Urban	23.3	73.3	3.4	.1	97.6	2.3	7853890
	Rural	37.5	59.0	3.4	.3	97.3	2.4	12200469
child age group	0 - 4	32.0	64.6	3.4	.2	97.4	2.4	20054359
Total		32.0	64.6	3.4	.2	97.4	2.4	20054359

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Indonesia, 2000

		Had a fever in last two weeks	Number of children under 5	Chloroquine	Fansidar	Pil kina/eukinine	Panadol	Temptra/te rmorex	Bodrexin
Sex of HH Member	Males	3.0	10505797	2.4	.2	1.0	3.1	12.4	26.4
	Females	3.1	9551661	4.2	.4	1.4	3.2	9.6	27.8
VILLAGE CLASSIFICATION	Urban	2.2	7856989	3.4	.4	2.4	5.4	15.8	26.3
	Rural	3.6	12200469	3.2	.2	.5	1.8	8.2	27.5
child age group	0 - 4	3.1	20057458	3.3	.3	1.2	3.1	11.0	27.1
Mother's education	Not school	4.8	1081684	4.6	.0	.0	.0	9.5	21.7
	General Elementary	3.7	10470462	1.9	.0	1.4	2.4	7.8	29.5
	General Junior High	3.4	3206349	4.4	1.3	.6	3.0	9.9	28.5
	General High	1.1	3923864	6.1	.4	1.3	4.6	15.7	23.3
	University	.3	851549	2.4	.0	.0	11.6	38.9	6.0
	Do not know	3.7	523550	.0	.0	6.4	1.8	14.3	35.9
Total		3.1	20057458	3.3	.3	1.2	3.1	11.0	27.1

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Indonesia, 2000

		Paracetamol	Other	Don't know	Any appropriate anti-malarial drug	Number of children with fever 1.00
Sex of HH Member	Males	33.5	30.3	27.6	3.6	2382079
	Females	35.6	35.5	28.6	5.2	2241189
VILLAGE CLASSIFICATION	Urban	39.2	32.7	29.7	5.7	1713578
	Rural	31.7	32.9	27.1	3.6	2909690
child age group	0 - 4	34.5	32.8	28.1	4.4	4623268
Mother's education	Not school	27.7	27.0	19.2	4.6	237863
	General Elementary	30.2	34.6	29.1	3.3	2425724
	General Junior High	41.3	30.2	28.0	5.0	787933
	General High	44.5	32.8	25.4	6.7	898829
	University	28.3	38.5	37.2	2.4	160087
	Do not know	23.1	17.2	33.3	6.4	112832
Total		34.5	32.8	28.1	4.4	4623268

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Indonesia, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women 1.00
VILLAGE CLASSIFICATION	Urban	78.3	47.1	30.4	28.1	49.4	50.6	24079547
	Rural	50.1	25.1	13.4	12.3	26.1	73.9	31411014
woman age group	15-19	65.4	37.3	19.5	18.0	38.8	61.2	10254207
	20-24	72.6	42.2	27.4	25.2	44.4	55.6	9364081
	25-29	67.9	40.1	25.2	23.4	41.9	58.1	9050844
	30-34	65.9	36.8	22.8	20.5	39.2	60.8	8042515
	35-39	57.3	30.1	17.6	16.3	31.5	68.5	7845878
	40-44	50.1	23.8	13.5	12.8	24.5	75.5	6487062
	45-49	42.8	21.1	12.8	12.3	21.6	78.4	4445974
Total		62.4	34.6	20.7	19.1	36.2	63.8	55490561

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Indonesia, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Avoid using unsterilized/used syringes	Three ways	Knows at least one way
VILLAGE CLASSIFICATION	Urban	77.5	45.3	26.5	36.1	20.8	30.2
	Rural	56.5	31.4	14.5	18.3	10.3	23.8
woman age group	15-19	65.4	37.3	19.5	25.8	14.7	26.5
Woman's education level	Not school	16.2	4.9	2.8	2.8	2.8	2.1
	General Elementary	43.0	16.6	8.0	9.6	5.9	12.2
	General Junior High	63.3	34.8	15.8	20.9	11.5	25.7
	General High	84.7	54.5	30.9	41.2	23.5	38.3
	University	100.0	78.3	45.5	67.4	39.3	46.0
Total		65.4	37.3	19.5	25.8	14.7	26.5

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Indonesia, 2000

		Doesn't know any way	Number of women
			1.00
VILLAGE CLASSIFICATION	Urban	49.0	4325853
	Rural	65.9	5928354
woman age group	15-19	58.8	10254207
Woman's education level	Not school	95.1	140442
	General Elementary	82.0	2918433
	General Junior High	62.8	3302380
	General High	38.2	3638205
	University	14.7	254747
Total		58.8	10254207

Monitoring HIV/AIDS Indicator

Table 30aa: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Indonesia, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Avoid using unsterilized/used syringes	Three ways	Knows at least one way
VILLAGE CLASSIFICATION	Urban	78.3	47.1	30.4	39.0	23.6	53.5
	Rural	50.1	25.1	13.4	14.7	9.0	27.2
woman age group	15-19	65.4	37.3	19.5	25.8	14.7	41.2
	20-24	72.6	42.2	27.4	31.3	19.0	47.5
	25-29	67.9	40.1	25.2	31.8	19.5	45.5
	30-34	65.9	36.8	22.8	27.6	16.5	41.4
	35-39	57.3	30.1	17.6	20.9	13.0	32.9
	40-44	50.1	23.8	13.5	16.1	10.0	26.2
	45-49	42.8	21.1	12.8	14.2	9.9	23.3
Woman's education level	Not school	15.2	4.6	1.8	2.2	1.3	5.0
	General Elementary	47.3	18.7	9.7	10.5	6.1	20.6
	General Junior High	73.6	39.7	21.1	26.5	14.3	44.0
	General High	89.9	61.3	39.1	49.4	30.0	69.2
	University	99.4	81.4	61.2	76.1	53.0	91.4
Total		62.4	34.6	20.7	25.2	15.3	38.6

Monitoring HIV/AIDS Indicator

Table 30aa: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Indonesia, 2000

		Doesn't know any way	Number of women
			1.00
VILLAGE	Urban	46.5	24079547
CLASSIFICATION	Rural	72.8	31411014
woman age group	15-19	58.8	10254207
	20-24	52.5	9364081
	25-29	54.5	9050844
	30-34	58.6	8042515
	35-39	67.1	7845878
	40-44	73.8	6487062
	45-49	76.7	4445974
Woman's	Not school	95.0	3516930
education level	General Elementary	79.4	26724411
	General Junior High	56.0	9703718
	General High	30.8	12295438
	University	8.6	3250064
Total		61.4	55490561

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Indonesia, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception
VILLAGE	Urban	78.3	56.2	38.4	40.7	21.0	64.9
CLASSIFICATION	Rural	50.1	30.5	20.7	19.2	10.1	35.3
Woman's education level	Not school	15.2	6.7	5.1	3.2	1.3	8.1
	General Elementary	47.3	26.5	17.1	14.7	6.7	31.4
	General Junior High	73.6	47.2	30.5	33.8	15.4	56.1
	General High	89.9	68.3	47.7	49.4	26.9	77.3
	University	99.4	86.4	66.9	74.4	48.6	94.7
woman age group	15-19	65.4	44.4	30.8	30.9	16.1	51.2
	20-24	72.6	49.5	34.2	33.6	16.7	57.0
	25-29	67.9	48.2	33.1	33.8	19.0	54.8
	30-34	65.9	44.1	29.9	31.7	17.1	51.0
	35-39	57.3	36.2	23.8	23.7	11.8	42.2
	40-44	50.1	30.3	20.2	19.5	9.3	35.6
	45-49	42.8	26.9	18.2	17.2	8.5	32.2
Total		62.4	41.6	28.4	28.5	14.8	48.1

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Indonesia, 2000

		Doesn't correctly identify any misconception	Number of women
			1.00
VILLAGE	Urban	35.1	24079547
CLASSIFICATION	Rural	64.7	31411014
Woman's education level	Not school	91.9	3516930
	General Elementary	68.6	26724411
	General Junior High	43.9	9703718
	General High	22.7	12295438
	University	5.3	3250064
woman age group	15-19	48.8	10254207
	20-24	43.0	9364081
	25-29	45.2	9050844
	30-34	49.0	8042515
	35-39	57.8	7845878
	40-44	64.4	6487062
	45-49	67.8	4445974
Total		51.9	55490561

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Indonesia, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00
VILLAGE	Urban	52.4	57.9	48.0	50.3	40.5	37.3	24079547
CLASSIFICATION	Rural	27.5	30.6	23.4	27.1	19.2	65.6	31411014
woman age group	15-19	39.1	44.0	36.2	38.0	29.8	51.5	10254207
	20-24	46.7	50.3	38.6	43.3	32.3	44.5	9364081
	25-29	43.9	50.2	39.7	43.1	33.9	45.9	9050844
	30-34	41.1	43.7	35.4	40.2	28.9	50.8	8042515
	35-39	31.9	37.5	29.9	34.0	26.2	59.2	7845878
	40-44	29.5	32.0	27.4	28.6	22.6	63.8	6487062
	45-49	26.3	28.1	22.9	23.1	18.1	69.7	4445974
Woman's education level	Not school	6.3	6.8	4.2	5.1	3.4	92.1	3516930
	General Elementary	23.8	25.8	19.7	22.8	15.6	69.9	26724411
	General Junior High	46.4	49.4	39.5	45.6	33.5	45.0	9703718
	General High	63.0	70.4	58.5	60.5	49.9	25.1	12295438
	University	74.3	91.0	76.0	76.7	65.8	6.3	3250064
Total		38.3	42.4	34.1	37.2	28.5	53.3	55490561

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Indonesia, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women 1.00
VILLAGE CLASSIFICATION	Urban	24.6	43.4	46.5	53.5	24079547
	Rural	15.4	28.3	30.4	69.6	31411014
Woman's education level	Not school	3.9	8.8	9.7	90.3	3516930
	General Elementary	14.4	26.5	28.4	71.6	26724411
	General Junior High	25.2	44.0	46.8	53.2	9703718
	General High	28.3	50.1	53.8	46.2	12295438
	University	26.3	46.4	51.4	48.6	3250064
woman age group	15-19	19.6	34.5	36.9	63.1	10254207
	20-24	20.8	39.4	42.5	57.5	9364081
	25-29	20.8	36.5	39.7	60.3	9050844
	30-34	20.3	37.9	40.9	59.1	8042515
	35-39	19.7	33.4	35.8	64.2	7845878
	40-44	16.3	31.7	33.7	66.3	6487062
	45-49	15.6	23.5	25.0	75.0	4445974
Total		19.4	34.8	37.4	62.6	55490561

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Philippine, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
VILLAGE CLASSIFICATION	Urban	78.3	23.6	21.0	9.0	24079547
	Rural	50.1	9.0	10.1	3.5	31411014
Woman's education level	Not school	15.2	1.3	1.3	.6	3516930
	General Elementary	47.3	6.1	6.7	1.8	26724411
	General Junior High	73.6	14.3	15.4	4.5	9703718
	General High	89.9	30.0	26.9	11.4	12295438
	University	99.4	53.0	48.6	28.7	3250064
woman age group	15-19	65.4	14.7	16.1	5.7	10254207
	20-24	72.6	19.0	16.7	6.6	9364081
	25-29	67.9	19.5	19.0	8.3	9050844
	30-34	65.9	16.5	17.1	6.7	8042515
	35-39	57.3	13.0	11.8	5.4	7845878
	40-44	50.1	10.0	9.3	3.4	6487062
	45-49	42.8	9.9	8.5	3.3	4445974
Total		62.4	15.3	14.8	5.9	55490561

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Indonesia, 2000

		Know a place to get tested	Have been tested	Number of women 1.00
VILLAGE	Urban	34.4	1.0	24079547
CLASSIFICATION	Rural	16.6	.3	31411014
Woman's education level	Not school	3.8	.0	3516930
	General Elementary	13.5	.2	26724411
	General Junior High	27.0	.5	9703718
	General High	41.3	1.2	12295438
	University	64.0	2.2	3250064
woman age group	15-19	25.5	.4	10254207
	20-24	27.9	.8	9364081
	25-29	28.4	1.0	9050844
	30-34	26.0	.4	8042515
	35-39	22.0	.7	7845878
	40-44	18.5	.6	6487062
	45-49	15.8	.3	4445974
Total		24.4	.6	55490561

Monitoring HIV/AIDS Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Indonesia, 2000

		Birth registered at civil registration office	Birth document paper from village/hospital/others	Do not have Birth certificate	DK if birth registered
Sex of HH Member	Males	30.0	30.9	37.6	1.4
	Females	31.2	31.2	35.7	1.9
VILLAGE CLASSIFICATION	Urban	47.5	31.2	19.9	1.4
	Rural	19.7	31.0	47.5	1.8
child age group	0 - 4	30.6	31.0	36.7	1.6
Mother's education	Not school	4.7	28.2	64.2	2.9
	General Elementary	17.8	34.0	46.4	1.7
	General Junior High	35.5	30.9	32.6	1.1
	General High	58.2	26.7	14.5	.6
	University	79.3	17.1	3.6	.0
	Do not know	23.9	34.2	31.5	10.3
Total		30.6	31.0	36.7	1.6

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Indonesia, 2000

		Registration status						Total	Number of children
		Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other		Number of children
Sex of HH Member	Males	50.2	10.0	9.3	3.0	7.4	20.0	100.0	10505797
	Females	47.7	9.4	9.7	2.4	9.1	21.7	100.0	9551661
VILLAGE CLASSIFICATION	Urban	51.1	6.8	4.5	4.7	4.5	28.3	100.0	7856989
	Rural	48.1	11.0	11.6	1.9	9.8	17.7	100.0	12200469
child age group	0 - 4	49.0	9.7	9.5	2.7	8.2	20.8	100.0	20057458
Mother's education	Not school	42.1	8.2	18.6	3.6	21.0	6.4	100.0	1081684
	General Elementary	52.1	10.0	10.1	2.6	8.7	16.6	100.0	10470462
	General Junior High	51.9	9.4	7.5	2.8	4.3	24.2	100.0	3206349
	General High	37.1	10.0	4.8	2.9	4.8	40.4	100.0	3923864
	University	22.7	14.1	2.2	4.5	.0	56.4	100.0	851549
	Do not know	47.6	6.3	11.1	.0	8.8	26.2	100.0	523550
Total		49.0	9.7	9.5	2.7	8.2	20.8	100.0	20057458

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Indonesia, 2000

		Living arrangement						
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead
Sex of hh member	male	88.6	.3	.3	2.6	.3	3.6	2.5
	female	89.4	.3	.2	2.6	.3	3.4	2.4
VILLAGE CLASSIFICATION	Urban	89.1	.3	.2	2.5	.3	3.4	2.7
	Rural	88.9	.3	.3	2.6	.3	3.5	2.3
Age	0-4 years	93.3	.1	.2	1.5	.1	3.5	.7
	5-9 years	88.7	.2	.2	2.4	.3	3.8	2.1
	10-14 years	85.2	.6	.4	3.7	.5	3.1	4.4
Total		89.0	.3	.2	2.6	.3	3.5	2.4

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Indonesia, 2000

		Living arrangement			Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead
		Living with father only: mother alive	Living with father only: mother dead	Impossible to determine				
Sex of hh member	male	.6	.8	.4	100.0	.0	3.4	4.2
	female	.5	.6	.4	100.0	.0	3.3	3.8
VILLAGE CLASSIFICATION	Urban	.5	.7	.3	100.0	.0	3.3	4.2
	Rural	.6	.8	.4	100.0	.0	3.5	3.9
Age	0-4 years	.3	.2	.1	100.0	.0	1.8	1.3
	5-9 years	.9	.9	.5	100.0	.1	3.1	3.6
	10-14 years	.5	1.1	.5	100.0	.0	5.2	6.9
Total		.6	.7	.4	100.0	.0	3.4	4.0

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Indonesia, 2000

		One or both parents dead NEW	Number of children
Sex of hh member	male	4.2	31963309
	female	3.8	30778771
VILLAGE CLASSIFICATION	Urban	4.2	23856006
	Rural	3.9	38886074
Age	0-4 years	1.3	20057458
	5-9 years	3.7	21473654
	10-14 years	6.9	21210968
Total		4.0	62742080

Monitoring Children's Rights Indicator