

**WHO/UNICEF  
Review of National Immunization Coverage  
1980-2008**

---


***Israel***

---

**July, 2009**

# Israel

## BCG (1980-2008)



### Description of trend

Last BCG coverage data reported for 1982. BCG at birth no longer recommended.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	75	75					
1981	70	70					
1982	68	68					
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002							
2003							
2004							
2005							
2006							
2007							
2008							


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Israel

## DTP1 (1980-2008)



### Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received a national report reflecting DTP1 coverage in 2000. Israel has provided DTP1 coverage from 1980-2002.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	94	94	94	94	94		
1981	97	97	97	97	97		
1982	97	97	97	97	97		
1983	96	96	96	96	96		
1984	95	95	95	95	95		
1985	95	95	95	95	95		
1986	97	97	97	97	97		
1987	97	97	97	97	97		
1988	97	97	97	97	97		
1989	97	97	97	97	97		
1990	97	97	97	97	97		
1991	97	97	97	97	97		
1992	98	98	98	98	98		
1993	98	98	98	98	98		
1994	98	98	98	98	98		
1995	98	98	98	98	98		
1996	97	97	97	97	97		
1997	98	98	98	98	98		
1998	98	98	98	98	98		
1999	98	98	98	98	98		
2000	97	97	97	97	97		
2001	98	98	98	98	98		
2002	98	98	98	98	98		
2003	98	98	98	98	98		
2004	98						
2005	98						
2006	98						
2007	98						
2008	98						


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Israel

## DTP3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	84	84	84	84	84		
1981	91	91	91	91	91		
1982	92	92	92	92	92		
1983	89	89	89	89	89		
1984	87	87	87	87	87		
1985	85	85	85	85	85		
1986	92	92	92	92	92		
1987	92	92	92	92	92		
1988	92	92	92	92	92		
1989	92	92	92	92	92		
1990	93	93	93	93	93		
1991	94	94	94	94	94		
1992	95	95	95	95	95		
1993	96	96	96	96	96		
1994	95	95	95	95	95		
1995	96	96	96	96	96		
1996	94	94	94	94	94		
1997	95	95	95	95	95		
1998	96	96	96	96	96		
1999	96	96	96	96	96		
2000	96	96	96	96	96		
2001	95	95	95	95	95		
2002	97	97	97	97	97		
2003	95	95	95	95	95		
2004	96	96	96	96	96		
2005	93	93	93	93	93		
2006	93						
2007	93						
2008	93						


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Israel

## Pol3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	85	85	85	85	85		
1981	93	93	93	93	93		
1982	93	93	93	93	93		
1983	88	88	88	88	88		
1984	87	87	87	87	87		
1985	86	86	86	86	86		
1986	93	93	93	93	93		
1987	93	93	93	93	93		
1988	94	94	94	94	94		
1989	93	93	93	93	93		
1990	93	93	93	93	93		
1991	94	94	94	94	94		
1992	96	96	96	96	96		
1993	97	97	97	97	97		
1994	97	97	97	97	97		
1995	96	96	96	96	96		
1996	95	95	95	95	95		
1997	95	95	95	95	95		
1998	96	96	96	96	96		
1999	94	94	94	94	94		
2000	92	92	92	92	92		
2001	92	92	92	92	92		
2002	93	93	93	93	93		
2003	93	93	93	93	93		
2004	94	94	94	94	94		
2005	95	95	95	95	95		
2006	95	95	95	95	95		
2007	95	95	95	95	95		
2008	95	95	95	95	95		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Israel

## MCV (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. Decline in 2005 unexplained.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980	81	81	81	81	81		
1981	83	83	83	83	83		
1982	88	88	88	88	88		
1983	85	85	85	85	85		
1984	85	85	85	85	85		
1985	85	85	85	85	85		
1986	88	88	88	88	88		
1987	88	88	88	88	88		
1988	86	86	86	86	86		
1989	88	88	88	88	88		
1990	91	91	91	91	91		
1991	94	94	94	94	94		
1992	94	94	94	94	94		
1993	92	92	92	92	92		
1994	92	92	92	92	92		
1995	93	93	93	93	93		
1996	96	96	96	96	96		
1997	97	97	97	97	97		
1998	97	97	97	97	97		
1999	97	97	97	97	97		
2000	97	97	97	97	97		
2001	96	96	96	96	96		
2002	98	98	98	98	98		
2003	95	95	95	95	95		
2004	97	97	97	97	97		
2005	84	84	84	84	84		
2006	84						
2007	84						
2008	84	94	94	94	94		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Israel

## HepB3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992	92	92	92	92	92		
1993	92	92	92	92	92		
1994	92	92	92	92	92		
1995	93	93	93	93	93		
1996	96	96	96	96	96		
1997	97	97	97	97	97		
1998	97	97	97	97	97		
1999	97	97	97	97	97		
2000	97	97	97	97	97		
2001	96	96	96	96	96		
2002	98	98	98	98	98		
2003	95	95	95	95	95		
2004	99	100	100	100	100		
2005	96	96	96	96	96		
2006	96						
2007	96						
2008	96	96	96	96	96		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Israel

## Hib3 (1980-2008)



### Description of trend

Since 2004, Israel administers Hib as a combination vaccine; Hib3 in 2004 is based on reported DTP3.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994	92	92	92	92	92		
1995	93	93	93	93	93		
1996	92	92	92	92	92		
1997	92	92	92	92	92		
1998	92	92	92	92	92		
1999	93	93	93	93	93		
2000	94	94	94	94	94		
2001	93	93	93	93	93		
2002	93	93	93	93	93		
2003	96	96	96	96	96		
2004	95	95	95	95	95		
2005	93	93	93	93	93		
2006	93						
2007	93						
2008	93						

\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.