

Table 1: Number of households and women, and response rates, LAO PDR, 2000

	Area		Total
	Urban	Rural	
Sampled households	2003	4446	6449
Occupied households	2003	4446	6449
Completed households	2003	4446	6449
Household response rate	100.0	100.0	100.0
Eligible women	888	2809	3697
Interviewed women	868	2765	3633
Women response rate	97.7	98.4	98.3
Children under 5	1169	4012	5181
Interviewed children under 5	1150	3976	5126
Child response rate	98.4	99.1	98.9

Table 2: Single year age distribution of household population by sex, LAO PDR, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
Age	0	515	2.7	546	2.8
	1	455	2.4	461	2.4
	2	552	2.9	547	2.8
	3	542	2.9	554	2.8
	4	490	2.6	478	2.4
	5	680	3.6	657	3.4
	6	643	3.4	643	3.3
	7	596	3.2	647	3.3
	8	600	3.2	582	3.0
	9	610	3.2	527	2.7
	10	651	3.4	572	2.9
	11	532	2.8	525	2.7
	12	562	3.0	533	2.7
	13	500	2.6	526	2.7
	14	497	2.6	478	2.4
	15	514	2.7	470	2.4
	16	420	2.2	437	2.2
	17	395	2.1	381	1.9
	18	354	1.9	349	1.8
	19	326	1.7	341	1.7
	20	313	1.7	411	2.1
	21	255	1.4	283	1.4
	22	260	1.4	282	1.4
	23	240	1.3	262	1.3
	24	233	1.2	306	1.6
	25	309	1.6	405	2.1
	26	221	1.2	259	1.3
	27	222	1.2	303	1.6
	28	231	1.2	274	1.4
	29	213	1.1	248	1.3
	30	317	1.7	329	1.7

Table 2: Single year age distribution of household population by sex, LAO PDR, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
Age	31	214	1.1	232	1.2
	32	203	1.1	207	1.1
	33	154	.8	224	1.1
	34	211	1.1	225	1.2
	35	224	1.2	276	1.4
	36	216	1.1	219	1.1
	37	201	1.1	202	1.0
	38	204	1.1	244	1.2
	39	216	1.1	202	1.0
	40	290	1.5	261	1.3
	41	178	.9	172	.9
	42	176	.9	175	.9
	43	138	.7	154	.8
	44	134	.7	158	.8
	45	221	1.2	216	1.1
	46	160	.8	164	.8
	47	147	.8	139	.7
	48	146	.8	147	.8
	49	122	.6	114	.6
	50	160	.8	198	1.0
	51	77	.4	75	.4
	52	89	.5	107	.5
	53	89	.5	98	.5
	54	106	.6	102	.5
	55	117	.6	150	.8
	56	105	.6	78	.4
	57	88	.5	81	.4
	58	98	.5	88	.5
	59	76	.4	83	.4
	60	129	.7	121	.6
	61	56	.3	63	.3
	62	58	.3	66	.3
	63	63	.3	61	.3
	64	54	.3	58	.3
	65	77	.4	85	.4
	66	57	.3	54	.3
	67	64	.3	45	.2
	68	49	.3	53	.3
	69	44	.2	54	.3
	70+	435	2.3	446	2.3
	Missing/DK	12	.1	14	.1
Total		18908	100.0	19531	100.0

Table 3: Percentage of cases missing information for selected questions, lao PDR, 2000

	Percent missing	Number
Level of education	.7	22131
Year of education	.3	22131
Number of hours worked	4.3	442

Table 3: Percentage of cases missing information for selected questions, lao PDR, 2000

	Percent missing	Number
Complete birth date	.0	3633
Date of last tetanus toxoid injection	4.9	294

Table 3: Percentage of cases missing information for selected questions, lao PDR, 2000

	Percent missing	Number
Complete birth date	.1	5125
Diarrhoea in last 2 weeks	.2	5125
Weight	.0	5125
Height	.8	5125

Table 4: Percent distribution of households by background characteristics, LAO PDR, 2000

	Percent	Number	Unweighted	
Region	North	30.1	1939	2109
	Central	39.3	2535	2154
	South	30.6	1975	2186
Area	Urban	32.4	2091	2003
	Rural	67.6	4358	4446
Number of HH members	1	.6	38	38
	2-3	13.2	851	852
	4-5	33.4	2152	2138
	6-7	29.3	1889	1891
	8-9	16.1	1036	1039
	10+	7.5	483	491
Total	100.0	6449	6449	

Table 4: Percent distribution of households by background characteristics, LAO PDR, 2000

	Percent	Number	Unweighted
At least one child age < 15	89.2	6443	6443
At least one child age < 5	55.1	6443	6443
At least one woman age 15-49	94.7	6443	6443

Table 4a: Percent distribution of households by background characteristics, Republique de Lao PDR, 2000

		Area		Total
		Urban	Rural	
Region	North	14.1	37.7	30.1
	Central	56.8	30.9	39.3
	South	29.1	31.4	30.6
Number of HH members	1	.6	.6	.6
	2-3	13.1	13.2	13.2
	4-5	38.4	30.9	33.4
	6-7	28.7	29.6	29.3
	8-9	13.8	17.2	16.1
	10+	5.4	8.5	7.5
	Total	100.0	100.0	100.0
	Number	2091	4358	6449
Unweighted	2003	4446	6449	

Table 4a: Percent distribution of households by background characteristics, Country, Year

	Area		Total
	Urban	Rural	
At least one child age < 15	85.9	90.9	89.2
At least one child age < 5	43.6	60.6	55.1
At least one woman age 15-49	95.0	94.6	94.7
Number	2090	4353	6443
Unweighted	2002	4441	6443

Table 5: Percent distribution of women 15-49 by background characteristics, LAO PDR, 2000

		Percent	Number	Unweighted
Region	North	31.3	1139	1238
	Central	36.0	1307	1098
	South	32.7	1187	1297
Area	Urban	24.3	884	839
	Rural	75.7	2749	2794
Age	15-19	6.8	249	247
	20-24	22.4	813	817
	25-29	27.0	982	980
	30-34	18.8	684	674
	35-39	14.8	538	541
	40-44	7.2	260	263
	45-49	2.9	107	111
Marital status	Currently married	93.7	3405	3406
	Formerly married	4.6	168	169
	Never married	1.7	60	58
Woman's education level	None	42.4	1539	1563
	Primary	38.8	1409	1414
	Secondary +	17.9	649	619
	Non-standard curriculum	.8	29	29
	Missing/DK	.2	8	8
Total	100.0	3633	3633	

Table 6: Percent distribution of children under 5 by background characteristics, LAO PDR, 2000

		Percent	Number	Unweighted
Sex	Male	49.7	2546	2553
	Female	50.3	2579	2572
Region	North	31.5	1615	1743
	Central	35.7	1831	1540
	South	32.8	1679	1842
Area	Urban	23.4	1199	1149
	Rural	76.6	3926	3976
Age	< 6 months	11.1	568	572
	6-11 months	9.8	499	498
	12-23 months	19.0	970	970
	24-35 months	21.2	1084	1087
	36-47 months	21.8	1115	1112
	48-59 months	17.2	877	875
Mother's education level	None	44.0	2254	2281
	Primary	38.0	1948	1954
	Secondary	16.9	864	830
	Non-standard curriculum	.9	48	48
	Missing/DK	.2	11	12
Total		100.0	5125	5125

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, LAO PDR, 2000

		Attending programme	Number of children
Wealth index quintiles	Poorest	1.9	499
	Second	4.1	436
	Middle	10.8	362
	Fourth	13.7	374
	Richest	6.3	321
Sex	Male	5.1	1002
	Female	8.8	990
Region	North	4.4	617
	Central	9.9	730
	South	5.9	644
Area	Urban	18.4	514
	Rural	2.9	1478
Age	36-47 months	4.7	1115
	48-59 months	9.7	877
Mother's education level	None	2.3	903
	Primary	5.6	723
	Secondary	22.1	343
	Non-standard curriculum	4.9	19
	Missing/DK	.0	4
Total		6.9	1992

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, , LAO PDR, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those
Wealth index quintiles	Poorest	97.6	98.4	91.1	94.2	82.4
	Second	98.6	97.7	97.9	97.1	91.7
	Middle	98.8	99.6	98.2	98.5	95.2
	Fourth	98.8	99.5	97.5	98.5	94.4
	Richest	98.9	98.5	98.9	98.2	94.5
Sex	Male	98.8	99.4	97.8	98.4	94.6
	Female	98.3	98.0	96.8	96.8	90.3
Region	North	98.7	98.9	96.6	96.9	91.3
	Central	98.0	98.9	98.3	99.1	94.4
	South	99.2	98.6	96.5	96.3	90.8
Area	Urban	100.0	99.5	99.2	98.5	97.2
	Rural	98.0	98.4	96.1	97.0	89.9
1.00		98.6	98.8	97.3	97.7	92.6

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, LAO PDR, 2000

		Sex				Total	
		Male		Female		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth index quintiles	Poorest	50.0	849	39.0	829	44.6	1678
	Second	65.4	857	58.3	811	61.9	1668
	Middle	69.7	834	65.6	828	67.6	1662
	Fourth	71.5	857	69.2	778	70.4	1635
	Richest	71.9	796	70.8	784	71.4	1581
Region	North	60.7	1330	50.8	1235	55.9	2566
	Central	72.4	1610	66.7	1570	69.6	3180
	South	62.1	1253	61.8	1224	62.0	2478
Area	Urban	78.5	1240	76.7	1156	77.6	2396
	Rural	60.2	2954	53.8	2874	57.0	5828
Age	6	35.2	643	32.0	643	33.6	1286
	7	55.9	596	54.7	647	55.3	1243
	8	66.4	600	67.2	582	66.8	1182
	9	80.3	610	75.1	527	77.9	1137
	10	81.9	651	71.8	572	77.2	1223
	11	75.3	532	71.8	525	73.6	1057
	12	65.9	562	55.7	533	61.0	1096
Total		65.6	4193	60.4	4030	63.0	8223

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, LAO PDR, 2000

		Sex								
		Male			Female					
		Literate	Not known	Number	Literate	Not known	Number			
Wealth index quintiles	Poorest	65.9	.8	1947	35.1	2.3	2100	50.0	1.6	4047
	Second	77.3	.6	2004	53.5	2.0	2189	64.9	1.4	4193
	Middle	84.7	.7	2114	64.0	1.5	2302	73.9	1.1	4416
	Fourth	86.7	1.3	2170	65.7	2.8	2312	75.9	2.1	4482
	Richest	86.8	.9	2234	65.3	2.3	2334	75.8	1.6	4568
Region	North	73.3	.7	3093	46.2	1.7	3307	59.3	1.2	6400
	Central	85.1	1.1	4144	64.9	2.4	4416	74.7	1.8	8559
	South	82.0	.7	3232	57.8	2.4	3515	69.4	1.6	6747
Area	Urban	93.0	.5	3490	79.2	2.0	3692	85.9	1.3	7182
	Rural	74.5	1.0	6979	46.4	2.3	7545	59.9	1.7	14525
Age	15-24	87.6	.6	3310	72.9	.9	3522	80.0	.7	6832
	25-34	80.4	.7	2295	64.5	1.3	2708	71.8	1.0	5003
	35-44	85.0	.8	1978	60.5	1.7	2064	72.5	1.3	4042
	45-54	78.9	.8	1318	40.1	3.3	1361	59.2	2.1	2679
	55-64	69.8	.9	845	24.6	4.8	849	47.1	2.9	1694
	65+	53.8	2.9	723	14.9	8.2	734	34.2	5.6	1457
Total		80.7	.9	10469	57.2	2.2	11237	68.5	1.6	21707

World Summit for Children Goal => Number 7

Table 12: Percentage of the population aged 15 years and older that is literate, LAO PDR, 2000

		Total		
		Literate	Not known	Number
Wealth index quintiles	Poorest	50.0	1.6	4047
	Second	64.9	1.4	4193
	Middle	73.9	1.1	4416
	Fourth	75.9	2.1	4482
	Richest	75.8	1.6	4568
Region	North	59.3	1.2	6400
	Central	74.7	1.8	8559
	South	69.4	1.6	6747
Area	Urban	85.9	1.3	7182
	Rural	59.9	1.7	14525
Age	15-24	80.0	.7	6832
	25-34	71.8	1.0	5003
	35-44	72.5	1.3	4042
	45-54	59.2	2.1	2679
	55-64	47.1	2.9	1694
	65+	34.2	5.6	1457
Total		68.5	1.6	21707

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, LAO PDR, 2000

		Main source of water					
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well or protected spring	Bottled water
Region	North	3.1	4.5	5.8	2.1	8.0	.2
	Central	7.9	.9	1.4	13.4	15.6	7.6
	South	5.0	10.2	3.2	33.7	2.0	.5
Area	Urban	17.2	8.2	4.3	18.2	14.0	9.9
	Rural	.4	3.5	2.8	15.4	6.9	.2
Total		5.6	4.9	3.3	16.3	9.0	3.1

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, LAO PDR, 2000

		Main source of water						
		Rainwater collection	Unprotected dug well or unprotected spring	Pond, river or stream	Tanker truck vendor	GFS	Other	Missing/DK
Region	North	.1	11.8	49.6	.0	13.2	1.5	.0
	Central	.0	25.2	12.8	.1	6.1	8.7	.1
	South	.0	8.9	13.2	.2	2.6	20.4	.2
Area	Urban	.1	16.6	4.2	.0	4.1	3.2	.0
	Rural	.0	15.9	32.9	.1	8.6	13.2	.1
Total		.0	16.1	24.1	.1	7.2	10.2	.1

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, LAO PDR, 2000

		Total	Total with safe drinking water	Number of persons
Region	North	100.0	23.6	11666
	Central	100.0	46.9	14819
	South	100.0	54.5	11953
Area	Urban	100.0	71.7	11752
	Rural	100.0	29.2	26687
Total		100.0	42.2	38438

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, LAO PDR, 2000

		Type of toilet facility						Total
		Flush to sewage system or septic tank	Pour flush latrine(water seal type)	Traditional pit latrine	Other	Missing	No facilities/bush/field	
Region	North	.1	22.5	12.8	.2	.0	64.4	100.0
	Central	1.5	31.0	10.4	.0	.1	57.1	100.0
	South	.6	15.0	2.5	.0	7.1	74.8	100.0
Area	Urban	2.4	54.1	8.6	.0	2.2	32.7	100.0
	Rural	.1	9.9	8.7	.1	2.2	78.9	100.0
Total		.8	23.5	8.6	.1	2.2	64.8	100.0

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, LAO PDR, 2000

		Total with sanitary means of excreta disposal	Number of persons
Region	North	35.6	11666
	Central	42.8	14819
	South	18.1	11953
Area	Urban	65.0	11752
	Rural	18.8	26687
Total		32.9	38438

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, LAO PDR, 2000

		Missing height or weight	Number of children
Wealth index quintiles	Poorest	.9	1270
	Second	.3	1140
	Middle	1.6	921
	Fourth	.6	928
	Richest	.7	867
Sex	Male	.8	2546
	Female	.8	2579
Region	North	1.0	1615
	Central	1.0	1831
	South	.3	1679
Area	Urban	1.1	1199
	Rural	.7	3926
Age	< 6 months	1.9	568
	6-11 months	1.0	499
	12-23 months	.6	970
	24-35 months	.9	1084
	36-47 months	.5	1115
	48-59 months	.3	877
Mother's education level	None	.7	2254
	Primary	.6	1948
	Secondary	1.1	864
	Non-standard curriculum	6.4	48
	Missing/DK	.0	11
Total		.8	5125

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, LAO PDR, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD
Wealth index quintiles	Poorest	42.3	14.4	49.1	24.3	11.6
	Second	37.6	12.7	41.3	22.7	13.6
	Middle	41.9	10.4	43.1	20.4	16.8
	Fourth	42.8	14.9	37.4	20.0	15.7
	Richest	36.1	11.7	37.9	17.0	18.8
Sex	Male	40.0	14.6	43.8	22.2	14.7
	Female	40.4	11.3	41.0	20.2	15.3
Region	North	35.4	9.2	43.6	19.9	12.4
	Central	36.5	9.9	39.0	20.7	12.5
	South	49.2	20.1	44.4	23.1	20.5
Area	Urban	33.8	7.9	32.1	13.4	18.1
	Rural	42.0	14.3	45.2	23.3	14.2
Age	< 6 months	9.0	1.1	12.7	6.6	6.4
	6-11 months	25.9	9.7	14.0	3.6	18.6
	12-23 months	44.1	13.0	38.7	15.9	27.8
	24-35 months	54.4	20.5	51.6	28.3	17.0
	36-47 months	42.4	11.4	53.1	27.0	10.1
	48-59 months	43.6	14.1	55.8	28.8	10.0
Mother's education level	None	43.6	16.6	50.8	29.9	12.2
	Primary	37.6	10.6	36.6	14.1	15.0
	Secondary	36.8	8.5	32.6	13.6	23.0
	Non-standard curriculum	43.2	.0	37.8	18.7	18.7
Total		40.2	12.9	42.4	21.2	15.0

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, LAO PDR, 2000

		Weight for height: -3 SD	Number of children
Wealth index quintiles	Poorest	2.8	367
	Second	2.8	285
	Middle	3.8	255
	Fourth	2.0	242
	Richest	3.7	266
Sex	Male	3.1	697
	Female	2.9	718
Region	North	2.6	495
	Central	2.3	466
	South	4.2	454
Area	Urban	3.5	309
	Rural	2.9	1106
Age	< 6 months	1.1	166
	6-11 months	2.2	135
	12-23 months	6.7	237
	24-35 months	3.3	326
	36-47 months	1.8	300
	48-59 months	2.3	249
Mother's education level	None	2.8	635
	Primary	2.9	552
	Secondary	4.2	223
	Non-standard curriculum	.0	5
Total		3.0	1415

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, LAO PDR, 2000

		Exclusive breastfeeding		Complementary feeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children
Sex	Male	24.3	186	9.3	173
	Female	27.5	201	11.2	180
Region	North	48.1	123	12.8	116
	Central	21.6	132	10.6	134
	South	9.7	132	7.1	103
Area	Urban	13.2	71	19.1	71
	Rural	28.8	316	8.1	282
Mother's education level	None	29.1	161	7.0	155
	Primary	24.7	175	11.2	133
	Secondary	20.0	48	16.9	62
	Non-standard curriculum	43.8	2	.0	1
	Missing/DK	.0	1	.0	2
Total		26.0	387	10.3	353

World Summit for Children Goal => Number 16

Table 16: Percent of living children by breastfeeding status, LAO PDR, 2000

		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 12-15 months	Number of children	Children 20-23 months	Number of children
Sex	Male	82.3	199	44.7	131
	Female	81.9	209	50.1	132
Region	North	81.2	133	53.1	91
	Central	84.3	144	41.8	94
	South	80.6	131	47.7	78
Area	Urban	75.4	90	29.0	66
	Rural	84.0	319	53.6	197
Mother's education level	None	86.7	180	59.4	96
	Primary	80.1	145	46.2	114
	Secondary	74.5	79	21.5	45
	Non-standard curriculum	100.0	3	69.7	7
	Missing/DK	100.0	1	50.0	2
Total		82.1	409	47.4	263

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, LAO PDR, 2000

	Breastfeeding status				
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food
Age 0-1	1.5	36.0	45.9	12.9	3.7
2-3	3.0	20.4	49.8	17.2	9.5
4-5	4.7	15.9	54.5	14.8	10.1
6-7	4.9	6.5	61.2	17.6	9.9
8-9	4.6	4.6	63.7	18.4	8.8
10-11	2.8	3.0	72.7	17.0	4.6
12-13	10.0	2.1	59.1	19.0	9.9
14-15	19.1	.0	56.8	18.7	5.4
16-17	32.8	.6	44.6	18.5	3.4
18-19	44.0	.9	45.9	8.5	.7
20-21	50.6	.9	34.8	12.3	1.4
22-23	51.2	2.5	28.9	16.7	.7
24-25	57.0	.8	34.5	6.6	1.1
26-27	60.5	.4	23.6	13.6	2.0
28-29	79.0	.0	16.4	4.6	.0
30-31	75.8	.0	18.3	4.9	1.0
32-33	82.1	.0	14.0	3.1	.8
34-35	80.5	.9	14.0	4.6	.0

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 16w: Percent distribution of children by breastfeeding status, LAO PDR, 2000

	Total	
	Total	Number of children
Age 0-1	100.0	155
2-3	100.0	220
4-5	100.0	174
6-7	100.0	171
8-9	100.0	173
10-11	100.0	141
12-13	100.0	218
14-15	100.0	172
16-17	100.0	149
18-19	100.0	136
20-21	100.0	130
22-23	100.0	124
24-25	100.0	256
26-27	100.0	248
28-29	100.0	158
30-31	100.0	117
32-33	100.0	117
34-35	100.0	137

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, LAO PDR, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	
				Total		
Wealth index quintiles	Poorest	.6	95.6	24.4	75.6	1362
	Second	1.2	96.4	25.7	74.3	1305
	Middle	5.1	90.6	22.6	77.4	1304
	Fourth	3.9	92.8	23.3	76.7	1298
	Richest	1.8	94.8	26.9	73.1	1179
Region	North	.3	93.2	18.8	81.2	1939
	Central	.5	98.3	28.7	71.3	2535
	South	7.3	89.5	24.6	75.4	1975
Area	Urban	2.0	96.2	17.9	82.1	2091
	Rural	2.8	93.1	27.9	72.1	4358
Total		2.5	94.1	24.6	75.4	6449

World Summit for Children Goal => Number 14

Table 17a: Percentage of population consuming adequately iodized salt, LAO PDR, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	Total
Wealth index quintiles	Poorest	.6	95.9	24.5	75.5	7688
	Second	1.0	96.6	26.2	73.8	7689
	Middle	4.4	91.2	24.3	75.7	7685
	Fourth	4.0	92.9	22.7	77.3	7692
	Richest	1.7	95.2	26.9	73.1	7685
Region	North	.3	93.7	19.6	80.4	11666
	Central	.5	98.3	29.2	70.8	14819
	South	6.7	90.1	24.6	75.4	11953
Area	Urban	2.0	96.1	17.8	82.2	11752
	Rural	2.5	93.6	28.2	71.8	26687
Total		2.3	94.4	25.0	75.0	38438

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, LAO PDR, 2000

		Vitamin A				
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received
Wealth index quintiles	Poorest	23.8	8.1	2.1	3.0	62.9
	Second	28.9	12.7	2.2	1.3	54.9
	Middle	32.2	12.7	5.3	2.1	47.7
	Fourth	31.1	10.8	3.0	1.9	53.2
	Richest	27.6	15.3	3.0	.9	53.1
Sex	Male	28.9	12.4	2.9	1.5	54.3
	Female	28.0	11.0	3.2	2.3	55.5
Region	North	29.0	8.8	3.2	2.7	56.3
	Central	25.6	11.4	3.5	2.5	57.0
	South	31.1	14.8	2.2	.6	51.3
Area	Urban	27.8	13.8	5.0	2.9	50.5
	Rural	28.7	11.1	2.4	1.6	56.3
Age	6-11 months	18.1	1.9	1.2	1.5	77.3
	12-23 months	29.4	6.5	2.5	2.4	59.1
	24-35 months	32.3	13.0	2.7	1.1	50.9
	36-47 months	27.5	15.3	3.8	2.2	51.2
	48-59 months	29.7	16.8	4.1	2.1	47.4
Mother's education level	None	23.0	9.7	2.3	2.1	62.8
	Primary	32.1	13.3	3.2	1.8	49.6
	Secondary	33.5	13.1	4.7	1.5	47.1
	Non-standard curriculum	42.6	14.9	2.1	2.7	37.8
	Missing/DK	35.3	8.9	.0	.0	55.8
Total		28.5	11.7	3.0	1.9	54.9

World Summit for Children Goal => Number 15

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, LAO PDR, 2000

		Total	
		Total	Number of children
Wealth index quintiles	Poorest	100.0	1105
	Second	100.0	1038
	Middle	100.0	822
	Fourth	100.0	820
	Richest	100.0	771
Sex	Male	100.0	2271
	Female	100.0	2285
Region	North	100.0	1426
	Central	100.0	1645
	South	100.0	1485
Area	Urban	100.0	1089
	Rural	100.0	3468
Age	6-11 months	100.0	499
	12-23 months	100.0	970
	24-35 months	100.0	1084
	36-47 months	100.0	1115
	48-59 months	100.0	877
Mother's education level	None	100.0	2014
	Primary	100.0	1707
	Secondary	100.0	780
	Non-standard curriculum	100.0	45
	Missing/DK	100.0	10
Total		100.0	4556

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Republique de Lao PDR, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth index quintiles	Poorest	9.9	1.5	309
	Second	10.9	.5	257
	Middle	16.4	2.5	212
	Fourth	17.5	.9	209
	Richest	11.9	.6	193
Region	North	10.7	1.7	369
	Central	14.0	1.4	426
	South	14.0	.5	385
Area	Urban	21.0	2.7	236
	Rural	11.0	.8	945
Woman's education level	None	8.4	.7	527
	Primary	15.7	.9	452
	Secondary +	18.9	3.4	193
	Non-standard curriculum	22.0	.0	5
	Missing/DK	.0	.0	3
Total		13.0	1.2	1180

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth index quintiles	Poorest	.6	4.5	2.1	92.8
	Second	.7	15.4	2.1	81.7
	Middle	1.1	16.9	2.3	79.7
	Fourth	2.1	22.2	.6	75.1
	Richest	1.6	12.9	2.3	83.2
Region	North	.7	12.5	2.2	84.5
	Central	1.7	21.8	1.4	75.1
	South	1.0	5.7	2.1	91.2
Area	Urban	4.2	39.4	2.6	53.9
	Rural	.4	7.2	1.7	90.7
Woman's education level	None	.3	4.5	2.0	93.2
	Primary	.9	14.2	1.9	83.0
	Secondary +	3.9	37.9	1.7	56.5
	Non-standard curriculum	.0	.0	.0	100.0
	Missing/DK	.0	.0	.0	100.0
Total		1.1	13.6	1.9	83.3

Table 20a. Birth weight and size at birth

		Size of child				
		Very large	Larger than average	Average	Smaller than average	Very small
Wealth index quintiles	Poorest	1.2	6.8	79.1	9.0	1.9
	Second	1.5	7.2	78.8	10.2	1.5
	Middle	3.0	7.9	78.0	9.9	.4
	Fourth	.6	10.6	79.7	7.8	.9
	Richest	.0	9.4	82.3	7.7	.0
Region	North	1.7	9.0	78.3	8.0	1.5
	Central	1.4	8.4	81.8	7.3	.6
	South	.7	7.1	77.9	11.9	1.2
Area	Urban	1.9	12.5	79.0	4.7	.8
	Rural	1.1	7.1	79.6	10.1	1.1
Woman's education level	None	1.1	6.2	81.4	9.3	.3
	Primary	1.4	8.2	78.4	9.7	2.2
	Secondary +	1.6	12.6	76.7	7.0	.5
	Non-standard curriculum	.0	22.0	78.0	.0	.0
	Missing/DK	.0	33.4	66.6	.0	.0
Total		1.3	8.2	79.5	9.0	1.1

Table 20a. Birth weight and size at birth

		Size of		
		Don't know	Total	Number
Wealth index quintiles	Poorest	2.1	100.0	309
	Second	.8	100.0	257
	Middle	.9	100.0	212
	Fourth	.4	100.0	209
	Richest	.6	100.0	193
Region	North	1.5	100.0	369
	Central	.6	100.0	426
	South	1.2	100.0	385
Area	Urban	1.2	100.0	236
	Rural	1.0	100.0	945
Woman's education level	None	1.6	100.0	527
	Primary	.2	100.0	452
	Secondary +	1.6	100.0	193
	Non-standard curriculum	.0	100.0	5
	Missing/DK	.0	100.0	3
Total		1.1	100.0	1180

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Lao PDR, 2000

BCG	Vaccination Card	30.9
	Mother's Report	25.2
	Not vaccinated	43.9
DPT1	Vaccination Card	36.6
	Mother's Report	9.1
	Not vaccinated	54.3
DPT2	Vaccination Card	29.1
	Mother's Report	6.7
	Not vaccinated	64.2
DPT3	Vaccination Card	22.2
	Mother's Report	.1
	Not vaccinated	77.7
Polio 0	Vaccination Card	12.9
	Mother's Report	42.8
	Not vaccinated	44.3
Polio 1	Vaccination Card	35.9
	Mother's Report	17.4
	Not vaccinated	46.6
Polio 2	Vaccination Card	31.4
	Mother's Report	.1
	Not vaccinated	68.5
Polio 3	Vaccination Card	23.7
	Mother's Report	.1
	Not vaccinated	76.2
Measles	Vaccination Card	22.3
	Mother's Report	6.3
	Not vaccinated	71.4
All vaccinations	Vaccination Card	13.6
	Mother's Report	3.9
	Doesn't have all vaccinations	82.5
No vaccinations	Mother's Report	29.6
	Has some vaccinations	70.4
Number of children		970.3

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, lao PDR, 2000

BCG	96.5
DPT 1	94.8
DPT 2	92.3
DPT 3	89.6
Polio 0	99.5
Polio 1	95.3
Polio 2	91.0
Polio 3	88.2
Measles	85.5
All vaccinations	71.3
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, LAO PDR, 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles
Vaccination card	30.9	36.6	29.1	22.2	12.9	35.9	31.4	23.7	22.3
Mother's report	25.2	9.1	6.7	.1	42.8	17.4	.1	.1	6.3
Either	56.1	45.7	35.8	22.3	55.7	53.4	31.5	23.8	28.6
Vaccinated by 12 months of age	54.2	43.4	33.0	20.0	55.4	50.9	28.6	21.0	24.4

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, LAO PDR, 2000

	All	None	Number of children
Vaccination card	13.6	.0	970.3
Mother's report	3.9	29.6	970.3
Either	17.5	29.6	970.3
Vaccinated by 12 months of age	12.5	29.6	970.3

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, LAO PDR, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3
Wealth index quintiles	Poorest	46.6	38.0	28.2	13.8	42.9	21.2	16.3
	Second	51.1	43.5	31.8	19.6	51.5	30.4	20.0
	Middle	60.0	51.5	42.2	29.0	57.3	36.9	30.1
	Fourth	65.4	55.3	44.3	28.6	64.5	40.5	32.0
	Richest	62.0	43.6	35.8	23.6	54.7	32.0	24.3
Sex	Male	56.6	46.3	34.7	21.1	53.9	30.3	23.5
	Female	55.6	45.2	36.9	23.4	52.9	32.6	24.2
Region	North	45.4	44.0	37.2	21.2	44.0	30.7	24.2
	Central	58.2	50.0	39.0	25.7	58.2	36.3	27.4
	South	64.6	42.8	30.7	19.5	57.5	26.8	19.5
Area	Urban	76.1	55.0	47.8	41.4	66.7	46.3	41.8
	Rural	49.6	42.7	31.8	16.0	49.0	26.6	18.0
Mother's education level	None	39.9	36.9	24.9	9.7	38.4	18.7	11.5
	Primary	62.3	49.2	39.6	26.6	62.1	36.4	28.5
	Secondary	77.3	56.8	50.4	40.6	66.7	48.7	41.2
	Non-standard curriculum	65.4	51.4	44.3	21.1	65.4	35.2	21.1
	Missing/DK	66.3	66.9	33.7	.0	66.3	.0	.0
Total		56.1	45.7	35.8	22.3	53.4	31.5	23.8

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, LAO PDR, 2000

		Measles	All	None	% with health card	Number of children
Wealth index quintiles	Poorest	20.0	11.4	37.3	35.2	226
	Second	27.5	16.9	34.2	41.8	226
	Middle	31.4	21.7	27.4	48.3	178
	Fourth	34.4	22.0	18.6	54.6	168
	Richest	32.6	17.5	26.5	45.9	172
Sex	Male	28.2	16.5	27.7	47.1	480
	Female	29.0	18.5	31.5	41.8	490
Region	North	25.7	17.4	36.9	39.8	314
	Central	30.1	19.5	26.7	52.4	347
	South	29.8	15.3	25.4	40.1	309
Area	Urban	41.1	35.6	18.3	53.5	239
	Rural	24.5	11.6	33.3	41.5	731
Mother's education level	None	19.6	6.8	41.7	33.9	396
	Primary	31.6	20.4	23.9	48.4	369
	Secondary	42.2	34.3	15.9	58.2	190
	Non-standard curriculum	21.1	21.1	25.4	51.4	13
	Missing/DK	.0	.0	.0	33.1	3
Total		28.6	17.5	29.6	44.4	970

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, LAO PDR, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable
Wealth index quintiles	Poorest	8.1	1270	56.4	54.1	5.6
	Second	5.5	1140	50.8	46.7	16.4
	Middle	5.3	921	57.0	59.2	17.3
	Fourth	6.1	928	65.5	52.6	14.5
	Richest	5.0	867	59.3	47.7	10.9
Sex	Male	6.5	2546	51.5	55.0	16.2
	Female	5.7	2579	64.0	49.3	7.1
Region	North	6.5	1615	56.1	54.4	8.8
	Central	7.2	1831	58.6	56.8	14.4
	South	4.6	1679	57.1	41.7	11.9
Area	Urban	5.8	1199	44.7	71.2	26.2
	Rural	6.2	3926	61.0	46.9	7.8
Age	< 6 months	6.4	568	85.2	25.2	.0
	6-11 months	10.5	499	92.0	41.4	9.8
	12-23 months	9.3	970	70.1	62.8	13.0
	24-35 months	6.0	1084	34.0	49.6	15.4
	36-47 months	3.8	1115	24.9	61.5	12.1
Mother's education level	48-59 months	3.1	877	17.5	66.5	19.9
	None	6.1	2254	56.4	50.1	6.9
	Primary	6.0	1948	59.3	57.6	12.6
	Secondary	6.2	864	54.5	46.2	24.5
	Non-standard curriculum	12.1	48	68.1	52.5	.0
	Missing/DK	.0	11	.	.	.
Total		6.1	5125	57.4	52.3	11.9

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, LAO PDR, 2000

		ORS packet	Other milk or infant formula	Water with feeding	Any recommended treatment
Wealth index quintiles	Poorest	21.9	8.5	58.0	96.2
	Second	36.7	8.7	74.4	96.2
	Middle	29.1	17.3	64.0	95.1
	Fourth	41.8	17.1	64.1	98.4
	Richest	39.3	13.0	68.9	93.1
Sex	Male	35.2	12.6	65.6	95.6
	Female	28.3	11.6	63.9	96.4
Region	North	22.8	9.6	61.4	97.4
	Central	34.2	16.2	65.8	94.6
	South	40.5	8.3	67.9	96.4
Area	Urban	64.4	18.1	71.7	96.6
	Rural	22.6	10.4	62.8	95.8
Age	< 6 months	21.6	10.8	28.2	93.5
	6-11 months	34.5	14.8	67.2	100.0
	12-23 months	40.3	12.6	71.6	96.7
	24-35 months	31.8	6.5	62.6	92.1
	36-47 months	26.9	7.8	77.3	97.8
Mother's education level	48-59 months	20.9	26.7	72.3	95.6
	None	20.8	10.6	58.4	95.6
	Primary	34.0	9.2	70.2	97.2
	Secondary	55.0	23.3	65.6	93.9
	Non-standard curriculum	36.5	.0	100.0	100.0
	Missing/DK
Total		31.9	12.1	64.8	96.0

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, LAO PDR, 2000

		No treatment	Number of children with diarrhea
			1.00
Wealth index quintiles	Poorest	3.8	103
	Second	3.8	62
	Middle	4.9	49
	Fourth	1.6	56
	Richest	6.9	44
Sex	Male	4.4	166
	Female	3.6	148
Region	North	2.6	106
	Central	5.4	132
	South	3.6	77
Area	Urban	3.4	70
	Rural	4.2	244
Age	< 6 months	6.5	36
	6-11 months	.0	53
	12-23 months	3.3	91
	24-35 months	7.9	65
	36-47 months	2.2	42
Mother's education level	48-59 months	4.4	27
	None	4.4	137
	Primary	2.8	117
	Secondary	6.1	54
	Non-standard curriculum	.0	6
	Missing/DK	.	0
Total		4.0	314

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, LAO PDR, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea		
				More	Same/Less	Missing/DK
				Wealth index quintiles	Poorest	8.1
	Second	5.5	1140	35.9	57.8	6.3
	Middle	5.3	921	26.7	60.8	12.5
	Fourth	6.1	928	35.7	53.5	10.8
	Richest	5.0	867	16.6	73.7	9.7
Sex	Male	6.5	2546	29.3	60.8	9.9
	Female	5.7	2579	27.7	62.2	10.1
Region	North	6.5	1615	21.9	62.3	15.8
	Central	7.2	1831	29.7	64.0	6.3
	South	4.6	1679	35.7	56.0	8.3
Area	Urban	5.8	1199	29.2	67.4	3.4
	Rural	6.2	3926	28.4	59.7	11.9
Age	< 6 months	6.4	568	24.1	61.0	14.8
	6-11 months	10.5	499	29.3	69.0	1.8
	12-23 months	9.3	970	36.3	56.3	7.4
	24-35 months	6.0	1084	23.3	61.7	15.0
	36-47 months	3.8	1115	25.1	63.9	10.9
	48-59 months	3.1	877	25.2	60.2	14.6
Mother's education level	None	6.1	2254	24.1	61.1	14.7
	Primary	6.0	1948	30.4	64.4	5.2
	Secondary	6.2	864	36.7	55.5	7.8
	Non-standard curriculum	12.1	48	20.6	63.3	16.1
	Missing/DK	.0	11	.0	.0	.0
Total		6.1	5125	28.6	61.4	10.0

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, LAO PDR, 2000

		Total	Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea
			somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth index quintiles	Poorest	100.0	56.6	34.4	8.9	100.0	17.7	103
	Second	100.0	68.0	32.0	.0	100.0	24.7	62
	Middle	100.0	59.1	34.1	6.8	100.0	16.2	49
	Fourth	100.0	67.8	25.2	7.1	100.0	27.2	56
	Richest	100.0	64.9	27.5	7.6	100.0	12.4	44
Sex	Male	100.0	63.0	31.9	5.2	100.0	21.3	166
	Female	100.0	61.8	30.6	7.6	100.0	18.2	148
Region	North	100.0	58.8	30.7	10.5	100.0	15.8	106
	Central	100.0	62.2	33.3	4.5	100.0	20.7	132
	South	100.0	67.9	28.6	3.6	100.0	23.8	77
Area	Urban	100.0	74.3	24.0	1.7	100.0	25.8	70
	Rural	100.0	59.0	33.4	7.6	100.0	18.1	244
Age	< 6 months	100.0	61.0	30.0	9.1	100.0	21.6	36
	6-11 months	100.0	62.6	33.9	3.5	100.0	17.3	53
	12-23 months	100.0	66.6	30.3	3.1	100.0	26.3	91
	24-35 months	100.0	63.1	30.9	6.1	100.0	10.7	65
	36-47 months	100.0	52.1	39.2	8.7	100.0	18.0	42
	48-59 months	100.0	64.5	19.9	15.5	100.0	25.2	27
Mother's education level	None	100.0	59.7	31.4	8.9	100.0	16.2	137
	Primary	100.0	61.0	34.3	4.6	100.0	18.3	117
	Secondary	100.0	75.1	21.1	3.9	100.0	32.3	54
	Non-standard curriculum	100.0	36.5	63.5	.0	100.0	20.6	6
	Missing/DK	.0	.0	.0	.0	.0	.	0
Total		100.0	62.4	31.3	6.3	100.0	19.8	314

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, LAO PDR, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary
Wealth index quintiles	Poorest	1.4	1270	12.2	5.3	.0
	Second	1.0	1140	44.7	.0	8.4
	Middle	.7	921	13.6	.0	17.8
	Fourth	1.2	928	.0	22.0	.0
	Richest	.9	867	.0	.0	.0
Sex	Male	1.3	2546	17.1	6.2	2.7
	Female	.8	2579	10.9	6.1	6.1
Region	North	.9	1615	18.7	6.2	.0
	Central	1.1	1831	11.8	11.8	5.9
	South	1.1	1679	15.0	.0	5.0
Area	Urban	.8	1199	19.6	.0	.0
	Rural	1.1	3926	13.8	7.5	4.8
Age	< 6 months	1.0	568	.0	.0	.0
	6-11 months	1.3	499	.0	14.6	.0
	12-23 months	.9	970	10.9	.0	.0
	24-35 months	1.5	1084	32.2	7.5	13.2
	36-47 months	1.0	1115	8.2	10.7	.0
	48-59 months	.7	877	16.0	.0	.0
Mother's education level	None	.9	2254	9.9	.0	4.3
	Primary	1.0	1948	18.2	4.6	5.9
	Secondary	1.2	864	8.7	22.6	.0
	Non-standard curriculum	2.5	48	100.0	.0	.0
	Missing/DK	.0	11	.	.	.
Total		1.0	5125	14.8	6.2	3.9

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, LAO PDR, 2000

		Village health worker	MCH clinic	Mobile clinic	Private physician	Traditional healer
Wealth index quintiles	Poorest	.0	.0	.0	.0	.0
	Second	.0	.0	19.3	.0	.0
	Middle	.0	.0	13.9	.0	.0
	Fourth	.0	.0	19.6	.0	8.4
	Richest	.0	.0	12.2	.0	15.9
Sex	Male	.0	.0	9.7	.0	6.2
	Female	.0	.0	14.2	.0	.0
Region	North	.0	.0	12.5	.0	.0
	Central	.0	.0	11.8	.0	5.9
	South	.0	.0	10.0	.0	5.0
Area	Urban	.0	.0	35.3	.0	.0
	Rural	.0	.0	6.3	.0	4.8
Age	< 6 months	.0	.0	.0	.0	.0
	6-11 months	.0	.0	14.6	.0	18.8
	12-23 months	.0	.0	21.6	.0	.0
	24-35 months	.0	.0	14.9	.0	5.7
	36-47 months	.0	.0	8.2	.0	.0
Mother's education level	48-59 months	.0	.0	.0	.0	.0
	None	.0	.0	5.6	.0	.0
	Primary	.0	.0	13.6	.0	10.4
	Secondary	.0	.0	20.1	.0	.0
	Non-standard curriculum	.0	.0	.0	.0	.0
	Missing/DK	.0	.0	.0	.0	.0
Total		.0	.0	11.4	.0	3.9

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, LAO PDR, 2000

		Other	Any appropriate provider	Number of children with ARI
				1.00
Wealth index quintiles	Poorest	5.3	17.5	17
	Second	.0	72.3	11
	Middle	.0	45.3	7
	Fourth	.0	41.6	11
	Richest	.0	12.2	7
Sex	Male	2.7	35.7	34
	Female	.0	37.4	19
Region	North	6.2	37.5	15
	Central	.0	41.2	20
	South	.0	30.0	18
Area	Urban	.0	54.9	9
	Rural	2.1	32.4	44
Age	< 6 months	.0	.0	6
	6-11 months	.0	29.3	6
	12-23 months	.0	32.4	9
	24-35 months	5.8	67.8	16
	36-47 months	.0	27.0	11
Mother's education level	48-59 months	.0	16.0	6
	None	4.3	19.8	21
	Primary	.0	42.2	20
	Secondary	.0	51.4	11
	Non-standard curriculum	.0	100.0	1
	Missing/DK	.	.	0
Total		1.7	36.3	53

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, LAO PDR, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness		
				More	Same/Less	Missing/DK
Wealth index quintiles	Poorest	12.7	1270	22.5	70.0	7.4
	Second	11.7	1140	32.0	61.8	6.2
	Middle	9.7	921	30.8	62.4	6.8
	Fourth	12.5	928	27.4	66.3	6.3
	Richest	9.9	867	24.5	70.6	4.9
Sex	Male	11.9	2546	27.7	65.6	6.7
	Female	10.9	2579	26.7	67.2	6.1
Region	North	10.3	1615	23.5	64.8	11.7
	Central	12.9	1831	29.8	65.2	5.1
	South	11.0	1679	27.2	69.3	3.5
Area	Urban	12.0	1199	30.4	67.1	2.5
	Rural	11.3	3926	26.2	66.1	7.7
Age	< 6 months	11.1	568	20.3	71.1	8.6
	6-11 months	18.3	499	29.7	69.2	1.0
	12-23 months	15.4	970	34.9	58.6	6.5
	24-35 months	11.5	1084	20.3	71.1	8.5
	36-47 months	8.3	1115	27.3	66.4	6.3
	48-59 months	7.3	877	25.5	66.4	8.1
Mother's education level	None	10.8	2254	23.7	66.8	9.6
	Primary	11.7	1948	28.2	67.7	4.1
	Secondary	12.0	864	34.7	61.3	4.0
	Non-standard curriculum	18.9	48	13.1	76.6	10.2
	Missing/DK	8.1	11	.0	100.0	.0
Total		11.4	5125	27.2	66.4	6.4

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, LAO PDR, 2000

		Total	Eating during illness			Total	Received increased fluids and continued eating	Number of sick children
			somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth index quintiles	Poorest	100.0	60.6	31.7	7.6	100.0	15.3	161
	Second	100.0	68.1	29.4	2.5	100.0	21.1	133
	Middle	100.0	64.1	32.2	3.7	100.0	20.3	89
	Fourth	100.0	68.7	26.9	4.4	100.0	20.7	116
	Richest	100.0	66.2	30.0	3.8	100.0	16.8	86
Sex	Male	100.0	63.1	32.7	4.2	100.0	19.0	304
	Female	100.0	67.6	27.2	5.2	100.0	18.3	282
Region	North	100.0	60.9	30.7	8.4	100.0	17.9	166
	Central	100.0	62.1	33.3	4.5	100.0	19.2	235
	South	100.0	73.3	25.2	1.5	100.0	18.8	184
Area	Urban	100.0	71.4	27.0	1.7	100.0	21.0	143
	Rural	100.0	63.3	31.0	5.6	100.0	18.0	442
Age	< 6 months	100.0	56.6	38.2	5.3	100.0	14.0	63
	6-11 months	100.0	68.2	27.4	4.4	100.0	18.2	91
	12-23 months	100.0	65.2	31.7	3.1	100.0	26.1	150
	24-35 months	100.0	68.8	27.1	4.1	100.0	12.9	125
	36-47 months	100.0	58.7	36.0	5.3	100.0	17.0	93
	48-59 months	100.0	72.6	18.9	8.5	100.0	20.8	64
Mother's education level	None	100.0	63.7	30.0	6.3	100.0	16.2	243
	Primary	100.0	64.3	31.4	4.3	100.0	16.9	229
	Secondary	100.0	72.3	25.7	2.0	100.0	29.2	104
	Non-standard curriculum	100.0	49.5	50.5	.0	100.0	13.1	9
	Missing/DK	100.0	100.0	.0	.0	100.0	.0	1
Total		100.0	65.3	30.1	4.7	100.0	18.7	585

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Lao PDR, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing
Wealth index quintiles	Poorest	11.9	21.1	64.0	10.6	20.1
	Second	15.4	25.0	66.8	16.0	25.3
	Middle	12.4	24.2	70.1	14.0	22.7
	Fourth	14.9	28.9	69.5	17.1	27.0
	Richest	14.2	34.3	69.9	20.6	30.5
Region	North	10.0	17.1	59.6	6.3	14.4
	Central	20.7	28.3	69.8	18.8	35.7
	South	11.3	33.0	73.7	20.7	25.2
Area	Urban	16.3	29.2	72.6	21.9	34.2
	Rural	12.9	25.3	66.2	13.2	21.7
Mother's education level	None	12.3	24.3	62.1	12.2	20.5
	Primary	14.3	28.2	70.4	16.6	26.4
	Secondary	16.0	27.0	76.0	20.5	31.8
	Non-standard curriculum	12.1	18.2	66.7	9.1	18.2
	Missing/DK	.0	12.5	75.0	25.0	25.0
Total		13.7	26.2	67.7	15.3	24.7

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Lao PDR, 2000

		Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
Wealth index quintiles	Poorest	24.3	9.2	40.1	922
	Second	25.8	10.5	44.9	779
	Middle	24.1	9.2	43.9	693
	Fourth	25.8	12.7	47.3	685
	Richest	27.4	11.9	54.0	632
Region	North	18.3	8.8	30.4	1251
	Central	31.3	13.6	51.3	1121
	South	27.0	9.8	54.8	1339
Area	Urban	32.3	12.6	52.5	891
	Rural	23.2	10.0	43.3	2820
Mother's education level	None	22.4	8.8	41.0	1596
	Primary	26.9	11.9	48.8	1449
	Secondary	29.1	12.3	49.9	625
	Non-standard curriculum	30.3	9.1	39.4	33
	Missing/DK	25.0	.0	37.5	8
Total		25.4	10.6	45.5	3711

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Lao PDR, 2000

		Slept under a bednet			Bednet treated			Number of children 1.00
		Yes	No	DK/missing	Yes	No	DK/missing	
Wealth index quintiles	Poorest	72.9	27.0	.1	14.8	84.9	.3	1270
	Second	82.2	17.5	.3	21.5	77.9	.6	1140
	Middle	83.2	16.3	.5	17.1	82.3	.6	921
	Fourth	86.4	13.4	.2	18.3	81.3	.4	928
	Richest	91.1	8.6	.3	16.7	82.7	.5	867
Sex	Male	82.8	17.1	.2	17.5	82.1	.4	2546
	Female	81.9	17.7	.4	17.8	81.7	.5	2579
Region	North	70.2	29.7	.1	16.6	82.9	.5	1615
	Central	87.5	11.9	.5	17.9	81.3	.8	1831
	South	88.4	11.5	.2	18.5	81.5	.1	1679
Area	Urban	96.9	2.8	.3	11.2	87.8	1.0	1199
	Rural	77.9	21.8	.3	19.6	80.1	.3	3926
Age	< 6 months	75.9	23.7	.4	17.0	82.8	.2	568
	6-11 months	81.5	18.5	.0	16.8	82.4	.8	499
	12-23 months	85.4	14.0	.7	18.3	81.1	.7	970
	24-35 months	83.7	16.3	.0	17.9	81.7	.4	1084
	36-47 months	81.5	18.4	.1	16.7	82.7	.7	1115
	48-59 months	82.9	16.6	.5	18.9	81.1	.0	877
Total		82.3	17.4	.3	17.7	81.9	.5	5113

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, LAO PDR, 2000

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar
Wealth index quintiles	Poorest	2.6	1270	22.9	8.3	.0
	Second	3.4	1140	28.8	14.0	.0
	Middle	2.1	921	28.4	9.5	.0
	Fourth	4.1	928	37.8	2.4	.0
	Richest	2.0	867	47.3	10.6	.0
Sex	Male	3.0	2546	35.4	7.9	.0
	Female	2.7	2579	28.1	9.5	.0
Region	North	2.3	1615	17.5	7.5	.0
	Central	2.2	1831	41.2	8.8	.0
	South	4.1	1679	34.2	9.2	.0
Area	Urban	3.3	1199	36.0	2.3	.0
	Rural	2.7	3926	30.4	11.0	.0
Age	< 6 months	1.0	568	.0	.0	.0
	6-11 months	5.0	499	29.4	3.7	.0
	12-23 months	3.3	970	33.3	5.7	.0
	24-35 months	3.2	1084	48.1	18.1	.0
	36-47 months	2.7	1115	24.4	6.2	.0
	48-59 months	2.2	877	24.8	9.3	.0
Mother's education level	None	2.6	2254	25.0	5.1	.0
	Primary	2.7	1948	38.5	16.7	.0
	Secondary	3.9	864	32.7	2.8	.0
	Non-standard curriculum	1.9	48	100.0	.0	.0
	Missing/DK	8.1	11	.0	.0	.0
Total		2.9	5125	31.9	8.7	.0

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, LAO PDR, 2000

		Other	Don't know	Any appropriate anti-malarial drug	Number of children with fever
					1.00
Wealth index quintiles	Poorest	11.0	2.8	8.3	33
	Second	9.3	7.2	14.0	39
	Middle	.0	4.7	9.5	19
	Fourth	13.3	.0	2.4	38
	Richest	17.5	.0	10.6	17
Sex	Male	11.3	6.0	7.9	77
	Female	9.5	.0	9.5	70
Region	North	2.5	7.5	7.5	37
	Central	17.6	.0	8.8	40
	South	10.5	2.6	9.2	69
Area	Urban	11.4	2.4	2.3	39
	Rural	10.1	3.4	11.0	107
Age	< 6 months	.0	.0	.0	6
	6-11 months	3.7	.0	3.7	25
	12-23 months	5.7	5.8	5.7	32
	24-35 months	19.6	2.6	18.1	35
	36-47 months	10.2	.0	6.2	30
	48-59 months	14.0	9.4	9.3	20
Mother's education level	None	8.2	1.6	5.1	59
	Primary	13.8	5.2	16.7	52
	Secondary	9.9	2.8	2.8	33
	Non-standard curriculum	.0	.0	.0	1
	Missing/DK	.0	.0	.0	1
Total		10.5	3.1	8.7	147

Monitoring IMCI and Malaria Indicator

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, LAO PDR, 2001

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers	
							1.00
Wealth index quintiles	Poorest	29.5	.9	.3	30.7	309	
	Second	41.8	1.3	.5	43.5	257	
	Middle	55.1	2.6	.0	57.7	212	
	Fourth	51.0	2.9	.6	54.4	209	
	Richest	49.7	2.2	1.6	53.5	193	
Region	North	37.7	.7	.5	38.9	369	
	Central	46.6	1.7	.8	49.2	426	
	South	46.8	3.1	.2	50.1	385	
Area	Urban	58.0	4.4	.4	62.7	236	
	Rural	40.4	1.2	.6	42.2	945	
Woman's education level	None	29.5	1.0	.2	30.7	527	
	Primary	53.6	2.2	.5	56.3	452	
	Secondary +	61.2	3.4	1.6	66.2	193	
	Non-standard curriculum	22.0	.0	.0	22.0	5	
	Missing/DK	33.2	.0	.0	33.2	3	
Total		43.9	1.8	.5	46.3	1180	

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, LAO PDR, 2001

		Person delivering antenatal care				
		No antenatal care received	Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant
Wealth index quintiles	Poorest	68.2	7.1	4.0	.0	4.2
	Second	59.2	17.7	6.1	2.1	4.7
	Middle	46.2	21.1	9.6	3.4	5.3
	Fourth	46.5	23.1	11.8	3.2	2.3
	Richest	55.2	15.8	12.0	3.3	6.1
Region	North	57.1	11.7	5.0	.7	1.7
	Central	47.5	19.0	14.0	3.6	2.8
	South	65.3	17.3	4.8	1.9	9.0
Area	Urban	21.8	41.1	21.8	4.1	2.6
	Rural	64.9	10.0	4.7	1.7	5.0
Woman's education level	None	72.0	6.1	3.0	.6	3.3
	Primary	52.5	17.3	7.7	3.5	7.2
	Secondary +	22.7	41.3	22.2	3.6	1.6
	Non-standard curriculum	56.0	.0	44.0	.0	.0
	Missing/DK	33.4	33.2	.0	.0	.0
Total		56.3	16.2	8.2	2.2	4.5

World Summit for Children Goals => Numbers 9, 11

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, LAO PDR, 2001

		Person delivering antenatal care		Total	Any skilled personnel	Number of women
		Other/missing				1.00
Wealth index quintiles	Poorest	16.5		100.0	11.1	309
	Second	10.1		100.0	25.9	257
	Middle	14.4		100.0	34.2	212
	Fourth	13.1		100.0	38.0	209
	Richest	7.6		100.0	31.1	193
Region	North	23.7		100.0	17.5	369
	Central	13.1		100.0	36.6	426
	South	1.7		100.0	24.0	385
Area	Urban	8.6		100.0	67.0	236
	Rural	13.7		100.0	16.4	945
Woman's education level	None	15.0		100.0	9.7	527
	Primary	11.8		100.0	28.5	452
	Secondary +	8.6		100.0	67.1	193
	Non-standard curriculum	.0		100.0	44.0	5
	Missing/DK	33.4		100.0	33.2	3
Total		12.7		100.0	26.5	1180

World Summit for Children Goals => Numbers 9, 11

Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery LAO PDR, 2001

		Person assisting at delivery				
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Relative/friend
Wealth index quintiles	Poorest	2.5	2.4	1.3	11.4	45.0
	Second	11.0	5.2	2.5	16.0	40.2
	Middle	10.8	8.7	3.8	20.1	33.7
	Fourth	15.6	12.2	3.9	15.1	38.1
	Richest	11.1	10.0	2.7	21.2	39.9
Region	North	6.0	5.0	1.2	5.7	47.4
	Central	15.1	8.9	4.2	10.3	41.9
	South	6.9	7.1	2.4	32.8	30.4
Area	Urban	31.6	22.2	4.0	14.6	20.3
	Rural	4.1	3.3	2.4	16.6	44.7
Woman's education level	None	3.5	3.8	1.3	11.1	45.9
	Primary	8.9	6.7	2.2	23.1	39.4
	Secondary +	28.0	16.9	7.2	14.3	25.2
	Non-standard curriculum	.0	22.0	22.0	.0	17.0
	Missing/DK	.0	.0	.0	33.2	33.4
Total		9.6	7.1	2.7	16.2	39.9

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
LAO PDR, 2001**

		Person assisting at delivery		Total	Any skilled personnel	Number of women
		Other/missing	No assistance received			1.00
Wealth index quintiles	Poorest	20.9	16.5	100.0	6.2	309
	Second	18.4	6.8	100.0	18.6	257
	Middle	16.1	6.9	100.0	23.3	212
	Fourth	10.1	4.9	100.0	31.7	209
	Richest	8.6	6.6	100.0	23.8	193
Region	North	21.4	13.2	100.0	12.2	369
	Central	12.3	7.3	100.0	28.2	426
	South	13.5	6.9	100.0	16.4	385
Area	Urban	6.4	.9	100.0	57.8	236
	Rural	17.8	11.0	100.0	9.8	945
Woman's education level	None	21.4	13.0	100.0	8.6	527
	Primary	12.3	7.4	100.0	17.8	452
	Secondary +	6.9	1.6	100.0	52.1	193
	Non-standard curriculum	16.9	22.0	100.0	44.0	5
	Missing/DK	33.4	.0	100.0	.0	3
Total		15.6	9.0	100.0	19.4	1180

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Republique de LAO PDR, 2000

		Birth registered	DK if birth registered
Sex	Male	59.3	2.8
	Female	59.2	2.9
Region	North	69.0	4.1
	Central	56.8	2.3
	South	52.0	2.1
Area	Urban	70.8	2.9
	Rural	55.9	2.8
Age	< 6 months	54.0	2.8
	6-11 months	57.0	2.4
	12-23 months	63.0	1.9
	24-35 months	57.8	3.5
	36-47 months	59.6	2.5
	48-59 months	61.1	3.8
Mother's education level	None	52.5	3.5
	Primary	61.8	2.4
	Secondary	71.3	2.2
	Non-standard curriculum	68.8	.0
	Missing/DK	41.7	8.3
Total		59.2	2.8

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Republique de LAO PDR, 2000

		Registration status				
		Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register
Sex	Male	.3	3.1	41.9	.1	31.2
	Female	.2	2.9	41.3	.0	31.0
Region	North	.4	4.3	37.6	.0	29.1
	Central	.3	5.1	49.6	.2	25.1
	South	.1	.7	37.9	.0	36.7
Area	Urban	.3	5.3	41.9	.0	25.2
	Rural	.2	2.6	41.6	.1	32.2
Age	< 6 months	.0	3.2	44.9	.0	27.5
	6-11 months	.0	3.0	43.1	.0	29.2
	12-23 months	.3	2.7	41.3	.0	36.3
	24-35 months	.5	2.9	39.4	.0	31.6
	36-47 months	.2	2.4	42.0	.2	31.4
	48-59 months	.3	3.9	40.7	.0	29.0
Mother's education level	None	.1	2.0	45.0	.1	28.7
	Primary	.6	3.3	39.0	.0	35.7
	Secondary	.0	6.4	35.5	.0	27.3
	Non-standard curriculum	.0	.0	33.3	.0	26.7
	Missing/DK	.0	16.7	33.3	.0	50.0
Total		.3	3.0	41.6	.1	31.1

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Republique de LAO PDR, 2000

		Registration status		Total	Number of children
		Other	Reason DK or Missing		
Sex	Male	7.0	16.3	100.0	2553
	Female	7.4	17.2	100.0	2572
Region	North	5.6	23.1	100.0	1743
	Central	1.6	18.1	100.0	1540
	South	12.3	12.3	100.0	1842
Area	Urban	9.0	18.3	100.0	1149
	Rural	6.9	16.5	100.0	3976
Age	< 6 months	7.7	16.6	100.0	572
	6-11 months	7.4	17.3	100.0	498
	12-23 months	7.1	12.4	100.0	970
	24-35 months	6.9	18.8	100.0	1087
	36-47 months	5.9	17.8	100.0	1112
	48-59 months	9.1	16.9	100.0	875
Mother's education level	None	7.4	16.7	100.0	2281
	Primary	6.6	14.9	100.0	1954
	Secondary	7.7	23.2	100.0	830
	Non-standard curriculum	20.0	20.0	100.0	48
	Missing/DK	.0	.0	100.0	12
Total		7.2	16.8	100.0	5125

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Lao PDR, 2000

		Living arrangement				
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead
Wealth index quintiles	Poorest	92.8	.2	.1	.4	.4
	Second	92.7	.4	.4	.6	.3
	Middle	94.4	.1	.1	.7	.2
	Fourth	92.1	.4	.1	1.3	.1
	Richest	93.6	.4	.1	1.1	.2
Sex	Male	92.8	.3	.2	.9	.2
	Female	93.4	.4	.1	.7	.2
Area	Urban	92.0	.3	.1	1.2	.2
	Rural	93.5	.3	.2	.6	.2
Age	0-4 years	95.3	.2	.1	.5	.0
	5-9 years	93.9	.3	.1	.8	.1
	10-14 years	90.2	.5	.3	1.2	.5
Total		93.1	.3	.2	.8	.2

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Lao PDR, 2000

		Living arrangement					Total
		Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive	Living with father only: mother dead	Impossible to determine	
Wealth index quintiles	Poorest	2.0	2.4	.2	1.2	.2	100.0
	Second	2.2	2.5	.1	.5	.4	100.0
	Middle	1.6	1.8	.5	.4	.3	100.0
	Fourth	2.4	2.3	.2	.9	.2	100.0
	Richest	2.2	1.3	.3	.6	.2	100.0
Sex	Male	2.1	2.2	.3	.7	.3	100.0
	Female	2.1	2.0	.2	.8	.2	100.0
Area	Urban	2.6	2.4	.3	.5	.4	100.0
	Rural	1.9	1.9	.2	.8	.2	100.0
Age	0-4 years	2.6	.8	.2	.2	.2	100.0
	5-9 years	1.8	1.9	.2	.8	.1	100.0
	10-14 years	1.9	3.5	.4	1.2	.4	100.0
Total		2.1	2.1	.3	.7	.2	100.0

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Lao PDR, 2000

		One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
Wealth index quintiles	Poorest	.0	1.2	4.4	4.4	3634
	Second	.0	1.6	4.1	4.1	3490
	Middle	.0	1.1	2.6	2.6	3262
	Fourth	.0	1.9	3.7	3.8	3202
	Richest	.0	1.8	2.6	2.6	3113
Sex	Male	.0	1.6	3.6	3.6	8424
	Female	.0	1.4	3.5	3.5	8277
Area	Urban	.0	1.7	3.4	3.5	4560
	Rural	.0	1.4	3.5	3.5	12141
Age	0-4 years	.0	.7	1.3	1.3	5139
	5-9 years	.0	1.4	3.3	3.3	6186
	10-14 years	.0	2.4	5.9	6.0	5376
Total		.0	1.5	3.5	3.5	16701

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, LAO PDR, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)
Wealth index quintiles	Poorest	1.4	2.9	63.6	5.0	27.51
	Second	1.3	2.8	63.3	4.1	28.97
	Middle	1.0	2.3	66.5	3.5	27.99
	Fourth	1.7	1.9	63.3	4.7	26.03
	Richest	1.4	2.5	65.4	4.2	34.32
Sex	Male	1.3	2.2	61.7	3.5	28.05
	Female	1.4	2.8	67.2	5.2	29.84
Region	North	.7	3.8	65.5	3.5	24.46
	Central	2.1	1.4	63.5	2.5	31.05
	South	1.1	2.4	64.4	7.4	30.91
Area	Urban	2.5	2.1	64.0	3.4	24.90
	Rural	.9	2.6	64.6	4.7	30.59
Age	5-9 years	.6	1.4	50.5	1.4	16.07
	10-14 years	2.2	3.7	80.5	7.6	43.73
Total		1.3	2.5	64.4	4.3	28.93

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, LAO PDR, 2000

		Currently working	Number of children
Wealth index quintiles	Poorest	31.0	2364
	Second	32.6	2348
	Middle	30.7	2336
	Fourth	30.0	2274
	Richest	37.9	2239
Sex	Male	31.2	5871
	Female	33.7	5691
Region	North	28.1	3638
	Central	33.5	4400
	South	35.6	3523
Area	Urban	28.7	3367
	Rural	34.0	8195
Age	5-9 years	18.2	6186
	10-14 years	48.9	5376
Total		32.4	11562

Monitoring Children's Rights Indicator