

Table 1: Number of households and women, and response rates, Lesotho, 2000

	Area		Total
	Urban	Rural	
Sampled households	1809	5662	7471
Occupied households	1796	5626	7422
Completed households	1790	5609	7399
Household response rate	99.7	99.7	99.7
Eligible women	1802	5402	7204
Interviewed women	1695	5061	6756
Women response rate	94.1	93.7	93.8
Children under 5	725	3103	3828
Interviewed children under 5	707	3041	3748
Child response rate	97.5	98.0	97.9

Table 2: Single year age distribution of household population by sex, Lesotho, 2000

	Sex			
	Male		Female	
	Number	Percent	Number	Percent
RESPAGE 0	423	2.6	423	2.5
1	383	2.4	391	2.3
2	421	2.6	399	2.4
3	380	2.4	360	2.2
4	328	2.0	344	2.1
5	320	2.0	333	2.0
6	421	2.6	422	2.5
7	371	2.3	379	2.3
8	373	2.3	388	2.3
9	380	2.4	352	2.1
10	553	3.4	500	3.0
11	401	2.5	373	2.2
12	469	2.9	451	2.7
13	441	2.7	441	2.6
14	420	2.6	535	3.2
15	437	2.7	298	1.8

Table 2: Single year age distribution of household population by sex, Lesotho, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
RESPAGE	16	377	2.3	364	2.2
	17	387	2.4	314	1.9
	18	468	2.9	371	2.2
	19	366	2.3	357	2.1
	20	411	2.6	395	2.4
	21	295	1.8	313	1.9
	22	278	1.7	278	1.7
	23	267	1.7	256	1.5
	24	221	1.4	277	1.7
	25	251	1.6	267	1.6
	26	224	1.4	240	1.4
	27	186	1.2	196	1.2
	28	214	1.3	234	1.4
	29	161	1.0	165	1.0
	30	266	1.7	233	1.4
	31	127	.8	149	.9
	32	200	1.2	180	1.1
	33	110	.7	130	.8
	34	150	.9	142	.9
	35	179	1.1	183	1.1
	36	167	1.0	204	1.2
	37	124	.8	172	1.0
	38	155	1.0	190	1.1
	39	121	.8	159	1.0
	40	200	1.2	209	1.3
	41	123	.8	132	.8
	42	173	1.1	146	.9
	43	114	.7	122	.7
	44	97	.6	135	.8
	45	147	.9	142	.9
	46	123	.8	127	.8
	47	118	.7	110	.7
	48	149	.9	145	.9
	49	109	.7	88	.5
	50	142	.9	262	1.6

Table 2: Single year age distribution of household population by sex, Lesotho, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
RESPAGE	51	80	.5	142	.9
	52	126	.8	184	1.1
	53	89	.6	108	.6
	54	92	.6	93	.6
	55	113	.7	97	.6
	56	77	.5	99	.6
	57	72	.4	86	.5
	58	101	.6	133	.8
	59	74	.5	93	.6
	60	128	.8	135	.8
	61	58	.4	63	.4
	62	71	.4	95	.6
	63	51	.3	75	.5
	64	48	.3	83	.5
	65	84	.5	101	.6
	66	53	.3	87	.5
	67	118	.7	110	.7
	68	50	.3	71	.4
	69	38	.2	72	.4
	70+	461	2.9	733	4.4
	Missing/DK	360	2.2	209	1.3
Total		16065	100.0	16645	100.0

Table 3: Percentage of cases missing information for selected questions, Lesotho, 2000

	Percent missing	Number
Level of education	.0	24510
Year of education	.0	24482
Number of hours worked	.0	768

Table 3: Percentage of cases missing information for selected questions, Lesotho, 2000

	Percent missing	Number
Complete birth date	.0	6741
Date of last tetanus toxoid injection	.0	131
Ever been tested for HIV	.0	5764

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	3737
Diarrhoea in last 2 weeks	.0	3737
Weight	.6	3737
Height	.3	3737

Table 4: Percent distribution of households by background characteristics, Lesotho, 2000

		Percent	Number	Unweighted	
Region	Lowland	61.3	4577	4577	
	Foothill	11.0	824	824	
	Mountain	22.5	1682	1682	
	Senqu Valley	5.2	388	388	
District	Butha-Buthe	6.2	461	461	
	Leribe	15.1	1125	1125	
	Berea	11.5	858	858	
	Maseru	24.7	1842	1842	
	Mafeteng	11.5	856	856	
	Mohale's Hoek	9.8	730	730	
	Quthing	6.1	459	459	
	Qacha's Nek	3.7	280	280	
	Mokhotlong	4.8	360	360	
	Thaba-Tseka	6.7	499	499	
	Area	Urban	24.2	1809	1809
		Rural	75.8	5662	5662
	Number of HH members	1	11.6	861	861
2-3		27.8	2064	2064	
4-5		30.4	2256	2256	
6-7		19.0	1406	1406	
8-9		8.1	603	603	
10+		3.0	224	224	
Total		100.0	7414	7414	

Table 4: Percent distribution of households by background characteristics, Lesotho, 2000

	Percent	Number	Unweighted
At least one child age < 15	70.4	7401	7401
At least one child age < 5	41.0	7401	7401
At least one woman age 15-49	70.2	7389	7389

Table 4: Percent distribution of households by background characteristics, Lesotho, 2000

		Area		Total	
		Urban	Rural		
Region	Lowland	92.3	51.4	61.3	
	Foothill	.0	14.6	11.0	
	Mountain	7.7	27.2	22.5	
	Senqu Valley	.0	6.9	5.2	
District	Butha-Buthe	4.4	6.7	6.2	
	Leribe	10.0	16.7	15.1	
	Berea	4.4	13.7	11.5	
	Maseru	59.2	13.6	24.7	
	Mafeteng	6.6	13.0	11.5	
	Mohale's Hoek	7.6	10.5	9.8	
	Quthing	2.2	7.4	6.1	
	Qacha's Nek	1.1	4.6	3.7	
	Mokhotlong	2.2	5.7	4.8	
	Thaba-Tseka	2.2	8.1	6.7	
	Number of HH members	1	14.6	10.7	11.6
		2-3	32.6	26.3	27.8
		4-5	31.7	30.0	30.4
		6-7	15.1	20.2	19.0
8-9		4.2	9.4	8.1	
10+		1.8	3.4	3.0	
Total		100.0	100.0	100.0	
Number		1793	5621	7414	

Table 4: Percent distribution of households by background characteristics, Lesotho, 2000

	Area		Total
	Urban	Rural	
At least one child age < 17	66.5	75.3	73.1
At least one child age < 5	34.0	43.3	41.0
At least one woman age 15-49	73.0	69.3	70.2
Number	1787	5602	7389

Table 5: Percent distribution of women 15-49 by background characteristics, Lesotho, 2000

		Percent	Number	Unweighted
Region	Lowland	60.1	4052	4052
	Foothill	11.0	739	739
	Mountain	23.9	1609	1609
	Senqu Valley	5.0	338	338
Area	Urban	25.4	1712	1712
	Rural	74.6	5026	5026
Age	15-19	21.0	1413	1413
	20-24	20.6	1384	1384
	25-29	15.2	1024	1024
	30-34	11.9	798	798
	35-39	12.8	860	860
	40-44	10.3	693	693
	45-49	8.2	552	552
Marital status	Never Married	31.7	2137	2137
	Married/in union	56.1	3779	3779
	Separated	4.9	330	330
	Divorced	1.1	72	72
	Widowed	6.3	423	423
Ever given birth	Yes	69.9	4709	4709
	No	30.1	2032	2032
Woman's education level	Primary	4.5	301	301
	Secondary/High	92.4	6230	6230
	Higher/Tertiary	2.7	183	183
	Non-standard curriculum	.1	4	4
	Vocational	.1	8	8
	Missing/DK	.2	15	15
Total		100.0	6741	6741

Table 6: Percent distribution of children under 5 by background characteristics, Lesotho, 2000

		Percent	Number	Unweighted
Sex	Male	50.0	1867	1867
	Female	50.0	1867	1867
Region	Lowland	55.5	2074	2074
	Foothill	12.2	456	456
	Mountain	26.6	994	994
	Senqu Valley	5.6	210	210
Area	Urban	19.2	717	717
	Rural	80.8	3017	3017
Age	< 6 months	9.9	369	369
	6-11 months	11.0	411	411
	12-23 months	20.4	762	762
	24-35 months	21.7	810	810
	36-47 months	19.1	711	711
Mother's education level	48-59 months	17.8	665	665
	None	6.6	246	246
	Primary	66.1	2471	2471
	Secondary	27.2	1018	1018
	Non-standard curriculum	.1	2	2
Total		100.0	3737	3737

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Lesotho, 2000

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	6.5	261
	Second	13.5	304
	Middle	19.4	304
	Fourth	30.0	260
	Richest	46.2	247
Sex	Male	21.3	689
	Female	23.6	687
Region	Lowland	27.4	749
	Foothill	14.1	184
	Mountain	17.8	366
	Senqu Valley	16.9	77
Area	Urban	36.0	264
	Rural	19.2	1112
Age	36-47 months	16.7	711
	48-59 months	28.6	665
Mother's education level	None	8.3	109
	Primary	18.2	924
	Secondary	38.5	343
Total		22.5	1376

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Lesotho, 2000.

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Poorest	89.2	93.0	91.4	93.4	70.8
	Second	94.3	93.2	88.7	88.2	68.7
	Middle	95.2	93.2	88.5	95.6	75.0
	Fourth	95.5	95.4	95.8	93.4	81.5
	Richest	96.4	98.4	97.5	93.7	86.7
Sex	Male	93.5	94.7	92.0	92.0	75.0
	Female	95.2	94.7	92.9	93.9	78.6
Region	Lowland	93.6	95.8	91.7	93.4	76.7
	Foothill	93.6	91.5	90.1	91.2	70.4
	Mountain	96.1	94.5	95.9	93.4	81.3
	Senqu Valley	96.3	90.7	93.2	92.3	75.2
Area	Urban	93.1	97.2	95.0	94.8	81.5
	Rural	94.6	94.1	91.8	92.6	75.6
1.00		94.3	94.7	92.4	93.0	76.8

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Republique de Losotho, 2000

		Sex				Total	
		Male		Female		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number	Attending	Number
Wealth Index Quintiles	Poorest	39.5	504	54.1	545	47.1	1049
	Second	56.0	621	61.8	638	58.9	1259
	Middle	64.0	633	69.6	578	66.6	1211
	Fourth	70.9	608	76.2	562	73.4	1170
	Richest	76.2	602	79.2	542	77.6	1144
Region	Lowland	66.8	1724	71.9	1586	69.2	3310
	Foothill	55.4	354	61.8	338	58.5	692
	Mountain	55.0	717	62.1	770	58.6	1487
	Senqu Valley	57.8	173	70.8	171	64.2	344
Area	Urban	68.8	565	72.3	541	70.5	1106
	Rural	60.5	2403	67.0	2324	63.7	4727
Age	6	17.3	421	19.4	422	18.4	843
	7	43.7	371	48.8	379	46.3	750
	8	62.2	373	73.7	388	68.1	761
	9	73.2	380	77.0	352	75.0	732
	10	73.4	553	84.8	500	78.8	1053
	11	79.1	401	83.9	373	81.4	774
	12	79.7	469	85.8	451	82.7	920
Total		62.1	2968	68.0	2865	65.0	5833

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Lesotho, 2000

		Sex						Total		
		Male			Female			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	55.3	1.4	1693	78.9	1.1	1881	67.7	1.2	3574
	Second	70.2	1.9	1927	87.6	1.3	2042	79.1	1.6	3969
	Middle	82.0	1.4	1977	92.6	1.2	2081	87.4	1.3	4058
	Fourth	89.0	1.3	2016	96.5	.4	2079	92.8	.9	4095
	Richest	93.6	.9	2008	98.4	.5	2262	96.2	.7	4270
Region	Lowland	85.6	1.3	5939	94.3	.8	6333	90.1	1.1	12272
	Foothill	79.4	.7	1081	92.5	.6	1142	86.1	.7	2223
	Mountain	62.1	1.7	2136	84.4	1.1	2334	73.7	1.4	4470
	Senqu Valley	68.8	1.7	465	80.8	1.3	536	75.2	1.5	1001
Area	Urban	91.6	.9	2165	96.4	.5	2513	94.2	.7	4678
	Rural	75.1	1.5	7456	89.5	1.0	7832	82.5	1.2	15288
Age	15-24	83.2	1.8	3507	96.6	.8	3223	89.6	1.3	6730
	25-34	82.7	.6	1889	95.8	.7	1936	89.4	.6	3825
	35-44	78.7	1.1	1453	93.1	.8	1652	86.3	.9	3105
	45-54	76.2	1.1	1175	90.9	.4	1401	84.2	.7	2576
	55-64	70.7	1.0	793	85.7	.8	959	78.9	.9	1752
	65+	62.9	2.5	804	70.5	2.1	1174	67.4	2.3	1978
Total		78.8	1.4	9621	91.2	.9	10345	85.2	1.1	19966

Table 13: Percentage of the population using improved drinking water sources, Lesotho, 2000

		Main source of water								
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well	Protected spring	Rainwater collection	Bottled water	Unprotected dug well
Region	Lowland	4.9	8.9	55.4	9.3	1.9	3.1	.3	.0	3.9
	Foothill	.3	.2	50.5	2.2	3.8	11.3	.2	.0	11.2
	Mountain	.6	4.7	44.8	.2	5.6	8.8	.0	.1	12.0
	Senqu Valley	.3	.9	60.9	.6	3.9	4.2	.3	.0	2.5
Area	Urban	12.0	25.0	44.3	4.2	.7	2.0	.1	.0	2.9
	Rural	.7	1.3	54.9	6.3	3.8	6.4	.2	.0	7.7
Total		3.1	6.5	52.6	5.9	3.1	5.4	.2	.0	6.6

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Lesotho, 2000

		Main source of water					Total	Total with safe drinking water	Number of persons
		Unprotected spring	Pond, river or stream	Tanker truck vendor	Other	Missing/DK			
Region	Lowland	9.4	.2	.4	2.2	.0	100.0	83.8	19456
	Foothill	18.0	2.3	.0	.0	.0	100.0	68.5	3772
	Mountain	22.5	.2	.0	.4	.0	100.0	64.7	7793
	Senqu Valley	23.2	2.5	.0	.0	.7	100.0	71.1	1723
Area	Urban	3.0	.1	.3	5.3	.0	100.0	88.4	7098
	Rural	17.4	.7	.2	.3	.0	100.0	73.6	25646
Total		14.3	.6	.2	1.4	.0	100.0	76.8	32744

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Lesotho, 2000

		Type of toilet facility								Total
		Flush to sewage system/septic tank	Pour flush latrine	Improved pit latrine	Traditional pit latrine	Open pit	Bucket	Other	No facilities/bush/field	
Region	Lowland	2.1	.9	22.5	44.7	2.6	.0	1.0	26.3	100.0
	Foothill	.0	.0	13.5	31.3	1.9	.0	1.2	52.2	100.0
	Mountain	.1	.2	9.0	11.6	2.3	.1	9.0	67.7	100.0
	Senqu Valley	.8	.0	13.9	19.9	6.2	.0	13.5	45.6	100.0
Area	Urban	4.7	2.3	36.9	44.0	1.2	.0	.7	10.2	100.0
	Rural	.4	.1	12.5	31.2	3.0	.0	4.4	48.4	100.0
Total		1.3	.6	17.8	34.0	2.6	.0	3.6	40.1	100.0

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Lesotho, 2000

		Total with sanitary means of excreta disposal	Number of persons
Region	Lowland	70.1	19456
	Foothill	44.7	3772
	Mountain	20.9	7793
	Senqu Valley	34.6	1723
Area	Urban	87.8	7098
	Rural	44.2	25646
Total		53.6	32744

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Lesotho, 2000

		Missing height or weight	Number of children
Wealth Index Quintiles	Poorest	3.3	723
	Second	7.1	798
	Middle	5.5	751
	Fourth	4.0	774
	Richest	6.2	690
Sex	Poorest	3.3	723
	Second	7.1	798
	Middle	5.5	751
	Fourth	4.0	774
	Richest	6.2	690
Sex	Male	5.0	1867
	Female	5.5	1867
Region	Lowland	4.7	2074
	Foothill	5.9	456
	Mountain	7.0	994
	Senqu Valley	1.0	210
Area	Urban	7.7	717
	Rural	4.7	3017
Age	< 6 months	7.9	369
	6-11 months	7.1	411
	12-23 months	5.2	762
	24-35 months	5.7	810
	36-47 months	3.2	711
Mother's education level	48-59 months	4.4	665
	None	8.1	246
	Primary	4.9	2471
Mother's education level	Secondary	5.3	1018
	Non-standard curriculum	.0	2
Total		5.2	3736

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Lesotho, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	26.4	6.7	55.1	28.9	6.7	1.1	568
	Second	21.6	4.9	49.9	23.1	5.8	2.0	607
	Middle	16.0	3.4	46.3	20.8	5.7	1.9	592
	Fourth	16.1	2.5	42.1	18.9	5.2	1.3	639
	Richest	8.9	1.6	33.8	14.2	3.8	.5	551
Sex	Poorest	26.4	6.7	55.1	28.9	6.7	1.1	568
	Second	21.6	4.9	49.9	23.1	5.8	2.0	607
	Middle	16.0	3.4	46.3	20.8	5.7	1.9	592
	Fourth	16.1	2.5	42.1	18.9	5.2	1.3	639
	Richest	8.9	1.6	33.8	14.2	3.8	.5	551
Region	Male	19.4	3.9	47.6	23.3	5.9	1.6	1487
	Female	16.3	3.7	43.4	19.0	5.0	1.1	1470
Area	Lowland	14.7	3.1	42.8	18.3	4.8	1.3	1706
	Foothill	21.4	3.9	53.0	27.7	3.6	.6	336
	Mountain	23.3	5.6	48.2	24.4	8.6	2.0	734
	Senqu Valley	19.3	3.3	46.4	23.2	2.2	.0	181
Age	Urban	13.3	3.2	39.0	16.9	5.7	.9	563
	Rural	18.9	4.0	47.0	22.2	5.4	1.5	2394
Mother's education level	< 6 months	3.3	.8	19.2	3.8	5.0	.8	240
	6-11 months	16.4	4.4	34.6	13.8	7.0	.7	298
	12-23 months	25.2	6.3	55.7	30.4	8.7	3.7	575
	24-35 months	19.8	4.0	44.4	21.5	5.3	1.3	678
	36-47 months	18.0	3.6	49.0	19.9	3.9	.3	618
Total	48-59 months	14.8	2.4	49.8	24.2	3.3	.7	547
	None	18.6	4.3	54.3	26.6	5.9	1.6	188
	Primary	20.3	4.8	47.5	22.5	5.8	1.6	1935
	Secondary	11.9	1.6	38.7	16.8	4.6	.7	832
	Non-standard curriculum	50.0	.0	50.0	.0	.0	.0	2
Total		17.9	3.8	45.5	21.2	5.4	1.4	2957

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Lesotho, 2000

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
Wealth Index Quintiles	Poorest	31.8	44	50.0	50	91.1	45	71.4	42
	Second	27.0	37	43.5	62	84.3	51	54.9	51
	Middle	15.9	44	52.6	57	81.3	48	54.1	37
	Fourth	20.0	50	53.4	73	89.7	58	63.1	65
	Richest	17.4	46	55.7	61	81.4	43	45.7	46
Sex	Male	29.4	109	54.2	144	83.8	130	60.2	123
	Female	15.2	112	48.4	159	87.8	115	55.9	118
Region	Lowland	19.5	133	55.2	172	84.1	138	56.3	144
	Foothill	20.0	25	63.4	41	81.3	32	54.3	35
	Mountain	27.8	54	29.0	69	91.2	57	62.3	53
	Senqu Valley	33.3	9	66.7	21	88.9	18	77.8	9
Area	Urban	18.2	44	48.5	68	76.6	47	52.2	46
	Rural	23.2	177	51.9	235	87.9	198	59.5	195
Mother's education level	None	18.2	11	50.0	14	100.0	10	52.6	19
	Primary	21.9	137	47.9	192	83.4	163	60.0	160
	Secondary	23.3	73	57.7	97	88.9	72	54.8	62
Total		22.2	221	51.2	303	85.7	245	58.1	241

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Lesotho, 2000

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	.0	18.8	13.8	57.5	10.0	100.0	80
2-3	2.3	21.7	7.8	58.1	10.1	100.0	129
4-5	4.3	5.7	6.4	50.0	33.6	100.0	140
6-7	6.2	2.1	3.4	37.0	51.4	100.0	146
8-9	9.1	6.3	4.2	24.5	55.9	100.0	143
10-11	4.9	1.9	4.9	21.4	67.0	100.0	103
12-13	12.0	3.0	4.5	26.3	54.1	100.0	133
14-15	10.9	.0	5.9	23.8	59.4	100.0	101
16-17	22.3	3.1	3.8	16.9	53.8	100.0	130
18-19	28.8	2.9	2.2	17.3	48.9	100.0	139
20-21	39.2	.8	1.7	13.3	45.0	100.0	120
22-23	39.4	1.0	2.9	5.8	51.0	100.0	104
24-25	66.0	.7	1.4	5.0	27.0	100.0	141
26-27	80.1	.7	.0	4.4	14.7	100.0	136
28-29	79.8	.9	.9	2.8	15.6	100.0	109
30-31	85.9	.0	.8	5.5	7.8	100.0	128
32-33	91.0	.8	.0	1.5	6.8	100.0	133
34-35	90.4	1.8	.0	2.6	5.3	100.0	114

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Lesotho, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	7.7	91.9	63.9	36.1	1494
	Second	5.0	94.2	45.1	54.9	1494
	Middle	3.9	92.4	28.0	72.0	1494
	Fourth	2.3	96.1	16.0	84.0	1494
	Richest	1.2	98.5	5.8	94.2	1495
Region	Lowland	2.9	95.6	22.9	77.1	4577
	Foothill	8.0	90.5	42.5	57.5	824
	Mountain	4.8	94.2	43.7	56.3	1682
	Senqu Valley	4.6	92.8	56.4	43.6	388
Area	Urban	1.4	97.3	8.9	91.1	1809
	Rural	4.9	93.7	38.8	61.2	5662
Total		4.0	94.6	31.3	68.7	7471

World Summit for Children Goal => Number 14

Table 17a: Percentage of population consuming adequately iodized salt, Lesotho, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	7.2	92.3	62.4	37.6	5962
	Second	4.4	95.3	45.5	54.5	6720
	Middle	3.8	95.5	29.4	70.6	6732
	Fourth	2.3	97.5	17.1	82.9	6652
	Richest	1.3	98.4	6.6	93.4	6678
Region	Lowland	2.6	97.1	23.1	76.9	19456
	Foothill	7.3	92.2	39.9	60.1	3772
	Mountain	4.8	94.8	42.5	57.5	7793
	Senqu Valley	4.5	94.8	55.4	44.6	1723
Area	Urban	.9	98.8	9.4	90.6	7098
	Rural	4.5	95.1	37.4	62.6	25646
Total		3.7	95.9	31.2	68.8	32744

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Lesotho, 2000

		Vitamin A				Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	15.2	7.2	1.8	75.7	100.0	610
	Second	14.2	7.2	1.0	77.5	100.0	681
	Middle	19.3	7.1	1.6	72.0	100.0	644
	Fourth	19.0	5.5	1.8	73.7	100.0	657
	Richest	17.2	5.5	2.9	74.3	100.0	580
Sex	Male	15.8	7.1	1.8	75.3	100.0	1600
	Female	18.2	5.9	1.8	74.1	100.0	1572
Region	Lowland	20.4	6.2	1.2	72.2	100.0	1765
	Foothill	18.8	5.8	2.0	73.4	100.0	394
	Mountain	10.7	8.3	2.4	78.6	100.0	824
	Senqu Valley	9.0	3.7	3.7	83.6	100.0	189
	Area	Urban	13.4	5.8	2.5	78.3	100.0
	Rural	17.8	6.7	1.6	73.8	100.0	2573
Age	6-11 months	2.2	.7	.7	96.3	100.0	402
	12-23 months	18.1	4.9	1.5	75.6	100.0	741
	24-35 months	18.6	9.0	2.0	70.4	100.0	768
	36-47 months	19.3	6.3	2.1	72.2	100.0	662
	48-59 months	20.9	9.5	2.3	67.3	100.0	599
Mother's education level	None	13.5	6.7	1.0	78.8	100.0	208
	Primary	16.5	6.5	1.6	75.5	100.0	2102
	Secondary	19.2	6.5	2.6	71.7	100.0	860
	Non-standard curriculum	.0	.0	.0	100.0	100.0	2
Total		17.0	6.5	1.8	74.7	100.0	3172

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Lesotho, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	12.0	.0	167
	Second	12.9	.0	170
	Middle	12.0	.0	158
	Fourth	12.9	.0	186
	Richest	16.0	.0	169
Region	Lowland	13.0	.0	485
	Foothill	13.9	.0	101
	Mountain	10.8	.0	222
	Senqu Valley	26.8	.0	41
Area	Urban	16.4	.0	177
	Rural	12.4	.0	672
Woman's education level	Primary	16.3	.0	43
	Secondary/High	13.0	.0	784
	Higher/Tertiary	13.6	.0	22
	Missing/DK	.0	.0	1
Total		13.2	.0	850

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth Index Quintiles	Poorest	7.2	40.1	14.4	38.3
	Second	5.3	50.0	11.8	32.9
	Middle	7.0	55.7	7.6	29.7
	Fourth	9.1	63.4	9.1	18.3
	Richest	7.7	69.2	7.7	15.4
Region	Lowland	7.8	60.2	9.3	22.7
	Foothill	5.9	57.4	12.9	23.8
	Mountain	7.2	48.2	9.5	35.1
	Senqu Valley	4.9	43.9	14.6	36.6
Area	Urban	7.3	72.3	8.5	11.9
	Rural	7.3	51.6	10.4	30.7
Woman's education level	Primary	11.6	34.9	20.9	32.6
	Secondary/High	6.9	56.5	9.6	27.0
	Higher/Tertiary	13.6	72.7	9.1	4.5
	Missing/DK	.0	100.0	.0	.0
Total		7.3	55.9	10.1	26.7

Table 20a. Birth weight and size at birth

		Size of child						Total	Number
		Very large	Larger than average	Average	Smaller than average	Very small	99		
Wealth Index Quintiles	Poorest	5.7	7.5	64.2	10.7	7.5	4.4	100.0	159
	Second	9.0	9.0	66.5	7.8	4.8	3.0	100.0	167
	Middle	8.2	16.3	60.5	7.5	4.8	2.7	100.0	147
	Fourth	7.2	10.5	69.6	7.7	3.9	1.1	100.0	181
	Richest	8.7	12.4	64.0	9.9	2.5	2.5	100.0	161
Region	Lowland	8.6	10.1	66.2	9.7	3.7	1.7	100.0	464
	Foothill	11.3	9.3	61.9	5.2	4.1	8.2	100.0	97
	Mountain	3.8	12.7	66.2	8.0	7.0	2.3	100.0	213
	Senqu Valley	10.0	17.5	55.0	10.0	5.0	2.5	100.0	40
Area	Urban	4.1	12.4	68.0	10.7	2.4	2.4	100.0	169
	Rural	8.7	10.7	64.3	8.2	5.3	2.8	100.0	645
Woman's education level	Primary	15.0	10.0	47.5	17.5	2.5	7.5	100.0	40
	Secondary/High	7.6	11.3	66.0	8.1	4.5	2.5	100.0	753
	Higher/Tertiary	.0	4.8	71.4	14.3	9.5	.0	100.0	21
	Missing/DK	.0	.0	.0	.0	100.0	.0	100.0	1
Total		7.7	11.0	65.2	8.7	4.7	2.7	100.0	815

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Lesotho, 2000

BCG	Vaccination Card	83.1
	Mother's Report	8.4
	Not vaccinated	8.5
DPT1	Vaccination Card	81.9
	Mother's Report	8.5
	Not vaccinated	9.6
DPT2	Vaccination Card	81.8
	Mother's Report	7.2
	Not vaccinated	11.0
DPT3	Vaccination Card	79.9
	Mother's Report	5.5
	Not vaccinated	14.6
Polio 0	Vaccination Card	62.9
	Mother's Report	4.1
	Not vaccinated	33.1
Polio 1	Vaccination Card	82.2
	Mother's Report	7.0
	Not vaccinated	10.9
Polio 2	Vaccination Card	81.5
	Mother's Report	5.9
	Not vaccinated	12.6
Polio 3	Vaccination Card	79.4
	Mother's Report	4.1
	Not vaccinated	16.5
Measles	Vaccination Card	69.6
	Mother's Report	7.6
	Not vaccinated	22.8
All vaccinations	Vaccination Card	67.8
	Mother's Report	3.3
	Doesn't have all vaccinations	28.9
No vaccinations	Vaccination Card	1.0
	Mother's Report	6.6
	Has some vaccinations	92.4
Number of children		762.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Lesotho, 2000

BCG	98.9
DPT 1	97.9
DPT 2	98.6
DPT 3	98.2
Polio 0	99.4
Polio 1	98.4
Polio 2	98.4
Polio 3	98.7
Measles	92.3
All vaccinations	88.1
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Lesotho, 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	83.1	81.9	81.8	79.9	62.9	82.2	81.5	79.4	69.6	67.8	1.0	762.0
Mother's report	8.4	8.5	7.2	5.5	4.1	7.0	5.9	4.1	7.6	3.3	6.6	762.0
Either	91.5	90.4	89.0	85.4	66.9	89.1	87.4	83.5	77.2	71.1	7.6	762.0
Vaccinated by 12 months of age	90.5	88.5	87.7	83.9	99.4	87.7	86.0	82.4	71.2	62.7	7.6	762.0

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Lesotho, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None
Wealth Index Quintiles	Poorest	91.0	87.5	86.8	78.5	52.8	86.8	86.1	79.9	67.4	61.1	8.3
	Second	88.1	86.8	84.9	82.4	51.6	84.9	81.8	79.2	73.6	68.6	11.9
	Middle	91.3	91.3	89.1	83.3	64.5	89.1	86.2	81.9	81.9	72.5	7.2
	Fourth	92.6	93.8	91.5	90.3	80.1	92.0	90.9	86.9	81.3	75.6	5.1
	Richest	94.5	92.4	92.4	91.7	84.1	92.4	91.7	89.0	81.4	77.2	5.5
Sex	Male	91.9	89.6	88.3	84.6	64.3	89.1	87.8	83.3	77.3	71.6	7.8
	Female	91.0	91.3	89.7	86.2	69.6	89.2	87.0	83.6	77.0	70.6	7.4
Region	Lowland	93.0	92.3	90.5	88.0	73.1	91.4	89.6	85.6	79.5	73.8	5.6
	Foothill	89.0	89.0	86.8	82.4	67.0	84.6	79.1	76.9	75.8	65.9	11.0
	Mountain	88.5	86.5	86.5	82.3	52.6	85.9	86.5	83.3	75.0	69.8	10.9
	Senqu Valley	94.4	91.7	88.9	77.8	66.7	88.9	86.1	75.0	63.9	58.3	5.6
Area	Urban	94.1	94.7	93.4	91.4	85.5	92.8	92.8	87.5	81.6	76.3	5.3
	Rural	90.8	89.3	87.9	83.9	62.3	88.2	86.1	82.5	76.1	69.8	8.2
Mother's education level	None	87.8	82.9	82.9	68.3	41.5	82.9	78.0	68.3	70.7	56.1	12.2
	Primary	90.1	88.3	86.5	83.6	62.8	86.7	85.3	81.8	74.1	68.3	9.1
	Secondary	95.1	96.5	95.6	92.5	80.5	95.6	93.8	89.8	85.0	80.1	3.5
Total		91.5	90.4	89.0	85.4	66.9	89.1	87.4	83.5	77.2	71.1	7.6

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Lesotho, 2000

		% with health card	Number of children
Wealth Index Quintiles	Poorest	77.1	144
	Second	81.8	159
	Middle	87.0	138
	Fourth	89.2	176
	Richest	89.0	145
Sex	Male	84.4	384
	Female	85.4	378
Region	Lowland	86.2	443
	Foothill	84.6	91
	Mountain	81.8	192
	Senqu Valley	86.1	36
Area	Urban	89.5	152
	Rural	83.8	610
Mother's education level	None	75.6	41
	Primary	82.4	495
	Secondary	92.0	226
Total		84.9	762

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Lesotho, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding
Wealth Index Quintiles	Poorest	23.4	723	50.9	57.4	44.4	52.7	33.7	50.9
	Second	22.1	798	47.2	55.1	46.6	50.0	32.4	44.9
	Middle	16.0	751	45.8	56.7	37.5	54.2	33.3	50.0
	Fourth	13.8	774	41.1	60.7	34.6	53.3	36.4	49.5
	Richest	9.9	690	55.9	61.8	41.2	67.6	50.0	58.8
Sex	Male	17.9	1867	49.0	59.4	42.1	51.9	34.0	50.7
	Female	16.3	1867	46.6	55.7	41.3	56.1	37.0	48.5
Region	Lowland	12.2	2074	45.3	58.7	33.1	56.7	33.9	50.4
	Foothill	17.5	456	43.8	65.0	32.5	63.8	27.5	51.3
	Mountain	26.6	994	51.9	54.2	51.1	50.8	40.5	48.5
	Senqu Valley	20.0	210	45.2	59.5	52.4	38.1	28.6	50.0
Area	Urban	8.9	717	48.4	53.1	35.9	68.8	40.6	50.0
	Rural	19.1	3017	47.7	58.2	42.4	52.3	34.9	49.7
Age	< 6 months	10.8	369	87.5	25.0	20.0	42.5	25.0	40.0
	6-11 months	26.3	411	84.3	58.3	42.6	63.0	28.7	48.1
	12-23 months	25.6	762	70.3	63.1	37.4	59.5	33.8	47.2
	24-35 months	19.1	810	21.9	58.7	47.7	50.3	45.8	54.2
	36-47 months	11.0	711	2.6	56.4	39.7	46.2	32.1	53.8
	48-59 months	9.6	665	10.9	59.4	54.7	46.9	37.5	50.0
Mother's education level	None	23.2	246	42.1	64.9	45.6	50.9	29.8	47.4
	Primary	18.9	2471	47.4	56.2	42.1	52.1	34.4	49.4
	Secondary	11.3	1018	52.2	60.0	38.3	62.6	42.6	52.2
	Non-standard curriculum	.0	2
Total		17.1	3737	47.8	57.7	41.7	53.9	35.5	49.7

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Lesotho, 2000

		Any recommended treatment	No treatment	Number of children with diarrhea
				1.00
Wealth Index Quintiles	Poorest	97.6	2.4	169
	Second	94.9	5.1	176
	Middle	91.7	8.3	120
	Fourth	91.6	8.4	107
	Richest	97.1	2.9	68
Sex	Male	93.1	6.9	335
	Female	96.4	3.6	305
Region	Lowland	93.3	6.7	254
	Foothill	95.0	5.0	80
	Mountain	95.5	4.5	264
	Senqu Valley	97.6	2.4	42
Area	Urban	93.8	6.3	64
	Rural	94.8	5.2	576
Age	< 6 months	95.0	5.0	40
	6-11 months	99.1	.9	108
	12-23 months	96.9	3.1	195
	24-35 months	92.3	7.7	155
	36-47 months	88.5	11.5	78
	48-59 months	93.8	6.3	64
Mother's education level	None	94.7	5.3	57
	Primary	95.1	4.9	468
	Secondary	93.0	7.0	115
	Non-standard curriculum	.	.	0
Total		94.7	5.3	640

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Lesotho, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	23.4	723	19.5	77.5	3.0	100.0
	Second	22.1	798	22.7	68.8	8.5	100.0
	Middle	16.0	751	16.7	77.5	5.8	100.0
	Fourth	13.8	774	13.1	84.1	2.8	100.0
	Richest	9.9	690	16.2	77.9	5.9	100.0
Sex	Male	17.9	1867	20.6	72.8	6.6	100.0
	Female	16.3	1867	16.1	80.0	3.9	100.0
Region	Lowland	12.2	2074	19.7	76.0	4.3	100.0
	Foothill	17.5	456	10.0	80.0	10.0	100.0
	Mountain	26.6	994	19.3	75.8	4.9	100.0
	Senqu Valley	20.0	210	21.4	73.8	4.8	100.0
Area	Urban	8.9	717	12.5	79.7	7.8	100.0
	Rural	19.1	3017	19.1	75.9	5.0	100.0
Age	< 6 months	10.8	369	7.5	85.0	7.5	100.0
	6-11 months	26.3	411	15.7	79.6	4.6	100.0
	12-23 months	25.6	762	15.9	80.0	4.1	100.0
	24-35 months	19.1	810	21.9	74.2	3.9	100.0
	36-47 months	11.0	711	26.9	65.4	7.7	100.0
	48-59 months	9.6	665	18.8	71.9	9.4	100.0
Mother's education level	None	23.2	246	24.6	73.7	1.8	100.0
	Primary	18.9	2471	18.2	76.1	5.8	100.0
	Secondary	11.3	1018	16.5	78.3	5.2	100.0
	Non-standard curriculum	.0	2	.0	.0	.0	.0
Total		17.1	3737	18.4	76.3	5.3	100.0

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Lesotho, 2000

		Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea
		somewhat less/same/more	Much less/none	Missing/DK			
							1.00
Wealth Index Quintiles	Poorest	34.9	63.9	1.2	100.0	9.5	169
	Second	37.5	58.0	4.5	100.0	13.6	176
	Middle	35.8	58.3	5.8	100.0	9.2	120
	Fourth	32.7	63.6	3.7	100.0	6.5	107
	Richest	32.4	63.2	4.4	100.0	7.4	68
Sex	Male	35.8	60.3	3.9	100.0	10.1	335
	Female	34.4	62.0	3.6	100.0	9.5	305
Region	Lowland	39.0	56.7	4.3	100.0	11.8	254
	Foothill	32.5	63.8	3.8	100.0	3.8	80
	Mountain	35.2	61.4	3.4	100.0	10.2	264
	Senqu Valley	16.7	81.0	2.4	100.0	7.1	42
Area	Urban	35.9	56.3	7.8	100.0	6.3	64
	Rural	35.1	61.6	3.3	100.0	10.2	576
Age	< 6 months	45.0	50.0	5.0	100.0	5.0	40
	6-11 months	38.0	61.1	.9	100.0	10.2	108
	12-23 months	29.7	65.6	4.6	100.0	7.7	195
	24-35 months	32.9	63.2	3.9	100.0	11.0	155
	36-47 months	46.2	47.4	6.4	100.0	15.4	78
	48-59 months	32.8	65.6	1.6	100.0	9.4	64
Mother's education level	None	40.4	56.1	3.5	100.0	14.0	57
	Primary	33.1	63.5	3.4	100.0	9.4	468
	Secondary	40.9	53.9	5.2	100.0	9.6	115
	Non-standard curriculum	.0	.0	.0	.0	.	0
Total		35.2	61.1	3.8	100.0	9.8	640

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Lesotho, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Mobile/outreach clinic
Wealth Index Quintiles	Poorest	7.3	723	7.5	34.0	3.8	1.9	.0	1.9
	Second	7.9	798	11.1	20.6	4.8	3.2	.0	.0
	Middle	6.9	751	3.8	30.8	13.5	.0	1.9	.0
	Fourth	5.2	774	15.0	37.5	7.5	2.5	2.5	.0
	Richest	6.8	690	14.9	27.7	14.9	.0	.0	.0
Sex	Male	7.5	1867	12.9	25.7	7.9	2.1	1.4	.7
	Female	6.2	1867	7.0	33.9	9.6	.9	.0	.0
Region	Lowland	6.5	2074	14.2	27.6	11.9	.7	.7	.7
	Foothill	6.4	456	3.4	24.1	10.3	3.4	.0	.0
	Mountain	7.6	994	5.3	34.2	1.3	2.6	1.3	.0
Area	Senqu Valley	7.6	210	12.5	31.3	12.5	.0	.0	.0
	Urban	5.9	717	16.7	23.8	9.5	.0	.0	.0
	Rural	7.1	3017	8.9	30.5	8.5	1.9	.9	.5
Age	< 6 months	3.8	369	21.4	35.7	14.3	.0	.0	.0
	6-11 months	8.5	411	20.0	37.1	5.7	2.9	.0	.0
	12-23 months	9.2	762	7.1	40.0	10.0	.0	1.4	.0
	24-35 months	6.3	810	9.8	23.5	11.8	.0	2.0	2.0
	36-47 months	6.6	711	6.4	23.4	2.1	2.1	.0	.0
Mother's education level	48-59 months	5.7	665	7.9	15.8	10.5	5.3	.0	.0
	None	7.3	246	5.6	44.4	.0	5.6	.0	.0
	Primary	7.4	2471	8.7	30.1	7.7	1.6	.5	.5
	Secondary	5.3	1018	16.7	22.2	14.8	.0	1.9	.0
	Non-standard curriculum	.0	2
Total		6.8	3737	10.2	29.4	8.6	1.6	.8	.4

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Lesotho, 2000

		Private physician	Traditional healer	Other	Any appropriate provider	Number of children with ARI
						1.00
Wealth Index Quintiles	Poorest	.0	3.8	13.2	43.4	53
	Second	.0	1.6	9.5	39.7	63
	Middle	.0	5.8	3.8	48.1	52
	Fourth	5.0	2.5	7.5	60.0	40
	Richest	4.3	.0	2.1	59.6	47
Sex	Male	2.9	2.9	7.9	48.6	140
	Female	.0	2.6	7.0	49.6	115
Region	Lowland	2.2	3.7	5.2	54.5	134
	Foothill	.0	6.9	3.4	41.4	29
	Mountain	.0	.0	13.2	43.4	76
	Senqu Valley	6.3	.0	6.3	43.8	16
Area	Urban	2.4	.0	4.8	52.4	42
	Rural	1.4	3.3	8.0	48.4	213
Age	< 6 months	.0	.0	.0	71.4	14
	6-11 months	2.9	.0	5.7	62.9	35
	12-23 months	.0	1.4	11.4	54.3	70
	24-35 months	2.0	5.9	5.9	45.1	51
	36-47 months	2.1	2.1	8.5	34.0	47
	48-59 months	2.6	5.3	5.3	42.1	38
Mother's education level	None	5.6	5.6	11.1	61.1	18
	Primary	1.6	2.7	6.6	45.9	183
	Secondary	.0	1.9	9.3	55.6	54
	Non-standard curriculum	0
Total		1.6	2.7	7.5	49.0	255

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Lesotho, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	35.8	723	17.0	81.1	1.9	100.0
	Second	39.7	798	18.9	76.3	4.7	100.0
	Middle	32.1	751	13.7	83.4	2.9	100.0
	Fourth	32.8	774	12.2	86.2	1.6	100.0
	Richest	26.7	690	14.1	82.6	3.3	100.0
Sex	Male	34.1	1867	16.3	80.2	3.5	100.0
	Female	33.1	1867	14.6	83.0	2.4	100.0
Region	Lowland	30.1	2074	15.5	82.2	2.2	100.0
	Foothill	36.4	456	10.2	84.9	4.8	100.0
	Mountain	39.6	994	17.0	79.7	3.3	100.0
	Senqu Valley	33.8	210	18.3	78.9	2.8	100.0
Area	Urban	24.5	717	13.1	82.4	4.5	100.0
	Rural	35.8	3017	15.8	81.5	2.7	100.0
Age	< 6 months	24.9	369	4.3	92.4	3.3	100.0
	6-11 months	44.0	411	11.0	86.2	2.8	100.0
	12-23 months	42.4	762	13.3	83.9	2.8	100.0
	24-35 months	35.2	810	19.6	78.2	2.1	100.0
	36-47 months	27.8	711	21.7	74.2	4.0	100.0
Mother's education level	48-59 months	26.5	665	15.9	80.7	3.4	100.0
	None	34.1	246	21.4	77.4	1.2	100.0
	Primary	34.9	2471	15.5	81.3	3.1	100.0
	Secondary	30.3	1018	13.6	83.4	2.9	100.0
	Non-standard curriculum	50.0	2	.0	100.0	.0	100.0
Total		33.6	3737	15.4	81.6	2.9	100.0

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Lesotho, 2000

		Eating during illness			Total	Received increased fluids and continued eating	Number of sick children 1.00
		somewhat less/same/more	Much less/none	Missing/DK			
Wealth Index Quintiles	Poorest	32.4	66.4	1.2	100.0	7.3	259
	Second	36.9	60.3	2.8	100.0	9.1	317
	Middle	35.7	60.6	3.7	100.0	7.1	241
	Fourth	37.0	60.6	2.4	100.0	5.9	254
	Richest	37.0	60.3	2.7	100.0	5.4	184
Sex	Male	35.2	62.5	2.4	100.0	7.2	637
	Female	36.4	60.8	2.8	100.0	7.1	618
Region	Lowland	40.7	56.9	2.4	100.0	7.5	624
	Foothill	30.1	68.1	1.8	100.0	3.6	166
	Mountain	33.8	63.2	3.0	100.0	8.4	394
Area	Senqu Valley	16.9	80.3	2.8	100.0	5.6	71
	Urban	38.1	57.4	4.5	100.0	5.7	176
Age	Rural	35.4	62.4	2.2	100.0	7.4	1079
	< 6 months	43.5	51.1	5.4	100.0	3.3	92
	6-11 months	36.5	62.4	1.1	100.0	6.6	181
	12-23 months	29.7	67.2	3.1	100.0	5.9	323
	24-35 months	34.0	63.9	2.1	100.0	9.1	285
	36-47 months	42.9	53.0	4.0	100.0	9.6	198
	48-59 months	36.9	62.5	.6	100.0	6.3	176
Mother's education level	None	35.7	61.9	2.4	100.0	10.7	84
	Primary	34.2	63.4	2.4	100.0	7.4	863
	Secondary	40.3	56.8	2.9	100.0	5.5	308
	Non-standard curriculum	.0	100.0	.0	100.0	.0	1
Total		35.7	61.7	2.5	100.0	7.2	1256

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Lesotho, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly
Wealth Index Quintiles	Poorest	19.9	30.2	66.0	38.0	29.1	12.4	7.9
	Second	25.8	27.0	60.5	35.3	34.1	13.5	10.1
	Middle	26.1	26.2	61.3	32.7	26.9	14.4	9.8
	Fourth	26.4	27.0	63.7	30.4	27.5	16.4	9.7
	Richest	26.3	23.3	62.0	29.6	25.3	15.5	7.3
Region	Lowland	24.6	21.8	60.5	25.7	23.9	14.3	6.4
	Foothill	28.3	26.2	53.3	26.2	23.6	8.7	11.0
	Mountain	21.4	33.3	71.7	49.5	39.8	15.7	9.9
	Senqu Valley	38.6	48.5	62.6	49.1	37.4	22.8	26.9
Area	Urban	21.9	24.6	61.6	26.1	23.0	12.3	7.2
	Rural	25.8	27.3	62.8	34.9	30.1	15.0	9.5
Mother's education level	None	24.0	36.8	68.1	32.4	34.3	15.7	9.3
	Primary	24.4	26.5	61.2	34.3	28.4	14.0	9.3
	Secondary	26.7	24.9	64.5	30.9	27.7	15.3	8.0
	Non-standard curriculum	.0	.0	100.0	50.0	100.0	.0	50.0
Total		25.0	26.7	62.6	33.2	28.6	14.5	9.0

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Lesotho, 2000

		Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	60.0	573
	Second	59.5	666
	Middle	57.5	633
	Fourth	57.0	647
	Richest	50.7	605
Region	Lowland	50.8	1768
	Foothill	55.6	381
	Mountain	68.8	802
	Senqu Valley	67.8	171
Area	Urban	44.8	625
	Rural	60.0	2497
Mother's education level	None	61.3	204
	Primary	56.8	2035
	Secondary	56.4	884
	Non-standard curriculum	100.0	2
Total		57.0	3125

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Lesotho, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women
								1.00
Wealth Index Quintiles	Poorest	72.4	38.9	43.4	34.9	47.4	52.6	1059
	Second	81.3	47.0	51.9	43.2	55.8	44.2	1250
	Middle	86.4	53.0	63.6	50.3	66.3	33.7	1346
	Fourth	90.2	58.5	67.4	54.4	71.4	28.6	1418
	Richest	92.6	66.8	75.5	62.4	80.0	20.0	1668
Region	Lowland	89.6	58.9	67.7	54.8	71.8	28.2	4052
	Foothill	84.4	51.8	59.4	48.7	62.5	37.5	739
	Mountain	76.9	44.8	50.8	41.2	54.4	45.6	1609
	Senqu Valley	81.4	48.8	53.0	45.3	56.5	43.5	338
Area	Urban	91.6	63.7	73.8	60.1	77.4	22.6	1712
	Rural	83.5	51.0	58.0	47.1	61.9	38.1	5026
Age	15-19	75.8	43.8	50.4	40.0	54.2	45.8	1413
	20-24	86.7	56.4	65.4	53.3	68.5	31.5	1384
	25-29	87.4	58.7	65.9	54.0	70.6	29.4	1024
	30-34	90.5	59.8	68.4	55.9	72.3	27.7	798
	35-39	87.8	54.9	64.5	51.4	68.0	32.0	860
	40-44	90.8	57.4	63.5	53.4	67.5	32.5	693
	45-49	87.5	54.9	61.6	50.7	65.8	34.2	552
Woman's education level	Primary	61.5	31.2	34.2	28.9	36.5	63.5	301
	Secondary/High	86.4	54.8	62.7	51.0	66.5	33.5	6230
	Higher/Tertiary	99.5	76.0	84.7	68.9	91.8	8.2	183
	Non-standard curriculum	75.0	.0	25.0	.0	25.0	75.0	4
	Vocational	62.5	50.0	62.5	50.0	62.5	37.5	8
	Missing/DK	73.3	40.0	66.7	40.0	66.7	33.3	15
Total		85.6	54.3	62.0	50.4	65.8	34.2	6741

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Lesotho, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women
									1.00
Wealth Index Quintiles	Poorest	62.9	30.8	34.8	21.4	13.8	40.2	59.8	224
	Second	71.4	38.3	42.9	33.1	22.2	48.5	51.5	266
	Middle	77.5	43.7	52.6	39.7	30.1	55.6	44.4	302
	Fourth	77.5	45.0	51.7	38.1	28.1	57.0	43.0	302
	Richest	85.3	56.4	64.3	51.1	38.9	71.2	28.8	319
Region	Lowland	79.6	47.9	54.3	42.8	31.2	60.3	39.7	849
	Foothill	78.1	40.6	50.6	37.5	27.5	54.4	45.6	160
	Mountain	65.0	34.1	40.2	26.0	18.4	44.7	55.3	331
	Senqu Valley	75.3	46.6	50.7	34.2	27.4	53.4	46.6	73
Area	Urban	82.8	50.5	60.2	45.5	36.4	64.3	35.7	319
	Rural	73.8	41.9	47.5	35.6	25.0	53.1	46.9	1094
Age	15-19	75.8	43.8	50.4	37.8	27.6	55.6	44.4	1413
Woman's education level	Primary	47.4	28.9	28.9	21.1	18.4	31.6	68.4	38
	Secondary/High	76.5	44.1	50.9	38.2	27.8	56.0	44.0	1360
	Higher/Tertiary	100.0	70.0	70.0	50.0	40.0	100.0	.0	10
	Non-standard curriculum	100.0	.0	.0	.0	.0	.0	100.0	1
	Vocational	.0	.0	.0	.0	.0	.0	100.0	1
	Missing/DK	66.7	33.3	66.7	66.7	33.3	66.7	33.3	3
Total		75.8	43.8	50.4	37.8	27.6	55.6	44.4	1413

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Lesotho, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women 1.00
Wealth Index Quintiles	Poorest	72.4	42.0	28.0	31.4	15.7	51.4	48.6	1059
	Second	81.3	50.2	32.2	37.5	15.8	61.4	38.6	1250
	Middle	86.4	59.7	35.8	49.6	22.3	70.6	29.4	1346
	Fourth	90.2	66.6	37.9	57.1	24.8	78.2	21.8	1418
	Richest	92.6	74.5	46.3	70.0	35.0	86.8	13.2	1668
Region	Lowland	89.6	66.3	39.7	56.7	26.1	77.6	22.4	4052
	Foothill	84.4	56.6	34.2	45.6	20.7	67.7	32.3	739
	Mountain	76.9	49.8	32.6	41.0	20.2	60.0	40.0	1609
	Senqu Valley	81.4	45.6	29.9	45.0	18.6	60.7	39.3	338
Area	Urban	91.6	71.6	43.9	67.6	33.0	83.5	16.5	1712
	Rural	83.5	56.4	34.5	45.5	20.6	67.4	32.6	5026
Age	15-19	75.8	47.8	31.3	39.8	18.5	58.0	42.0	1413
	20-24	86.7	64.2	40.5	52.5	25.9	74.8	25.2	1384
	25-29	87.4	65.2	40.9	54.2	26.1	76.3	23.7	1024
	30-34	90.5	67.2	40.2	59.1	28.4	78.2	21.8	798
	35-39	87.8	60.3	34.8	52.6	22.0	73.0	27.0	860
	40-44	90.8	62.3	35.6	55.0	22.7	75.5	24.5	693
	45-49	87.5	60.7	35.7	52.2	24.6	71.7	28.3	552
Woman's education level	Primary	61.5	31.6	22.9	25.9	10.0	42.9	57.1	301
	Secondary/High	86.4	60.9	36.8	51.3	23.3	72.2	27.8	6230
	Higher/Tertiary	99.5	90.2	66.7	89.6	60.1	98.4	1.6	183
	Non-standard curriculum	75.0	25.0	25.0	50.0	25.0	50.0	50.0	4
	Vocational	62.5	12.5	25.0	37.5	12.5	37.5	62.5	8
	Missing/DK	73.3	53.3	26.7	26.7	13.3	60.0	40.0	15
Total		85.6	60.3	36.9	51.1	23.7	71.5	28.5	6741

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Lesotho, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women
								1.00
Wealth Index Quintiles	Poorest	51.0	50.0	44.3	43.3	38.5	49.3	1059
	Second	60.3	57.8	50.8	52.0	44.9	39.9	1250
	Middle	68.6	67.0	58.2	56.9	50.7	31.9	1346
	Fourth	77.0	75.6	66.3	62.6	55.1	23.2	1418
	Richest	83.3	81.8	72.5	66.4	59.7	17.0	1668
Region	Lowland	75.8	74.1	66.5	61.3	55.6	24.6	4052
	Foothill	68.3	66.8	59.4	57.0	51.6	32.1	739
	Mountain	56.0	54.8	45.1	48.6	40.2	44.1	1609
	Senqu Valley	65.1	62.1	51.2	53.0	42.6	35.2	338
Area	Urban	79.0	77.5	69.3	64.0	57.6	21.3	1712
	Rural	66.5	64.9	56.7	55.1	48.5	33.8	5026
Age	15-19	52.4	49.7	43.0	42.9	36.9	48.6	1413
	20-24	72.2	70.1	60.3	59.3	51.4	28.0	1384
	25-29	73.9	72.5	64.3	61.3	55.1	26.5	1024
	30-34	80.3	79.9	69.3	66.2	59.8	19.7	798
	35-39	73.4	72.3	65.0	60.3	54.0	26.6	860
	40-44	76.3	74.9	67.5	62.3	55.7	23.8	693
Woman's education level	45-49	71.0	70.3	62.7	59.2	53.4	29.0	552
	Primary	43.9	42.5	35.9	36.5	29.9	56.8	301
	Secondary/High	70.3	68.7	60.3	58.0	51.4	30.0	6230
	Higher/Tertiary	94.0	91.3	85.8	72.1	66.7	6.0	183
	Non-standard curriculum	50.0	50.0	25.0	25.0	25.0	50.0	4
Total	Vocational	62.5	62.5	62.5	50.0	50.0	37.5	8
	Missing/DK	66.7	66.7	66.7	60.0	60.0	33.3	15
Total		69.7	68.1	59.9	57.4	50.9	30.6	6741

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Lesotho, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women 1.00
Wealth Index Quintiles	Poorest	48.8	55.3	57.8	42.2	1059
	Second	55.6	62.5	65.7	34.3	1250
	Middle	51.5	62.7	66.1	33.9	1346
	Fourth	50.1	63.2	66.7	33.3	1418
	Richest	38.4	55.5	59.8	40.2	1668
Region	Lowland	46.8	60.8	64.3	35.7	4052
	Foothill	52.0	60.4	64.5	35.5	739
	Mountain	50.4	58.0	60.9	39.1	1609
	Senqu Valley	47.6	55.3	59.8	40.2	338
Area	Urban	39.3	55.0	59.0	41.0	1712
	Rural	51.3	61.4	64.7	35.3	5026
Age	15-19	42.1	54.5	57.0	43.0	1413
	20-24	46.3	57.9	62.5	37.5	1384
	25-29	46.9	56.9	59.8	40.2	1024
	30-34	52.4	65.8	70.1	29.9	798
	35-39	51.6	60.7	65.0	35.0	860
	40-44	55.4	68.8	70.9	29.1	693
	45-49	51.8	62.3	65.9	34.1	552
Woman's education level	Primary	47.2	49.8	52.8	47.2	301
	Secondary/High	49.1	60.8	64.3	35.7	6230
	Higher/Tertiary	23.5	42.6	47.5	52.5	183
	Non-standard curriculum	.0	50.0	50.0	50.0	4
	Vocational	37.5	50.0	50.0	50.0	8
	Missing/DK	66.7	66.7	66.7	33.3	15
Total		48.3	59.8	63.3	36.7	6741

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Lesotho, 2000

		Heard of AIDS	Know 2 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
Wealth Index Quintiles	Poorest	72.4	34.9	15.7	12.3	1059
	Second	81.3	43.2	15.8	12.4	1250
	Middle	86.4	50.3	22.3	18.0	1346
	Fourth	90.2	54.4	24.8	19.1	1418
	Richest	92.6	62.4	35.0	28.2	1668
Region	Lowland	89.6	54.8	26.1	20.7	4052
	Foothill	84.4	48.7	20.7	15.6	739
	Mountain	76.9	41.2	20.2	16.1	1609
	Senqu Valley	81.4	45.3	18.6	17.2	338
Area	Urban	91.6	60.1	33.0	26.7	1712
	Rural	83.5	47.1	20.6	16.2	5026
Age	15-19	75.8	40.0	18.5	14.4	1413
	20-24	86.7	53.3	25.9	20.8	1384
	25-29	87.4	54.0	26.1	20.0	1024
	30-34	90.5	55.9	28.4	23.1	798
	35-39	87.8	51.4	22.0	17.6	860
	40-44	90.8	53.4	22.7	18.3	693
Woman's education level	45-49	87.5	50.7	24.6	19.6	552
	Primary	61.5	28.9	10.0	9.0	301
	Secondary/High	86.4	51.0	23.3	18.6	6230
	Higher/Tertiary	99.5	68.9	60.1	44.8	183
	Non-standard curriculum	75.0	.0	25.0	.0	4
	Vocational	62.5	50.0	12.5	12.5	8
	Missing/DK	73.3	40.0	13.3	6.7	15
Total		85.6	50.4	23.7	18.8	6741

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Lesotho, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women
					1.00
Wealth Index Quintiles	Poorest	45.9	7.6	58.0	1059
	Second	51.8	8.3	64.4	1250
	Middle	56.5	11.1	72.0	1346
	Fourth	62.7	12.9	77.6	1418
	Richest	68.7	17.3	85.1	1668
Region	Lowland	60.3	12.9	78.4	4052
	Foothill	55.6	13.1	71.1	739
	Mountain	54.9	8.8	66.9	1609
	Senqu Valley	56.8	13.6	80.4	338
Area	Urban	66.8	15.9	86.8	1712
	Rural	55.4	10.6	69.9	5026
Age	15-19	43.2	5.9	63.9	1413
	20-24	59.8	11.6	73.3	1384
	25-29	64.2	15.4	79.7	1024
	30-34	65.9	14.9	80.7	798
	35-39	63.0	15.1	80.0	860
	40-44	63.9	15.0	69.2	693
	45-49	57.6	9.4	78.8	552
Woman's education level	Primary	35.2	6.6	80.0	301
	Secondary/High	58.6	11.8	74.3	6230
	Higher/Tertiary	88.0	26.8	91.8	183
	Non-standard curriculum	50.0	50.0	100.0	4
	Vocational	37.5	12.5	100.0	8
	Missing/DK	46.7	.0	.	15
Total		58.3	12.0	75.6	6741

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Lesotho, 2000

		Current method								
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Implants	Condom	Female condom
Wealth Index Quintiles	Poorest	86.5	.3	.0	3.5	.5	6.9	.0	1.0	.0
	Second	77.1	.3	.0	7.2	.7	11.7	.0	2.0	.0
	Middle	70.1	1.1	.1	9.0	2.3	15.3	.0	1.1	.1
	Fourth	64.7	2.1	.1	12.8	1.9	14.5	.1	3.0	.0
	Richest	55.9	2.3	.0	12.7	6.4	18.8	.3	1.7	.0
Region	Lowland	62.4	1.8	.1	12.3	3.8	16.5	.1	1.7	.0
	Foothill	71.7	.9	.0	8.4	2.6	11.9	.0	2.8	.0
	Mountain	84.1	.5	.0	4.3	.1	8.2	.1	1.6	.1
	Senqu Valley	74.6	1.2	.0	4.6	.0	17.3	.0	1.7	.0
Area	Urban	61.2	2.0	.0	11.0	5.0	16.7	.3	2.1	.0
	Rural	72.0	1.1	.1	9.0	1.8	13.1	.0	1.7	.0
Age	15-19	84.6	.0	.0	4.2	.7	8.1	.0	1.4	.0
	20-24	66.3	.1	.1	11.9	1.5	16.0	.3	2.8	.1
	25-49	68.9	1.8	.0	9.3	3.1	13.9	.1	1.6	.0
Woman's education level	Primary	86.9	.0	.0	2.2	1.1	7.1	.0	.0	.0
	Secondary/High	69.2	1.3	.1	9.8	2.5	14.2	.1	1.9	.0
	Higher/Tertiary	52.4	4.9	.0	12.6	6.8	14.6	1.9	1.9	.0
	Non-standard curriculum	50.0	.0	.0	.0	.0	50.0	.0	.0	.0
	Vocational	80.0	.0	.0	.0	.0	20.0	.0	.0	.0
	Missing/DK	66.7	.0	.0	.0	.0	33.3	.0	.0	.0
Total		69.6	1.3	.1	9.4	2.6	13.9	.1	1.8	.0

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Lesotho, 2000

		Current method					Total	Any modern method	Any traditional method
		Diaphragm/f oam/jelly	LAM	Periodic abstinence	Withdrawal	Other			
Wealth Index Quintiles	Poorest	.0	.2	.0	.7	.5	100.0	12.2	1.3
	Second	.0	.0	.0	.7	.4	100.0	21.8	1.1
	Middle	.3	.1	.0	.1	.3	100.0	29.3	.6
	Fourth	.1	.0	.1	.4	.1	100.0	34.7	.6
	Richest	.6	.3	.0	.1	.9	100.0	42.8	1.3
Region	Lowland	.2	.1	.0	.4	.5	100.0	36.6	1.0
	Foothill	.0	.2	.0	.5	.9	100.0	26.6	1.6
	Mountain	.3	.1	.1	.4	.1	100.0	15.1	.7
	Senqu Valley	.0	.0	.0	.0	.6	100.0	24.9	.6
Area	Urban	.6	.3	.0	.5	.3	100.0	37.6	1.2
	Rural	.1	.1	.0	.3	.5	100.0	27.1	.9
Age	15-19	.4	.0	.0	.7	.0	100.0	14.7	.7
	20-24	.1	.1	.0	.3	.3	100.0	33.0	.7
	25-49	.2	.1	.0	.4	.5	100.0	30.0	1.1
Woman's education level	Primary	.0	.5	.0	1.1	1.1	100.0	10.4	2.7
	Secondary/High	.2	.1	.0	.3	.4	100.0	30.0	.8
	Higher/Tertiary	1.9	1.0	.0	1.0	1.0	100.0	44.7	2.9
	Non-standard curriculum	.0	.0	.0	.0	.0	100.0	50.0	.0
	Vocational	.0	.0	.0	.0	.0	100.0	20.0	.0
	Missing/DK	.0	.0	.0	.0	.0	100.0	33.3	.0
Total		.2	.1	.0	.4	.4	100.0	29.5	1.0

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Lesotho, 2000

			Number of currently married women
		Any method	1.00
Wealth Index Quintiles	Poorest	13.5	598
	Second	22.9	760
	Middle	29.9	726
	Fourth	35.3	798
	Richest	44.1	897
Region	Lowland	37.6	2212
	Foothill	28.3	428
	Mountain	15.9	964
	Senqu Valley	25.4	173
Area	Urban	38.8	858
	Rural	28.0	2919
Age	15-19	15.4	285
	20-24	33.7	748
	25-49	31.1	2746
Woman's education level	Primary	13.1	183
	Secondary/High	30.8	3477
	Higher/Tertiary	47.6	103
	Non-standard curriculum	50.0	2
	Vocational	20.0	5
	Missing/DK	33.3	9
Total		30.4	3779

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Lesotho, 2000

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00
Wealth Index Quintiles	Poorest	65.9	1.8	.0	67.7	167
	Second	68.2	1.8	.0	70.0	170
	Middle	72.2	.6	.0	72.8	158
	Fourth	82.3	.5	.0	82.8	186
	Richest	74.0	.6	.0	74.6	169
Region	Lowland	75.3	1.0	.0	76.3	485
	Foothill	59.4	.0	.0	59.4	101
	Mountain	72.1	1.8	.0	73.9	222
	Senqu Valley	80.5	.0	.0	80.5	41
Area	Urban	80.2	.6	.0	80.8	177
	Rural	70.8	1.2	.0	72.0	672
Woman's education level	Primary	55.8	.0	.0	55.8	43
	Secondary/High	73.6	1.1	.0	74.7	784
	Higher/Tertiary	72.7	.0	.0	72.7	22
	Missing/DK	100.0	.0	.0	100.0	1
Total		72.7	1.1	.0	73.8	850

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Lesotho, 2000

		Person delivering antenatal care							Total
		Doctor	Nurse/midwife	Nursing assistant	Traditional birth attendant	Relative/friend	Other/missing	No antenatal care received	
Wealth Index Quintiles	Poorest	4.2	31.7	41.9	3.6	6.6	10.8	1.2	100.0
	Second	2.9	36.5	40.0	4.7	5.9	8.2	1.8	100.0
	Middle	3.2	43.7	37.3	3.2	2.5	9.5	.6	100.0
	Fourth	5.9	59.1	26.9	.5	1.6	5.4	.5	100.0
	Richest	13.6	56.2	19.5	3.0	1.8	5.9	.0	100.0
Region	Lowland	6.6	55.7	24.3	2.1	2.5	8.0	.8	100.0
	Foothill	8.9	44.6	25.7	4.0	4.0	11.9	1.0	100.0
	Mountain	2.7	26.6	54.1	4.5	5.0	6.3	.9	100.0
	Senqu Valley	9.8	36.6	36.6	2.4	9.8	4.9	.0	100.0
Area	Urban	10.7	59.3	21.5	1.7	1.7	5.1	.0	100.0
	Rural	4.8	42.3	35.9	3.3	4.2	8.6	1.0	100.0
Woman's education level	Primary	4.7	27.9	34.9	14.0	7.0	11.6	.0	100.0
	Secondary/High	5.7	46.8	32.8	2.4	3.6	7.8	.9	100.0
	Higher/Tertiary	18.2	45.5	31.8	.0	.0	4.5	.0	100.0
	Missing/DK	.0	.0	100.0	.0	.0	.0	.0	100.0
Total		6.0	45.8	32.9	2.9	3.6	7.9	.8	100.0

World Summit for Children Goals => Numbers 9, 11

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Lesotho, 2000

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	77.8	167
	Second	79.4	170
	Middle	84.2	158
	Fourth	91.9	186
	Richest	89.3	169
Region	Lowland	86.6	485
	Foothill	79.2	101
	Mountain	83.3	222
	Senqu Valley	82.9	41
Area	Urban	91.5	177
	Rural	82.9	672
Woman's education level	Primary	67.4	43
	Secondary/High	85.3	784
	Higher/Tertiary	95.5	22
	Missing/DK	100.0	1
Total		84.7	850

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Lesotho, 2000, Year**

		Person assisting at delivery							Total
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received	
Wealth Index Quintiles	Poorest	7.8	21.0	14.4	9.0	37.1	4.2	6.6	100.0
	Second	10.6	26.5	12.9	10.6	34.1	2.9	2.4	100.0
	Middle	7.6	41.8	10.1	10.8	19.6	2.5	7.6	100.0
	Fourth	12.9	45.7	11.3	7.5	14.0	4.3	4.3	100.0
	Richest	20.7	45.0	9.5	7.7	10.7	1.8	4.7	100.0
Region	Lowland	12.8	43.5	8.2	9.1	16.3	4.7	5.4	100.0
	Foothill	12.9	31.7	12.9	5.9	29.7	2.0	5.0	100.0
	Mountain	9.0	24.3	17.6	10.8	32.9	.5	5.0	100.0
	Senqu Valley	17.1	24.4	17.1	4.9	31.7	2.4	2.4	100.0
Area	Urban	20.3	43.5	11.9	4.5	11.9	2.8	5.1	100.0
	Rural	9.8	34.2	11.6	10.1	25.9	3.3	5.1	100.0
Woman's education level	Primary	11.6	18.6	9.3	18.6	34.9	.0	7.0	100.0
	Secondary/High	11.7	36.9	11.6	8.8	22.6	3.4	5.0	100.0
	Higher/Tertiary	22.7	45.5	18.2	.0	9.1	.0	4.5	100.0
	Missing/DK	.0	.0	.0	.0	100.0	.0	.0	100.0
Total		12.0	36.1	11.6	9.1	22.9	3.2	5.1	100.0

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Lesotho, 2000, Year**

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	43.1	167
	Second	50.0	170
	Middle	59.5	158
	Fourth	69.9	186
	Richest	75.1	169
Region	Lowland	64.5	485
	Foothill	57.4	101
	Mountain	50.9	222
	Senqu Valley	58.5	41
Area	Urban	75.7	177
	Rural	55.7	672
Woman's education level	Primary	39.5	43
	Secondary/High	60.2	784
	Higher/Tertiary	86.4	22
	Missing/DK	.0	1
Total		59.8	850

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Lesotho, 2000

		Birth registered	DK if birth registered	Registration status					
				Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Reason DK or Missing
Wealth Index Quintiles	Poorest	58.0	6.9	2.0	67.7	2.4	16.9	2.8	8.3
	Second	52.9	7.6	3.2	62.9	1.9	17.8	5.4	8.9
	Middle	48.9	6.1	1.8	64.1	2.1	15.7	6.8	9.5
	Fourth	47.2	8.1	2.0	68.9	.6	17.9	5.8	4.9
	Richest	45.9	7.0	1.8	70.9	2.8	9.2	8.6	6.7
Sex	Male	49.1	6.8	2.2	65.7	2.3	15.2	6.4	8.3
	Female	52.1	7.6	2.1	68.3	1.5	15.7	5.6	6.9
Region	Lowland	43.6	7.4	1.3	68.6	1.7	15.5	7.0	6.0
	Foothill	53.1	7.9	3.4	64.0	1.1	16.3	4.5	10.7
	Mountain	61.6	6.4	4.1	64.0	2.8	13.2	4.7	11.0
	Senqu Valley	62.4	7.1	3.1	62.5	3.1	21.9	1.6	7.8
Area	Urban	40.7	7.7	3.2	67.4	1.3	12.9	8.9	6.2
	Rural	53.0	7.1	1.8	66.7	2.1	16.2	5.1	8.0
Age	< 6 months	40.1	7.9	4.2	60.4	2.1	15.1	12.0	6.3
	6-11 months	48.2	5.6	2.1	68.4	1.6	15.8	4.7	7.4
	12-23 months	51.6	6.3	.6	68.9	2.2	16.5	5.9	5.9
	24-35 months	52.6	6.4	1.8	65.3	1.2	16.5	4.2	11.1
	36-47 months	53.2	7.6	2.5	68.0	2.5	15.1	7.2	4.7
Mother's education level	48-59 months	51.9	9.3	2.7	68.6	1.9	13.2	3.9	9.7
	None	58.9	7.7	1.2	62.2	3.7	22.0	4.9	6.1
	Primary	50.3	7.2	2.3	67.7	1.8	15.0	5.2	8.0
	Secondary	49.2	7.0	2.0	65.7	1.8	15.5	8.1	7.0
	Non-standard curriculum	50.0	.0	.0	100.0	.0	.0	.0	.0
Total		50.6	7.2	2.2	66.9	1.9	15.5	6.0	7.6

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Lesotho, 2000

		Total	Number of children
Wealth Index Quintiles	Poorest	100.0	723
	Second	100.0	798
	Middle	100.0	751
	Fourth	100.0	774
	Richest	100.0	690
Sex	Male	100.0	1867
	Female	100.0	1867
Region	Lowland	100.0	2074
	Foothill	100.0	456
	Mountain	100.0	994
	Senqu Valley	100.0	210
Area	Urban	100.0	717
	Rural	100.0	3017
Age	< 6 months	100.0	369
	6-11 months	100.0	411
	12-23 months	100.0	762
	24-35 months	100.0	810
	36-47 months	100.0	711
Mother's education level	48-59 months	100.0	665
	None	100.0	246
	Primary	100.0	2471
	Secondary	100.0	1018
	Non-standard curriculum	100.0	2
Total		100.0	3737

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Lesotho, 2000

		Living arrangement							
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive
Wealth Index Quintiles	Poorest	51.0	1.3	3.8	11.3	1.9	13.2	12.9	3.0
	Second	54.9	1.2	3.0	11.3	2.3	13.4	9.8	2.1
	Middle	53.3	.6	3.8	9.5	2.3	15.8	10.7	2.6
	Fourth	58.0	.7	2.4	8.5	1.3	17.4	9.1	1.9
	Richest	62.1	.7	2.0	8.2	1.2	15.9	7.2	1.5
Sex	Male	56.3	1.0	2.9	9.4	1.9	15.5	9.3	2.3
	Female	55.4	.8	3.1	10.2	1.7	14.8	10.5	2.1
Region	Lowland	32.1	.4	1.9	5.5	1.1	8.0	5.3	1.4
	Foothill	7.2	.1	.3	1.0	.2	1.5	1.3	.1
	Mountain	14.2	.3	.6	2.5	.4	4.5	2.6	.5
	Senqu Valley	2.3	.0	.2	.7	.1	1.2	.7	.2
Area	Urban	54.0	.8	1.6	9.0	1.3	18.6	10.7	2.6
	Rural	56.3	.9	3.3	10.0	1.9	14.4	9.7	2.1
Age	0-4 years	61.4	.2	1.3	7.5	.7	20.2	7.0	1.0
	5-9 years	55.9	1.0	2.8	10.9	1.6	14.4	9.6	2.6
	10-14 years	51.1	1.4	4.6	10.8	2.9	11.6	12.6	2.9
Total		55.9	.9	3.0	9.8	1.8	15.2	9.9	2.2

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Lesotho, 2000

		Living arrangement		Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Living with father only: mother dead	Impossible to determine						
Wealth Index Quintiles	Poorest	1.2	.4	100.0	.0	18.3	21.1	21.1	2236
	Second	1.8	.3	100.0	.0	17.8	18.0	18.0	2610
	Middle	1.1	.2	100.0	.0	16.2	18.5	18.5	2551
	Fourth	.6	.2	100.0	.0	12.9	14.0	14.0	2473
	Richest	1.0	.2	100.0	.0	12.1	12.1	12.1	2305
Sex	Male	1.1	.2	100.0	.0	15.2	16.3	16.3	6084
	Female	1.2	.3	100.0	.0	15.8	17.3	17.3	6091
Region	Lowland	.6	.2	56.5	.0	15.9	16.5	16.5	6882
	Foothill	.2	.0	12.1	.0	14.1	18.3	18.3	1468
	Mountain	.2	.0	25.8	.0	14.7	15.7	15.7	3146
	Senqu Valley	.1	.0	5.6	.0	17.8	20.5	20.5	679
Area	Urban	1.4	.0	100.0	.0	12.7	15.8	15.8	2305
	Rural	1.1	.3	100.0	.0	16.1	17.0	17.0	9870
Age	0-4 years	.4	.3	100.0	.0	9.7	9.6	9.6	3852
	5-9 years	1.2	.1	100.0	.0	16.2	16.1	16.1	3739
	10-14 years	1.7	.3	100.0	.0	19.8	23.3	23.3	4584
Total		1.1	.3	100.0	.0	15.5	16.8	16.8	12175

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Lesotho, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	1.9	3.8	55.5	7.6	17.08	25.9	1505
	Second	1.1	6.9	59.3	6.0	21.16	29.7	1777
	Middle	1.2	3.8	61.5	6.5	16.60	24.8	1771
	Fourth	.9	6.3	69.0	3.5	15.90	22.9	1679
	Richest	.8	3.5	67.7	3.3	14.14	20.1	1591
Sex	Male	1.8	4.7	58.7	4.8	20.27	27.5	4149
	Female	.6	5.1	66.6	5.9	13.85	22.0	4174
Region	Lowland	.8	3.9	67.5	3.9	14.75	21.2	4747
	Foothill	1.9	3.4	62.0	4.9	25.78	31.9	993
	Mountain	1.4	7.0	52.5	7.3	18.92	28.4	2120
	Senqu Valley	2.2	8.2	60.7	12.7	13.39	28.9	463
Area	Urban	.5	3.1	64.9	2.6	9.60	14.9	1563
	Rural	1.3	5.3	62.1	6.0	18.77	27.0	6760
Age	5-9 years	.5	4.5	50.6	2.8	10.14	15.5	3739
	10-14 years	1.8	5.2	72.5	7.5	22.69	32.3	4584
Woman's education level	None	1.8	7.6	59.2	9.5	21.62	33.8	828
	Primary	1.1	4.5	63.2	4.9	16.67	23.8	7324
	Secondary +	.6	6.4	54.4	4.1	11.11	19.9	171
Total		1.2	4.9	62.7	5.4	17.05	24.8	8323

Monitoring Children's Rights Indicator

Table 42b: Percentage of children 5-17 years of age who are currently working, Lesotho, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	3.1	4.6	54.9	10.0	20.68	31.9	1833
	Second	1.8	7.1	59.7	8.2	23.30	34.0	2215
	Middle	2.3	4.3	62.6	7.7	19.41	29.2	2236
	Fourth	1.8	6.5	69.5	5.6	17.79	27.2	2153
	Richest	1.4	3.3	68.8	5.2	16.29	23.8	2063
Sex	Male	3.0	5.3	60.3	6.4	23.50	32.6	5350
	Female	1.1	5.1	66.4	8.2	15.36	25.7	5150
Region	Lowland	1.8	4.4	68.0	6.1	17.18	26.1	6090
	Foothill	2.3	3.5	63.4	6.0	28.53	35.6	1241
	Mountain	2.3	7.0	53.3	8.6	21.29	32.1	2579
	Senqu Valley	3.2	9.5	58.0	16.3	16.78	34.9	590
Area	Urban	1.4	3.2	66.7	4.5	10.67	18.4	2033
	Rural	2.2	5.7	62.5	8.0	21.63	31.8	8467
Age	5-9 years	.5	4.5	50.6	2.8	10.14	15.5	3739
	10-17 years	2.9	5.6	70.3	9.8	24.69	36.7	6761
Woman's education level	None	2.5	7.6	58.0	11.7	23.50	37.8	1068
	Primary	2.0	4.9	64.1	6.8	19.20	28.3	9204
	Secondary +	.9	6.2	55.9	5.7	13.22	22.9	227
Total		2.1	5.2	63.3	7.3	19.51	29.2	10499

Monitoring Children's Rights Indicator