


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Lithuania

July, 2009

Lithuania

BCG (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992	94	94	95				
1993	98	98	98				
1994	96	96	96				
1995	97	97					
1996	98	98					
1997	98	98	98				
1998	99	99	99				
1999	99	99	99	99	99		
2000	99	99	99	99	99		
2001	99	99		99	99		
2002	99	99	99	99	99		
2003	99	99	99	99	99		
2004	99	99	99	99	99		
2005	99	99	99	99	99		
2006	99	99	99	99	99		
2007	99	99	99	99	99		
2008	99	99	99	99	99		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Lithuania

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. The DTP1 estimates from 2001 onward are based on these reports. For years prior to 2001 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992	92						
1993	94						
1994	94						
1995	96						
1996	97						
1997	96						
1998	97						
1999	97						
2000	99	99	99	99	99		
2001	98	98	98	98	98		
2002	98	98	98	98	98		
2003	98	98	98	98	98		
2004	94	94	94	94	94		
2005	98	98	98	98	98		
2006	98	98	98	98	98		
2007	99	99	99	99	99		
2008	96	96	96	96	96		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Lithuania

DTP3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992	78	78	78				
1993	83	83	93				
1994	83	83	83				
1995	90	90	90				
1996	91	91	91				
1997	90	90	90				
1998	93	93	93				
1999	93	93	93	93	93		
2000	94	94	94	94	94		
2001	95		95	95	95		
2002	95	95	95	95	95		
2003	94	94	94	94	94		
2004	94	94	94	94	94		
2005	94	94	94	94	94		
2006	94	94	94	94	94		
2007	95	95	95	95	95		
2008	96	96	96	96	96		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Lithuania

Pol3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992	88	88	88				
1993	86	86	97				
1994	88	88	88				
1995	89	89					
1996	93	93					
1997	95	95	95				
1998	88	88	88				
1999	88	88	88	88	88		
2000	92	92	92	92	90		
2001	97	97	97	97	97		
2002	97	97	97	97	97		
2003	91	91	91	91	91		
2004	90	90	90	90	97		
2005	93	93	93	93	93		
2006	94	94	94	94	94		
2007	95	95	95	95	95		
2008	96	96	96	96	96		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Lithuania

MCV (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992	89	89	89				
1993	92	92	94				
1994	93	93	93				
1995	94	94					
1996	96	96					
1997	96	96	96				
1998	97	97	96				
1999	97	97	97	97	97		
2000	97	97	97	97	97		
2001	97	97		97	97		
2002	98	98	98	98	98		
2003	98	98	98	98	98		
2004	98	98	98	98	98		
2005	97	97	97	97	97		
2006	97	97	97	97	97		
2007	97	97	97	97	97		
2008	97	97	97	97	97		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Lithuania

HepB3 (1980-2008)



Description of trend

Hepatitis B vaccine was introduced in 1998. Estimated immunization coverage levels are based on reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998	73	73	73				
1999	96	96		96	96		
2000	99	99	99	98	98		
2001	95	95		95	95		
2002	94	94	94	94	94		
2003	95	95	95	95	95		
2004	94	94	94	94	94		
2005	95	95	95	95	95		
2006	95	95	95	95	95		
2007	96	96	96	96	96		
2008	96	96	96	96	96		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Lithuania

Hib3 (1980-2008)



Description of trend

Hib vaccine introduced nationally in 2004. Estimated immunization coverage levels are based on reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999	2	2	2	2	2		
2000	2	2	2		2		
2001	4	4	4		4		
2002	5	5	5	5			
2003	10	10	10	10			
2004	35	35	35	35	35		
2005	61	61	61	61	61		
2006	94	94	94	94	94		
2007	95	95	95	95	95		
2008	96	96	96	96	96		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.