


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Malta

July, 2009

Malta

BCG (1980-2008)



Description of trend

BCG given at birth removed from schedule in 1997.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
	—	□	■	○	✖	▮	+
1980							
1981							
1982							
1983	63	63					
1984	63	63					
1985	65	65					
1986	72						
1987	79	79	79				
1988	67	67	67				
1989	79	79	79				
1990	77	77	77				
1991	87	87					
1992	79	79					
1993	77	77	77				
1994	77	77					
1995	92	92					
1996	96	96					
1997							
1998							
1999							
2000							
2001							
2002							
2003							
2004							
2005							
2006							
2007							
2008							


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Malta

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. The DTP1 estimates from 2000 onward (with the exception of 2001 where reported DTP1 coverage was lower than DTP3) are based on these reports. For years prior to 2000 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 11 countries which were published between 1980 and 2004. Decline in 2004 not explained.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984	74						
1985	62						
1986	95						
1987	95						
1988	95						
1989	72						
1990	84						
1991	95						
1992	94						
1993	94						
1994	96						
1995	97						
1996	97						
1997	97						
1998	97						
1999	97						
2000	97	97	97	97	91		
2001	98	87	87		87		
2002	95	95	95	95	90		
2003	96	96	96	96	72		
2004	76	76	76	76	76		
2005	94	94	94	94	94		
2006	85	85	85	85	85		
2007	84	84	84	84	84		
2008	88	88	88	88	88		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Malta

DTP3 (1980-2008)



Description of trend

Estimates follow government data reported to WHO and UNICEF. Administrative data from 2000 to 2002 underrepresented actual situation due to incomplete reporting. Decline in 2004 not explained.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984	50	50					
1985	37	37					
1986	86	86	86				
1987	87	87	86				
1988	87	87	87				
1989	47	47	47				
1990	63	63	63				
1991	86	86					
1992	82	82					
1993	83	83	63				
1994	88						
1995	92	92					
1996	92	92					
1997	92						
1998	92	92	92				
1999	93						
2000	94	94	94	94	72		
2001	95	95			70		
2002	95	95		95	72		
2003	94	94	94	94	51		
2004	55	55	55	55	55		
2005	92	92	92	92	92		
2006	85	85	85	85	85		
2007	74	74	74	74	74		
2008	72	72	72	72	72		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Malta

Pol3 (1980-2008)



Description of trend

Estimates follow government data reported to WHO and UNICEF. Administrative data from 2000 to 2002 underrepresented actual situation due to incomplete reporting. Dramatic decline in 2004 not explained.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981	75	75					
1982	80						
1983	85						
1984	90	90					
1985	84	84					
1986	73	73	73				
1987	87	87	87				
1988	79	79	79				
1989	88	88	88				
1990	86	86	86				
1991	86	86					
1992	81	81					
1993	83	83	83				
1994	78	78					
1995	92	92					
1996	92	92					
1997	92						
1998	92	92	92				
1999	93						
2000	94	94	94	94	72		
2001	95	95			70		
2002	95	95		95	72		
2003	94	94	94	94			
2004	55	55	55	55	55		
2005	94	94	94	94	94		
2006	83	83	83	83	83		
2007	76	76	76	76	76		
2008	72	72	72	72	72		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Malta

MCV (1980-2008)



Description of trend

Estimates follow government data reported to WHO and UNICEF.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984	10	10					
1985	10	10					
1986	35						
1987	59	59	59				
1988	41	41	41				
1989	86	86	86				
1990	80	80	80				
1991	90	90					
1992	92	92					
1993	90	90	90				
1994	71						
1995	51	51					
1996	51	51					
1997	56						
1998	60	60	60				
1999	67						
2000	74	74	74	74	1		
2001	65	65			0		
2002	65	65		65			
2003	90	90	90	90	50		
2004	87	87	87	87	87		
2005	86	86	86	86	86		
2006	94	94	94	94	94		
2007	79	79	79	79	79		
2008	78	78	78	78	78		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Malta

HepB3 (1980-2008)



Description of trend

Hepatitis B vaccine introduced in 2003. Estimates follow government data reported to WHO and UNICEF. Decline in 2004 not explained.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002							
2003	70	70	70	70			
2004	8	8	8	8	8		
2005	78	78	78	78	78		
2006	86	86	86	86	86		
2007	82	82	82	82	82		
2008	59	59	59	59	59		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Malta

Hib3 (1980-2008)



Description of trend

Hib vaccine introduced in 1996. Estimates follow government data reported to WHO and UNICEF. Decline in 2004 not explained.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996	38	38	38		38		
1997	64						
1998	89	89	89		89		
1999	91						
2000	93	93	93	93	71		
2001	84	84	84		84		
2002	71	71	71		71		
2003	93	93	93	93	49		
2004	55	55	55	55	55		
2005	83	83	83	83	83		
2006	83	83	83	83	83		
2007	72	72	72	72	74		
2008	72	72	72	72	72		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.