


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Nauru

July, 2009

Nauru

BCG (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between two years the imputed coverage is the linear interpolation between the two reported coverage rates.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984	81	81					
1985	81	81					
1986	87						
1987	93	93					
1988	95	95					
1989	96	96					
1990	93	93					
1991	90						
1992	86						
1993	84						
1994	81						
1995	78	78					
1996	78						
1997	78	78	78				
1998	89	89					
1999	95	95					
2000	93	93	93				
2001	99	100	100				
2002	95	95	95	100	95		
2003	93						
2004	92						
2005	90	90	90	90	100		
2006	99	100	100	100	100		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Nauru

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. The DTP1 estimates from 2000 onward are based on these reports, except for 2001 where reported DTP1 was lower than DTP3. For years prior to 2000 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984	86						
1985	86						
1986	82						
1987	78						
1988	86						
1989	91						
1990	90						
1991	88						
1992	86						
1993	84						
1994	82						
1995	79						
1996	77						
1997	74						
1998	89						
1999	84						
2000	85	85	85	85	85		
2001	98	90	90	90	85		
2002	99	100	100	100	100		
2003	96						
2004	93						
2005	90	90	90	90	100		
2006	98	98	98	98	98		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Nauru

DTP3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between two years the imputed coverage is the linear interpolation between the two reported coverage rates.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984	67	67					
1985	67	67					
1986	61						
1987	55	55					
1988	67	67					
1989	75	75					
1990	74	74					
1991	70						
1992	67						
1993	63						
1994	60						
1995	56	56					
1996	53						
1997	50	50	50				
1998	72	72					
1999	64	64					
2000	44	44	44				
2001	95	95	95				
2002	80	80	80	80	80		
2003	80						
2004	80						
2005	80	80	80	80	33		
2006	72	72	72	72	72		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Nauru

Pol3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between two years the imputed coverage is the linear interpolation between the two reported coverage rates. Decline in 2006 is due to OPV stock out due to prolonged power loss.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984	52	52					
1985	73	73					
1986	59						
1987	55	55					
1988	67	67					
1989	70	70					
1990	74	74					
1991	70						
1992	67						
1993	63						
1994	60						
1995	56	56					
1996	46						
1997	36	36	36				
1998	72	72					
1999	64	64					
2000	27	27	27				
2001	99	100	100				
2002	59	59	59	59	59		
2003	66						
2004	73						
2005	80	80	80	80	44		
2006	45	45	45	45	45		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Nauru

MCV (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between two years the imputed coverage is the linear interpolation between the two reported coverage rates. Large variation in coverage unexplained.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997	99	100	100				
1998	90	90					
1999	49						
2000	8	8	8				
2001	95	95	95				
2002	40	40	40		40		
2003	53						
2004	67						
2005	80	80	80	80	63		
2006	99	100	100	100	100		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Nauru

HepB3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data. For missing data between two years the imputed coverage is the linear interpolation between the two reported coverage rates.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991	79	79					
1992	90						
1993	99	100					
1994	79						
1995	57	57					
1996	72						
1997	86	86					
1998	29	29					
1999	62	62					
2000	58	58	58				
2001	95	95	95				
2002	75	75	75		75		
2003	77						
2004	78						
2005	80	80	80	80	55		
2006	99	100	100	100	100		
2007	99	100	100	100	100		
2008	99	100	100	100	100		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

