


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Niue

July, 2009

Niue



Description of trend

Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	85	85					
1981	99	99					
1982	80						
1983	60						
1984	41	41					
1985	41	41					
1986	71						
1987	99	100					
1988	99	100					
1989	99	100					
1990	99						
1991	99	100	99				
1992	99						
1993	99	100	99				
1994	99	100	100				
1995	92	92	92				
1996	99	100	100				
1997	99	100	100				
1998	99	100					
1999	99	100	100	100	100		
2000	99	99	99	100	100		
2001	99	100	100		100		
2002	99	100	100	100	100		
2003	99	100	100		100		
2004	96	96	96	96	96		
2005	97	97	97	97	100		
2006	99	100	100	100	100		
2007	99	99	99	99	92		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Niue

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. The DTP1 estimates from 2000 onward are based on these reports. For years prior to 2000 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	27						
1981	28						
1982	44						
1983	56						
1984	68						
1985	83						
1986	93						
1987	99						
1988	99						
1989	99						
1990	99						
1991	99						
1992	99						
1993	99						
1994	99						
1995	99						
1996	99						
1997	99						
1998	99						
1999	99						
2000	99	100	100	100	100		
2001	99	100	100	100	100		
2002	99	100	100	100	100		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	72	72	72	72	72		
2006	99	100	100	100	100		
2007	99	99	99	99	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Niue

DTP3 (1980-2008)



Description of trend

Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	7	7					
1981	8	8					
1982	20						
1983	31						
1984	43	43					
1985	62						
1986	81						
1987	99	100					
1988	99	100					
1989	99	100					
1990	99						
1991	99	100	99				
1992	99						
1993	99	100	99				
1994	99	100	100				
1995	99	100	100				
1996	99	100	100				
1997	99	100	100				
1998	99	100					
1999	99	100	100	100	100		
2000	99	99	99	100	100		
2001	99	100	100		100		
2002	99	100	100	100	100		
2003	95	95	95	95	95		
2004	99	100	100	100	100		
2005	85	85	85	85	85		
2006	99	100	100	100	100		
2007	99	99	99	99	112		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Niue

Pol3 (1980-2008)



Description of trend

Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	76	76					
1981	79	79					
1982	67						
1983	55						
1984	43	43					
1985	62						
1986	80						
1987	99	100					
1988	99	100					
1989	99	100					
1990	99						
1991	99	100	99				
1992	99						
1993	99	100	99				
1994	99		100				
1995	99	100	100				
1996	99	100	100				
1997	99	100	100				
1998	99	100					
1999	99	100	100	100	100		
2000	99	99	99	100	100		
2001	99	100	100		100		
2002	99	100	100	100	100		
2003	95	95	95	95	95		
2004	99	100	100	100	100		
2005	86	86	86	86	85		
2006	99	100	100	100	100		
2007	99	99	99	99	112		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Niue

MCV (1980-2008)



Description of trend

Estimates follow nationally reported data.

Data presented in chart


Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	77	77					
1981	71						
1982	65						
1983	58						
1984	52	52					
1985	52	52					
1986	73						
1987	94	94					
1988	94	94					
1989	99	100					
1990	99						
1991	99	100	99				
1992	99						
1993	99	100	99				
1994	99		100				
1995	34	34	34				
1996	99	100	100				
1997	99	100	100				
1998	99						
1999	99	100	100	100	100		
2000	99	99	99	100	100		
2001	99	100	100		100		
2002	99	100	100	100	100		
2003	86	86	86	86	86		
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	100	100	100	100		
2007	99	99	99	99	103		
2008	99	100	100	100	100		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

HepB3 (1980-2008)



Description of trend

Hepatitis B vaccine introduced in 1986. Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991	99	100					
1992	99	100					
1993	99	100					
1994	99	100					
1995	90	90					
1996	99	100					
1997	99	100					
1998	99	100	100				
1999	99	100		100	100		
2000	99	99	99	100	100		
2001	99	100	100		100		
2002	99	100	100	99	100		
2003	95	95	95	95	95		
2004	99	100	100	100	100		
2005	86	86	86	86	86		
2006	99	100	100	100	100		
2007	99	99	99	99	112		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Niue

Hib3 (1980-2008)



Description of trend

Hib vaccine introduced in 1998. Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000	99	100	100	100	100		
2001	99						
2002	99	100	100	100	100		
2003	99						
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	100	100	100	100		
2007	99	99	99	99	112		
2008	99	100	100	100	100		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.