


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Palau

July, 2009

Palau

BCG (1980-2008)



Description of trend

BCG is not in the recommended schedule; no estimates made.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002							
2003							
2004							
2005							
2006							
2007							
2008							


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Palau

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage for 2000 onward. The estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986	98						
1987	93						
1988	99						
1989	92						
1990	99						
1991	98						
1992	97						
1993	96						
1994	86						
1995	99						
1996	98						
1997	97						
1998	98						
1999	98						
2000	98	95	95	95	92		
2001	98						
2002	99	100	100		100		
2003	99						
2004	99	100	100	100	98		
2005	98	98	98	98	98		
2006	98	98	98	98	100		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Palau

DTP3 (1980-2008)



Description of trend

Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986	98	98					
1987	81	81					
1988	99	100					
1989	78	78					
1990	99	100					
1991	98	98	98				
1992	93	93	93				
1993	89	89	91				
1994	67	67	67				
1995	99	100	100				
1996	98	98					
1997	91	91	91				
1998	96	96	74				
1999	96	96	96	96	96		
2000	96	96	96	96	96		
2001	98						
2002	99				99		
2003	99						
2004	98	98	98	98	98		
2005	98	98	98	98	98		
2006	98	98	98	98	96		
2007	94	94	94	94	94		
2008	92	92	92	92	92		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Palau

Pol3 (1980-2008)



Description of trend

Estimate follows nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987	98	98					
1988	99						
1989	99						
1990	99	100					
1991	98	98	98				
1992	99		95				
1993	99	100	93				
1994	34	34	34				
1995	99	100	100				
1996	99	100					
1997	90	90	90				
1998	96	96	74				
1999	96	96	96	96	96		
2000	96	96	96	96	96		
2001	98						
2002	99				99		
2003	99						
2004	98	98	98	98	98		
2005	98	98	98	98	98		
2006	98	98	98	98	96		
2007	94	94	94	94	94		
2008	92	92	92	92	92		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Palau

MCV (1980-2008)



Description of trend

Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986	98	98					
1987	98	98					
1988	99	100					
1989	98	98					
1990	98						
1991	98	98	98				
1992	94	94	94				
1993	32	32	92				
1994	41	41	41				
1995	99	100	100				
1996	99	99					
1997	83	83	83				
1998	74	74	66				
1999	96	96	96	96	96		
2000	83	83	83	83	83		
2001	91						
2002	99				99		
2003	99						
2004	99	100	100	100	98		
2005	98	98	98	98	98		
2006	98	98	98	98	97		
2007	91	91	91	91	91		
2008	97	97	97	97	97		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Palau

HepB3 (1980-2008)



Description of trend

Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991	89	89					
1992	75	75					
1993	94	94					
1994	73	73					
1995	99	100					
1996	99	100					
1997	90	90					
1998	96	96	74				
1999	96	96		96	96		
2000	96	96	96	96	96		
2001	97						
2002	99				99		
2003	99						
2004	98	98	98	98	98		
2005	98	98	98	98	98		
2006	98	98	98	98	96		
2007	91	91	91	91	91		
2008	92	92	92	92	92		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Palau

Hib3 (1980-2008)



Description of trend

Estimates follow nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998	74	74	74		74		
1999	96	96	96	96	96		
2000	96	96	96	96	96		
2001	93						
2002	90	90	90		90		
2003	94						
2004	98	98	98	98	98		
2005	98	98	98	98	98		
2006	98	98	98	98	96		
2007	95	95	95	95	95		
2008	92	92	92	92	92		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.