


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Saint Lucia

July, 2009

Saint Lucia

BCG (1980-2008)



Description of trend

Trend follows officially reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
	—	□	■	○	✖	▮	+
1980	27	27					
1981	44						
1982	60	60	60				
1983	69	69	69				
1984	80	80	80				
1985	99	100	100				
1986	73	73	73				
1987	89	89	89				
1988	85	85	85				
1989	99	100	100				
1990	94	94	94				
1991	95	95	95				
1992	99	99					
1993	95	95	95				
1994	99	99	99				
1995	98	98	98				
1996	89	89	89				
1997	99	100	100				
1998	85	85	85				
1999	99	99	100	99			
2000	91	91	91	91	91		
2001	99	100	100		110		
2002	95	95	95		95		
2003	95	95	95		95		
2004	99	100	100	100	100		
2005	97						
2006	94	94	94	94	94		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Saint Lucia

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage for 2000 ; 2004. The DTP1 estimates from 2000-2004 are based on these reports. For years prior to 2000 the estimates are derived from the WHO/UNI estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	79						
1981	84						
1982	92						
1983	93						
1984	94						
1985	95						
1986	92						
1987	95						
1988	92						
1989	97						
1990	96						
1991	98						
1992	98						
1993	98						
1994	97						
1995	98						
1996	96						
1997	98						
1998	96						
1999	96						
2000	76	76	76	76	76		
2001	99	107	107		107		
2002	96						
2003	90	90	90		90		
2004	99	100	100	100	100		
2005	99	103	103	103	103		
2006	94	94	94	94	94		
2007	99	100	100	100			
2008	99	99	99	99	99		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Saint Lucia

DTP3 (1980-2008)



Description of trend

Trend follows officially reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980	56	56					
1981	64	64	64				
1982	79	79	79				
1983	81	81	81				
1984	83	83	83				
1985	87	87	87				
1986	78	78	78				
1987	85	85	85				
1988	78	78	78				
1989	92	92	92				
1990	89	89	89				
1991	96	96	89				
1992	96	96	96				
1993	97	97	97				
1994	93	93	93				
1995	98	98	98				
1996	88	88	88				
1997	98	98	98				
1998	88	88	88				
1999	89	89	89	89			
2000	70	70	70	70	70		
2001	95	95	95		104		
2002	88	88	88		74		
2003	90	90	90		90		
2004	91	91	91	91	91		
2005	95	95	95	95	95		
2006	85	85	85	85	85		
2007	99	100	100	100	99		
2008	96	96	96	96	96		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Saint Lucia

Pol3 (1980-2008)



Description of trend

Trend follows officially reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980	58	58					
1981	65	65	65				
1982	81	81	81				
1983	80	80	80				
1984	84	84	84				
1985	44	44	44				
1986	88	88	88				
1987	86	86	86				
1988	87	87	87				
1989	93	93	93				
1990	90	90	90				
1991	95	95	95				
1992	96	96	96				
1993	97	97	97				
1994	93	93	93				
1995	98	98	98				
1996	88	88	88				
1997	98	98	98				
1998	88	88	88				
1999	89	89	89	89			
2000	70	70	70	70	70		
2001	96	96	96		105		
2002	90	90	90		90		
2003	91	91	91		91		
2004	91	91	91	91	91		
2005	95	95	95	95	95		
2006	85	85	85	85	85		
2007	99	100	100	100	99		
2008	96	96	96	96	96		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Saint Lucia

MCV (1980-2008)



Description of trend

Trend follows officially reported data. No survey data available.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980							
1981							
1982	43	43	43				
1983	36	36	36				
1984	60	60	60				
1985	68	68	68				
1986	91	91	91				
1987	81	81	81				
1988	83	83	83				
1989	91	91	91				
1990	82	82	82				
1991	97	97	97				
1992	75	75	75				
1993	94	94	94				
1994	92	92	92				
1995	94	94	94				
1996	95	95	95				
1997	95	95	95				
1998	90	90	90				
1999	95	95	95	95			
2000	88	88	88				
2001	89	89	89		89		
2002	98	98	98		98		
2003	90	90	90		90		
2004	95	95	95	95	95		
2005	94	94	94	94	94		
2006	94	94	94	94	94		
2007	94	94	94	94	94		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Saint Lucia

HepB3 (1980-2008)



Description of trend

Hepatitis B introduced in 2002.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002	14	14	14		14		
2003	84	84	84	84	84		
2004	91	91	91	91	91		
2005	95	95	95	95	95		
2006	85	85	85	85	85		
2007	99	100	100	100	99		
2008	96	96	96	96	96		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Saint Lucia

Hib3 (1980-2008)



Description of trend

Hib vaccine introduced in 2002.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000							
2001							
2002	14	14		14	14		
2003	84	84	84	84	84		
2004	91	91	91	91	91		
2005	95	95	95	95	95		
2006	85	85	85	85	85		
2007	99	100	100	100	99		
2008	96	96	96	96	96		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.