

Table 1: Number of households and women, and response rates, Senegal, 2000

	Milieu de residence		Total
	Urbain	Rural	
Sampled households	2324	4105	6429
Occupied households	2313	4096	6409
Completed households	2305	4078	6383
Household response rate	99.7	99.6	99.6
Eligible women	5409	8819	14228
Interviewed women	4389	7479	11868
Women response rate	81.1	84.8	83.4
Children under 5	2730	7063	9793
Interviewed children under 5	2555	6500	9055
Child response rate	93.6	92.0	92.5

Table 2: Single year age distribution of household population by sex, Senegal, 2000

	Sexe			
	Masculin		Feminin	
	Number	Percent	Number	Percent
Age 0	158619	3.8	160072	3.4
1	149018	3.5	135016	2.9
2	139174	3.3	133257	2.9
3	137031	3.3	141727	3.0
4	132460	3.2	139553	3.0
5	138936	3.3	136937	2.9
6	146976	3.5	146635	3.1
7	164627	3.9	166485	3.6
8	147746	3.5	145968	3.1
9	107720	2.6	108152	2.3
10	145575	3.5	155490	3.3
11	110007	2.6	98635	2.1
12	134895	3.2	128688	2.8
13	114619	2.7	120438	2.6
14	111656	2.7	125619	2.7
15	101889	2.4	100121	2.1
16	94848	2.3	107239	2.3
17	85021	2.0	98635	2.1
18	92703	2.2	100898	2.2
19	62557	1.5	74413	1.6
20	100225	2.4	111604	2.4
21	54832	1.3	73810	1.6
22	71706	1.7	87607	1.9

Table 2: Single year age distribution of household population by sex, Senegal, 2000

		Sexe			
		Masculin		Feminin	
		Number	Percent	Number	Percent
Age	23	55969	1.3	69504	1.5
	24	53347	1.3	71613	1.5
	25	72785	1.7	98641	2.1
	26	49189	1.2	72562	1.6
	27	45292	1.1	74720	1.6
	28	47358	1.1	71557	1.5
	29	40063	1.0	54768	1.2
	30	63904	1.5	95340	2.0
	31	33030	.8	48720	1.0
	32	39364	.9	62052	1.3
	33	34957	.8	46289	1.0
	34	30810	.7	40172	.9
	35	52386	1.2	69954	1.5
	36	31979	.8	46413	1.0
	37	29337	.7	48198	1.0
	38	28036	.7	46508	1.0
	39	29346	.7	34408	.7
	40	59955	1.4	67582	1.4
	41	21774	.5	28088	.6
	42	34036	.8	36889	.8
	43	26170	.6	41047	.9
	44	21200	.5	24679	.5
	45	41763	1.0	45738	1.0
	46	18242	.4	23172	.5
	47	26046	.6	25128	.5
	48	25005	.6	31070	.7
	49	22328	.5	15459	.3
	50	42074	1.0	52447	1.1
	51	13297	.3	27435	.6
	52	18374	.4	30149	.6
	53	17257	.4	22000	.5
	54	14570	.3	17066	.4
	55	30739	.7	35996	.8
	56	12047	.3	16336	.3
	57	13714	.3	15368	.3
	58	14740	.4	18450	.4
	59	13356	.3	13831	.3
	60	33684	.8	47238	1.0
	61	10113	.2	8906	.2
	62	11452	.3	15803	.3

Table 2: Single year age distribution of household population by sex, Senegal, 2000

		Sexe			
		Masculin		Feminin	
		Number	Percent	Number	Percent
Age	63	10981	.3	12928	.3
	64	13371	.3	10868	.2
	65	22608	.5	18756	.4
	66	10154	.2	6171	.1
	67	11655	.3	9731	.2
	68	8888	.2	9419	.2
	69	11338	.3	6677	.1
	70+	119958	2.9	85679	1.8
	Missing/DK	11763	.3	5107	.1
Total		4202646	100.0	4673635	100.0

Table 3: Percentage of cases missing information for selected questions, Senegal, 2000

	Percent missing	Number
Level of education	.1	3368240
Year of education	.4	3368240
Number of hours worked	2.4	461315

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	3.5	1794891
Date of last tetanus toxoid injection	26.9	66081
Ever been tested for HIV	.3	1572613

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	1.2	1320856
Diarrhoea in last 2 weeks	.6	1320856
Weight	4.5	1320856
Height	5.0	1320856

Table 4: Percent distribution of households by background characteristics, Senegal, 2000

		Percent	Number	Unweighted
Region	Dakar	28.5	270514	1035
	Ziguinchor	6.2	58670	712
	Diourbel	7.8	73582	542
	Saint louis	9.4	88851	622
	Tambacounda	5.3	50112	507
	Kaolack	10.9	103383	586
	Thies	12.0	114178	779
	Louga	6.1	57603	594
	Fatick	7.2	68296	589
	Kolda	6.7	63649	463
	Milieu de residence	Urbain	42.8	406529
Rural		57.2	542308	4105
Number of HH members	1	.2	1945	13
	2-3	5.8	54547	366
	4-5	15.9	149825	979
	6-7	21.1	199144	1356
	8-9	18.5	173805	1197
	10+	38.5	362669	2471
Total	100.0	941935	6382	

Table 4: Percent distribution of households by background characteristics, Country, Year

	Percent	Number	Unweighted
At least one child age < 15	94.5	942064	6383
At least one child age < 5	72.8	942064	6383
At least one woman age 15-49	96.5	942064	6383

Table 4a: Percent distribution of households by background characteristics, Senegal, 2000

		Milieu de residence		Total
		Urbain	Rural	
Region	Dakar	60.9	4.2	28.5
	Ziguinchor	5.8	6.5	6.2
	Diourbel	4.0	10.6	7.8
	Saint louis	6.0	11.9	9.4
	Tambacounda	1.7	8.0	5.3
	Kaolack	5.4	15.0	10.9
	Thies	11.1	12.7	12.0
	Louga	2.3	8.9	6.1
	Fatick	1.2	11.7	7.2
	Kolda	1.6	10.5	6.7
Number of HH members	1	.3	.1	.2
	2-3	7.8	4.3	5.8
	4-5	19.1	13.5	15.9
	6-7	21.2	21.1	21.1
	8-9	18.3	18.6	18.5
	10+	33.3	42.4	38.5
	Total	100.0	100.0	100.0
	Number	402920	539015	941935
Unweighted	2304	4078	6382	

Table 4a: Percent distribution of households by background characteristics, Country, Year

	Milieu de residence		Total
	Urbain	Rural	
At least one child age < 15	91.8	96.5	94.5
At least one child age < 5	64.7	78.9	72.8
At least one woman age 15-49	96.5	96.6	96.5
Number	403049	539015	942064
Unweighted	2305	4078	6383

Table 5: Percent distribution of women 15-49 by background characteristics, Senegal, 2000

		Percent	Number	Unweighted
Region	Dakar	29.6	528958	1960
	Ziguinchor	4.7	83785	1017
	Diourbel	8.8	156603	1145
	Saint louis	9.7	173268	1212
	Tambacounda	5.4	95834	975
	Kaolack	11.4	203660	1156
	Thies	11.5	204892	1411
	Louga	6.4	113663	1174
	Fatick	6.3	112693	965
	Kolda	6.3	111724	815
Milieu de residence	Urbain	43.3	777103	4398
	Rural	56.7	1017788	7488
Age	15-19	21.0	377777	2516
	20-24	19.0	340576	2204
	25-29	17.9	320752	2091
	30-34	14.0	251360	1666
	35-39	11.8	212089	1420
	40-44	9.3	167623	1135
	45-49	6.4	114903	798
	Missing	.5	9811	56
Etat matrimonial	Actuellement mariée	67.9	1219469	8289
	Veuf, divorcée séparée etc...	4.8	85367	550
	Jamais mariée	25.5	457503	2847
	Missing	1.8	32552	200
Avez vous donné naissance à un enfant?	Yes	68.5	1228607	8315
	No	30.6	549385	3460
	Missing	.9	16899	111
Niveau d'éducation de la femme	Aucun	64.1	1151181	8075
	Primaire	20.7	372414	2201
	Secondaire +	10.1	181742	1067
	Programme non formel	4.7	83811	503
	Missing/DK	.3	5743	40
Total		100.0	1794891	11886

Table 6: Percent distribution of children under 5 by background characteristics, Senegal, 2000

		Percent	Number	Unweighted
Sexe	Masculin	50.0	660417	4510
	Feminin	50.0	660439	4545
Region	Dakar	22.5	296042	1077
	Ziguinchor	4.8	62612	760
	Diourbel	7.8	103182	759
	Saint louis	9.8	128569	893
	Tambacounda	6.7	88597	897
	Kaolack	13.2	174334	968
	Thies	13.2	174406	1180
	Louga	6.9	90517	923
	Fatick	8.1	106478	908
	Kolda	7.0	91752	668
	Milieu de r,sidence	Urbain	34.2	451582
Rural		65.8	869274	6500
Age	< 6 mois	11.9	156807	1108
	6-11 mois	11.6	153679	1031
	12-23 mois	20.2	266221	1764
	24-35 mois	18.8	247874	1701
	36-47 mois	19.3	254792	1753
	48-59 mois	18.3	241483	1698
Niveau d'instruction de la mère	Aucun	74.4	982181	7011
	Primaire	15.3	202743	1242
	Secondaire	5.4	71692	411
	Proggramme non formel	4.5	59003	356
	Missing DK	.4	5236	35
Total		100.0	1320856	9055

Table 9: Pourcentage d'enfants ages de 36-59 mois qui frequentent un programme organise d'education prescolaire

		Pourcentage frequentant le programme	Effectif d'enfants	
Wealth Index Quintiles	Poorest	4.2	98371	
	Second	6.5	111268	
	Middle	4.7	117564	
	Fourth	12.6	93512	
	Richest	18.7	78058	
Sexe	Masculin	9.3	242155	
	Feminin	8.1	256617	
Region	Dakar	12.3	109224	
	Ziguinchor	12.2	25433	
	Diourbel	14.8	38468	
	Saint louis	2.9	51858	
	Tambacounda	6.5	34598	
	Kaolack	13.0	58045	
	Thies	5.1	65643	
	Louga	3.0	36281	
	Fatick	9.5	42733	
	Kolda	3.4	36489	
	Milieu de residence	Urbain	14.8	170334
		Rural	5.5	328438
	Age	36-47 mois	7.9	256235
48-59 mois		9.4	242538	
Niveau d'instruction de la mère	Aucun	6.9	379286	
	Primaire	12.1	73839	
	Secondaire	26.8	23854	
	Programme non formel	8.6	19173	
	Missing DK	.0	2619	
Total		8.7	498773	

Objectif du Sommet mondial pour les enfants => Nombre 26

Table 10b: Percentage of children entering first grade of primary school who eventually reach grade 5, Senegal, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1	
Wealth Index Quintiles	Poorest	84.0	80.0	85.5	80.5	46.3	
	Second	87.0	80.7	88.3	84.4	52.3	
	Middle	81.7	87.6	82.8	86.4	51.2	
	Fourth	91.2	86.1	87.9	86.5	59.7	
	Richest	89.6	91.6	87.4	90.4	64.8	
Sexe	Masculin	87.4	85.7	86.8	89.9	58.5	
	Feminin	86.7	87.2	85.9	82.8	53.7	
Region	Dakar	87.7	89.6	86.8	89.5	61.1	
	Ziguinchor	86.4	86.3	83.8	76.5	47.8	
	Diourbel	86.6	88.7	91.1	90.2	63.1	
	Saint louis	88.6	89.6	89.9	87.0	62.1	
	Tambacounda	87.7	85.1	79.1	84.8	50.0	
	Kaolack	86.9	74.5	92.1	90.2	53.7	
	Thies	90.9	88.5	91.9	91.7	67.8	
	Louga	81.3	89.0	85.8	87.1	54.1	
	Fatick	80.0	88.8	88.4	96.5	60.6	
	Kolda	82.5	74.7	71.0	71.0	31.0	
	Milieu de residence	Urbain	87.8	88.4	85.3	87.0	57.6
		Rural	86.3	84.3	87.6	86.9	55.4
	1.00		87.1	86.4	86.4	86.9	56.5

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Senegal, 2000

		Sexe				Total	
		Masculin		Feminin		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth Index Quintiles	Poorest	35.8	152141	25.0	153818	30.4	305959
	Second	38.0	171263	28.3	168791	33.2	340054
	Middle	44.6	183496	38.4	181695	41.5	365191
	Fourth	64.2	160973	60.0	157788	62.1	318761
	Richest	74.0	142699	73.0	141325	73.5	284024
Region	Dakar	67.9	198899	66.5	192722	67.2	391621
	Ziguinchor	79.6	53868	74.4	46996	77.2	100864
	Diourbel	26.9	64937	22.8	66545	24.8	131482
	Saint louis	53.5	81082	52.4	81370	52.9	162452
	Tambacounda	37.4	46669	26.4	43498	32.1	90167
	Kaolack	37.1	93349	27.4	99428	32.1	192777
	Thies	46.2	105396	38.5	99702	42.5	205098
	Louga	30.5	45797	24.9	48516	27.6	94313
	Fatick	39.9	58335	29.9	64003	34.7	122339
	Kolda	53.9	62239	40.4	60638	47.2	122876
Milieu de residence	Urbain	68.0	292669	65.7	292351	66.8	585020
	Rural	40.8	517902	31.6	511067	36.3	1028968
Age	7.00	39.7	164627	36.8	166485	38.3	331112
	8.00	52.0	147746	44.4	145968	48.2	293714
	9.00	57.5	107720	51.1	108152	54.3	215872
	10.00	50.0	145575	47.6	155490	48.7	301065
	11.00	61.6	110007	50.6	98635	56.4	208641
	12.00	48.7	134895	37.7	128688	43.4	263583
Total		50.6	810571	44.0	803417	47.3	1613989

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Senegal,2000

		Sexe						Total		
		Masculin			Feminin			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	36.5	.4	384377	11.8	.5	432801	23.4	.4	817178
	Second	37.3	.4	409572	12.4	.5	483851	23.8	.5	893423
	Middle	50.3	.3	420706	20.4	.3	547482	33.4	.3	968189
	Fourth	67.6	.2	429025	35.0	.1	566534	49.1	.1	995559
	Richest	81.1	.1	508142	55.3	.0	595188	67.2	.0	1103330
Region	Dakar	74.7	.1	664627	47.7	.0	766279	60.2	.0	1430905
	Ziguinchor	72.8	.1	127700	39.4	.0	147019	55.0	.1	274719
	Diourbel	49.4	.2	149380	13.9	.0	225340	28.1	.1	374720
	Saint louis	46.8	.2	186570	24.0	.4	265653	33.4	.3	452223
	Tambacounda	37.1	2.8	117824	14.1	3.7	131869	24.9	3.3	249693
	Kaolack	54.2	.0	221710	22.0	.2	280039	36.2	.1	501748
	Thies	44.7	.1	259411	23.8	.0	305853	33.4	.1	565265
	Louga	45.2	.2	124162	20.6	.1	166041	31.1	.1	290203
	Fatick	38.8	.1	155190	13.5	.0	170941	25.5	.0	326131
	Kolda	41.5	.2	145249	12.8	.2	166823	26.1	.2	312072
Milieu de residence	Urbain	73.2	.2	943689	45.0	.1	1146240	57.7	.1	2089929
	Rural	42.7	.3	1208134	15.8	.4	1479617	27.9	.4	2687750
Age	15-24	62.3	.3	773097	42.1	.3	895444	51.5	.3	1668540
	25-34	61.4	.2	456754	30.5	.2	664823	43.1	.2	1121577
	35-44	58.1	.3	334219	24.6	.3	443767	39.0	.3	777985
	45-54	49.6	.2	238955	14.3	.4	289665	30.3	.3	528620
	55-64	40.0	.4	164198	6.4	.3	195725	21.7	.3	359923
	65+	36.1	.3	184601	4.6	.1	136433	22.7	.2	321035
Total		56.1	.3	2151823	28.6	.3	2625856	41.0	.3	4777679

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Senegal, 2000

		Main source of water														Total	Total with safe drinking water	Number of persons	
		Eau de robinet dans le logement	Eau de robinet dans la cour/parcelle	Borne fontaine	Puits a pompe	Puits protege	Source protegee	Eau de pluie	Eau en bouteille	Puits non protege	Source non protegee	Mare, ruisseau ou fleuve	Camion citerne, vendeur d'eau	Forage	Manquant				NSP
Region	Dakar	23.0	46.4	21.4	.1	2.5	.0	.0	.0	3.1	.4	.0	.1	.2	2.9	.0	100.0	93.0	2406740
	Ziguinchor	3.7	8.1	2.0	.8	23.0	.4	.7	58.9	1.8	.0	.0	.0	.6	.1	.0	100.0	37.7	509814
	Diourbel	16.2	26.6	25.4	1.1	8.4	.6	.0	.0	19.3	.0	.1	.4	2.0	.0	.0	100.0	77.9	701901
	Saint louis	6.8	26.5	29.7	.0	1.7	.0	.0	.1	18.8	1.3	12.4	.1	.2	2.3	.1	100.0	64.2	866175
	Tambacounda	3.1	5.9	4.5	7.8	18.0	.7	.0	.4	39.6	1.8	10.9	.0	7.2	.0	.0	100.0	39.9	496294
	Kaolack	7.5	5.5	9.5	.6	24.7	1.5	.0	.1	47.8	1.1	.2	.0	1.2	.2	.0	100.0	48.8	997548
	Thies	7.1	20.5	29.5	3.5	4.8	.1	.0	.3	27.3	1.7	.0	1.3	2.7	1.2	.0	100.0	65.0	1098050
	Louga	10.1	15.7	30.9	.3	.4	.0	.0	.1	20.3	.5	.0	.2	20.4	1.1	.0	100.0	56.9	540668
	Fatick	1.8	3.5	23.5	.2	20.6	.3	.0	.4	43.5	2.0	.0	.0	3.0	1.0	.3	100.0	49.2	642678
	Kolda	.5	1.9	1.6	.4	21.6	1.3	.3	.4	67.7	4.1	.0	.0	.0	.3	.0	100.0	26.9	618512
Milieu de residence	Urbain	22.9	45.7	18.9	.1	3.8	.0	.0	.1	4.9	.5	.0	.1	.1	2.8	.0	100.0	91.2	3566983
	Rural	3.1	7.0	19.9	1.9	14.5	.6	.0	.3	42.9	1.7	3.1	.3	4.0	.7	.1	100.0	46.5	5311397
Total		11.1	22.6	19.5	1.2	10.2	.4	.0	.2	27.6	1.2	1.9	.2	2.4	1.6	.0	100.0	64.5	8878380

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Senegal, 2000

		Type de toilette								Total
		Chasse raccordee ... l'egout	Chasse avec fossee	Latrine a fosse ventilee)	Edicule publicit latrine	Latrine seches traditionnelles	Pots de chambre	Dans la nature	Autres	
Region	Dakar	20.7	27.9	33.0	.6	7.3	.0	4.1	6.4	100.0
	Ziguinchor	.7	8.6	11.8	.1	66.2	.0	11.1	1.5	100.0
	Diourbel	.0	9.5	29.0	.2	19.8	.4	37.4	3.6	100.0
	Saint louis	3.7	5.5	22.6	.0	45.7	.9	19.5	2.1	100.0
	Tambacounda	.5	3.1	8.6	.2	52.0	.1	35.1	.4	100.0
	Kaolack	.1	6.3	13.9	.2	41.2	.0	37.0	1.4	100.0
	Thies	.5	10.4	27.9	.1	26.0	.4	31.8	2.9	100.0
	Louga	.6	5.8	17.7	.2	35.4	.2	38.2	1.9	100.0
	Fatick	.2	4.4	6.3	.6	30.8	.0	55.2	2.5	100.0
	Kolda	.5	.2	7.6	.3	69.6	.0	20.2	1.7	100.0
Milieu de residence	Urbain	15.1	27.0	36.0	.5	15.7	.1	2.3	3.4	100.0
	Rural	.2	2.2	12.0	.2	42.6	.3	39.3	3.1	100.0
Total		6.2	12.2	21.7	.3	31.8	.2	24.4	3.2	100.0

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Senegal, 2000

		Total with sanitary means of excreta disposal	Number of persons
Region	Dakar	81.5	2406740
	Ziguinchor	21.1	509814
	Diourbel	38.6	701901
	Saint louis	31.8	866175
	Tambacounda	12.3	496294
	Kaolack	20.3	997548
	Thies	38.8	1098050
	Louga	24.2	540668
	Fatick	11.4	642678
	Kolda	8.5	618512
Milieu de residence	Urbain	78.2	3566983
	Rural	14.6	5311397
Total		40.1	8878380

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Senegal, 2000

		Missing height or weight	Number of children	
Wealth Index Quintiles	Poorest	3.9	262861	
	Second	3.9	294136	
	Middle	3.1	304758	
	Fourth	7.0	250191	
	Richest	8.9	208909	
Sexe	Masculin	4.9	660417	
	Feminin	5.3	660439	
Region	Dakar	9.5	296042	
	Ziguinchor	4.7	62612	
	Diourbel	2.9	103182	
	Saint louis	3.9	128569	
	Tambacounda	5.3	88597	
	Kaolack	3.0	174334	
	Thies	3.3	174406	
	Louga	4.4	90517	
	Fatick	3.8	106478	
	Kolda	4.4	91752	
	Milieu de r,sidence	Urbain	7.4	451582
		Rural	3.9	869274
	Age	< 6 mois	4.6	156807
		6-11 mois	4.7	153679
12-23 mois		3.8	266221	
24-35 mois		5.8	247874	
36-47 mois		5.9	254792	
48-59 mois		5.5	241483	
Niveau d'instruction de la mère	Aucun	4.7	982181	
	Primaire	5.7	202743	
	Secondaire	7.1	71692	
	Programme non formel	5.9	59003	
	Missing DK	9.0	5236	
Total		5.1	1320856	

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Senegal, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	31.3	9.3	34.3	15.2	11.3	1.4	237019
	Second	26.9	8.2	29.8	13.0	10.2	1.2	269265
	Middle	22.8	5.0	23.8	9.2	7.9	1.0	287192
	Fourth	17.1	3.5	21.6	6.4	6.0	.6	227228
	Richest	12.4	2.6	15.0	4.2	5.8	1.1	186246
Sexe	Masculin	23.8	6.7	26.7	10.1	9.5	1.4	608253
	Feminin	21.6	5.1	24.1	9.8	7.3	.7	598697
Region	Dakar	15.5	3.7	22.0	6.5	5.9	.9	261645
	Ziguinchor	17.6	2.2	23.6	9.7	2.9	.4	56073
	Diourbel	23.9	6.8	26.0	11.8	8.0	1.1	98020
	Saint louis	21.0	5.5	16.4	4.2	12.0	1.3	121583
	Tambacounda	31.4	10.0	33.2	15.8	11.6	2.6	79514
	Kaolack	34.9	10.6	33.3	15.3	15.0	2.0	157764
	Thies	15.7	3.1	18.8	5.5	5.2	.5	164566
	Louga	20.7	3.9	21.1	7.5	6.0	.5	85810
	Fatick	24.3	6.0	30.6	12.7	7.7	.8	100026
	Kolda	32.7	10.0	38.9	19.4	9.5	.6	81950
Milieu de r,sidence	Urbain	15.4	3.2	18.9	6.1	6.4	.9	404851
	Rural	26.4	7.3	28.7	11.9	9.4	1.2	802098
Age	< 6 mois	3.8	.7	5.2	1.0	5.0	.8	123702
	6-11 mois	16.7	3.9	10.8	2.6	10.1	1.9	141708
	12-23 mois	27.6	7.5	31.5	10.8	12.2	1.5	249227
	24-35 mois	28.2	9.0	28.1	11.1	8.6	1.3	230418
	36-47 mois	25.4	6.2	31.9	14.1	6.4	.7	237004
	48-59 mois	22.9	4.8	29.4	13.0	7.0	.4	224890
Niveau d'instruction de la mère	Aucun	24.4	6.6	27.2	10.8	8.9	1.1	898722
	Primaire	16.5	3.1	19.2	7.4	5.8	1.0	186064
	Secondaire	12.0	3.4	13.4	2.4	7.6	.7	64694
	Proggramme non formel	28.8	7.8	32.6	13.2	10.7	1.2	52702
	Missing DK	16.7	6.9	15.0	13.3	5.2	.0	4767
Total		22.7	5.9	25.4	9.9	8.4	1.1	1206950

World Summit for Children Goal => Number 3, 9, 26

Table 17: Percentage of households consuming adequately iodized salt, Senegal, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed	
				< 15 PPM	15+ PPM	Total	
Wealth Index Quintiles	Poorest	2.0	97.4	91.4	8.6	189563	
	Second	2.3	97.5	91.2	8.8	189940	
	Middle	3.9	95.3	85.4	14.6	189549	
	Fourth	4.1	95.0	79.9	20.1	189926	
	Richest	3.5	96.3	70.4	29.6	183087	
Region	Dakar	4.7	94.5	77.6	22.4	270514	
	Ziguinchor	.9	95.6	76.5	23.5	58670	
	Diourbel	2.3	96.8	92.5	7.5	73582	
	Saint louis	3.1	96.0	87.5	12.5	88851	
	Tambacounda	2.7	95.8	80.2	19.8	50112	
	Kaolack	1.7	96.8	90.0	10.0	103383	
	Thies	3.7	95.5	78.4	21.6	114178	
	Louga	3.7	94.8	88.9	11.1	57603	
	Fatick	1.9	96.5	96.0	4.0	68296	
	Kolda	2.1	96.5	85.4	14.6	63649	
	Milieu de residence	Urbain	4.8	93.7	74.9	25.1	406529
		Rural	1.9	97.1	90.3	9.7	542308
	Total		3.1	95.6	83.8	16.2	948837

World Summit for Children Goal => Number 14

Table 17a: Percentage of population consuming adequately iodized salt, Senegal, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons	
				< 15 PPM	15+ PPM	Total	
Wealth Index Quintiles	Poorest	1.6	95.0	90.9	9.1	1593223	
	Second	2.0	94.3	91.4	8.6	1771585	
	Middle	2.6	93.4	85.4	14.6	1908093	
	Fourth	2.6	92.7	78.9	21.1	1796471	
	Richest	3.2	93.8	71.6	28.4	1809008	
Region	Dakar	3.7	93.3	77.4	22.6	2406740	
	Ziguinchor	1.1	91.5	74.0	26.0	509814	
	Diourbel	1.3	94.5	92.2	7.8	701901	
	Saint louis	2.1	94.7	86.9	13.1	866175	
	Tambacounda	1.9	94.5	79.9	20.1	496294	
	Kaolack	1.2	94.1	89.9	10.1	997548	
	Thies	3.1	93.9	78.9	21.1	1098050	
	Louga	2.5	93.5	87.8	12.2	540668	
	Fatick	1.3	94.7	96.4	3.6	642678	
	Kolda	2.2	93.5	83.4	16.6	618512	
	Milieu de residence	Urbain	3.8	92.5	74.4	25.6	3566983
		Rural	1.4	94.7	89.5	10.5	5311397
	Total		2.4	93.8	83.5	16.5	8878380

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Senegal, 2000

		Vitamin A					Total		
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children	
Wealth Index Quintiles	Poorest	70.2	10.3	3.0	1.7	14.8	100.0	220962	
	Second	78.7	8.0	1.9	1.3	10.1	100.0	252858	
	Middle	82.3	7.3	1.2	1.2	7.9	100.0	273889	
	Fourth	83.6	8.6	.7	1.0	6.1	100.0	231608	
	Richest	85.8	5.2	.8	.9	7.3	100.0	188535	
Sexe	Masculin	79.3	8.5	1.6	1.0	9.5	100.0	585428	
	Feminin	80.8	7.4	1.4	1.5	9.0	100.0	582424	
Region	Dakar	82.4	9.0	.7	.9	7.0	100.0	275250	
	Ziguinchor	78.7	4.7	2.3	3.2	11.2	100.0	55128	
	Diourbel	83.6	9.6	1.8	.8	4.1	100.0	92232	
	Saint louis	85.1	.8	.5	.9	12.7	100.0	114508	
	Tambacounda	74.0	1.3	.1	2.8	21.8	100.0	76797	
	Kaolack	70.4	18.9	1.4	.7	8.5	100.0	145487	
	Thies	86.2	5.2	1.4	1.3	5.9	100.0	153469	
	Louga	87.0	.9	1.4	1.0	9.8	100.0	82996	
	Fatick	69.6	15.8	3.9	1.1	9.5	100.0	93684	
	Kolda	78.2	4.4	4.2	2.0	11.3	100.0	78299	
	Milieu de r,sidence	Urbain	84.9	6.1	.7	1.1	7.1	100.0	407430
		Rural	77.4	8.9	2.0	1.3	10.4	100.0	760422
	Age	< 6 mois	79.2	.0	.0	7.3	13.5	100.0	3803
		6-11 mois	73.7	4.5	1.4	1.0	19.4	100.0	153679
12-23 mois		80.3	8.0	1.2	1.2	9.3	100.0	266221	
24-35 mois		81.4	8.1	1.4	1.2	7.9	100.0	247874	
36-47 mois		83.2	7.7	1.7	1.2	6.1	100.0	254792	
48-59 mois		79.1	10.2	1.8	1.5	7.3	100.0	241483	
Niveau d'instruction de la mère	Aucun	78.5	8.3	1.6	1.4	10.2	100.0	868123	
	Primaire	86.6	5.8	1.1	.9	5.6	100.0	181365	
	Secondaire	83.1	7.9	.6	.7	7.6	100.0	63656	
	Programme non formel	79.7	9.3	2.6	1.2	7.2	100.0	50035	
	Missing DK	85.0	4.4	.0	1.8	8.8	100.0	4672	
Total	80.1	7.9	1.5	1.2	9.2	100.0	1167852		

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Senegal, 2000

		Received Vitamin A supplement	Not sure if received	Number of women	
Wealth Index Quintiles	Poorest	21.9	.5	75245	
	Second	25.0	1.7	78139	
	Middle	28.8	1.4	75717	
	Fourth	39.3	.6	52567	
	Richest	36.5	1.2	53068	
Region	Dakar	33.2	1.3	64929	
	Ziguinchor	39.5	.0	14835	
	Diourbel	33.6	.6	25801	
	Saint louis	24.8	.9	31075	
	Tambacounda	19.6	2.3	25451	
	Kaolack	23.7	.0	52068	
	Thies	32.3	2.4	42330	
	Louga	21.4	3.0	23591	
	Fatick	32.9	.4	28301	
	Kolda	33.5	.0	24939	
	Milieu de residence	Urbain	39.3	.8	105971
		Rural	24.5	1.2	228924
	Niveau d'education de la femme	Aucun	27.4	1.0	247374
		Primaire	37.6	1.3	50182
Secondaire +		35.3	1.2	19284	
Programme non formel		25.5	1.7	16941	
Missing/DK		.0	.0	1113	
Total		29.2	1.1	334895	

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight				
		<2500	2500+	DK/Missing	Not weighted at birth	
Wealth Index Quintiles	Poorest	2.1	8.9	7.4	81.5	
	Second	2.4	12.6	8.1	76.8	
	Middle	4.0	21.1	12.4	62.5	
	Fourth	4.4	47.3	15.6	32.8	
	Richest	10.2	60.7	10.1	19.0	
Region	Dakar	9.1	61.6	11.4	17.9	
	Ziguinchor	6.5	47.2	5.3	41.0	
	Diourbel	4.7	13.2	14.1	68.0	
	Saint louis	2.7	19.1	12.1	66.1	
	Tambacounda	.3	8.2	4.8	86.6	
	Kaolack	2.1	6.9	9.3	81.7	
	Thies	3.7	36.8	11.2	48.2	
	Louga	1.9	15.4	17.0	65.8	
	Fatick	2.8	7.9	10.4	78.8	
	Kolda	5.3	21.3	6.3	67.2	
	Milieu de residence	Urbain	8.3	52.9	13.9	24.9
		Rural	2.4	14.7	8.8	74.1
	Niveau d'education de la femme	Aucun	3.0	19.2	11.6	66.2
		Primaire	9.2	50.6	7.5	32.7
Secondaire +		8.0	74.5	2.3	15.1	
Programme non formel		3.8	11.8	12.2	72.2	
	Missing/DK	.0	30.8	.0	69.2	
Total		4.2	26.8	10.4	58.5	

Table 20a. Birth weight and size at birth

		Votre dernier enfant etait il gros /pls gros etc ... la naiss.						Total	Number
		Tres gros	Plus gros que la moyenne	Moyenne	Plus petite que la moyuene	Tres petite	Nsp		
Wealth Index	Poorest	5.2	20.9	33.1	27.3	12.7	.8	100.0	68384
Quintiles	Second	6.2	18.7	34.1	27.4	13.1	.5	100.0	70248
	Middle	5.2	16.2	40.3	24.2	13.0	.9	100.0	68425
	Fourth	5.6	20.1	40.8	22.2	10.6	.6	100.0	47851
	Richest	5.5	21.6	33.6	26.9	11.8	.7	100.0	51002
Region	Dakar	5.1	20.7	38.8	25.1	10.1	.3	100.0	62679
	Ziguinchor	11.9	18.8	38.3	19.7	11.4	.0	100.0	12763
	Diourbel	2.2	14.4	37.1	29.7	16.7	.0	100.0	23202
	Saint louis	4.8	16.6	33.8	26.7	16.0	2.1	100.0	27869
	Tambacounda	9.2	22.6	34.9	21.7	9.5	2.0	100.0	23293
	Kaolack	3.8	23.7	35.6	24.5	11.9	.3	100.0	44874
	Thies	6.2	16.7	33.5	30.3	12.1	1.3	100.0	39517
	Louga	4.5	14.1	35.9	30.6	14.5	.4	100.0	21537
	Fatick	5.5	11.6	42.7	25.7	14.4	.0	100.0	26204
	Kolda	7.5	31.1	31.7	17.2	11.4	1.1	100.0	22551
Milieu de residence	Urbain	5.9	21.5	34.6	25.5	11.4	1.0	100.0	99147
	Rural	5.4	18.3	37.0	25.9	12.8	.6	100.0	206921
Niveau d'education de la femme	Aucun	5.4	18.0	36.5	26.8	12.7	.6	100.0	225749
	Primaire	6.7	19.4	34.7	25.3	12.8	1.1	100.0	46508
	Secondaire +	6.5	29.6	41.9	13.1	7.0	1.8	100.0	18098
	Programme non formel	3.8	26.7	28.4	28.3	12.9	.0	100.0	14599
	Missing/DK	.0	22.2	50.6	9.9	17.3	.0	100.0	1113
Total		5.5	19.4	36.2	25.8	12.4	.7	100.0	306068

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Senegal, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding	
Wealth Index Quintiles	Poorest	33.1	262861	45.9	27.6	29.3	9.5	11.0	19.2	
	Second	32.1	294136	48.3	30.3	31.9	14.3	8.5	21.4	
	Middle	29.9	304758	49.3	32.3	36.6	17.8	8.6	16.6	
	Fourth	22.9	250191	42.7	35.6	44.7	7.9	6.2	18.2	
	Richest	21.0	208909	47.0	35.3	47.9	13.5	5.5	21.9	
Sexe	Masculin	29.8	660417	47.0	33.4	36.2	13.6	9.3	21.5	
	Feminin	26.8	660439	46.9	29.5	36.4	12.3	7.4	16.8	
Region	Dakar	22.1	296042	43.8	41.0	51.8	12.8	6.4	18.1	
	Ziguinchor	23.2	62612	53.8	37.2	26.8	20.0	18.4	11.8	
	Diourbel	34.9	103182	44.3	37.6	38.8	9.6	5.4	17.5	
	Saint louis	24.1	128569	45.4	22.5	32.6	10.3	6.4	32.4	
	Tambacounda	37.9	88597	43.9	38.5	27.9	12.5	11.2	22.1	
	Kaolack	34.7	174334	49.3	26.3	34.9	13.5	3.9	20.5	
	Thies	26.5	174406	47.2	22.4	40.7	13.6	11.0	17.8	
	Louga	22.9	90517	46.8	22.8	18.2	10.1	3.2	27.0	
	Fatick	33.4	106478	50.0	26.9	33.6	12.3	6.8	12.1	
	Kolda	31.9	91752	50.3	40.1	29.4	18.7	21.5	13.6	
	Milieu de r,sidence	Urbain	22.2	451582	44.6	33.7	43.5	12.6	7.9	19.0
		Rural	31.4	869274	47.8	30.8	33.6	13.1	8.6	19.4
	Age	< 6 mois	30.7	156807	85.5	16.0	18.9	9.9	3.3	5.6
		6-11 mois	42.3	153679	92.0	31.5	32.5	12.2	4.1	15.7
12-23 mois		37.2	266221	64.9	41.7	44.9	14.8	9.6	25.6	
24-35 mois		30.2	247874	10.2	29.4	40.1	12.6	10.3	21.0	
36-47 mois		19.8	254792	3.7	30.6	35.5	13.4	10.9	20.1	
48-59 mois		15.0	241483	2.0	30.6	36.1	13.8	12.1	21.9	
Niveau d'instruction de la mère	Aucun	28.8	982181	46.4	30.7	33.6	12.3	8.0	19.6	
	Primaire	25.6	202743	49.2	34.9	46.3	14.8	11.0	15.7	
	Secondaire	22.0	71692	43.2	40.4	48.3	25.6	7.6	27.3	
	Programme non formel	36.8	59003	49.6	29.4	39.2	7.8	6.9	16.4	
	Missing DK	32.1	5236	72.1	19.7	24.6	18.0	14.7	39.3	
Total	28.3	1320856	47.0	31.6	36.3	13.0	8.4	19.3		

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Senegal, 2000

		Any recommended treatment	No treatment	Number of children with diarrhea 1.00
Wealth Index Quintiles	Poorest	79.0	21.0	86972
	Second	83.0	17.0	94511
	Middle	78.7	21.3	90994
	Fourth	80.8	19.2	57287
	Richest	84.9	15.1	43902
Sexe	Masculin	81.5	18.5	196480
	Feminin	80.1	19.9	177186
Region	Dakar	81.1	18.9	65345
	Ziguinchor	83.9	16.1	14541
	Diourbel	84.0	16.0	35998
	Saint louis	82.4	17.6	30984
	Tambacounda	82.5	17.5	33571
	Kaolack	82.6	17.4	60477
	Thies	81.5	18.5	46132
	Louga	72.8	27.2	20704
	Fatick	75.5	24.5	35617
	Kolda	80.4	19.6	29271
Milieu de r,sidence	Urbain	79.8	20.2	100458
	Rural	81.3	18.7	273208
Age	< 6 mois	91.8	8.2	48134
	6-11 mois	95.5	4.5	65015
	12-23 mois	88.5	11.5	99012
	24-35 mois	69.3	30.7	74858
	36-47 mois	64.0	36.0	50417
	48-59 mois	66.8	33.2	36229
Niveau d'instruction de la mère	Aucun	79.9	20.1	282620
	Primaire	85.5	14.5	51902
	Secondaire	76.2	23.8	15759
	Programme non formel	84.7	15.3	21706
	Missing DK	100.0	.0	1678
Total	80.9	19.1	373666	

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Senegal, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total	
				More	Same/Less	Missing/DK		
Wealth Index Quintiles	Poorest	33.1	262861	46.1	36.2	17.7	100.0	
	Second	32.1	294136	47.7	33.8	18.5	100.0	
	Middle	29.9	304758	41.9	38.6	19.6	100.0	
	Fourth	22.9	250191	39.6	32.2	28.3	100.0	
	Richest	21.0	208909	49.4	26.9	23.7	100.0	
Sexe	Masculin	29.8	660417	43.9	34.5	21.7	100.0	
	Feminin	26.8	660439	46.0	34.5	19.5	100.0	
Region	Dakar	22.1	296042	39.7	31.1	29.2	100.0	
	Ziguinchor	23.2	62612	48.0	40.4	11.6	100.0	
	Diourbel	34.9	103182	46.8	28.9	24.3	100.0	
	Saint louis	24.1	128569	44.8	45.5	9.7	100.0	
	Tambacounda	37.9	88597	49.0	35.8	15.3	100.0	
	Kaolack	34.7	174334	53.3	30.7	16.0	100.0	
	Thies	26.5	174406	43.4	34.1	22.5	100.0	
	Louga	22.9	90517	36.3	45.0	18.7	100.0	
	Fatick	33.4	106478	42.7	33.0	24.3	100.0	
	Kolda	31.9	91752	41.9	33.9	24.1	100.0	
	Milieu de r,sidence	Urbain	22.2	451582	43.1	32.3	24.6	100.0
		Rural	31.4	869274	45.5	35.3	19.2	100.0
	Age	< 6 mois	30.7	156807	34.4	51.4	14.2	100.0
		6-11 mois	42.3	153679	45.9	41.8	12.3	100.0
		12-23 mois	37.2	266221	44.3	35.2	20.5	100.0
24-35 mois		30.2	247874	48.1	25.7	26.2	100.0	
36-47 mois		19.8	254792	48.9	27.2	23.9	100.0	
48-59 mois		15.0	241483	46.0	25.1	28.9	100.0	
Niveau d'instruction de la mère	Aucun	28.8	982181	43.4	37.3	19.3	100.0	
	Primaire	25.6	202743	49.6	25.8	24.6	100.0	
	Secondaire	22.0	71692	46.7	21.1	32.2	100.0	
	Proggramme non formel	36.8	59003	50.6	27.3	22.1	100.0	
	Missing DK	32.1	5236	57.3	36.1	6.6	100.0	
Total		28.3	1320856	44.9	34.5	20.7	100.0	

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Senegal, 2000

		Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea	
		somewhat less/same/more	Much less/none	Missing/DK			1.00	
Wealth Index Quintiles	Poorest	67.8	29.7	2.5	100.0	29.6	86972	
	Second	71.8	26.6	1.5	100.0	35.0	94511	
	Middle	73.7	24.6	1.7	100.0	30.6	90994	
	Fourth	81.3	17.0	1.7	100.0	32.4	57287	
	Richest	82.5	15.8	1.7	100.0	41.4	43902	
Sexe	Masculin	75.4	23.2	1.4	100.0	32.1	196480	
	Feminin	72.6	25.0	2.4	100.0	34.0	177186	
Region	Dakar	80.4	18.8	.8	100.0	32.4	65345	
	Ziguinchor	72.7	25.4	2.0	100.0	35.3	14541	
	Diourbel	83.7	13.0	3.3	100.0	43.7	35998	
	Saint louis	77.6	19.9	2.5	100.0	33.6	30984	
	Tambacounda	65.2	32.3	2.5	100.0	29.1	33571	
	Kaolack	73.0	25.3	1.6	100.0	37.5	60477	
	Thies	72.0	26.7	1.3	100.0	29.3	46132	
	Louga	65.8	30.3	4.0	100.0	17.2	20704	
	Fatick	77.7	21.1	1.2	100.0	37.7	35617	
	Kolda	61.9	36.8	1.2	100.0	27.0	29271	
	Milieu de r,sidence	Urbain	80.0	18.4	1.6	100.0	35.0	100458
		Rural	71.9	26.2	1.9	100.0	32.3	273208
	Age	< 6 mois	72.0	23.5	4.6	100.0	24.9	48134
		6-11 mois	71.3	27.5	1.2	100.0	33.4	65015
		12-23 mois	77.8	21.4	.9	100.0	33.6	99012
24-35 mois		72.9	25.5	1.7	100.0	34.1	74858	
36-47 mois		75.9	22.1	2.0	100.0	37.6	50417	
48-59 mois		71.7	26.1	2.2	100.0	32.8	36229	
Niveau d'instruction de la mère	Aucun	73.0	24.9	2.1	100.0	31.7	282620	
	Primaire	78.0	20.6	1.4	100.0	37.9	51902	
	Secondaire	81.7	17.3	1.0	100.0	38.7	15759	
	Programme non formel	71.6	27.8	.6	100.0	33.9	21706	
	Missing DK	85.3	14.7	.0	100.0	47.5	1678	
Total		74.1	24.1	1.9	100.0	33.0	373666	

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Senegal, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Mobile/outreach clinic
Wealth Index Quintiles	Poorest	10.7	262861	.4	1.5	16.9	1.9	.0	.0
	Second	7.8	294136	1.0	3.1	16.2	2.6	.0	.0
	Middle	6.2	304758	3.7	4.7	24.3	3.0	.7	.0
	Fourth	4.8	250191	3.9	5.7	19.2	.0	1.1	1.5
	Richest	5.8	208909	11.2	4.5	14.9	2.1	.0	.0
Sexe	Masculin	7.3	660417	3.2	3.4	21.2	2.1	.0	.4
	Feminin	6.9	660439	2.9	3.5	15.1	2.0	.6	.0
Region	Dakar	5.9	296042	6.3	5.8	16.9	1.5	.0	.0
	Ziguinchor	7.6	62612	6.7	4.0	24.7	5.1	.0	.0
	Diourbel	7.1	103182	1.7	1.7	7.2	2.0	.0	.0
	Saint louis	5.5	128569	4.0	1.9	19.9	3.6	.0	.0
	Tambacounda	6.2	88597	3.6	8.4	23.0	4.3	.0	.0
	Kaolack	14.1	174334	1.2	1.9	17.9	2.1	.0	.0
	Thies	4.7	174406	3.6	4.9	25.3	2.1	.0	2.2
	Louga	4.1	90517	5.0	7.8	11.9	.0	.0	.0
	Fatick	7.6	106478	1.1	.0	12.5	1.5	.0	.0
	Kolda	7.9	91752	.0	1.8	26.4	.0	3.6	.0
Milieu de residence	Urbain	5.5	451582	7.5	5.2	15.5	1.0	.0	.7
	Rural	8.0	869274	1.4	2.8	19.3	2.4	.4	.0
Age	< 6 mois	7.2	156807	.0	4.8	24.6	2.5	1.2	.0
	6-11 mois	9.4	153679	5.8	4.0	29.2	.8	.0	1.2
	12-23 mois	6.8	266221	4.0	.5	17.7	3.0	.0	.0
	24-35 mois	6.9	247874	1.2	3.8	12.5	1.8	.0	.0
	36-47 mois	7.5	254792	2.1	6.4	18.4	2.3	.0	.0
	48-59 mois	5.8	241483	5.0	1.0	9.2	1.8	.9	.0
Niveau d'instruction de la mère	Aucun	7.3	982181	1.7	3.6	18.1	1.8	.4	.3
	Primaire	5.8	202743	9.2	3.6	18.7	3.2	.0	.0
	Secondaire	5.3	71692	11.9	.0	26.4	3.2	.0	.0
	Programme non formel	10.5	59003	2.3	.0	15.0	2.4	.0	.0
	Missing DK	5.5	5236	.0	71.1	.0	.0	.0	.0
Total	7.1	1320856	3.1	3.4	18.3	2.1	.3	.2	

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Senegal, 2000

		Private physician	Traditional healer	Other	Any appropriate provider	Number of children with ARI 1.00
Wealth Index Quintiles	Poorest	.0	.0	8.5	20.4	28032
	Second	.0	.0	7.0	22.9	22847
	Middle	.0	.0	5.6	36.3	18831
	Fourth	.0	.0	2.9	27.5	12122
	Richest	.0	.0	4.3	32.6	12165
Sexe	Masculin	.0	.0	6.1	29.9	48520
	Feminin	.0	.0	6.4	23.3	45475
Region	Dakar	.0	.0	4.3	30.5	17404
	Ziguinchor	.0	.0	3.2	40.4	4769
	Diourbel	.0	.0	13.1	10.9	7351
	Saint louis	.0	.0	.0	29.4	7025
	Tambacounda	.0	.0	18.2	35.9	5458
	Kaolack	.0	.0	5.9	23.2	24505
	Thies	.0	.0	.0	38.2	8271
	Louga	.0	.0	5.3	24.7	3751
	Fatick	.0	.0	12.4	15.2	8083
	Kolda	.0	.0	3.5	28.1	7238
Milieu de r,sidence	Urbain	.0	.0	4.5	29.6	24807
	Rural	.0	.0	6.9	25.6	69189
Age	< 6 mois	.0	.0	7.1	29.9	11368
	6-11 mois	.0	.0	6.7	41.0	14505
	12-23 mois	.0	.0	3.5	25.3	18222
	24-35 mois	.0	.0	5.0	18.9	16989
	36-47 mois	.0	.0	8.1	29.1	19021
	48-59 mois	.0	.0	7.7	17.0	13891
Niveau d'instruction de la mère	Aucun	.0	.0	6.3	25.1	71986
	Primaire	.0	.0	7.7	34.0	11715
	Secondaire	.0	.0	.0	41.5	3791
	Programme non formel	.0	.0	7.1	19.7	6218
	Missing DK	.0	.0	.0	71.1	286
Total	.0	.0	6.3	26.7	93996	

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Senegal, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total	
				More	Same/Less	Missing/DK		
Wealth Index Quintiles	Poorest	59.2	262861	10.8	7.4	81.8	100.0	
	Second	57.0	294136	8.6	9.0	82.5	100.0	
	Middle	52.8	304758	8.0	7.7	84.3	100.0	
	Fourth	44.1	250191	4.9	5.5	89.6	100.0	
	Richest	44.7	208909	5.3	4.2	90.5	100.0	
Sexe	Masculin	54.0	660417	8.5	6.5	85.0	100.0	
	Feminin	50.2	660439	7.2	7.8	85.0	100.0	
Region	Dakar	43.8	296042	6.2	4.3	89.5	100.0	
	Ziguinchor	50.3	62612	12.7	12.3	75.0	100.0	
	Diourbel	57.8	103182	6.5	5.2	88.3	100.0	
	Saint louis	46.4	128569	10.4	6.8	82.8	100.0	
	Tambacounda	59.7	88597	12.5	11.1	76.5	100.0	
	Kaolack	66.1	174334	8.6	6.8	84.6	100.0	
	Thies	47.2	174406	4.3	5.2	90.5	100.0	
	Louga	48.3	90517	5.5	4.7	89.8	100.0	
	Fatick	56.0	106478	5.2	6.9	87.9	100.0	
	Kolda	56.1	91752	12.6	15.5	71.8	100.0	
	Milieu de r,sidence	Urbain	44.6	451582	5.6	5.9	88.5	100.0
		Rural	56.0	869274	8.8	7.6	83.5	100.0
	Age	< 6 mois	56.0	156807	10.6	10.3	79.1	100.0
		6-11 mois	64.8	153679	7.5	8.8	83.6	100.0
		12-23 mois	58.2	266221	7.4	6.5	86.1	100.0
24-35 mois		53.6	247874	5.8	6.4	87.8	100.0	
36-47 mois		46.4	254792	8.5	6.3	85.3	100.0	
48-59 mois		39.2	241483	8.6	5.6	85.8	100.0	
Niveau d'instruction de la mère	Aucun	52.5	982181	8.5	7.6	83.9	100.0	
	Primaire	48.3	202743	5.6	5.2	89.2	100.0	
	Secondaire	45.3	71692	5.7	6.3	88.0	100.0	
	Proggramme non formel	64.5	59003	7.4	6.6	86.0	100.0	
	Missing DK	83.8	5236	6.9	3.8	89.3	100.0	
Total		52.1	1320856	7.9	7.1	85.0	100.0	

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Senegal, 2000

		Eating during illness			Total	Received increased fluids and continued eating	Number of sick children	
		somewhat less/same/more	Much less/none	Missing/DK			1.00	
Wealth Index Quintiles	Poorest	71.0	27.0	2.0	100.0	8.7	155559	
	Second	73.9	24.9	1.2	100.0	7.3	167752	
	Middle	75.9	22.8	1.3	100.0	5.7	161061	
	Fourth	82.1	16.4	1.5	100.0	4.2	110449	
	Richest	83.8	15.1	1.1	100.0	4.6	93353	
Sexe	Masculin	77.6	21.3	1.1	100.0	7.0	356836	
	Feminin	75.0	23.2	1.8	100.0	5.8	331337	
Region	Dakar	83.1	16.3	.6	100.0	4.5	129803	
	Ziguinchor	77.2	20.6	2.2	100.0	10.9	31493	
	Diourbel	84.3	13.3	2.4	100.0	4.5	59600	
	Saint louis	76.1	21.4	2.5	100.0	7.8	59602	
	Tambacounda	67.4	31.0	1.6	100.0	10.8	52912	
	Kaolack	77.4	21.3	1.3	100.0	8.0	115232	
	Thies	73.7	25.4	.9	100.0	3.8	82358	
	Louga	67.8	29.7	2.5	100.0	4.2	43741	
	Fatick	80.0	19.1	.9	100.0	4.3	59586	
	Kolda	64.4	34.3	1.2	100.0	9.5	51487	
	Milieu de r,sidence	Urbain	81.3	17.5	1.2	100.0	4.4	201434
		Rural	74.3	24.1	1.5	100.0	7.2	486739
	Age	< 6 mois	73.7	22.2	4.1	100.0	7.5	87890
		6-11 mois	74.9	24.1	1.0	100.0	5.8	99553
		12-23 mois	78.7	20.6	.7	100.0	6.0	155018
24-35 mois		75.6	23.4	1.1	100.0	4.8	132753	
36-47 mois		77.3	21.7	1.1	100.0	7.5	118258	
48-59 mois		76.8	21.7	1.5	100.0	7.3	94701	
Niveau d'instruction de la mère	Aucun	75.1	23.3	1.6	100.0	6.8	515287	
	Primaire	81.6	17.5	1.0	100.0	4.4	97955	
	Secondaire	79.2	19.8	1.0	100.0	5.2	32475	
	Programme non formel	76.1	23.2	.6	100.0	7.4	38068	
	Missing DK	92.5	7.5	.0	100.0	6.9	4388	
Total		76.4	22.2	1.4	100.0	6.4	688173	

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Senegal, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	10.2	31.3	67.0	3.3	7.0	10.0	3.5	28.6	1435
	Second	11.6	33.7	67.1	7.2	8.6	14.9	6.8	33.4	1601
	Middle	9.7	28.0	73.1	5.9	7.5	14.1	4.9	30.5	1621
	Fourth	8.4	34.6	76.7	6.0	7.7	13.3	5.2	34.1	1058
	Richest	7.9	35.0	77.2	5.6	5.8	13.4	4.4	38.0	799
Region	Dakar	7.7	35.3	75.4	6.8	5.2	11.5	5.2	36.0	794
	Ziguinchor	17.5	32.0	78.0	13.1	16.3	22.5	10.0	39.5	590
	Diourbel	4.1	40.0	76.5	.7	4.6	6.2	.4	35.9	562
	Saint louis	5.3	24.0	64.8	.5	1.6	13.0	.8	20.4	637
	Tambacounda	12.6	31.6	58.4	3.2	5.5	10.5	3.2	24.3	618
	Kaolack	8.7	34.4	70.6	1.3	5.4	7.5	.9	34.2	681
	Thies	10.7	31.4	70.7	9.7	9.4	19.4	9.4	33.7	816
	Louga	3.5	20.0	72.8	.3	1.1	8.1	.2	19.8	665
	Fatick	11.5	45.5	76.8	9.9	11.4	17.3	8.8	45.0	624
	Kolda	19.4	26.2	69.3	10.6	16.8	14.9	11.5	34.4	511
Milieu de residence	Urbain	10.3	33.9	76.1	7.6	8.5	17.2	6.3	37.1	1920
	Rural	9.7	31.3	69.4	4.8	7.1	11.5	4.5	30.3	4594
Niveau d'instruction de la mère	Aucun	9.9	32.1	70.0	5.3	7.4	12.7	5.1	31.3	4981
	Primaire	11.0	32.1	76.0	7.6	7.8	17.0	5.8	36.2	921
	Secondaire	9.5	30.0	79.5	5.8	8.3	15.6	4.0	37.6	327
	Programme non formel	6.9	33.3	73.2	3.8	7.7	6.9	3.1	30.7	261
	Missing DK	4.2	29.2	54.2	8.3	8.3	4.2	4.2	29.2	24
Total		9.9	32.1	71.4	5.6	7.5	13.2	5.0	32.3	6514

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Senegal, 2000

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	1.00
Wealth Index Quintiles	Poorest	15.5	84.2	.3	.7	98.9	.4	258818
	Second	20.4	79.3	.3	2.4	97.3	.3	289715
	Middle	15.7	84.1	.2	2.0	97.6	.4	301824
	Fourth	11.4	88.5	.1	1.5	98.4	.1	247536
	Richest	11.7	88.1	.2	1.3	98.6	.2	207464
Sexe	Masculin	14.6	85.2	.2	1.7	98.1	.2	651652
	Feminin	15.9	83.9	.3	1.6	98.1	.3	653705
Region	Dakar	8.3	91.6	.1	.5	99.4	.1	293722
	Ziguinchor	46.4	53.3	.3	5.0	95.0	.0	61246
	Diourbel	3.9	96.1	.0	.9	99.1	.0	102275
	Saint louis	41.3	58.1	.5	5.9	93.6	.5	127293
	Tambacounda	16.8	82.9	.3	1.3	96.6	2.1	87171
	Kaolack	4.9	94.4	.7	.4	99.4	.2	172639
	Thies	4.9	95.0	.2	.3	99.5	.2	172335
	Louga	6.7	93.2	.1	2.3	97.7	.0	89537
	Fatick	12.3	87.7	.0	1.0	98.9	.1	104980
	Kolda	42.9	56.8	.3	3.3	96.6	.1	89890
Milieu de r,sidence	Urbain	13.3	86.6	.1	1.5	98.3	.2	448703
	Rural	16.3	83.5	.3	1.7	98.0	.3	856654
Age	< 6 mois	21.7	78.3	.1	2.1	97.6	.4	154490
	6-11 mois	14.8	85.2	.0	1.1	98.5	.3	152431
	12-23 mois	14.8	85.1	.1	2.2	97.5	.3	263130
	24-35 mois	13.0	86.7	.3	1.4	98.4	.2	245399
	36-47 mois	14.3	85.3	.4	1.6	98.3	.2	252320
	48-59 mois	15.1	84.4	.4	1.3	98.3	.4	237587
Niveau d'instruction de la mère	Aucun	11.5	62.6	.2	1.2	73.0	.2	969337
	Primaire	2.6	12.8	.0	.3	15.0	.0	202005
	Secondaire	.9	4.5	.0	.1	5.3	.0	70423
	Proggramme non formel	.2	4.2	.0	.0	4.4	.0	58439
	Missing DK	.0	.4	.0	.0	.4	.0	5153
Total		15.2	84.5	.2	1.6	98.1	.3	1305357

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Senegal, 2000

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Quinimax/ Palujet	Other	Don't know
Wealth Index Quintiles	Poorest	29.4	262861	47.6	25.4	.0	5.0	14.2	4.4
	Second	25.5	294136	54.0	29.8	.2	4.9	13.1	3.6
	Middle	20.8	304758	52.8	32.6	.5	8.7	15.4	3.5
	Fourth	16.5	250191	44.2	54.8	.5	9.0	28.2	5.7
	Richest	17.8	208909	41.8	54.2	2.1	1.7	37.2	4.4
Sexe	Masculin	23.7	660417	48.0	34.4	.6	6.2	19.5	4.3
	Feminin	20.8	660439	50.5	37.5	.3	5.6	18.6	4.0
Region	Dakar	17.5	296042	42.0	55.0	1.3	4.7	34.6	4.6
	Ziguinchor	22.9	62612	58.4	49.6	1.4	11.8	22.2	1.6
	Diourbel	27.0	103182	48.0	33.2	.9	5.0	21.4	3.0
	Saint louis	17.4	128569	47.2	35.1	.0	7.9	11.7	5.1
	Tambacounda	34.3	88597	45.3	25.6	.3	7.0	14.7	7.2
	Kaolack	29.7	174334	58.3	21.0	.3	5.8	13.3	5.1
	Thies	16.1	174406	48.0	38.9	.0	4.2	20.6	5.5
	Louga	10.7	90517	44.1	26.2	.0	1.2	11.1	.0
	Fatick	26.5	106478	54.3	33.1	.0	5.2	15.1	2.6
	Kolda	31.0	91752	44.5	38.0	.0	7.4	13.7	2.0
Milieu de r,sidence	Urbain	17.7	451582	42.4	51.4	1.2	6.0	30.6	4.2
	Rural	24.6	869274	51.7	30.0	.2	5.9	14.8	4.2
Age	< 6 mois	22.2	156807	35.7	34.7	.3	1.6	15.4	2.8
	6-11 mois	25.7	153679	41.3	37.3	.0	4.8	24.2	4.7
	12-23 mois	23.7	266221	45.8	39.7	.0	6.4	20.9	4.1
	24-35 mois	24.2	247874	50.9	36.2	.6	7.9	20.9	5.0
	36-47 mois	20.1	254792	55.6	34.1	1.6	5.5	16.9	4.2
	48-59 mois	18.9	241483	61.4	31.8	.2	7.4	15.0	3.6
Niveau d'instruction de la mère	Aucun	22.0	982181	49.7	32.5	.6	6.1	15.3	4.1
	Primaire	20.1	202743	49.3	48.6	.0	5.2	33.8	7.2
	Secondaire	15.4	71692	35.2	47.3	.0	10.1	42.9	2.2
	Programme non formel	41.0	59003	53.8	38.3	.5	4.0	14.4	.6
	Missing DK	39.9	5236	15.8	50.0	.0	.0	46.1	3.9
Total		22.3	1320856	49.2	35.9	.5	5.9	19.1	4.2

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Senegal, 2000

		Any appropriate anti-malarial drug	Number of children with fever
			1.00
Wealth Index Quintiles	Poorest	25.4	77289
	Second	29.8	75073
	Middle	33.1	63317
	Fourth	54.8	41262
	Richest	56.1	37167
Sexe	Masculin	34.9	156552
	Feminin	37.6	137556
Region	Dakar	56.3	51879
	Ziguinchor	49.6	14361
	Diourbel	33.7	27907
	Saint louis	35.1	22314
	Tambacounda	25.6	30432
	Kaolack	21.3	51740
	Thies	38.9	28087
	Louga	26.2	9661
	Fatick	33.1	28212
	Kolda	38.0	28405
Milieu de r,sidence	Urbain	52.7	80015
	Rural	30.0	214093
Age	< 6 mois	34.7	34812
	6-11 mois	37.3	39571
	12-23 mois	39.7	63004
	24-35 mois	36.6	59963
	36-47 mois	35.5	51173
	48-59 mois	31.8	45585
Niveau d'instruction de la mère	Aucun	32.9	216143
	Primaire	48.6	40659
	Secondaire	47.3	11046
	Proggramme non formel	38.3	24170
	Missing DK	50.0	2091
Total		36.2	294108

Monitoring IMCI and Malaria Indicator

Table 29a: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs (With Quinimax/ palujet), Senegal, 2000

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Quinimax/ Palujet	Other	Don't know
Wealth Index Quintiles	Poorest	29.4	262861	47.6	25.4	.0	5.0	14.2	4.4
	Second	25.5	294136	54.0	29.8	.2	4.9	13.1	3.6
	Middle	20.8	304758	52.8	32.6	.5	8.7	15.4	3.5
	Fourth	16.5	250191	44.2	54.8	.5	9.0	28.2	5.7
	Richest	17.8	208909	41.8	54.2	2.1	1.7	37.2	4.4
Sexe	Masculin	23.7	660417	48.0	34.4	.6	6.2	19.5	4.3
	Feminin	20.8	660439	50.5	37.5	.3	5.6	18.6	4.0
Region	Dakar	17.5	296042	42.0	55.0	1.3	4.7	34.6	4.6
	Ziguinchor	22.9	62612	58.4	49.6	1.4	11.8	22.2	1.6
	Diourbel	27.0	103182	48.0	33.2	.9	5.0	21.4	3.0
	Saint louis	17.4	128569	47.2	35.1	.0	7.9	11.7	5.1
	Tambacounda	34.3	88597	45.3	25.6	.3	7.0	14.7	7.2
	Kaolack	29.7	174334	58.3	21.0	.3	5.8	13.3	5.1
	Thies	16.1	174406	48.0	38.9	.0	4.2	20.6	5.5
	Louga	10.7	90517	44.1	26.2	.0	1.2	11.1	.0
	Fatick	26.5	106478	54.3	33.1	.0	5.2	15.1	2.6
	Kolda	31.0	91752	44.5	38.0	.0	7.4	13.7	2.0
Milieu de r,sidence	Urbain	17.7	451582	42.4	51.4	1.2	6.0	30.6	4.2
	Rural	24.6	869274	51.7	30.0	.2	5.9	14.8	4.2
Age	< 6 mois	22.2	156807	35.7	34.7	.3	1.6	15.4	2.8
	6-11 mois	25.7	153679	41.3	37.3	.0	4.8	24.2	4.7
	12-23 mois	23.7	266221	45.8	39.7	.0	6.4	20.9	4.1
	24-35 mois	24.2	247874	50.9	36.2	.6	7.9	20.9	5.0
	36-47 mois	20.1	254792	55.6	34.1	1.6	5.5	16.9	4.2
	48-59 mois	18.9	241483	61.4	31.8	.2	7.4	15.0	3.6
Niveau d'instruction de la mère	Aucun	22.0	982181	49.7	32.5	.6	6.1	15.3	4.1
	Primaire	20.1	202743	49.3	48.6	.0	5.2	33.8	7.2
	Secondaire	15.4	71692	35.2	47.3	.0	10.1	42.9	2.2
	Proggramme non formel	41.0	59003	53.8	38.3	.5	4.0	14.4	.6
	Missing DK	39.9	5236	15.8	50.0	.0	.0	46.1	3.9
Total		22.3	1320856	49.2	35.9	.5	5.9	19.1	4.2

Monitoring IMCI and Malaria Indicator

Table 29a: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs (With Quinimax/ palujet), Senegal, 2000

		Any appropriate anti-malarial drug	Number of children with fever
			1.00
Wealth Index Quintiles	Poorest	27.6	77289
	Second	32.4	75073
	Middle	38.1	63317
	Fourth	56.5	41262
	Richest	56.8	37167
Sexe	Masculin	37.7	156552
	Feminin	40.1	137556
Region	Dakar	59.0	51879
	Ziguinchor	55.1	14361
	Diourbel	34.7	27907
	Saint louis	36.3	22314
	Tambacounda	30.1	30432
	Kaolack	23.9	51740
	Thies	41.2	28087
	Louga	26.2	9661
	Fatick	35.1	28212
	Kolda	41.9	28405
Milieu de r,sidence	Urbain	55.4	80015
	Rural	32.6	214093
Age	< 6 mois	35.5	34812
	6-11 mois	40.4	39571
	12-23 mois	43.3	63004
	24-35 mois	39.3	59963
	36-47 mois	37.3	51173
	48-59 mois	35.0	45585
Niveau d'instruction de la mère	Aucun	35.5	216143
	Primaire	50.8	40659
	Secondaire	54.2	11046
	Proggramme non formel	40.5	24170
	Missing DK	50.0	2091
Total		38.8	294108

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Senegal, 2000

		Avez vous entendu parle du sida	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women 1.00	
Wealth Index Quintiles	Poorest	75.9	42.7	25.1	23.2	44.7	55.3	293273	
	Second	80.5	50.9	32.6	30.8	52.7	47.3	330084	
	Middle	87.7	64.9	45.6	43.2	67.3	32.7	369079	
	Fourth	93.9	73.4	55.6	52.5	76.6	23.4	390158	
	Richest	95.7	81.6	67.9	64.0	85.5	14.5	409273	
Region	Dakar	94.8	78.8	63.7	60.1	82.4	17.6	528958	
	Ziguinchor	82.6	56.0	45.0	41.6	59.5	40.5	83785	
	Diourbel	87.7	67.8	38.6	35.9	70.6	29.4	156603	
	Saint louis	89.6	56.5	41.2	39.2	58.6	41.4	173268	
	Tambacounda	77.6	39.0	24.2	21.3	41.8	58.2	95834	
	Kaolack	79.8	51.0	30.0	27.9	53.1	46.9	203660	
	Thies	91.1	78.2	60.8	59.1	79.8	20.2	204892	
	Louga	92.3	73.5	55.2	54.5	74.3	25.7	113663	
	Fatick	85.8	57.6	35.1	32.3	60.4	39.6	112693	
	Kolda	67.3	27.8	21.2	17.3	31.7	68.3	111724	
	Milieu de residence	Urbain	94.7	77.1	62.1	58.1	81.1	18.9	777103
		Rural	82.2	54.7	35.7	34.0	56.4	43.6	1017788
	Age	15-19	84.7	56.6	43.4	41.2	58.8	41.2	377777
		20-24	90.5	69.3	54.4	50.8	73.0	27.0	340576
25-29		89.4	67.5	51.6	48.4	70.7	29.3	320752	
30-34		88.1	66.6	46.8	44.6	68.7	31.3	251360	
35-39		88.5	65.8	45.4	42.9	68.3	31.7	212089	
40-44		84.7	64.2	41.5	39.4	66.3	33.7	167623	
45-49		85.1	59.2	37.5	34.8	61.8	38.2	114903	
Missing		90.4	69.6	47.3	46.5	70.4	29.6	9811	
Niveau d'education de la femme		Aucun	83.9	57.2	38.5	36.6	59.1	40.9	1151181
	Primaire	94.6	76.5	61.1	57.7	79.9	20.1	372414	
	Secondaire +	97.4	83.1	78.7	72.2	89.6	10.4	181742	
	Programme non formel	86.5	69.0	35.8	33.4	71.4	28.6	83811	
	Missing/DK	81.2	64.6	48.0	45.4	67.2	32.8	5743	
Total	87.6	64.4	47.1	44.4	67.1	32.9	1794891		

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Senegal, 2000

		Avez vous entendu parle du sida	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconcep tions	Knows at least one misconcep tion	Doesn't correctly identify any misconcepti on	Number of women 1.00	
Wealth Index Quintiles	Poorest	75.9	34.3	14.9	27.4	5.7	46.9	53.1	293273	
	Second	80.5	42.2	18.9	34.3	8.2	56.1	43.9	330084	
	Middle	87.7	55.0	23.4	46.6	11.6	69.7	30.3	369079	
	Fourth	93.9	68.3	33.4	54.9	18.7	81.4	18.6	390158	
	Richest	95.7	82.1	49.7	65.8	34.5	89.5	10.5	409273	
Region	Dakar	94.8	77.5	43.4	64.1	29.2	86.9	13.1	528958	
	Ziguinchor	82.6	46.7	25.9	36.1	13.5	59.7	40.3	83785	
	Diourbel	87.7	60.5	21.5	31.9	7.4	69.2	30.8	156603	
	Saint louis	89.6	45.4	21.4	48.0	11.9	63.2	36.8	173268	
	Tambacounda	77.6	36.2	17.8	25.0	6.7	47.4	52.6	95834	
	Kaolack	79.8	49.5	22.8	29.6	8.4	59.0	41.0	203660	
	Thies	91.1	68.2	35.5	65.2	22.8	84.6	15.4	204892	
	Louga	92.3	53.5	25.6	65.7	16.9	77.7	22.3	113663	
	Fatick	85.8	49.1	19.0	29.0	7.1	59.5	40.5	112693	
	Kolda	67.3	23.8	13.6	16.5	4.2	33.4	66.6	111724	
	Milieu de residence	Urbain	94.7	75.6	42.5	60.3	27.0	85.3	14.7	777103
		Rural	82.2	45.2	19.4	37.5	9.1	59.2	40.8	1017788
	Age	15-19	84.7	50.3	28.6	40.7	14.4	63.6	36.4	377777
		20-24	90.5	64.6	32.7	52.6	20.0	75.6	24.4	340576
25-29		89.4	60.4	31.5	52.2	18.4	74.2	25.8	320752	
30-34		88.1	60.2	27.1	50.9	17.0	72.4	27.6	251360	
35-39		88.5	60.7	29.3	47.8	17.2	71.8	28.2	212089	
40-44		84.7	58.1	28.4	43.2	15.7	69.7	30.3	167623	
45-49		85.1	51.3	22.3	38.2	11.3	62.8	37.2	114903	
Missing		90.4	70.0	35.8	43.7	22.9	71.8	28.2	9811	
Niveau d'education de la femme		Aucun	83.9	48.0	20.8	40.2	9.8	62.0	38.0	1151181
		Primaire	94.6	74.0	38.4	58.4	23.5	84.1	15.9	372414
	Secondaire +	97.4	88.0	66.5	74.8	50.6	94.9	5.1	181742	
	Programme non formel	86.5	65.5	26.2	37.8	9.3	73.9	26.1	83811	
	Missing/DK	81.2	70.6	40.3	41.8	29.0	73.5	26.5	5743	
Total	87.6	58.4	29.4	47.4	16.8	70.5	29.5	1794891		

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Senegal, 2000

		Avez vous entendu parler du sida	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women 1.00	
Wealth Index Quintiles	Poorest	67.8	33.0	20.2	24.2	13.7	35.4	64.6	61153	
	Second	75.9	40.9	29.3	34.2	23.7	43.4	56.6	72251	
	Middle	87.4	61.1	40.6	43.4	30.1	64.2	35.8	73270	
	Fourth	92.0	63.4	51.3	48.2	35.7	68.4	31.6	79621	
	Richest	94.3	75.3	65.6	49.4	40.3	78.7	21.3	91482	
Region	Dakar	93.7	72.6	63.3	48.4	40.4	76.4	23.6	111952	
	Ziguinchor	82.8	51.4	40.6	38.3	29.7	55.0	45.0	19918	
	Diourbel	86.2	57.5	29.4	37.0	17.8	60.6	39.4	34932	
	Saint louis	86.2	48.2	36.7	41.7	28.3	51.4	48.6	36892	
	Tambacounda	71.6	34.5	24.2	28.5	15.8	40.0	60.0	18830	
	Kaolack	77.8	44.1	28.5	30.7	18.5	46.1	53.9	47584	
	Thies	85.5	70.2	56.6	54.5	43.6	71.9	28.1	37532	
	Louga	88.2	68.0	51.6	55.6	45.9	69.7	30.3	23225	
	Fatick	76.7	40.4	24.8	29.0	13.5	45.9	54.1	23348	
	Kolda	66.3	22.6	18.1	19.9	12.7	27.6	72.4	23564	
	Milieu de residence	Urbain	93.6	70.3	59.1	48.6	37.9	75.1	24.9	167076
		Rural	77.6	45.7	31.1	35.0	23.4	47.9	52.1	210701
	Age	15-19	84.7	56.6	43.4	41.0	29.8	59.9	40.1	377777
	Niveau d'education de la femme	Aucun	79.2	46.0	32.2	33.4	23.0	48.6	51.4	192678
Primaire		90.7	65.6	52.1	48.5	36.9	68.9	31.1	111328	
Secondaire +		95.5	80.6	75.7	54.4	44.4	86.9	13.1	48180	
Programme non formel		79.2	52.0	30.1	39.9	23.8	54.8	45.2	24649	
Missing/DK		85.1	55.9	15.1	51.7	15.1	67.6	32.4	941	
Total		84.7	56.6	43.4	41.0	29.8	59.9	40.1	377777	

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Senegal, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women 1.00	
Wealth Index Quintiles	Poorest	38.7	35.1	31.3	33.9	28.1	62.3	293273	
	Second	47.1	44.3	39.7	41.6	36.4	53.7	330084	
	Middle	57.0	54.5	50.2	47.3	43.0	44.0	369079	
	Fourth	70.0	68.7	61.9	50.8	46.4	30.2	390158	
	Richest	80.4	79.0	71.7	54.6	51.0	19.9	409273	
Region	Dakar	76.7	75.4	67.7	52.2	48.0	23.6	528958	
	Ziguinchor	59.3	54.7	46.5	45.5	37.1	42.0	83785	
	Diourbel	57.1	54.9	49.7	48.6	43.7	43.7	156603	
	Saint louis	53.8	51.2	48.7	43.6	41.0	47.5	173268	
	Tambacounda	38.0	33.5	30.1	30.9	25.5	63.7	95834	
	Kaolack	46.5	43.3	37.8	38.7	31.9	54.0	203660	
	Thies	67.2	65.9	60.9	53.8	50.3	33.0	204892	
	Louga	64.9	62.4	60.1	58.2	54.1	35.7	113663	
	Fatick	52.8	50.7	45.5	42.9	38.6	48.0	112693	
	Kolda	34.6	32.0	28.2	29.3	24.3	66.0	111724	
	Milieu de residence	Urbain	74.3	72.6	66.2	51.8	48.0	26.1	777103
		Rural	49.8	47.1	42.3	42.5	37.3	51.0	1017788
	Age	15-19	54.8	52.1	45.7	42.3	36.6	45.7	377777
		20-24	63.9	61.4	56.6	47.9	43.0	36.8	340576
		25-29	63.8	61.7	55.4	48.1	43.6	36.8	320752
30-34		60.6	58.2	53.3	46.2	41.9	40.1	251360	
35-39		61.8	60.0	54.8	49.4	45.3	38.9	212089	
40-44		59.0	57.3	52.3	46.3	43.2	41.6	167623	
45-49		58.3	56.8	51.9	48.4	43.9	42.4	114903	
Missing		56.9	53.3	41.0	35.8	30.2	45.4	9811	
Niveau d'education de la femme		Aucun	53.0	50.6	46.5	45.0	40.8	47.8	1151181
	Primaire	73.5	72.0	63.6	53.6	48.4	26.9	372414	
	Secondaire +	85.3	82.8	74.8	44.5	39.9	15.0	181742	
	Programme non formel	51.1	47.2	41.5	40.6	32.8	49.7	83811	
	Missing/DK	50.9	49.0	43.9	43.7	40.1	51.0	5743	
Total	60.4	58.2	52.6	46.5	41.9	40.2	1794891		

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Senegal, 2000

		Avez vous entendu parle du sida	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconception s about HIV transmission	Have sufficient knowledge	Number of women 1.00	
Wealth Index Quintiles	Poorest	75.9	17.6	5.7	2.7	293273	
	Second	80.5	23.6	8.2	4.4	330084	
	Middle	87.7	33.6	11.6	6.3	369079	
	Fourth	93.9	36.7	18.7	9.7	390158	
	Richest	95.7	40.9	34.5	15.4	409273	
Region	Dakar	94.8	38.7	29.2	13.3	528958	
	Ziguinchor	82.6	29.6	13.5	7.5	83785	
	Diourbel	87.7	20.6	7.4	2.8	156603	
	Saint louis	89.6	32.3	11.9	8.2	173268	
	Tambacounda	77.6	16.4	6.7	2.5	95834	
	Kaolack	79.8	19.9	8.4	3.8	203660	
	Thies	91.1	47.7	22.8	12.2	204892	
	Louga	92.3	46.1	16.9	8.4	113663	
	Fatick	85.8	21.6	7.1	3.1	112693	
	Kolda	67.3	12.1	4.2	2.3	111724	
	Milieu de residence	Urbain	94.7	39.2	27.0	12.5	777103
		Rural	82.2	25.6	9.1	4.9	1017788
	Age	15-19	84.7	29.8	14.4	6.9	377777
		20-24	90.5	37.0	20.0	10.1	340576
		25-29	89.4	34.1	18.4	9.2	320752
30-34		88.1	30.5	17.0	7.9	251360	
35-39		88.5	30.4	17.2	8.6	212089	
40-44		84.7	26.1	15.7	7.2	167623	
45-49		85.1	24.7	11.3	5.1	114903	
Missing		90.4	37.5	22.9	12.5	9811	
Niveau d'education de la femme		Aucun	83.9	26.8	9.8	4.9	1151181
	Primaire	94.6	40.8	23.5	12.0	372414	
	Secondaire +	97.4	45.1	50.6	23.2	181742	
	Programme non formel	86.5	24.6	9.3	3.5	83811	
	Missing/DK	81.2	39.4	29.0	18.5	5743	
Total	87.6	31.5	16.8	8.2	1794891		

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Seneal, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women 1.00	
Wealth Index Quintiles	Poorest	12.8	1.8	53.3	293273	
	Second	17.2	2.8	45.4	330084	
	Middle	25.5	4.7	59.2	369079	
	Fourth	34.2	6.2	65.3	390158	
	Richest	44.1	7.1	72.8	409273	
Region	Dakar	39.8	7.8	65.6	528958	
	Ziguinchor	18.0	7.0	66.3	83785	
	Diourbel	32.1	2.9	37.1	156603	
	Saint louis	25.2	4.3	67.6	173268	
	Tambacounda	17.3	4.0	62.4	95834	
	Kaolack	19.0	2.6	58.7	203660	
	Thies	31.2	4.0	66.4	204892	
	Louga	26.2	3.5	59.7	113663	
	Fatick	17.1	.8	86.1	112693	
	Kolda	11.9	3.4	65.2	111724	
	Milieu de residence	Urbain	38.5	6.6	67.2	777103
		Rural	20.0	3.3	58.7	1017788
	Age	15-19	23.5	3.2	59.2	377777
		20-24	29.4	4.1	55.2	340576
25-29		30.6	6.6	68.4	320752	
30-34		28.5	5.3	72.0	251360	
35-39		29.0	4.9	64.5	212089	
40-44		29.0	5.5	56.1	167623	
45-49		28.0	3.8	70.2	114903	
Missing		24.3	2.2	100.0	9811	
Niveau d'education de la femme	Aucun	21.3	3.5	57.7	1151181	
	Primaire	35.9	6.1	65.0	372414	
	Secondaire +	57.4	10.8	77.3	181742	
	Programme non formel	23.0	2.6	44.6	83811	
	Missing/DK	22.4	.0	.	5743	
Total	28.1	4.7	63.8	1794891		

Monitoring HIV/AIDS Indicator

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Senegal, 2000

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00	
Wealth Index Quintiles	Poorest	58.1	2.6	.4	61.1	75245	
	Second	65.6	1.6	.3	67.5	78139	
	Middle	74.5	2.3	.0	76.7	75717	
	Fourth	83.7	.0	.3	84.0	52567	
	Richest	92.7	.0	.0	92.7	53068	
Region	Dakar	90.1	.3	.0	90.5	64929	
	Ziguinchor	81.0	.0	.0	81.0	14835	
	Diourbel	73.6	1.0	.0	74.6	25801	
	Saint louis	74.6	1.3	.0	75.9	31075	
	Tambacounda	56.7	2.0	.0	58.7	25451	
	Kaolack	62.6	2.6	.3	65.6	52068	
	Thies	81.0	2.2	.3	83.5	42330	
	Louga	73.1	2.1	.0	75.3	23591	
	Fatick	69.1	.0	.4	69.5	28301	
	Kolda	50.1	2.9	1.1	54.0	24939	
	Milieu de residence	Urbain	87.7	.5	.1	88.3	105971
		Rural	66.3	1.9	.2	68.5	228924
	Niveau d'education de la femme	Aucun	69.0	1.9	.2	71.1	247374
		Primaire	87.4	.0	.0	87.4	50182
Secondaire +		93.4	.0	.0	93.4	19284	
Programme non formel		67.0	1.5	.6	69.1	16941	
Missing/DK		62.9	.0	.0	62.9	1113	
Total	73.1	1.5	.2	74.7	334895		

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Senegal, 2000

		Person delivering antenatal care							Total	
		No one	Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Other/missing	No antenatal care received		
Wealth Index Quintiles	Poorest	15.3	2.3	61.4	4.8	1.2	2.6	12.3	100.0	
	Second	17.8	1.3	65.0	4.6	.7	2.6	8.1	100.0	
	Middle	13.6	2.3	72.6	5.0	.9	1.4	4.2	100.0	
	Fourth	9.3	3.6	82.9	1.7	.0	1.5	1.0	100.0	
	Richest	4.1	5.9	89.1	.2	.0	.0	.6	100.0	
Region	Dakar	3.5	4.5	89.6	.0	.0	1.3	1.1	100.0	
	Ziguinchor	13.5	5.0	69.5	6.4	.5	4.0	1.0	100.0	
	Diourbel	16.1	.8	74.6	4.4	.0	2.6	1.5	100.0	
	Saint louis	16.7	2.5	68.8	7.1	.0	.5	4.4	100.0	
	Tambacounda	14.4	1.7	60.7	1.9	4.5	2.1	14.8	100.0	
	Kaolack	16.5	2.4	59.7	2.6	1.0	3.6	14.2	100.0	
	Thies	8.8	3.6	80.3	4.0	.3	.9	2.0	100.0	
	Louga	16.6	.0	71.1	5.8	.0	.8	5.7	100.0	
	Fatick	17.7	1.1	68.6	7.1	.0	.4	5.1	100.0	
	Kolda	17.1	5.6	62.9	3.1	1.2	1.4	8.6	100.0	
	Milieu de residence	Urbain	7.1	4.7	85.9	.3	.0	1.0	1.0	100.0
		Rural	15.4	2.0	66.4	5.1	.9	2.1	8.1	100.0
	Niveau d'education de la femme	Aucun	14.4	1.8	69.9	4.1	.9	2.0	6.9	100.0
		Primaire	7.1	4.8	83.4	2.2	.0	.5	2.0	100.0
		Secondaire +	6.2	14.2	78.8	.5	.0	.4	.0	100.0
Programme non formel		14.4	.0	71.9	3.6	.0	2.8	7.3	100.0	
	Missing/DK	.0	.0	62.9	.0	.0	9.9	27.2	100.0	
Total		12.8	2.9	72.6	3.6	.6	1.7	5.8	100.0	

World Summit for Children Goals => Numbers 9, 11

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Senegal, 2000

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	68.6	75245
	Second	70.9	78139
	Middle	79.9	75717
	Fourth	88.2	52567
	Richest	95.3	53068
Region	Dakar	94.1	64929
	Ziguinchor	81.0	14835
	Diourbel	79.8	25801
	Saint louis	78.4	31075
	Tambacounda	64.3	25451
	Kaolack	64.7	52068
	Thies	88.0	42330
	Louga	76.9	23591
	Fatick	76.9	28301
	Kolda	71.6	24939
Milieu de residence	Urbain	90.9	105971
	Rural	73.5	228924
Niveau d'education de la femme	Aucun	75.9	247374
	Primaire	90.4	50182
	Secondaire +	93.5	19284
	Programme non formel	75.5	16941
	Missing/DK	62.9	1113
Total		79.0	334895

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Senegal, 2000**

		Person assisting at delivery							Total	
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received		
Wealth Index Quintiles	Poorest	.2	23.1	8.3	17.6	35.5	.9	14.5	100.0	
	Second	1.6	22.7	13.3	12.5	35.5	.9	13.5	100.0	
	Middle	1.3	46.0	13.2	9.2	18.4	.9	11.0	100.0	
	Fourth	1.9	78.7	5.1	2.3	2.2	.9	8.8	100.0	
	Richest	6.5	82.7	4.0	.2	2.7	.0	3.9	100.0	
Region	Dakar	3.6	86.6	2.9	.0	3.5	.0	3.5	100.0	
	Ziguinchor	2.3	47.6	15.8	9.0	9.0	2.8	13.5	100.0	
	Diourbel	.5	51.6	6.4	7.6	20.0	.5	13.3	100.0	
	Saint louis	2.4	43.8	16.5	4.6	15.7	.0	16.9	100.0	
	Tambacounda	1.1	19.5	4.8	21.0	40.2	1.8	11.6	100.0	
	Kaolack	1.9	22.5	8.3	16.9	32.2	2.0	16.0	100.0	
	Thies	3.2	56.6	13.9	8.2	10.6	.4	7.0	100.0	
	Louga	.0	36.9	12.6	7.9	31.0	.0	11.7	100.0	
	Fatick	.5	24.3	15.0	13.7	36.5	.4	9.7	100.0	
	Kolda	1.6	30.7	7.1	12.2	32.9	.5	15.0	100.0	
	Milieu de residence	Urbain	3.9	81.3	3.7	.8	3.5	.1	6.6	100.0
		Rural	1.1	30.2	12.0	13.3	29.5	1.0	12.9	100.0
	Niveau d'education de la femme	Aucun	1.1	40.4	10.0	11.0	25.0	.9	11.7	100.0
		Primaire	3.5	68.2	9.8	3.7	6.9	.6	7.3	100.0
		Secondaire +	10.8	75.6	3.5	1.1	1.4	.4	7.2	100.0
Programme non formel		.9	37.5	6.8	9.8	30.9	.0	14.1	100.0	
	Missing/DK	.0	30.8	.0	37.1	24.7	.0	7.4	100.0	
Total		2.0	46.4	9.4	9.3	21.2	.7	10.9	100.0	

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Senegal, 2000**

		Any skilled personnel	Number of women	
			1.00	
Wealth Index Quintiles	Poorest	31.5	75245	
	Second	37.6	78139	
	Middle	60.5	75717	
	Fourth	85.7	52567	
	Richest	93.1	53068	
Region	Dakar	93.1	64929	
	Ziguinchor	65.7	14835	
	Diourbel	58.6	25801	
	Saint louis	62.7	31075	
	Tambacounda	25.4	25451	
	Kaolack	32.8	52068	
	Thies	73.8	42330	
	Louga	49.4	23591	
	Fatick	39.7	28301	
	Kolda	39.4	24939	
	Milieu de residence	Urbain	88.9	105971
		Rural	43.4	228924
	Niveau d'education de la femme	Aucun	51.5	247374
		Primaire	81.5	50182
Secondaire +		89.9	19284	
Programme non formel		45.1	16941	
	Missing/DK	30.8	1113	
Total		57.8	334895	

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Senegal, 2000

		Birth registered	DK if birth registered	Registration status						
				Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other	Reason DK or Missing
Wealth Index Quintiles	Poorest	44.3	3.5	8.4	14.7	6.3	2.4	3.5	45.2	19.5
	Second	51.1	3.6	7.1	8.8	9.0	1.0	3.3	52.6	18.2
	Middle	65.9	2.1	3.2	4.6	2.8	.8	4.1	69.9	14.6
	Fourth	84.7	1.7	.6	.4	2.3	1.8	.8	78.4	15.7
	Richest	92.1	.7	8.4	2.0	.0	.9	4.5	71.6	12.5
Sexe	Masculin	66.7	2.4	7.5	9.1	5.4	1.6	3.3	56.3	16.7
	Feminin	65.4	2.5	4.9	8.9	6.4	1.3	3.5	56.8	18.2
Region	Dakar	89.5	1.1	4.5	.0	3.5	.0	.0	85.9	6.2
	Ziguinchor	84.3	2.7	17.1	4.2	2.4	3.1	7.5	55.5	10.2
	Diourbel	53.4	4.5	2.1	2.6	1.2	.6	5.6	65.8	22.2
	Saint louis	69.1	1.9	5.4	18.2	1.2	2.8	5.0	54.8	12.6
	Tambacounda	50.1	2.9	11.2	21.7	11.8	.8	4.7	26.7	23.2
	Kaolack	47.3	3.3	4.0	8.8	16.8	1.8	3.1	39.0	26.6
	Thies	71.1	1.5	2.4	2.9	.9	.3	.5	83.4	9.6
	Louga	48.7	2.7	2.8	9.1	.9	1.5	1.8	67.4	16.5
	Fatick	58.5	4.3	8.0	6.1	1.8	2.9	2.1	65.1	14.0
	Kolda	54.1	2.3	16.5	10.2	2.8	1.7	6.4	50.5	11.9
Milieu de r,sidence	Urbain	87.5	1.4	5.5	.4	2.3	1.7	.7	80.7	8.8
	Rural	54.8	3.0	6.3	10.0	6.3	1.4	3.7	53.7	18.5
Age	< 6 mois	53.6	1.9	7.3	8.0	8.0	.8	2.3	58.0	15.7
	6-11 mois	65.5	1.7	3.0	9.6	6.1	1.5	4.6	57.4	17.8
	12-23 mois	70.3	1.4	5.3	10.1	6.0	1.3	2.8	54.7	19.8
	24-35 mois	66.9	3.0	7.7	8.2	3.8	2.1	3.1	57.2	17.9
	36-47 mois	69.4	2.9	6.0	10.7	6.8	1.0	3.4	54.3	17.8
	48-59 mois	65.2	3.1	7.0	7.8	4.9	2.1	4.5	57.9	15.8
Niveau d'instruction de la mère	Aucun	60.2	2.6	5.3	9.5	5.1	1.4	3.6	57.4	17.6
	Primaire	85.9	1.3	10.5	3.1	5.4	1.0	.4	67.9	11.7
	Secondaire	92.8	1.2	32.3	3.6	.0	2.4	2.4	55.3	3.9
	Programme non formel	60.9	4.1	13.7	7.9	16.5	2.6	2.2	32.4	24.7
	Missing DK	72.2	2.1	.0	8.2	69.4	.0	6.1	8.2	8.2
Total		66.0	2.4	6.2	9.0	5.9	1.5	3.4	56.6	17.5

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Senegal, 2000

		Total	Number of children
Wealth Index Quintiles	Poorest	100.0	262861
	Second	100.0	294136
	Middle	100.0	304758
	Fourth	100.0	250191
	Richest	100.0	208909
Sexe	Masculin	100.0	660417
	Feminin	100.0	660439
Region	Dakar	100.0	296042
	Ziguinchor	100.0	62612
	Diourbel	100.0	103182
	Saint louis	100.0	128569
	Tambacounda	100.0	88597
	Kaolack	100.0	174334
	Thies	100.0	174406
	Louga	100.0	90517
	Fatick	100.0	106478
	Kolda	100.0	91752
Milieu de r,sidence	Urbain	100.0	451582
	Rural	100.0	869274
Age	< 6 mois	100.0	156807
	6-11 mois	100.0	153679
	12-23 mois	100.0	266221
	24-35 mois	100.0	247874
	36-47 mois	100.0	254792
	48-59 mois	100.0	241483
Niveau d'instruction de la mère	Aucun	100.0	982181
	Primaire	100.0	202743
	Secondaire	100.0	71692
	Programme non formel	100.0	59003
	Missing DK	100.0	5236
Total		100.0	1320856

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Senegal, 2000

		Living arrangement							
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive
Wealth Index Quintiles	Poorest	73.9	.6	1.3	6.4	.6	9.8	3.0	1.5
	Second	74.0	.5	1.1	6.4	.4	10.8	2.9	1.6
	Middle	64.0	.7	.8	8.1	.4	19.3	2.9	1.8
	Fourth	61.6	.6	.9	7.7	.4	22.0	3.5	1.7
	Richest	60.7	.7	.7	9.6	.2	22.0	2.6	2.2
Sexe	Masculin	67.6	.6	.9	6.7	.4	16.4	2.9	2.3
	Feminin	66.4	.7	1.0	8.5	.4	16.9	3.0	1.2
Milieu de residence	Urbain	60.2	.7	.9	8.2	.3	22.9	3.3	1.8
	Rural	70.8	.6	1.0	7.2	.5	13.2	2.8	1.7
Age	0-4 years	71.3	.2	.3	4.0	.1	20.6	1.2	.7
	5-9 years	66.8	.6	1.0	8.6	.5	15.6	2.8	2.4
	10-14 years	62.4	1.1	1.7	10.6	.7	13.3	5.2	2.2
Total		67.0	.6	1.0	7.6	.4	16.7	3.0	1.7

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Senegal, 2000

		Living arrangement		Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Living with father only: mother dead	Impossible to determine						
Wealth Index Quintiles	Poorest	1.2	1.5	100.0	.0	9.0	6.8	6.8	772971
	Second	1.1	1.2	100.0	.0	8.5	6.1	6.1	875954
	Middle	.8	1.4	100.0	.0	9.9	5.5	5.5	933877
	Fourth	.4	1.3	100.0	.0	9.6	5.8	5.8	796660
	Richest	.3	.9	100.0	.0	11.2	4.6	4.6	702270
Sexe	Masculin	.9	1.3	100.0	.0	8.6	5.7	5.7	2039060
	Feminin	.7	1.2	100.0	.0	10.6	5.8	5.8	2042672
Milieu de residence	Urbain	.5	1.2	100.0	.0	10.1	5.7	5.7	1465162
	Rural	.9	1.3	100.0	.0	9.3	5.8	5.8	2616570
Age	0-4 years	.2	1.3	100.0	.0	4.6	2.1	2.1	1425926
	5-9 years	.9	.9	100.0	.0	10.7	5.8	5.8	1410184
	10-14 years	1.3	1.6	100.0	.0	14.1	10.0	10.0	1245622
Total		.8	1.3	100.0	.0	9.6	5.8	5.8	4081732

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Senegal, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children	
Wealth Index Quintiles	Poorest	1.9	16.8	63.9	18.1	27.31	51.2	487447	
	Second	1.4	14.0	66.9	15.1	28.43	47.6	560523	
	Middle	1.6	16.3	67.6	13.7	20.48	42.4	601351	
	Fourth	1.6	15.5	76.0	9.2	14.57	33.6	527072	
	Richest	1.2	16.1	76.7	6.5	6.48	26.1	479412	
Sexe	Masculin	1.6	15.6	70.7	6.1	28.33	42.5	1322759	
	Feminin	1.5	15.8	69.6	19.0	11.17	38.4	1333047	
Region	Dakar	1.5	14.0	77.1	9.1	10.42	29.4	649660	
	Ziguinchor	2.8	9.5	72.0	5.3	19.75	32.2	163157	
	Diourbel	.8	15.5	70.8	14.9	24.93	46.3	214446	
	Saint louis	.7	12.5	71.9	9.8	7.90	25.4	272693	
	Tambacounda	2.9	12.5	59.7	15.4	20.34	41.7	149043	
	Kaolack	2.9	18.0	63.9	20.5	23.74	50.0	308692	
	Thies	.8	22.8	67.4	13.9	27.49	52.6	343344	
	Louga	.6	21.4	69.0	16.7	23.36	50.9	154552	
	Fatick	1.3	19.2	72.0	11.1	34.05	52.6	200540	
	Kolda	1.7	9.6	63.6	12.9	23.18	40.2	199679	
	Milieu de residence	Urbain	1.9	15.1	75.3	7.7	10.51	29.8	983039
		Rural	1.3	16.1	67.0	15.5	25.12	46.6	1672767
	Age	5-9 years	.7	14.2	73.5	6.1	15.61	31.1	1410184
		10-14 years	2.5	17.4	66.2	20.0	24.36	51.0	1245622
Woman's education level	None	1.5	15.7	68.1	14.2	21.83	43.1	2154875	
	Primary	.0	64.7	88.3	5.8	13.83	70.6	1639	
	Secondary +	1.6	15.5	78.6	6.0	10.78	29.1	450941	
	Non-standard curriculum	.5	12.7	81.1	3.9	3.06	17.6	36904	
	Missing/DK	1.2	30.2	87.5	1.0	24.56	44.4	10536	
Total		1.5	15.7	70.1	12.6	19.70	40.4	2654895	

Monitoring Children's Rights Indicator

Table 42b: Percentage of children 5-15 years of age who are currently working, Senegal, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children	
Wealth Index Quintiles	Poorest	1.8	15.7	59.9	16.9	25.58	47.9	520491	
	Second	1.3	13.0	62.1	14.0	26.40	44.2	603718	
	Middle	1.5	15.2	63.3	12.8	19.17	39.7	642663	
	Fourth	1.5	14.4	70.6	8.5	13.52	31.2	567850	
	Richest	1.1	14.7	70.3	6.0	5.94	23.9	523094	
Sexe	Masculin	1.5	14.5	65.6	5.7	26.30	39.4	1424647	
	Feminin	1.4	14.7	64.7	17.7	10.39	35.7	1433168	
Region	Dakar	1.4	12.9	70.7	8.4	9.55	26.9	708290	
	Ziguinchor	2.6	8.9	67.0	4.9	18.37	29.9	175425	
	Diourbel	.8	14.4	65.8	13.9	23.16	43.0	230797	
	Saint louis	.7	11.6	66.9	9.1	7.36	23.7	292857	
	Tambacounda	2.7	11.8	56.1	14.4	19.08	39.1	158848	
	Kaolack	2.7	16.8	59.8	19.2	22.21	46.8	329877	
	Thies	.7	21.4	63.4	13.1	25.85	49.5	365062	
	Louga	.6	19.9	64.3	15.6	21.77	47.5	165832	
	Fatick	1.2	17.8	66.7	10.3	31.54	48.7	216507	
	Kolda	1.6	8.9	59.3	12.0	21.59	37.4	214320	
	Milieu de residence	Urbain	1.7	13.9	69.5	7.1	9.70	27.5	1065386
		Rural	1.2	15.0	62.6	14.4	23.44	43.5	1792429
	Age	5-9 years	.7	14.2	73.5	6.1	15.61	31.1	1410184
		10-15 years	2.2	15.0	57.0	17.2	20.96	43.9	1447631
Total		1.4	14.6	65.2	11.7	18.32	37.6	2857816	

Monitoring Children's Rights Indicator