

**WHO/UNICEF  
Review of National Immunization Coverage  
1980-2008**


---

***Seychelles***

---

**July, 2009**

# Seychelles



## Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

## Data presented in chart


Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981	67	67	67				
1982	83						
1983	98		98				
1984	95						
1985	92	95	92				
1986	94	94	98				
1987	94	94	98				
1988	94	94	98				
1989	94	100	94				
1990	98	98	98				
1991	99						
1992	99	100	99				
1993	99		99				
1994	99	100	100				
1995	99	100	100				
1996	99	100					
1997	99	100	100				
1998	99	100	100				
1999	99	100	100	100	100		
2000	99						
2001	99	99		99	100		
2002	99	100	100	100	99		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	100	100	100	100		
2007	99	100	100	100	101		
2008	99	100	100	100	100		

\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Seychelles



### Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 200 onward. The DTP1 estimates from 2001 onward are based on these reports. For years prior to 2001 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 countries which were published between 1980 and 2004.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980							
1981	35						
1982	78						
1983	98						
1984	98						
1985	95						
1986	97						
1987	96						
1988	97						
1989	98						
1990	99						
1991	98						
1992	98						
1993	98						
1994	98						
1995	98						
1996	99						
1997	98						
1998	99						
1999	99						
2000	98						
2001	99	99	99	99	100		
2002	99	100	100	100	100		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	97	97	97	97	100		
2006	99	100	100	100	100		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Seychelles

## DTP3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981	13	13	13				
1982	55						
1983	97		98				
1984	95	95	95				
1985	86	86	86				
1986	94	94	94				
1987	89	89	94				
1988	94	97	94				
1989	97		97				
1990	99	99	82				
1991	98						
1992	96	96	96				
1993	96		96				
1994	96	96	99				
1995	97	98	97				
1996	99	100					
1997	98	98	98				
1998	99	99	99				
1999	99	99	99	99	92		
2000	98						
2001	96	96		96	93		
2002	99	99	99	99	100		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	100	100	100	100		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Seychelles

## Pol3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

### Data presented in chart


Year	WHO/ UNICEF estimate (%)  —	Reported to:*		Government official estimate (%)  ○	Reported doses administered (%)**  ✕	Survey data (%)***	
		WHO (%)  □	UNICEF (%)  ■			Survey 12-23 months  	Survey <12 months  +
1980							
1981	16	16	16				
1982	57						
1983	98						
1984	95	95	95				
1985	86	86	86				
1986	94	94	94				
1987	89	89	94				
1988	94	97	94				
1989	97		97				
1990	99	99	82				
1991	98						
1992	96	96	96				
1993	96		96				
1994	96	96	100				
1995	97	98	97				
1996	99	100					
1997	98	98	98				
1998	99	99	99				
1999	99	99	99	99	92		
2000	98						
2001	96	96		96	93		
2002	99	99	99	99	100		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	100	100	100	100		
2007	99	100	100	100			
2008	99	100	100	100	100		

\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Seychelles



### Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981	29	29	29				
1982	64						
1983	98		98				
1984	77	77	77				
1985	90	90	90				
1986	95	95	95				
1987	95	100	95				
1988	89	89	95				
1989	89		89				
1990	86	86	89				
1991	89						
1992	92	92	92				
1993	92		92				
1994	92	92	99				
1995	97	97	99				
1996	98	98					
1997	99	100	100				
1998	93	93	93				
1999	99	99	99	99	92		
2000	97						
2001	95	95		95	88		
2002	98	98	98	98	100		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	100	100		100		
2007	99	100	100		100		
2008	99	100	100	100	100		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Seychelles

## HepB3 (1980-2008)



### Description of trend

Hepatitis B vaccine was introduced in 1995. Estimated immunization coverage levels are based on reported data. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995	99	99					
1996	98						
1997	97						
1998	96	96	96				
1999	99	99		99	93		
2000	97						
2001	97	95		95	89		
2002	98	98	98	98	100		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	100	100	100	99		
2007	99	99	99	99	100		
2008	99	100	100	100	100		

\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

