

Table 1: Number of households and women, and response rates, Sierra leone, 2000

	Area		Total
	Urban	Rural	
Sampled households	1252	2955	4207
Occupied households	1212	2809	4021
Completed households	1186	2730	3916
Household response rate	97.9	97.2	97.4
Eligible women	1759	3964	5723
Interviewed women	1629	3277	4906
Women response rate	92.6	82.7	85.7
Children under 5	772	2273	3045
Interviewed children under 5	743	1961	2704
Child response rate	96.2	86.3	88.8

Table 2: Single year age distribution of household population by sex, Sierra Leone, 2000

	Sex					
	Male		Female		Missing	
	Number	Percent	Number	Percent	Number	Percent
Age 0	310	2.6	267	2.1	0	.0
1	246	2.1	276	2.2	0	.0
2	308	2.6	296	2.3	0	.0
3	354	3.0	347	2.7	0	.0
4	338	2.8	374	3.0	0	.0
5	472	4.0	495	3.9	2	19.3
6	420	3.5	440	3.5	0	.0
7	410	3.5	400	3.2	1	8.8
8	398	3.3	389	3.1	1	8.8
9	336	2.8	330	2.6	2	17.6
10	444	3.7	388	3.1	0	.0
11	212	1.8	214	1.7	0	.0
12	367	3.1	297	2.3	0	.0
13	249	2.1	248	2.0	0	.0
14	219	1.8	279	2.2	0	.0
15	430	3.6	283	2.2	0	.0
16	200	1.7	248	2.0	0	.0
17	192	1.6	205	1.6	0	.0
18	275	2.3	306	2.4	0	.0
19	167	1.4	201	1.6	0	.0

Table 2: Single year age distribution of household population by sex, Sierra Leone, 2000

		Sex					
		Male		Female		Missing	
		Number	Percent	Number	Percent	Number	Percent
Age	20	300	2.5	352	2.8	0	.0
	21	144	1.2	126	1.0	0	.0
	22	161	1.4	196	1.5	0	.0
	23	128	1.1	148	1.2	0	.0
	24	99	.8	126	1.0	0	.0
	25	350	2.9	405	3.2	0	.0
	26	111	.9	128	1.0	0	.0
	27	112	.9	113	.9	0	.0
	28	153	1.3	215	1.7	0	.0
	29	91	.8	122	1.0	0	.0
	30	300	2.5	405	3.2	0	.0
	31	82	.7	59	.5	0	.0
	32	140	1.2	172	1.4	0	.0
	33	69	.6	80	.6	0	.0
	34	51	.4	91	.7	0	.0
	35	308	2.6	447	3.5	0	.0
	36	99	.8	119	.9	0	.0
	37	75	.6	110	.9	0	.0
	38	100	.8	169	1.3	0	.0
	39	78	.7	112	.9	0	.0
	40	251	2.1	312	2.5	0	.0
	41	46	.4	38	.3	0	.0
	42	110	.9	94	.7	0	.0
	43	51	.4	64	.5	0	.0
	44	32	.3	24	.2	0	.0
	45	294	2.5	182	1.4	0	.0
	46	44	.4	24	.2	0	.0
	47	44	.4	31	.2	0	.0
	48	70	.6	51	.4	0	.0
	49	54	.5	22	.2	0	.0
	50	227	1.9	583	4.6	2	19.3
	51	18	.2	72	.6	0	.0
	52	60	.5	115	.9	0	.0
	53	37	.3	49	.4	0	.0
	54	41	.3	46	.4	0	.0
	55	134	1.1	202	1.6	0	.0
	56	67	.6	39	.3	0	.0
	57	22	.2	16	.1	0	.0
	58	42	.4	45	.4	0	.0

Table 2: Single year age distribution of household population by sex, Sierra Leone, 2000

		Sex					
		Male		Female		Missing	
		Number	Percent	Number	Percent	Number	Percent
Age	59	25	.2	13	.1	0	.0
	60	185	1.6	225	1.8	0	.0
	61	14	.1	10	.1	0	.0
	62	31	.3	25	.2	0	.0
	63	18	.2	14	.1	0	.0
	64	13	.1	9	.1	0	.0
	65	127	1.1	92	.7	0	.0
	66	13	.1	8	.1	0	.0
	67	18	.1	11	.1	0	.0
	68	31	.3	14	.1	0	.0
	69	18	.2	9	.1	0	.0
	70+	378	3.2	242	1.9	2	17.6
	Missing/DK	68	.6	18	.1	1	8.6
Total		11879	100.0	12678	100.0	11	100.0

Table 3: Percentage of cases missing information for selected questions, Sierra Leone, 2000

	Percent missing	Number
Level of education	1.6	7245
Year of education	1.2	7249
Number of hours worked	.0	3717

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	15.8	4909
Date of last tetanus toxoid injection	17.6	121
Ever been tested for HIV	1.7	2655

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	3.2	2710
Diarrhoea in last 2 weeks	.2	2710
Weight	.0	2710
Height	9.4	2710

Table 4: Percent distribution of households by background characteristics, Sierra Leone, 2000

		Percent	Number	Unweighted
Region	North	35.6	1396	1200
	East	23.0	902	975
	South	19.7	771	817
	West	21.6	847	924
Area	Urban	29.7	1163	1186
	Rural	70.3	2753	2730
Number of HH members	1	2.7	106	113
	2-3	13.4	524	549
	4-5	23.9	935	962
	6-7	41.5	1621	1560
	8-9	6.9	270	274
	10+	11.5	449	446
Total		100.0	3905	3904

Table 4: Percent distribution of households by background characteristics, Sierra Leone, 2000

	Percent	Number	Unweighted
At least one child age < 15	85.7	3905	3904
At least one child age < 5	53.9	3905	3904
At least one woman age 15-49	86.8	3905	3904

Table 4a: Percent distribution of households by background characteristics, Sierra Leone, 2000

		Area		Total
		Urban	Rural	
Region	North	12.8	45.3	35.6
	East	20.7	24.0	23.0
	South	7.3	25.0	19.7
	West	59.2	5.7	21.6
Number of HH members	1	4.8	1.8	2.7
	2-3	16.4	12.2	13.4
	4-5	24.6	23.7	23.9
	6-7	31.1	45.9	41.5
	8-9	9.6	5.8	6.9
	10+	13.5	10.7	11.5
	Total	100.0	100.0	100.0
	Number	1160	2744	3905
	Unweighted	1183	2721	3904

Table 4a: Percent distribution of households by background characteristics, Country, Year

	Area		Total
	Urban	Rural	
At least one child age < 15	79.2	88.5	85.7
At least one child age < 5	47.5	56.6	53.9
At least one woman age 15-49	84.7	87.7	86.8
Number	1160	2744	3905
Unweighted	1183	2721	3904

Table 5: Percent distribution of women 15-49 by background characteristics, Sierra Leone, 2000

		Percent	Number	Unweighted
Region	North	38.9	1910	1410
	East	23.9	1175	1404
	South	15.9	782	776
	West	21.2	1041	1315
Area	Urban	30.4	1493	1628
	Rural	69.6	3415	3277
Age	.00	.3	13	14
	15-19	19.3	949	985
	20-24	16.1	790	818
	25-29	17.2	842	847
	30-34	14.1	694	689
	35-39	17.8	874	827
	40-44	9.5	467	453
Marital status	45-49	5.7	279	272
	Currently married	79.3	3893	3769
	Formerly married	5.8	287	294
Ever given birth	Never married	14.8	727	840
	0	.0	1	1
	Yes	78.9	3875	3789
Woman's education level	No	21.0	1033	1115
	None	77.5	3802	3648
	Primary	5.2	258	292
	Secondary +	16.8	827	942
	Non-standard curriculum	.1	5	6
Total	Missing/DK	.4	17	17
		100.0	4909	4905

Table 6: Percent distribution of children under 5 by background characteristics, Sierra Leone, 2000

		Percent	Number	Unweighted
Sex	Male	50.0	1354	1354
	Female	50.0	1356	1350
Region	North	47.9	1298	1048
	East	21.8	591	701
	South	12.5	338	357
	West	17.8	483	598
Area	Urban	24.7	670	743
	Rural	75.3	2040	1961
Age	< 6 months	9.5	257	263
	6-11 months	9.5	255	265
	12-23 months	20.0	538	538
	24-35 months	20.6	555	553
	36-47 months	22.9	616	602
	48-59 months	17.5	472	469
Mother's education level	None	84.5	2290	2222
	Primary	3.9	105	120
	Secondary	11.4	310	358
	Missing/DK	.2	5	4
Total		100.0	2710	2704

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Sierra Leone, 2000

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	4.8	230
	Second	7.7	250
	Middle	6.4	229
	Fourth	15.7	215
	Richest	29.8	164
Sex	Male	11.9	523
	Female	11.5	566
Region	North	4.3	562
	East	14.6	221
	South	10.5	116
	West	31.2	189
Area	Urban	21.6	258
	Rural	8.7	830
Age	36-47 months	7.7	616
	48-59 months	17.0	472
Mother's education level	None	8.1	930
	Primary	22.8	30
	Secondary	36.3	124
	Missing/DK	.0	4
Total		11.7	1089

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Sierra Leone, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Poorest	98.0	93.2	93.4	90.3	77.1
	Second	100.0	100.0	100.0	100.0	100.0
	Middle	100.0	100.0	100.0	100.0	100.0
	Fourth	99.1	97.9	100.0	95.6	92.8
	Richest	99.4	96.9	98.2	100.0	94.6
Sex	Male	99.6	98.9	98.7	99.0	96.2
	Female	99.1	96.2	99.1	97.0	91.6
Region	North	100.0	95.6	100.0	79.7	76.2
	East	98.4	95.1	97.8	97.1	88.9
	South	99.2	98.9	98.7	100.0	96.9
	West	100.0	98.6	99.2	100.0	97.8
Area	Urban	100.0	97.6	98.6	97.4	93.7
	Rural	98.9	97.6	99.2	98.8	94.6
1.00		99.3	97.6	98.9	98.1	94.0

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Sierra Leone, 2000

		Sex						Total	
		Male		Female		Missing		Attending	Number
		Attending primary school		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number	Attending	Number	Attending	Number
Wealth Index Quintiles	Poorest	30.0	550	22.3	522	.	0	26.2	1072
	Second	33.1	519	24.2	484	.	0	28.8	1003
	Middle	39.6	519	35.5	467	33.3	3	37.7	989
	Fourth	49.6	528	44.5	525	.	0	47.0	1052
	Richest	66.0	472	66.1	460	.0	1	65.9	933
Region	North	30.7	1072	24.0	992	.	0	27.5	2064
	East	35.2	605	26.4	574	25.0	4	30.9	1182
	South	51.6	444	50.9	403	.	0	51.2	847
	West	73.9	467	69.8	488	.	0	71.8	955
Area	Urban	62.2	687	57.3	685	.	0	59.8	1372
	Rural	36.2	1901	30.7	1773	25.0	4	33.5	3677
Age	6	37.0	420	29.4	440	.	0	33.1	859
	7	41.4	410	38.7	400	.0	1	40.0	812
	8	43.3	398	37.3	389	.0	1	40.3	788
	9	47.2	336	45.1	330	50.0	2	46.2	668
	10	43.6	444	39.5	388	.	0	41.7	832
	11	43.7	212	46.6	214	.	0	45.2	426
	12	47.2	367	35.3	297	.	0	41.9	664
Total		43.1	2587	38.1	2458	25.0	4	40.7	5049

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Sierra Leone, 2000

		Sex									Total		
		Male			Female			Missing			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	19.3	.4	1247	5.5	1.1	1519	.0	.0	2	11.7	.8	2768
	Second	21.9	1.5	1254	6.0	1.3	1536	.0	100.0	1	13.1	1.4	2791
	Middle	32.2	1.0	1350	12.8	1.5	1513	.	.	0	22.0	1.3	2863
	Fourth	48.5	.8	1331	25.4	1.2	1525	.0	100.0	1	36.1	1.1	2857
	Richest	70.4	.5	1539	53.0	.4	1524	.	.	0	61.7	.5	3062
Region	North	22.7	.7	2372	7.4	.8	2917	.0	.0	1	14.3	.8	5291
	East	30.7	1.4	1691	10.4	2.3	1861	.0	50.0	2	20.0	1.9	3554
	South	38.2	.4	1218	19.2	.7	1292	.0	100.0	1	28.4	.6	2511
	West	80.1	.7	1445	58.6	.5	1549	.	.	0	69.0	.6	2994
Area	Urban	66.4	.7	2147	44.5	.5	2248	.	.	0	55.2	.6	4395
	Rural	27.4	.9	4579	10.5	1.4	5371	.0	47.8	4	18.3	1.2	9955
Age	15-24	46.9	1.2	2096	29.9	1.2	2191	.	.	0	38.2	1.2	4287
	25-34	44.9	.8	1459	23.2	1.0	1789	.	.	0	33.0	.9	3248
	35-44	43.4	.8	1148	18.3	.6	1491	.	.	0	29.2	.7	2639
	45-54	34.5	.5	889	10.4	1.5	1175	.0	.0	2	20.7	1.0	2065
	55-64	24.3	.7	552	9.1	1.1	598	.	.	0	16.4	.9	1150
	65+	17.7	.5	583	11.8	1.9	376	.0	100.0	2	15.3	1.2	961
Total		39.8	.8	6726	20.5	1.1	7620	.0	47.8	4	29.6	1.0	14350

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Sierra Leone, 2000

		Main source of water									
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well	Protected spring	Rainwater collection	Bottle water	Unprotected dug well	Unprotected Spring
Region	North	.3	.4	3.0	16.1	8.9	.9	.0	.1	14.4	4.1
	East	1.1	3.1	15.6	13.2	22.5	2.7	.2	.3	24.4	5.1
	South	.1	.2	11.5	20.2	22.4	7.5	.2	.2	5.8	3.2
	West	8.7	31.9	41.4	.7	7.1	.8	.0	.0	1.0	1.5
Area	Urban	7.1	22.6	28.2	2.6	12.6	1.5	.2	.0	9.3	2.2
	Rural	.1	1.1	9.8	17.2	14.6	2.8	.0	.2	14.2	4.3
Total		2.2	7.3	15.1	13.0	14.0	2.4	.1	.1	12.7	3.7

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Sierra Leone, 2000

		Main source of water				Total	Total with safe drinking water	Number of persons
		Pond, river or stream	Tanker truck vendor	Other	Missing/DK			
Region	North	50.7	.1	.0	.9	100.0	29.7	9682
	East	8.7	.0	2.1	1.1	100.0	58.1	5924
	South	26.6	.0	.3	1.8	100.0	61.3	4032
	West	2.8	1.3	1.6	1.1	100.0	90.3	4930
Area	Urban	9.8	.9	2.1	1.0	100.0	74.5	7138
	Rural	34.1	.0	.4	1.2	100.0	45.5	17430
Total		27.0	.3	.9	1.1	100.0	53.9	24568

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Sierra Leone, 2000

		Type of toilet facility								Total	Total with sanitary means of excreta disposal	Number of persons
		Flush to sewage system/septic tank	Pour flush latrine	Improved pit latrine	Traditional pit latrine	Open pit	Bucket	Other	No facilities/bush/field			
Region	North	.8	1.0	2.4	48.9	24.8	.2	1.1	20.8	100.0	53.0	9682
	East	.2	1.0	2.8	57.6	4.2	.0	23.8	10.4	100.0	61.6	5924
	South	.4	.8	10.9	39.3	6.2	.0	11.0	31.4	100.0	51.0	4032
	West	17.1	2.7	6.0	69.4	2.5	.4	1.8	.1	100.0	94.8	4930
Area	Urban	12.6	2.7	3.0	69.9	3.8	.1	4.4	3.3	100.0	88.2	7138
	Rural	.3	.7	5.3	46.8	15.8	.2	10.0	21.0	100.0	52.8	17430
Total		3.9	1.3	4.6	53.5	12.3	.2	8.4	15.8	100.0	63.1	24568

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Sierra Leone, 2000

		Missing height or weight	Number of children
Wealth Index Quintiles	Poorest	12.6	568
	Second	13.3	607
	Middle	11.3	564
	Fourth	10.7	515
	Richest	3.2	456
Sex	Male	9.6	1354
	Female	11.5	1356
Region	North	16.2	1298
	East	11.4	591
	South	.8	338
	West	1.3	483
Area	Urban	5.3	670
	Rural	12.3	2040
Age	< 6 months	34.6	257
	6-11 months	10.2	255
	12-23 months	8.7	538
	24-35 months	7.6	555
	36-47 months	8.2	616
	48-59 months	6.6	472
Mother's education level	None	11.1	2290
	Primary	9.3	105
	Secondary	7.0	310
	Missing/DK	.0	5
Total		10.6	2710

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Sierra Leone, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	27.4	7.9	35.2	15.8	13.0	1.6	451
	Second	29.8	10.1	40.9	20.3	8.4	2.0	471
	Middle	30.8	10.4	36.9	17.2	9.5	1.4	456
	Fourth	27.2	9.2	34.1	17.1	9.2	2.3	406
	Richest	19.9	5.0	20.5	8.2	9.2	2.3	416
Sex	Male	29.8	10.4	36.9	18.1	11.1	2.2	1102
	Female	24.6	6.8	30.7	13.6	8.7	1.6	1099
Region	North	29.0	8.5	36.3	16.5	10.7	1.7	1004
	East	32.1	12.7	36.7	19.8	9.1	2.3	460
	South	23.7	9.8	39.9	21.3	8.2	2.0	279
	West	20.5	3.7	21.5	7.1	9.9	1.8	458
Area	Urban	22.7	6.0	27.9	10.8	10.4	1.7	595
	Rural	28.8	9.5	36.0	17.7	9.6	2.0	1606
Age	< 6 months	7.3	2.5	10.7	4.2	7.6	1.2	135
	6-11 months	25.2	8.6	17.8	9.1	19.7	2.7	200
	12-23 months	34.0	11.1	33.7	13.5	16.9	2.0	439
	24-35 months	28.2	10.0	31.3	14.7	8.8	1.7	474
	36-47 months	27.1	6.5	42.6	19.5	6.4	2.4	527
	48-59 months	25.4	8.5	39.3	21.3	3.7	1.3	417
Mother's education level	None	28.4	9.3	36.1	16.8	10.3	2.0	1838
	Primary	31.6	11.1	28.0	14.1	9.4	2.0	85
	Secondary	16.8	2.9	19.5	8.7	7.3	.9	273
	Missing/DK	62.3	.0	82.2	82.2	.0	.0	5
Total		27.2	8.6	33.8	15.9	9.9	1.9	2201

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Sierra Leone, 2000

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
Sex	Male	2.1	95	56.3	93	85.1	128	46.1	75
	Female	3.1	67	44.4	83	85.3	132	59.5	78
Region	North	4.0	60	37.2	73	88.3	133	67.8	75
	East	1.8	47	58.2	48	86.0	61	57.4	25
	South	.0	26	64.3	24	71.0	36	31.6	21
	West	2.9	28	60.5	31	86.5	30	28.2	31
Area	Urban	2.0	40	47.4	41	88.1	48	30.8	41
	Rural	2.7	122	51.7	134	84.5	212	61.0	112
Mother's education level	None	3.0	136	48.0	141	86.3	221	59.0	125
	Primary	.0	7	62.4	10	93.8	12	45.9	5
	Secondary	.0	18	61.6	25	71.0	25	20.5	22
	Missing/DK	.	0	.	0	100.0	1	.	0
Total		2.5	162	50.7	175	85.2	260	52.9	152

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Sierra Leone, 2000

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	2.7	2.7	55.1	28.1	11.4	100.0	73
2-3	1.9	2.4	53.6	22.9	19.2	100.0	86
4-5	6.1	6.9	27.8	15.9	43.4	100.0	93
6-7	6.2	3.2	25.6	12.5	52.5	100.0	74
8-9	10.3	2.6	19.5	13.7	53.9	100.0	93
10-11	3.2	3.1	18.0	16.3	59.3	100.0	77
12-13	12.9	1.5	13.7	20.8	51.1	100.0	135
14-15	12.9	4.4	20.2	18.4	44.1	100.0	119
16-17	30.9	1.9	9.2	7.9	50.1	100.0	62
18-19	36.4	1.7	20.9	8.6	32.3	100.0	51
20-21	44.2	1.6	13.1	3.9	37.2	100.0	75
22-23	47.7	1.1	16.3	13.5	21.4	100.0	74
24-25	71.5	2.3	6.9	2.0	17.3	100.0	140
26-27	73.3	1.7	5.9	3.4	15.7	100.0	98
28-29	91.8	.0	2.0	2.9	3.3	100.0	59
30-31	86.3	2.7	.0	1.6	9.4	100.0	74
32-33	91.8	.0	5.2	1.5	1.5	100.0	57
34-35	91.5	.0	1.3	.9	6.3	100.0	89

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Sierra Leone, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	
						Total
Wealth Index Quintiles	Poorest	3.8	93.8	83.5	16.5	798
	Second	2.8	93.4	82.9	17.1	777
	Middle	4.1	93.4	76.6	23.4	755
	Fourth	4.9	92.3	71.6	28.4	761
	Richest	7.7	90.1	68.4	31.6	825
Region	North	2.6	93.8	95.3	4.7	1396
	East	7.5	88.8	53.4	46.6	902
	South	2.2	95.8	62.8	37.2	771
	West	7.5	91.6	82.3	17.7	847
Area	Urban	6.3	92.7	72.2	27.8	1163
	Rural	4.0	92.5	78.5	21.5	2753
Total		4.7	92.6	76.6	23.4	3916

World Summit for Children Goal => Number 14

Table 17a: Percentage of population consuming adequately iodized salt, Sierra Leone, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	
						Total
Wealth Index Quintiles	Poorest	3.6	94.1	83.4	16.6	4906
	Second	2.7	93.2	83.4	16.6	4912
	Middle	3.3	94.4	77.3	22.7	4915
	Fourth	3.7	93.3	72.0	28.0	4910
	Richest	4.9	93.1	68.9	31.1	4913
Region	North	2.7	94.2	95.1	4.9	9682
	East	6.2	90.0	51.8	48.2	5924
	South	1.8	96.0	59.6	40.4	4032
	West	4.0	94.7	85.0	15.0	4930
Area	Urban	3.8	94.8	74.2	25.8	7138
	Rural	3.6	93.1	78.2	21.8	17430
Total		3.6	93.6	77.0	23.0	24568

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Sierra Leone, 2000

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	57.9	1.3	1.1	3.0	36.7	100.0	514
	Second	56.8	1.1	2.1	3.2	36.8	100.0	547
	Middle	60.7	.9	1.1	2.0	35.3	100.0	511
	Fourth	62.8	1.6	1.2	1.0	33.4	100.0	463
	Richest	51.6	5.5	1.5	1.4	40.1	100.0	412
Sex	Male	58.0	1.7	1.6	1.8	37.0	100.0	1211
	Female	58.2	2.2	1.2	2.6	35.8	100.0	1236
Region	North	59.6	1.3	1.3	2.4	35.4	100.0	1194
	East	71.7	1.0	1.3	1.7	24.3	100.0	514
	South	40.3	.3	2.2	2.8	54.3	100.0	300
	West	50.1	5.7	1.3	1.8	41.1	100.0	438
Area	Urban	59.2	4.4	1.3	1.1	34.0	100.0	605
	Rural	57.7	1.1	1.4	2.6	37.2	100.0	1842
Age	6-11 months	61.5	.7	.3	.7	36.8	100.0	255
	12-23 months	59.4	1.1	.9	1.2	37.4	100.0	538
	24-35 months	52.4	2.0	2.0	3.0	40.7	100.0	555
	36-47 months	57.9	2.6	1.2	3.3	35.1	100.0	616
	48-59 months	60.9	2.7	2.3	1.8	32.3	100.0	472
Mother's education level	None	58.2	1.5	1.4	2.3	36.7	100.0	2069
	Primary	56.4	.9	1.7	2.3	38.6	100.0	89
	Secondary	57.7	5.4	1.7	1.3	33.9	100.0	284
	Missing/DK	80.1	.0	.0	.0	19.9	100.0	5
Total		58.1	1.9	1.4	2.2	36.4	100.0	2447

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Sierra Leone, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	22.6	4.0	231
	Second	30.0	2.4	220
	Middle	37.5	1.4	209
	Fourth	40.4	.5	191
	Richest	35.7	2.1	112
Region	North	24.5	2.1	498
	East	55.3	2.1	238
	South	26.7	3.1	125
	West	26.6	1.6	101
Area	Urban	37.7	1.2	198
	Rural	31.3	2.4	765
Woman's education level	None	31.7	2.4	832
	Primary	41.3	1.7	47
	Secondary +	36.2	.0	84
Total		32.6	2.2	963

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight				Size of child					
		<2500	2500+	DK/Missing	Not weighted at birth	Very large	Larger than average	Average	Smaller than average	Very small	Don't know
Wealth Index Quintiles	Poorest	.4	2.8	18.0	78.8	17.6	18.2	42.3	10.2	6.4	5.4
	Second	.8	.9	26.2	72.1	16.8	22.7	42.8	6.6	9.5	1.6
	Middle	1.0	3.9	24.4	70.6	14.9	15.9	46.3	12.8	8.3	1.9
	Fourth	2.1	3.8	30.5	63.6	18.6	21.4	42.8	8.2	8.1	.9
	Richest	3.5	19.5	37.4	39.6	18.8	14.9	45.4	10.1	8.0	2.9
Region	North	.3	.5	18.9	80.3	18.3	24.6	38.3	10.9	5.6	2.3
	East	1.4	2.5	33.4	62.7	11.3	13.0	53.9	8.5	11.7	1.8
	South	.8	11.6	32.6	55.1	18.4	12.5	48.5	4.9	10.3	5.5
	West	7.0	22.6	35.2	35.2	23.6	13.4	40.9	11.0	8.7	2.4
Area	Urban	2.8	12.7	34.6	49.9	15.9	21.1	42.4	12.7	6.2	1.6
	Rural	.9	2.7	23.8	72.6	17.5	18.4	44.1	8.7	8.5	2.8
Woman's education level	None	1.1	3.8	24.9	70.2	17.7	18.7	43.0	10.1	7.5	2.8
	Primary	.0	9.0	29.2	61.8	12.0	24.4	44.4	3.6	13.8	1.8
	Secondary +	4.0	12.3	35.2	48.6	14.0	18.2	50.1	6.8	9.9	.9
Total		1.3	4.8	26.0	67.9	17.1	19.0	43.7	9.5	8.0	2.6

Table 20a. Birth weight and size at birth

		Total	Number
Wealth Index Quintiles	Poorest	100.0	231
	Second	100.0	220
	Middle	100.0	209
	Fourth	100.0	191
	Richest	100.0	112
Region	North	100.0	498
	East	100.0	238
	South	100.0	125
	West	100.0	101
Area	Urban	100.0	197
	Rural	100.0	765
Woman's education level	None	100.0	832
	Primary	100.0	46
	Secondary +	100.0	84
Total		100.0	962

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year

BCG	Vaccination Card	34.8
	Mother's Report	37.8
	Not vaccinated	27.4
DPT1	Vaccination Card	33.6
	Mother's Report	34.4
	Not vaccinated	32.0
DPT2	Vaccination Card	33.2
	Mother's Report	25.5
	Not vaccinated	41.3
DPT3	Vaccination Card	32.3
	Mother's Report	13.3
	Not vaccinated	54.5
Polio 0	Vaccination Card	29.0
	Mother's Report	9.7
	Not vaccinated	61.3
Polio 1	Vaccination Card	29.6
	Mother's Report	52.3
	Not vaccinated	18.1
Polio 2	Vaccination Card	29.7
	Mother's Report	46.2
	Not vaccinated	24.1
Polio 3	Vaccination Card	30.0
	Mother's Report	31.4
	Not vaccinated	38.6
Measles	Vaccination Card	32.8
	Mother's Report	28.7
	Not vaccinated	38.5
All vaccinations	Vaccination Card	27.5
	Mother's Report	11.7
	Doesn't have all vaccinations	60.8
No vaccinations	Mother's Report	12.9
	Has some vaccinations	87.1
Number of children		537.6

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year

BCG	93.8
DPT 1	90.3
DPT 2	89.0
DPT 3	88.2
Polio 1	92.4
Polio 2	91.4
Polio 3	86.0
Measles	74.0
All vaccinations	45.7
No vaccinations	1.2

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Sierra Leone, 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	34.8	33.6	33.2	32.3	29.6	29.7	30.0	32.8	27.5	.0	537.6
Mother's report	37.8	34.4	25.5	13.3	52.3	46.2	31.4	28.7	11.7	12.9	537.6
Either	72.6	68.0	58.7	45.5	81.9	75.9	61.4	61.5	39.2	12.9	537.6
Vaccinated by 12 months of age	68.1	61.5	52.2	40.2	75.7	69.4	52.8	45.5	17.9	14.0	537.6

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Sierra Leone, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	% with health card	Number of children
Wealth Index Quintiles	Poorest	66.9	66.8	56.3	42.4	87.8	79.9	63.4	51.6	33.8	9.6	29.0	130
	Second	68.9	68.0	59.3	50.1	73.7	70.9	61.3	63.4	40.7	19.4	35.0	112
	Middle	64.7	57.6	47.0	40.7	77.7	69.0	53.2	53.7	38.0	17.4	38.0	108
	Fourth	77.6	67.4	59.9	37.5	84.4	78.5	61.7	62.5	34.7	11.9	28.6	102
	Richest	90.7	84.1	75.1	60.2	86.1	82.1	68.5	82.9	52.5	5.0	51.4	85
Sex	Male	75.7	70.9	62.7	46.7	82.3	76.8	62.7	64.5	41.1	12.1	35.3	256
	Female	69.9	65.5	55.0	44.5	81.5	75.1	60.3	58.8	37.5	13.7	35.6	282
Region	North	62.8	60.9	49.7	36.3	79.9	74.4	60.6	51.1	30.7	16.4	27.5	257
	East	71.1	63.0	55.5	45.8	81.8	70.4	52.5	55.9	40.5	14.3	36.0	112
	South	88.7	84.9	77.4	59.9	83.6	79.9	64.8	81.2	51.2	8.8	43.8	76
	West	88.7	80.0	72.2	59.1	86.1	83.5	71.3	80.9	51.3	5.2	50.4	93
Area	Urban	89.4	81.8	72.3	54.7	88.7	84.9	71.3	76.7	47.6	6.8	43.6	125
	Rural	67.6	63.9	54.5	42.8	79.9	73.2	58.4	56.9	36.7	14.8	33.1	412
Mother's education level	None	70.1	65.6	55.3	43.5	81.5	75.0	60.3	58.9	37.5	13.2	34.2	447
	Primary	88.7	93.5	86.7	71.6	93.5	90.2	79.8	78.5	55.3	6.5	47.6	25
	Secondary	83.4	74.4	70.7	49.3	79.7	75.9	61.6	72.7	44.2	14.0	39.1	64
	Missing/DK	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	.0	100.0	1
Total		72.6	68.0	58.7	45.5	81.9	75.9	61.4	61.5	39.2	12.9	35.5	538

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Sierra Leone, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding	Any recommende d treatment
Wealth Index Quintiles	Poorest	26.3	568	47.9	12.0	20.2	24.4	7.4	64.5	80.3
	Second	28.7	607	36.8	10.5	15.4	34.5	3.9	68.8	87.1
	Middle	26.4	564	37.5	11.9	22.1	45.7	5.3	74.7	87.1
	Fourth	21.8	515	38.8	18.6	17.5	46.2	15.9	59.6	85.1
	Richest	23.1	456	27.3	23.9	18.2	66.2	21.7	56.1	91.9
Sex	Male	27.4	1354	38.2	16.1	20.0	42.2	10.3	71.2	89.3
	Female	23.5	1356	38.2	12.7	17.1	40.7	8.9	59.3	82.2
Region	North	28.0	1298	40.6	13.4	21.2	29.1	6.4	75.6	86.7
	East	28.1	591	38.2	7.1	17.2	47.7	7.5	55.5	75.9
	South	15.4	338	41.6	9.2	16.4	63.8	12.5	47.1	92.7
	West	22.2	483	28.6	32.3	13.5	63.2	22.6	57.1	96.2
Area	Urban	21.9	670	33.7	25.5	18.9	54.3	19.5	63.6	92.9
	Rural	26.6	2040	39.4	11.5	18.6	38.1	7.0	66.3	84.2
Age	< 6 months	17.1	257	77.5	12.6	12.1	31.2	5.8	59.6	86.6
	6-11 months	35.4	255	72.9	17.6	14.0	46.5	19.0	60.3	86.5
	12-23 months	31.5	538	66.2	15.2	19.2	36.0	11.3	69.5	87.4
	24-35 months	27.2	555	25.1	12.1	15.9	46.2	7.1	64.3	86.9
	36-47 months	19.8	616	5.3	14.8	24.0	45.1	6.4	64.3	80.0
	48-59 months	22.5	472	3.2	15.4	22.6	39.5	8.7	70.9	88.1
Mother's education level	None	26.3	2290	37.8	13.7	18.5	40.2	8.1	66.0	85.4
	Primary	21.2	105	42.6	18.4	27.5	38.9	15.6	62.2	92.7
	Secondary	20.8	310	40.9	20.8	17.7	55.5	22.3	64.9	90.6
	Missing/DK	19.1	5	.0	.0	.0	.0	.0	.0	.0
Total		25.5	2710	38.2	14.5	18.7	41.5	9.7	65.7	86.0

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Sierra Leone, 2000

		No treatment	Number of children with diarrhea
			1.00
Wealth Index Quintiles	Poorest	19.7	149
	Second	12.9	174
	Middle	12.9	149
	Fourth	14.9	112
	Richest	8.1	105
Sex	Male	10.7	370
	Female	17.8	319
Region	North	13.3	364
	East	24.1	166
	South	7.3	52
Area	West	3.8	107
	Urban	7.1	147
Age	Rural	15.8	543
	< 6 months	13.4	44
Age	6-11 months	13.5	90
	12-23 months	12.6	170
	24-35 months	13.1	151
	36-47 months	20.0	122
	48-59 months	11.9	106
Mother's education level	None	14.6	602
	Primary	7.3	22
	Secondary	9.4	64
	Missing/DK	100.0	1
Total		14.0	690

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Sierra Leone, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total	Eating during diarrhea		
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK
Wealth Index Quintiles	Poorest	26.3	568	57.7	38.3	4.0	100.0	38.0	60.4	1.6
	Second	28.7	607	53.7	38.9	7.5	100.0	52.1	43.7	4.2
	Middle	26.4	564	62.8	31.0	6.2	100.0	47.6	50.7	1.7
	Fourth	21.8	515	55.4	41.5	3.1	100.0	56.6	41.1	2.3
	Richest	23.1	456	49.2	44.3	6.6	100.0	33.3	60.7	6.0
Sex	Male	27.4	1354	57.7	38.3	4.1	100.0	45.8	52.1	2.1
	Female	23.5	1356	54.3	38.4	7.3	100.0	46.1	49.7	4.2
Region	North	28.0	1298	61.0	34.1	4.9	100.0	54.9	42.8	2.3
	East	28.1	591	41.3	52.5	6.3	100.0	35.9	58.9	5.2
	South	15.4	338	56.4	36.3	7.3	100.0	29.1	69.1	1.8
	West	22.2	483	62.4	31.6	6.0	100.0	39.1	57.9	3.0
Area	Urban	21.9	670	57.3	39.4	3.3	100.0	46.8	51.6	1.7
	Rural	26.6	2040	55.8	38.0	6.2	100.0	45.7	50.8	3.5
Age	< 6 months	18.1	263	37.5	53.8	8.7	100.0	38.0	53.3	8.7
	6-11 months	35.4	255	45.9	47.7	6.4	100.0	39.4	56.5	4.1
	12-23 months	31.5	538	58.0	38.0	4.0	100.0	45.2	52.0	2.8
	24-35 months	27.2	555	59.9	34.0	6.0	100.0	51.4	47.5	1.1
	36-47 months	19.8	616	53.6	38.4	8.0	100.0	43.6	53.2	3.3
	48-59 months	22.7	482	67.2	30.0	2.8	100.0	51.0	46.2	2.8
Mother's education level	None	26.3	2290	56.4	37.7	5.9	100.0	46.4	50.7	3.0
	Primary	21.2	105	46.2	53.8	.0	100.0	46.8	49.3	3.9
	Secondary	20.8	310	57.4	38.8	3.8	100.0	42.2	55.3	2.5
	Missing/DK	19.1	5	.0	.0	100.0	100.0	.0	.0	100.0
Total		25.5	2710	56.1	38.3	5.6	100.0	45.9	51.0	3.1

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Sierra Leone, 2000

		Total	Received increased fluids and continued eating	Number of children with diarrhea
				1.00
Wealth Index Quintiles	Poorest	100.0	25.2	149
	Second	100.0	29.7	174
	Middle	100.0	32.3	149
	Fourth	100.0	34.3	112
	Richest	100.0	20.0	105
Sex	Male	100.0	29.6	370
	Female	100.0	27.3	319
Region	North	100.0	35.5	364
	East	100.0	17.5	166
	South	100.0	16.4	52
	West	100.0	27.8	107
Area	Urban	100.0	25.8	147
	Rural	100.0	29.3	543
Age	< 6 months	100.0	13.3	48
	6-11 months	100.0	18.8	90
	12-23 months	100.0	28.9	170
	24-35 months	100.0	35.9	151
	36-47 months	100.0	25.8	122
	48-59 months	100.0	35.6	109
Mother's education level	None	100.0	29.2	602
	Primary	100.0	27.8	22
	Secondary	100.0	23.2	64
	Missing/DK	100.0	.0	1
Total		100.0	28.6	690

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Sierra Leone, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Mobile /outreach clinic	Private physician
Wealth Index Quintiles	Poorest	9.3	568	9.0	16.8	.0	7.6	7.6	.0	3.4
	Second	10.6	607	12.4	23.1	9.3	4.7	.0	2.7	.0
	Middle	10.1	564	17.9	23.6	5.7	6.3	.0	5.1	.0
	Fourth	8.5	515	26.0	24.7	8.4	2.0	.0	2.0	.0
	Richest	4.1	456	31.9	16.9	12.8	.0	.0	.0	4.1
Sex	Male	8.5	1354	18.9	18.6	8.4	5.6	1.0	3.0	1.5
	Female	8.9	1356	15.2	24.5	4.7	4.2	2.3	1.7	.7
Region	North	10.8	1298	16.7	15.8	6.8	5.1	1.7	.8	.0
	East	8.8	591	4.4	37.6	9.2	6.5	3.1	6.7	3.1
	South	7.9	338	21.0	28.7	3.6	3.6	.0	.0	3.6
Area	West	3.5	483	52.4	9.5	.0	.0	.0	4.8	.0
	Urban	5.5	670	29.6	17.8	8.2	2.1	2.1	2.2	2.1
Age	Rural	9.8	2040	14.7	22.3	6.1	5.4	1.6	2.3	.9
	< 6 months	6.0	257	34.3	21.1	12.7	5.6	5.6	5.6	4.9
Mother's education level	6-11 months	13.4	255	20.2	33.8	2.5	.0	.0	2.5	.0
	12-23 months	9.7	538	16.3	23.5	9.8	7.9	.0	.0	1.8
	24-35 months	9.2	555	12.2	14.6	4.7	4.7	2.3	1.6	.0
	36-47 months	6.1	616	11.7	25.3	7.6	7.8	3.2	3.2	2.3
	48-59 months	8.9	472	21.1	16.9	5.1	2.8	1.8	4.2	.0
Mother's education level	None	9.0	2290	15.4	22.3	6.2	5.1	1.9	2.2	.9
	Primary	8.7	105	.0	17.8	9.5	.0	.0	.0	8.3
	Secondary	6.6	310	40.9	16.6	8.0	4.2	.0	4.2	.0
	Missing/DK	.0	5
Total		8.7	2710	17.0	21.6	6.5	4.9	1.7	2.3	1.1

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Sierra Leone, 2000

		Traditional healer	Other	Any appropriate provider	Number of children with ARI
					1.00
Wealth Index Quintiles	Poorest	4.5	2.2	35.4	53
	Second	.0	5.1	44.1	64
	Middle	.0	1.6	57.0	57
	Fourth	2.7	6.9	60.8	44
	Richest	.0	8.4	61.7	19
Sex	Male	1.0	3.5	51.1	115
	Female	2.0	4.9	48.4	121
Region	North	2.5	3.4	40.4	141
	East	.0	3.1	67.4	52
	South	.0	10.2	53.3	27
	West	.0	4.8	66.7	17
Area	Urban	.0	11.6	56.7	37
	Rural	1.8	2.8	48.4	199
Age	< 6 months	.0	5.9	79.3	15
	6-11 months	.0	.0	53.3	34
	12-23 months	2.3	1.5	57.5	52
	24-35 months	.0	11.1	35.3	51
	36-47 months	3.2	2.3	51.5	37
	48-59 months	2.8	4.1	46.9	42
Mother's education level	None	1.7	4.0	48.4	206
	Primary	.0	.0	35.7	9
	Secondary	.0	8.4	69.2	20
	Missing/DK	.	.	.	0
Total		1.5	4.2	49.7	236

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Sierra Leone, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total	Eating during illness			Total
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK	
Wealth Index Quintiles	Poorest	63.5	568	57.9	40.4	1.7	100.0	48.1	51.2	.7	100.0
	Second	67.2	607	52.5	44.3	3.2	100.0	51.0	47.2	1.8	100.0
	Middle	62.3	564	58.2	39.2	2.6	100.0	49.1	50.2	.7	100.0
	Fourth	58.9	515	57.4	41.4	1.1	100.0	51.1	48.0	.9	100.0
	Richest	59.5	456	51.3	46.1	2.5	100.0	42.1	55.6	2.3	100.0
Sex	Male	62.9	1354	55.8	42.4	1.8	100.0	49.8	49.3	.9	100.0
	Female	62.2	1356	55.2	42.0	2.8	100.0	47.4	51.1	1.6	100.0
Region	North	66.6	1298	59.2	38.7	2.1	100.0	57.3	41.7	1.0	100.0
	East	65.0	591	42.0	55.3	2.7	100.0	39.3	58.4	2.3	100.0
	South	50.9	338	59.3	38.5	2.2	100.0	34.1	65.3	.6	100.0
	West	56.5	483	60.6	37.0	2.4	100.0	43.2	55.6	1.2	100.0
Area	Urban	57.3	670	57.1	41.6	1.3	100.0	48.1	51.3	.6	100.0
	Rural	64.2	2040	55.1	42.4	2.6	100.0	48.7	49.8	1.4	100.0
Age	< 6 months	52.1	257	32.8	65.0	2.2	100.0	43.9	54.6	1.5	100.0
	6-11 months	72.1	255	49.4	47.5	3.1	100.0	46.4	51.6	2.0	100.0
	12-23 months	68.5	538	58.0	40.2	1.9	100.0	49.9	48.8	1.3	100.0
	24-35 months	61.2	555	58.6	38.8	2.7	100.0	46.7	52.8	.5	100.0
	36-47 months	58.3	616	54.8	42.5	2.7	100.0	49.8	49.1	1.1	100.0
	48-59 months	62.8	472	63.7	35.3	1.0	100.0	51.2	47.8	1.0	100.0
Mother's education level	None	63.0	2290	54.5	43.1	2.4	100.0	49.2	49.5	1.2	100.0
	Primary	61.0	105	53.9	46.1	.0	100.0	47.9	50.8	1.4	100.0
	Secondary	60.5	310	64.6	34.1	1.3	100.0	44.0	55.1	.9	100.0
	Missing/DK	19.1	5	.0	.0	100.0	100.0	.0	.0	100.0	100.0
Total		62.5	2710	55.5	42.2	2.3	100.0	48.6	50.2	1.3	100.0

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Sierra Leone, 2000

		Received increased fluids and continued eating	Number of sick children
			1.00
Wealth Index Quintiles	Poorest	33.3	361
	Second	30.3	407
	Middle	30.6	351
	Fourth	28.2	303
	Richest	24.5	271
Sex	Male	30.4	851
	Female	28.9	843
Region	North	36.7	865
	East	18.3	384
	South	22.6	172
	West	28.1	273
Area	Urban	27.5	384
	Rural	30.3	1310
Age	< 6 months	12.5	134
	6-11 months	26.1	184
	12-23 months	31.5	368
	24-35 months	30.0	340
	36-47 months	30.7	359
	48-59 months	35.8	297
Mother's education level	None	30.1	1442
	Primary	26.6	64
	Secondary	27.8	187
	Missing/DK	.0	1
Total		29.7	1694

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Sierra Leone, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	8.5	40.8	81.3	23.0	24.7	48.4	7.6	78.6	434
	Second	8.7	42.4	79.6	23.9	27.0	43.5	5.7	75.2	460
	Middle	11.7	36.8	81.5	20.0	28.9	45.6	5.7	71.8	454
	Fourth	16.5	40.7	83.9	29.1	31.9	49.6	6.4	77.1	423
	Richest	13.7	33.3	83.7	25.1	20.9	30.0	4.6	60.1	454
Region	North	5.8	49.8	75.0	24.8	25.4	40.8	7.3	77.9	867
	East	31.3	34.2	90.7	32.4	44.0	64.4	8.4	88.4	559
	South	3.8	36.7	89.1	26.8	27.2	56.9	3.2	74.4	313
	West	5.1	25.5	79.8	11.9	8.4	14.6	2.7	43.2	486
Area	Urban	13.4	30.0	85.7	17.4	17.9	28.5	4.1	59.7	603
	Rural	11.2	42.0	80.6	26.7	29.8	48.8	6.7	77.2	1622
Mother's education level	None	12.0	39.7	82.1	25.6	27.8	45.4	6.3	75.3	1812
	Primary	16.2	41.9	85.7	19.0	31.4	41.0	2.9	65.7	105
	Secondary	9.2	31.9	79.9	17.4	18.1	31.6	4.9	57.9	304
	Missing/DK	.0	50.0	75.0	50.0	25.0	50.0	.0	75.0	4
Total		11.8	38.7	82.0	24.2	26.6	43.3	6.0	72.4	2225

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Sierra Leone, 2000

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	1.00
Wealth Index Quintiles	Poorest	15.6	83.4	1.0	.2	98.9	.9	566
	Second	15.7	82.7	1.6	.3	98.2	1.5	603
	Middle	14.9	84.4	.7	.6	98.6	.8	564
	Fourth	15.4	83.7	.9	2.0	97.1	.9	514
	Richest	14.4	85.1	.5	5.3	93.8	.9	455
Sex	Male	16.1	83.0	.8	1.7	97.2	1.1	1349
	Female	14.3	84.6	1.1	1.3	97.8	.9	1353
Region	North	17.6	81.4	1.0	.3	98.7	.9	1292
	East	12.9	85.6	1.5	2.2	97.1	.7	590
	South	19.4	80.0	.6	1.7	96.9	1.4	338
	West	8.9	90.6	.5	3.7	95.0	1.3	482
Area	Urban	12.6	86.3	1.1	3.9	95.3	.8	669
	Rural	16.1	83.0	.9	.7	98.2	1.1	2033
Age	< 6 months	17.0	83.0	.0	2.6	95.4	2.0	254
	6-11 months	15.7	83.2	1.1	1.6	97.0	1.3	253
	12-23 months	15.1	83.3	1.6	1.1	97.9	1.0	536
	24-35 months	15.6	83.3	1.1	1.5	97.6	.9	555
	36-47 months	15.5	83.4	1.1	1.7	97.9	.5	615
	48-59 months	13.4	86.1	.4	1.2	97.6	1.2	471
Total		15.3	83.8	1.0	1.5	97.5	1.0	2686

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Sierra Leone, 2000

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Other	Don't know	Any appropriate anti-malarial drug	Number of children with fever 1.00
Wealth Index Quintiles	Poorest	46.3	568	55.2	52.5	2.7	42.7	5.4	53.3	263
	Second	50.1	607	59.4	58.5	1.6	39.2	9.4	58.5	304
	Middle	45.2	564	68.0	62.7	4.9	43.5	7.6	63.9	255
	Fourth	48.5	515	73.6	63.6	7.7	40.8	5.2	65.2	250
	Richest	37.8	456	80.5	62.1	5.6	51.8	5.0	64.4	172
Sex	Male	46.3	1354	65.8	60.6	4.3	41.9	7.4	61.4	626
	Female	45.6	1356	66.2	58.6	4.3	43.9	6.1	59.9	618
Region	North	49.8	1298	57.4	52.8	1.5	43.1	10.4	53.3	646
	East	48.7	591	72.2	70.9	10.1	33.5	3.2	71.4	288
	South	35.5	338	82.6	68.6	2.3	53.7	1.6	69.4	120
	West	39.5	483	75.4	60.2	6.4	49.6	3.0	64.0	190
Area	Urban	43.9	670	77.4	58.3	6.7	46.5	7.3	60.8	294
	Rural	46.6	2040	62.5	60.0	3.6	41.8	6.6	60.7	950
Age	< 6 months	34.5	257	56.8	48.0	2.8	34.5	8.7	48.0	88
	6-11 months	51.2	255	78.0	66.7	2.0	40.6	2.2	66.7	131
	12-23 months	52.2	538	61.2	53.1	3.4	47.8	10.1	54.4	281
	24-35 months	46.0	555	65.3	60.1	6.5	38.9	7.8	61.2	256
	36-47 months	42.8	616	69.0	63.3	3.8	42.9	4.8	65.0	264
	48-59 months	45.8	472	65.4	63.1	5.3	44.8	5.7	64.2	216
Mother's education level	None	46.5	2290	64.7	58.7	4.2	41.7	6.8	59.5	1064
	Primary	52.9	105	73.3	64.8	9.5	44.3	9.6	68.4	56
	Secondary	40.2	310	73.8	65.0	2.6	52.1	5.5	66.9	125
	Missing/DK	.0	5	0
Total		45.9	2710	66.0	59.6	4.3	42.9	6.8	60.7	1244

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Sierra Leone, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women
								1.00
Wealth Index Quintiles	Poorest	30.2	13.0	11.6	11.0	13.6	86.4	918
	Second	37.5	17.1	15.1	14.1	18.1	81.9	972
	Middle	51.2	26.0	23.8	21.7	28.1	71.9	973
	Fourth	62.4	34.6	31.6	28.7	37.5	62.5	997
	Richest	85.7	50.4	49.7	43.5	56.6	43.4	1048
Region	North	18.4	5.7	4.2	3.6	6.3	93.7	1910
	East	77.6	50.4	47.2	45.4	52.2	47.8	1175
	South	61.1	26.8	24.2	21.9	29.1	70.9	782
	West	88.3	48.2	47.9	40.3	55.8	44.2	1041
Area	Urban	78.0	43.7	42.9	37.5	49.2	50.8	1493
	Rural	43.8	22.2	20.0	18.6	23.6	76.4	3415
Age	.00	55.9	28.0	18.3	18.3	28.0	72.0	13
	15-19	58.2	31.2	29.9	26.5	34.5	65.5	949
	20-24	60.0	33.1	31.3	28.4	36.0	64.0	790
	25-29	57.3	31.7	30.9	27.9	34.7	65.3	842
	30-34	53.3	28.5	26.4	24.0	30.9	69.1	694
	35-39	48.2	22.4	20.0	18.0	24.5	75.5	874
	40-44	47.6	24.7	23.0	21.3	26.4	73.6	467
	45-49	47.0	26.6	22.8	20.3	29.2	70.8	279
Woman's education level	None	45.2	22.4	20.1	18.7	23.7	76.3	3802
	Primary	78.3	41.4	38.9	34.7	45.6	54.4	258
	Secondary +	87.7	53.8	54.3	46.2	61.9	38.1	827
	Non-standard curriculum	100.0	69.8	45.3	45.3	69.8	30.2	5
	Missing/DK	63.6	37.4	42.0	37.4	42.0	58.0	17
Total		54.2	28.8	26.9	24.3	31.4	68.6	4909

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Sierra Leone, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women
									1.00
Wealth Index Quintiles	Poorest	28.0	9.8	8.5	12.2	7.3	13.5	86.5	152
	Second	38.5	15.6	15.4	17.1	12.2	20.2	79.8	161
	Middle	56.0	30.8	28.2	29.6	25.1	33.5	66.5	184
	Fourth	64.4	37.1	35.8	34.2	26.6	43.5	56.5	218
	Richest	87.3	50.5	49.3	47.1	38.5	57.2	42.8	235
Region	North	19.3	5.3	4.1	5.7	1.6	9.4	90.6	296
	East	75.9	49.4	44.8	47.0	41.5	51.3	48.7	275
	South	57.6	26.0	25.8	26.5	21.5	30.4	69.6	140
	West	86.7	45.3	47.0	43.0	32.0	55.7	44.3	238
Area	Urban	80.1	44.7	44.6	42.9	34.4	52.8	47.2	332
	Rural	46.5	23.9	22.0	23.2	18.0	27.3	72.7	618
Age	15-19	58.2	31.2	29.9	30.1	23.7	36.2	63.8	949
Woman's education level	None	46.1	24.0	22.5	23.6	18.8	27.5	72.5	637
	Primary	78.4	37.3	39.3	34.6	29.4	42.8	57.2	104
	Secondary +	86.3	49.9	47.4	47.1	35.1	59.6	40.4	201
	Non-standard curriculum	100.0	66.7	66.7	100.0	66.7	100.0	.0	2
	Missing/DK	43.1	43.1	43.1	43.1	43.1	43.1	56.9	6
Total		58.2	31.2	29.9	30.1	23.7	36.2	63.8	949

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Sierra Leone, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women
									1.00
Wealth Index Quintiles	Poorest	30.2	14.5	11.6	13.5	8.3	17.9	82.1	918
	Second	37.5	20.0	15.5	19.7	11.8	25.4	74.6	972
	Middle	51.2	30.4	23.1	28.7	15.8	37.7	62.3	973
	Fourth	62.4	39.9	30.2	36.4	21.5	48.0	52.0	997
	Richest	85.7	59.3	47.2	60.5	35.7	72.2	27.8	1048
Region	North	18.4	8.5	5.3	8.7	3.5	11.4	88.6	1910
	East	77.6	50.3	45.0	50.8	37.0	59.2	40.8	1175
	South	61.1	31.2	19.7	23.3	10.4	37.3	62.7	782
	West	88.3	61.9	47.4	62.1	33.7	77.7	22.3	1041
Area	Urban	78.0	53.2	42.9	53.2	32.5	64.6	35.4	1493
	Rural	43.8	24.8	18.7	23.4	13.1	30.7	69.3	3415
Age	.00	55.9	40.1	34.1	43.8	34.1	49.9	50.1	13
	15-19	58.2	36.9	29.2	34.4	21.5	43.8	56.2	949
	20-24	60.0	37.6	29.2	36.2	21.3	46.3	53.7	790
	25-29	57.3	36.4	29.6	36.9	22.5	44.7	55.3	842
	30-34	53.3	32.4	24.8	31.0	16.8	40.7	59.3	694
	35-39	48.2	27.5	20.0	26.9	13.6	34.7	65.3	874
	40-44	47.6	28.3	24.2	29.2	18.9	34.8	65.2	467
	45-49	47.0	30.7	20.8	27.4	15.2	36.0	64.0	279
Woman's education level	None	45.2	25.2	19.3	23.7	13.7	31.1	68.9	3802
	Primary	78.3	47.5	33.6	44.4	22.9	60.2	39.8	258
	Secondary +	87.7	66.3	53.9	68.6	41.6	80.4	19.6	827
	Non-standard curriculum	100.0	84.9	84.9	69.8	69.8	84.9	15.1	5
	Missing/DK	63.6	51.2	46.6	27.9	23.3	51.2	48.8	17
Total	54.2	33.5	26.1	32.4	19.0	41.0	59.0	4909	

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Sierra Leone, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Num ber of wome n 1.00
Wealth Index Quintiles	Poorest	13.7	13.3	12.5	12.9	12.0	86.5	918
	Second	18.8	18.0	17.4	17.2	15.9	81.3	972
	Middle	30.6	28.8	27.6	28.6	25.4	69.6	973
	Fourth	41.5	39.0	36.2	36.8	32.9	59.2	997
	Richest	59.6	57.2	52.1	51.1	46.1	41.3	1048
Region	North	9.2	8.2	7.1	7.8	6.3	91.1	1910
	East	59.0	57.3	57.1	55.5	53.1	41.5	1175
	South	20.5	19.0	16.8	18.3	15.3	79.6	782
	West	59.2	56.3	50.2	50.3	44.1	41.6	1041
Area	Urban	51.5	48.6	44.3	44.5	39.5	49.4	1493
	Rural	25.7	24.6	23.4	23.5	21.5	74.6	3415
Age	.00	43.8	43.8	43.8	43.8	43.8	56.2	13
	15-19	36.5	34.1	31.5	32.5	28.5	64.2	949
	20-24	37.8	36.8	33.9	33.8	31.0	62.4	790
	25-29	36.6	34.6	32.7	32.7	29.5	63.7	842
	30-34	30.8	29.2	26.0	26.4	22.8	69.5	694
	35-39	29.5	27.7	26.8	26.4	24.4	71.4	874
	40-44	27.8	27.0	25.6	25.5	23.5	72.2	467
Woman's education level	45-49	30.5	30.2	27.6	27.8	26.0	69.8	279
	None	26.3	25.0	24.0	24.2	22.2	74.1	3802
	Primary	47.4	45.9	43.5	44.5	40.2	52.6	258
	Secondary +	61.7	58.5	51.6	50.7	44.2	39.0	827
	Non-standard curriculum	60.4	60.4	60.4	60.4	60.4	39.6	5
	Missing/DK	54.4	54.4	37.7	49.8	37.7	45.6	17
Total		33.5	31.9	29.7	29.9	27.0	66.9	4909

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Sierra Leone, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women
						1.00
Wealth Index Quintiles	Poorest	14.7	27.3	27.7	72.3	918
	Second	19.9	34.7	35.3	64.7	972
	Middle	28.5	47.2	47.9	52.1	973
	Fourth	33.1	56.7	57.5	42.5	997
	Richest	44.5	69.8	72.2	27.8	1048
Region	North	9.3	16.9	17.2	82.8	1910
	East	29.5	71.4	72.1	27.9	1175
	South	42.8	55.0	55.9	44.1	782
	West	52.2	72.4	74.8	25.2	1041
Area	Urban	42.0	65.4	67.1	32.9	1493
	Rural	22.7	40.1	40.7	59.3	3415
Age	.00	27.8	43.8	49.9	50.1	13
	15-19	30.2	51.0	51.7	48.3	949
	20-24	32.3	52.7	54.2	45.8	790
	25-29	30.9	50.7	51.8	48.2	842
	30-34	26.4	46.3	47.4	52.6	694
	35-39	27.0	43.6	44.0	56.0	874
	40-44	23.0	41.5	42.7	57.3	467
	45-49	25.4	41.7	42.0	58.0	279
Woman's education level	None	24.1	41.1	41.8	58.2	3802
	Primary	44.4	70.2	70.8	29.2	258
	Secondary +	44.0	71.4	73.4	26.6	827
	Non-standard curriculum	30.2	84.9	84.9	15.1	5
	Missing/DK	35.4	49.8	54.4	45.6	17
Total		28.6	47.8	48.7	51.3	4909

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Sierra Leone, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
Wealth Index Quintiles	Poorest	30.2	10.5	8.3	6.4	918
	Second	37.5	12.3	11.8	8.4	972
	Middle	51.2	19.8	15.8	10.9	973
	Fourth	62.4	24.5	21.5	14.6	997
	Richest	85.7	36.6	35.7	21.9	1048
Region	North	18.4	1.8	3.5	.5	1910
	East	77.6	43.2	37.0	33.1	1175
	South	61.1	19.6	10.4	7.1	782
	West	88.3	32.8	33.7	16.3	1041
Area	Urban	78.0	31.5	32.5	19.9	1493
	Rural	43.8	16.6	13.1	9.5	3415
Age	.00	55.9	12.2	34.1	12.2	13
	15-19	58.2	23.7	21.5	14.8	949
	20-24	60.0	23.5	21.3	13.8	790
	25-29	57.3	24.6	22.5	15.9	842
	30-34	53.3	21.3	16.8	10.9	694
	35-39	48.2	15.1	13.6	8.6	874
	40-44	47.6	19.1	18.9	12.1	467
Woman's education level	45-49	47.0	17.6	15.2	11.0	279
	None	45.2	16.6	13.7	10.1	3802
	Primary	78.3	30.6	22.9	15.3	258
	Secondary +	87.7	38.8	41.6	23.6	827
	Non-standard curriculum	100.0	45.3	69.8	30.2	5
	Missing/DK	63.6	32.8	23.3	18.7	17
Total		54.2	21.1	19.0	12.7	4909

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Sierra Leone, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women
					1.00
Wealth Index Quintiles	Poorest	2.2	.9	64.3	918
	Second	3.2	1.1	52.3	972
	Middle	7.2	2.1	40.2	973
	Fourth	10.8	3.1	66.7	997
	Richest	21.4	5.0	61.4	1048
Region	North	2.2	1.4	31.8	1910
	East	8.0	2.1	65.4	1175
	South	8.8	2.2	54.8	782
	West	24.0	5.2	70.6	1041
Area	Urban	18.6	4.7	61.7	1493
	Rural	5.1	1.5	54.7	3415
Age	.00	12.1	.0	.	13
	15-19	8.9	1.6	30.7	949
	20-24	8.6	2.4	46.3	790
	25-29	10.8	2.4	59.3	842
	30-34	9.7	3.5	66.7	694
	35-39	8.8	3.0	75.0	874
	40-44	8.8	2.4	60.2	467
	45-49	8.0	2.5	58.7	279
Woman's education level	None	4.5	1.3	55.0	3802
	Primary	12.4	2.1	47.4	258
	Secondary +	29.4	7.9	62.3	827
	Non-standard curriculum	54.7	24.5	100.0	5
	Missing/DK	26.2	12.1	38.2	17
Total		9.3	2.5	58.7	4909

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Sierra Leone, 2000

		Current method									
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Condom	Diaphragm	Periodic abstinence	Other
Wealth Index Quintiles	Poorest	98.6	.0	.0	.6	.0	.6	.1	.0	.0	.2
	Second	97.7	.0	.0	1.0	.1	.6	.0	.0	.1	.4
	Middle	96.9	.3	.0	1.5	.0	.9	.0	.1	.2	.1
	Fourth	94.4	.3	.1	3.3	.1	1.3	.0	.2	.2	.1
	Richest	89.4	.3	.0	7.4	.6	1.5	.3	.1	.0	.5
Region	North	97.7	.1	.0	1.0	.1	.7	.0	.1	.0	.3
	East	97.7	.1	.1	1.9	.0	.1	.0	.0	.0	.2
	South	95.9	.2	.0	2.4	.0	.5	.2	.0	.6	.3
	West	85.8	.4	.0	8.3	.9	3.7	.3	.3	.0	.3
Area	Urban	90.0	.2	.1	6.2	.5	1.8	.2	.2	.4	.5
	Rural	97.6	.2	.0	1.3	.0	.6	.0	.0	.0	.2
Woman's education level	None	97.2	.1	.0	1.7	.0	.6	.0	.1	.0	.2
	Primary	92.0	.6	.0	1.8	.0	4.7	.0	.0	.9	.0
	Secondary +	86.2	.4	.0	9.0	1.1	2.1	.4	.2	.3	.4
	Non-standard curriculum	100.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
	Missing/DK	93.0	7.0	.0	.0	.0	.0	.0	.0	.0	.0
Total		95.7	.2	.0	2.5	.2	.9	.1	.1	.1	.3

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Sierra Leone, 2000

						Number of currently married women
		Total	Any modern method	Any traditional method	Any method	1.00
Wealth Index Quintiles	Poorest	100.0	1.3	.2	1.4	817
	Second	100.0	1.7	.6	2.3	864
	Middle	100.0	2.8	.3	3.1	817
	Fourth	100.0	5.3	.3	5.6	765
	Richest	100.0	10.1	.5	10.6	629
Region	North	100.0	2.0	.3	2.3	1733
	East	100.0	2.2	.2	2.3	984
	South	100.0	3.2	.9	4.1	634
	West	100.0	13.9	.3	14.2	542
Area	Urban	100.0	9.1	.9	10.0	956
	Rural	100.0	2.2	.2	2.4	2937
Woman's education level	None	100.0	2.5	.3	2.8	3304
	Primary	100.0	7.1	.9	8.0	135
	Secondary +	100.0	13.1	.7	13.8	440
	Non-standard curriculum	100.0	.0	.0	.0	2
	Missing/DK	100.0	7.0	.0	7.0	11
Total		100.0	3.9	.4	4.3	3893

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Sierra Leone, 2000

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers
		1.00				
Wealth Index Quintiles	Poorest	47.3	1.7	.0	49.0	231
	Second	52.3	.6	.6	53.5	220
	Middle	56.3	1.2	.0	57.5	209
	Fourth	59.6	1.3	.7	61.6	191
	Richest	77.8	.0	.0	77.8	112
Region	North	42.8	2.1	.5	45.4	498
	East	68.6	.0	.0	68.6	238
	South	76.0	.0	.0	76.0	125
	West	70.3	.0	.0	70.3	101
Area	Urban	71.1	.0	.0	71.1	198
	Rural	52.5	1.3	.3	54.2	765
Woman's education level	None	54.0	1.2	.3	55.6	832
	Primary	64.2	.0	.0	64.2	47
	Secondary +	75.4	.0	.0	75.4	84
Total		56.4	1.1	.3	57.7	963

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Sierra Leone, 2000

		Person delivering antenatal care						Total	Any skilled personnel	Number of women
		No antenatal care received	Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Other/missing			1.00
Wealth Index Quintiles	Poorest	21.2	5.5	54.8	.7	13.1	4.7	100.0	61.1	231
	Second	22.7	7.8	50.3	1.4	16.5	1.4	100.0	59.5	220
	Middle	14.0	8.8	58.1	2.2	14.0	2.9	100.0	69.1	209
	Fourth	11.5	8.9	61.5	1.5	16.1	.5	100.0	71.9	191
	Richest	4.2	32.2	54.7	2.9	4.6	1.4	100.0	89.8	112
Region	North	26.7	7.8	43.9	1.3	18.1	2.2	100.0	52.9	498
	East	3.9	7.0	73.3	3.1	9.9	2.8	100.0	83.4	238
	South	3.1	6.5	77.2	.0	10.1	3.1	100.0	83.6	125
	West	8.6	37.5	46.9	1.6	4.7	.8	100.0	85.9	101
Area	Urban	9.6	24.9	55.2	2.4	5.1	2.8	100.0	82.5	198
	Rural	17.7	6.8	56.0	1.4	15.9	2.2	100.0	64.2	765
Woman's education level	None	17.6	8.4	55.3	1.6	14.7	2.4	100.0	65.3	832
	Primary	9.8	19.6	63.6	.0	3.4	3.5	100.0	83.2	47
	Secondary +	4.6	26.2	56.3	2.9	8.8	1.2	100.0	85.5	84
Total		16.1	10.5	55.8	1.6	13.6	2.3	100.0	67.9	963

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Sierra Leone, 2000**

		Person assisting at delivery							Total	Any skilled personnel	Number of women
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received			1.00
Wealth Index Quintiles	Poorest	1.7	22.5	2.4	39.4	26.3	4.4	3.2	100.0	26.7	231
	Second	.6	28.3	4.6	45.5	14.7	1.4	5.0	100.0	33.5	220
	Middle	5.0	31.0	5.5	42.1	12.0	1.7	2.8	100.0	41.5	209
	Fourth	3.5	43.2	5.7	31.9	10.4	.5	4.7	100.0	52.5	191
	Richest	7.8	57.7	5.4	24.6	1.6	1.4	1.4	100.0	71.0	112
Region	North	2.8	13.7	5.3	43.9	26.7	1.7	5.9	100.0	21.8	498
	East	2.1	59.5	4.2	31.3	.0	2.1	.7	100.0	65.9	238
	South	2.8	52.0	2.3	33.5	3.9	3.9	1.6	100.0	57.2	125
	West	8.6	50.8	4.7	32.0	1.6	.8	1.6	100.0	64.1	101
Area	Urban	7.2	48.6	5.2	22.1	4.9	2.3	9.8	100.0	60.9	198
	Rural	2.2	30.1	4.5	42.3	17.0	1.9	2.0	100.0	36.7	765
Woman's education level	None	2.7	30.4	4.6	40.3	16.1	2.0	3.9	100.0	37.6	832
	Primary	2.7	64.9	2.7	20.1	4.4	3.5	1.7	100.0	70.4	47
	Secondary +	9.1	51.5	5.8	27.2	4.2	1.0	1.2	100.0	66.4	84
Total		3.2	33.9	4.6	38.2	14.5	2.0	3.6	100.0	41.7	963

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Sierra Leone, 2000

		Birth registered	DK if birth registered	Registration status						
				Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other	Reason DK or Missing
Wealth Index Quintiles	Poorest	30.7	4.3	1.9	8.9	17.4	2.2	34.2	28.9	6.5
	Second	32.0	3.4	4.6	10.6	25.1	.9	28.0	23.9	7.0
	Middle	44.1	3.4	5.3	11.0	15.2	2.4	26.1	36.6	3.4
	Fourth	54.7	3.9	9.3	14.7	17.9	4.8	14.7	35.1	3.5
	Richest	78.9	2.4	2.9	18.7	12.3	.0	15.9	45.3	4.9
Sex	Male	47.5	2.7	4.3	11.2	18.4	3.2	25.2	32.1	5.5
	Female	45.4	4.3	5.0	11.6	19.4	1.1	27.6	30.2	5.2
Region	North	27.3	4.7	2.5	10.1	24.2	2.7	30.3	24.7	5.6
	East	48.5	2.0	2.8	8.7	6.4	.6	22.2	55.5	3.8
	South	66.5	2.2	26.8	22.4	12.5	.9	9.7	17.0	10.7
	West	81.3	3.2	6.3	21.1	14.7	3.2	21.1	32.6	1.1
Area	Urban	65.7	3.0	8.2	13.4	20.1	3.9	16.3	35.1	3.0
	Rural	40.1	3.7	4.0	11.0	18.7	1.8	28.3	30.4	5.8
Age	< 6 months	42.2	.8	4.2	11.1	23.1	.0	27.2	27.2	7.3
	6-11 months	46.4	2.0	2.9	17.3	17.5	2.7	20.6	34.1	5.0
	12-23 months	44.4	3.4	3.7	11.8	19.8	2.4	26.3	31.3	4.8
	24-35 months	49.5	4.8	6.1	10.6	19.4	1.7	25.9	29.4	6.9
	36-47 months	47.5	3.7	5.5	11.0	16.5	3.3	28.0	31.6	4.2
	48-59 months	46.2	4.4	4.1	9.6	18.0	1.9	27.9	33.2	5.3
Mother's education level	None	42.1	3.7	4.3	11.5	19.9	1.6	27.7	29.3	5.7
	Primary	64.4	2.7	12.4	9.9	14.2	3.4	15.1	42.5	2.5
	Secondary	72.2	2.5	7.1	11.1	5.2	7.6	12.0	55.9	1.1
	Missing/DK	56.8	.0	.0	.0	.0	100.0	.0	.0	.0
Total		46.4	3.5	4.7	11.4	18.9	2.1	26.4	31.2	5.4

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Sierra Leone, 2000

		Total	Number of children
Wealth Index Quintiles	Poorest	100.0	568
	Second	100.0	607
	Middle	100.0	564
	Fourth	100.0	515
	Richest	100.0	456
Sex	Male	100.0	1354
	Female	100.0	1356
Region	North	100.0	1298
	East	100.0	591
	South	100.0	338
	West	100.0	483
Area	Urban	100.0	670
	Rural	100.0	2040
Age	< 6 months	100.0	257
	6-11 months	100.0	255
	12-23 months	100.0	538
	24-35 months	100.0	555
	36-47 months	100.0	616
	48-59 months	100.0	472
Mother's education level	None	100.0	2290
	Primary	100.0	105
	Secondary	100.0	310
	Missing/DK	100.0	5
Total		100.0	2710

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Sierra Leone, 2000

		Living arrangement								
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive	Living with father only: mother dead
Wealth Index Quintiles	Poorest	67.7	.5	2.0	8.1	1.9	5.7	4.5	5.2	1.4
	Second	65.0	1.0	2.9	8.9	2.2	7.5	5.5	3.5	.8
	Middle	61.9	.9	2.4	9.8	2.8	6.6	5.0	5.2	1.7
	Fourth	57.3	1.1	3.0	10.9	2.6	8.9	6.0	5.8	1.2
	Richest	51.4	.9	2.3	14.3	2.7	15.9	4.4	5.5	.7
Sex	Male	61.1	.9	2.9	9.4	2.4	8.7	5.1	5.3	1.4
	Female	60.8	.9	2.1	11.2	2.5	8.9	5.1	4.8	1.0
	Missing	35.5	.0	16.1	16.1	16.1	.0	.0	.0	.0
Region	North	71.6	.8	2.1	8.2	1.4	5.2	3.8	4.6	.9
	East	59.3	.8	3.3	8.7	3.9	8.1	5.9	3.6	1.7
	South	52.9	.9	3.2	12.2	2.9	7.8	5.4	8.0	1.5
	West	45.2	1.3	2.1	15.3	2.5	18.6	7.0	5.5	.9
Area	Urban	55.6	.9	2.6	12.3	2.4	12.9	5.1	5.2	1.1
	Rural	62.9	.9	2.5	9.5	2.4	7.2	5.1	4.9	1.2
Age	0-4 years	70.6	.3	.8	4.9	1.0	12.0	3.4	2.8	.6
	5-9 years	60.6	1.0	2.9	11.8	2.4	7.1	5.5	5.2	1.4
	10-14 years	51.1	1.4	3.9	13.9	4.0	7.7	6.3	7.1	1.5
Total		60.9	.9	2.5	10.3	2.4	8.8	5.1	5.0	1.2

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Sierra Leone, 2000

		Living arrangement		One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Impossible to determine	Total					
Wealth Index Quintiles	Poorest	3.0	100.0	.1	12.5	10.4	10.5	2125
	Second	2.7	100.0	.1	14.9	12.4	12.5	2097
	Middle	3.6	100.0	.3	15.9	12.8	13.1	2031
	Fourth	3.1	100.0	.2	17.6	14.0	14.2	2035
	Richest	1.9	100.0	.1	20.2	11.0	11.1	1839
Sex	Male	2.9	100.0	.2	15.5	12.7	12.9	5085
	Female	2.9	100.0	.1	16.7	11.5	11.7	5040
	Missing	16.1	100.0	.0	48.4	32.3	32.3	6
Region	North	1.5	100.0	.1	12.5	8.9	9.0	4330
	East	4.9	100.0	.1	16.6	15.5	15.5	2368
	South	5.2	100.0	.6	19.3	13.9	14.4	1516
	West	1.7	100.0	.1	21.2	13.8	13.9	1916
Area	Urban	1.8	100.0	.2	18.2	12.1	12.3	2719
	Rural	3.2	100.0	.2	15.3	12.1	12.3	7411
Age	0-4 years	3.7	100.0	.0	6.9	6.0	6.0	3118
	5-9 years	2.1	100.0	.2	18.1	13.2	13.4	4096
	10-14 years	3.0	100.0	.3	23.3	17.2	17.5	2917
Total		2.9	100.0	.2	16.1	12.1	12.3	10131

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Sierra Leone, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	.8	49.2	70.9	13.3	68.31	78.1	1463
	Second	.9	47.0	71.5	10.9	64.97	75.7	1404
	Middle	2.3	47.9	73.1	10.1	60.64	72.9	1390
	Fourth	2.7	44.8	76.8	9.8	51.18	70.0	1438
	Richest	1.2	49.7	79.2	4.9	32.37	60.4	1316
Sex	Male	2.0	47.9	73.6	9.4	56.21	71.9	3527
	Female	1.2	47.4	74.9	10.4	55.44	71.3	3480
	Missing	.0	83.9	83.9	.0	83.87	83.9	6
Region	North	1.9	48.9	68.6	13.8	67.26	78.4	2839
	East	.7	45.3	70.8	9.7	52.53	70.2	1685
	South	2.3	38.7	78.3	8.7	54.24	66.0	1127
	West	1.3	55.4	86.7	2.9	37.50	63.7	1361
Area	Urban	2.7	50.8	80.5	6.6	41.80	65.9	1940
	Rural	1.1	46.5	71.8	11.1	61.23	73.8	5072
Age	5-9 years	1.4	42.7	72.8	7.3	49.91	65.6	4096
	10-14 years	1.8	54.7	76.3	13.5	64.20	80.1	2917
Total		1.6	47.7	74.2	9.9	55.85	71.6	7013

Monitoring Children's Rights Indicator