

**WHO/UNICEF  
Review of National Immunization Coverage  
1980-2008**

---


***Slovakia***

---

**July, 2009**

# Slovakia

## BCG (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992			91				
1993			91				
1994	98	98					
1995	92	92					
1996	96	96					
1997	95	95	90				
1998	93	93	92				
1999	96	96		96	96		
2000	94	94	94	94	94		
2001	93	93		93	93		
2002	98	98	98	98	98		
2003	98	98	98	98	98		
2004	98	98	98	98	98		
2005	98	98	98	98	98		
2006	98	98	98	98	98		
2007	98	98	98	98	98		
2008	98	98	98	98	98		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Slovakia

## DTP1 (1980-2008)



### Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. For years prior to 2000 the estimates are derived from the WHO/UNICEF estimates of DTP3 and the relationship between the levels DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 101 count which were published between 1980 and 2004. From 2000 onward estimated immunization coverage levels are based on reported data. For missing data between two years the imputed coverage is the linear interpolation between the two reported coverage rates.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994	99						
1995	99						
1996	99						
1997	99						
1998	99						
1999	99						
2000	99	99	99		99		
2001	99	99	99	99	99		
2002	99	99	99	99	99		
2003	99						
2004	99	99	99	99			
2005	99	99	99	99			
2006	99						
2007	99						
2008	99						


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Slovakia

## DTP3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992			99				
1993			99				
1994	99	99	98				
1995	99	99					
1996	99	99					
1997	99	99	98				
1998	99	99	99				
1999	99	99		99	99		
2000	99	99	99	99	99		
2001	99	99		99	99		
2002	99	99	99	99	99		
2003	99	99	99	99	99		
2004	99	99	99	99	99		
2005	99	99	99	99	99		
2006	99	99	99	99	99		
2007	99	99	99	99	99		
2008	99	99	99	99	99		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Slovakia

## Pol3 (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992			99				
1993			99				
1994	98	98	98				
1995	98	98					
1996	98	98					
1997	98	98	98				
1998	98	98	99				
1999	99	99		99	99		
2000	98	98	98	98	99		
2001	99	99		99	99		
2002	98	98	98	98	98		
2003	98	98	98	98	98		
2004	99	99	99	99	99		
2005	99	99	99	99	99		
2006	99	99	99	99	99		
2007	99	99	99	99	99		
2008	99	99	99	99	99		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Slovakia

## MCV (1980-2008)



### Description of trend

Estimated immunization coverage levels are based on reported data. Coverage rates are continuously high. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992			96				
1993			96				
1994	97	99	97				
1995	99	99					
1996	99	99					
1997	99	99	98				
1998	99	99	99				
1999	99	99		99	99		
2000	98	98	98	98	98		
2001	99	99		99	99		
2002	99	99	99	99	99		
2003	99	99	99	99	99		
2004	99	99	99	99	99		
2005	98	98	98	98	98		
2006	98	98	98	98	98		
2007	99	99	99	99	99		
2008	99	99	99	99	99		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Slovakia

## HepB3 (1980-2008)



### Description of trend

Hepatitis vaccine was introduced in 1996 and available nationally in 1998. Estimates are based on reported data. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994							
1995							
1996							
1997							
1998							
1999							
2000	99	98	98	98	99		
2001	99	99	99	99	99		
2002	99	99	99	99	99		
2003	99	99	99	99	99		
2004	99	99	99	99	99		
2005	99	99	99	99	99		
2006	99	99	99	99	99		
2007	99	99	99	99	99		
2008	99	99	99	99	99		


\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

# Slovakia

## Hib3 (1980-2008)



### Description of trend

Hib vaccine available nationally in 2000. Estimates are based on reported data. No survey data are available.

### Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986	3	3	3		3		
1987	30	30	30		30		
1988	36	36	36		36		
1989	47						
1990	59						
1991	70						
1992	92						
1993	99						
1994	99						
1995	99						
1996	99						
1997	99						
1998	99						
1999	99						
2000	99						
2001	99						
2002	99				99		
2003	99				99		
2004	99				99		
2005	99				99		
2006	99				99		
2007	99				99		
2008	99				99		

\*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

\*\*Coverage based on registration of doses administered by health care providers.

\*\*\*In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.