

Table 1: Number of households and women, and response rates, Surinam, 2000

	Stratum			Total
	Urban	Rural	Interior	
Sampled households	2249	1347	697	4293
Occupied households	2249	1347	697	4293
Completed households	2249	1347	697	4293
Household response rate	100.0	100.0	100.0	100.0
Eligible women	2623	1634	782	5039
Interviewed women	2325	1478	752	4555
Women response rate	88.7	90.5	96.1	90.4
Children under 5	903	593	538	2034
Interviewed children under 5	864	570	522	1956
Child response rate	95.7	96.2	97.1	96.2

Table 2: Single year age distribution of household population by sex, Surinam, 2000

	Sex			
	Male		Female	
	Number	Percent	Number	Percent
Age 0	232	2.7	201	2.3
1	208	2.4	198	2.3
2	272	3.2	195	2.3
3	178	2.1	201	2.4
4	179	2.1	170	2.0
5	161	1.9	159	1.9
6	183	2.2	165	1.9
7	207	2.4	164	1.9
8	177	2.1	147	1.7
9	182	2.1	177	2.1
10	195	2.3	176	2.1
11	158	1.9	176	2.1
12	178	2.1	152	1.8
13	182	2.1	202	2.4
14	186	2.2	194	2.3
15	189	2.2	224	2.6
16	162	1.9	208	2.4
17	181	2.1	190	2.2
18	173	2.0	141	1.6
19	153	1.8	164	1.9
20	162	1.9	178	2.1
21	135	1.6	137	1.6
22	141	1.7	149	1.7
23	136	1.6	130	1.5
24	113	1.3	129	1.5
25	136	1.6	152	1.8
26	119	1.4	115	1.4
27	116	1.4	131	1.5
28	139	1.6	128	1.5
29	117	1.4	135	1.6
30	163	1.9	158	1.9
31	112	1.3	113	1.3

Table 2: Single year age distribution of household population by sex, Surinam, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
Age	32	141	1.7	151	1.8
	33	120	1.4	139	1.6
	34	117	1.4	112	1.3
	35	159	1.9	136	1.6
	36	123	1.5	120	1.4
	37	101	1.2	115	1.3
	38	119	1.4	119	1.4
	39	128	1.5	114	1.3
	40	124	1.5	122	1.4
	41	89	1.0	106	1.2
	42	106	1.2	77	.9
	43	79	.9	96	1.1
	44	86	1.0	86	1.0
	45	104	1.2	103	1.2
	46	55	.6	68	.8
	47	75	.9	88	1.0
	48	64	.8	89	1.0
	49	53	.6	66	.8
	50	75	.9	82	1.0
	51	40	.5	51	.6
	52	59	.7	44	.5
	53	51	.6	47	.6
	54	49	.6	70	.8
	55	53	.6	62	.7
	56	39	.5	53	.6
	57	37	.4	47	.5
	58	48	.6	53	.6
	59	33	.4	57	.7
	60	57	.7	60	.7
	61	42	.5	48	.6
	62	33	.4	44	.5
	63	43	.5	50	.6
	64	37	.4	42	.5
	65	52	.6	62	.7
	66	30	.4	41	.5
	67	43	.5	44	.5
	68	33	.4	35	.4
	69	35	.4	38	.4
	70+	258	3.0	297	3.5
	Missing/DK	181	2.1	49	.6
Total		8491	100.0	8542	100.0

Table 3: Percentage of cases missing information for selected questions, Surinam, 2000

	Percent missing	Number
Level of education	.6	13468
Year of education	3.2	13467

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Date of last tetanus toxoid injection	.0	4555
Ever been tested for HIV	.9	4221

Table 3: Percentage of cases missing information for selected questions, Surinam, 2000

	Percent missing	Number
Complete birth date	.3	1885
Diarrhoea in last 2 weeks	1.3	1885
Weight	4.6	1885
Height	4.6	1885

Table 4: Percent distribution of households by background characteristics, Surinam, 2000

	Percent	Number	Unweighted
District			
Paramaribo	38.9	1669	1717
Wanica	20.6	884	950
Nickerie	10.6	457	491
Coronie	1.5	66	73
Saramacca	2.6	114	126
Commewijne	3.6	153	170
Marowijne	4.3	187	191
Para	3.7	160	155
Brokopondo	3.1	132	92
Sipaliwini	11.0	471	328
Stratum			
Urban	52.4	2249	2313
Rural	31.4	1347	1495
Interior	16.2	697	485
Number of HH members			
1	10.4	445	435
2-3	34.6	1484	1475
4-5	35.0	1504	1522
6-7	13.6	585	593
8-9	4.6	196	194
10+	1.8	78	74
Total	100.0	4293	4293

Table 4: Percent distribution of households by background characteristics, Surinam, 2000

	Percent	Number	Unweighted
At least one child age < 15	63.7	4293	4293
At least one child age < 5	37.9	4293	4293
At least one woman age 15-49	79.3	4293	4293

Table 4a: Percent distribution of households by background characteristics, Surinam, 2000

		Stratum			Total
		Urban	Rural	Interior	
District	Paramaribo	74.2	.0	.0	38.9
	Wanica	17.2	37.0	.0	20.6
	Nickerie	8.6	19.5	.0	10.6
	Coronie	.0	4.9	.0	1.5
	Saramacca	.0	8.4	.0	2.6
	Commewijne	.0	11.4	.0	3.6
	Marowijne	.0	11.0	5.6	4.3
	Para	.0	7.8	7.8	3.7
	Brokopondo	.0	.0	19.0	3.1
	Sipaliwini	.0	.0	67.6	11.0
Number of HH members	1	9.8	9.4	14.2	10.4
	2-3	35.5	31.6	37.1	34.6
	4-5	36.5	36.3	27.8	35.0
	6-7	12.8	16.2	11.5	13.6
	8-9	4.0	4.9	5.8	4.6
	10+	1.4	1.6	3.5	1.8
	Total	100.0	100.0	100.0	100.0
Number		2249	1347	697	4293
Unweighted		2313	1495	485	4293

Table 4a: Percent distribution of households by background characteristics, Country, Year

		Stratum			Total
		Urban	Rural	Interior	
At least one child age < 15		61.2	64.7	69.9	63.7
At least one child age < 5		34.8	36.2	51.3	37.9
At least one woman age 15-49		79.2	80.6	77.1	79.3
Number		2249	1347	697	4293
Unweighted		2313	1495	485	4293

Table 5: Percent distribution of women 15-49 by background characteristics, Surinam, 2000

		Percent	Number	Unweighted
District	Paramaribo	37.6	1715	1730
	Wanica	22.6	1028	1096
	Nickerie	11.4	518	554
	Coronie	1.3	60	67
	Saramacca	2.6	117	130
	Commewijne	3.3	150	167
	Marowijne	4.1	185	194
	Para	3.7	167	162
	Brokopondo	3.4	153	113
	Sipaliwini	10.1	462	342
	Stratum	Urban	52.1	2371
Rural		32.4	1477	1640
Age	Interior	15.5	707	523
	12-14	10.5	478	477
	15-19	18.6	845	846
	20-24	14.4	654	647
	25-29	13.2	603	604
	30-34	13.5	614	616
	35-39	12.2	554	555
	40-44	9.8	444	450
Marital status	45-49	8.0	363	360
	Currently married	58.5	2666	2669
Ever given birth	Not currently married	41.5	1889	1886
	Yes	61.3	2794	2776
Woman's education level	No	38.7	1761	1779
	None	8.1	371	301
	Primary	30.7	1399	1369
	Secondary +	59.9	2728	2827
Total	Missing/DK	1.3	58	58
		100.0	4555	4555

Table 6: Percent distribution of children under 5 by background characteristics, Surinam, 2000

		Percent	Number	Unweighted
Sex	Male	52.6	992	994
	Female	47.4	893	891
District	Paramaribo	33.1	623	662
	Wanica	18.1	342	381
	Nickerie	9.4	177	198
	Coronie	1.7	32	37
	Saramacca	2.2	42	48
	Commewijne	2.1	40	46
	Marowijne	4.9	92	98
	Para	4.6	86	87
	Brokopondo	6.6	124	90
	Sipaliwini	17.3	327	238
	Stratum	Urban	44.4	837
Rural		29.2	550	633
Age	Interior	26.4	498	363
	< 6 months	12.3	231	224
	6-11 months	8.6	163	162
	12-23 months	20.0	376	369
	24-35 months	22.8	430	435
	36-47 months	18.8	354	361
Mother's education level	48-59 months	17.5	329	332
	None	14.9	281	229
	Primary	29.1	549	521
	Secondary +	54.8	1034	1113
	Missing/DK	1.2	22	22
Total		100.0	1885	1885

Table 7: Mean number of children ever born (CEB) and proportion dead by mother's age, Surinam, 2000

		Mean number of CEB	Proportion dead	Number of women
Age	12-14	.008	.333	478
	15-19	.179	.052	845
	20-24	1.007	.063	654
	25-29	1.832	.037	603
	30-34	2.655	.057	614
	35-39	3.316	.048	554
	40-44	3.826	.056	444
	45-49	4.321	.084	363
Total		1.899	.058	4555

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Surinam, 2000

		Attending programme	Number of children	
Wealth Index Quintiles	Poorest	68.9	95	
	Second	49.1	110	
	Middle	36.4	152	
	Fourth	35.8	143	
	Richest	14.2	184	
Sex	Male	38.3	338	
	Female	35.6	345	
District	Paramaribo	53.6	223	
	Wanica	42.5	126	
	Nickerie	46.0	76	
	Coronie	47.6	18	
	Saramacca	47.1	15	
	Commewijne	40.0	17	
	Marowijne	27.5	33	
	Para	31.7	35	
	Brokopondo	.0	41	
	Sipaliwini	1.4	99	
	Stratum	Urban	51.6	296
		Rural	40.8	227
Interior		4.3	161	
Age	36-47 months	14.1	354	
	48-59 months	61.4	329	
Mother's education level	None	12.8	96	
	Primary	26.5	210	
	Secondary +	49.2	373	
	Missing/DK	17.7	5	
Total		36.9	684	

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Country, Year

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1	
Wealth Index Quintiles	Poorest	100.0	100.0	100.0	96.0	96.0	
	Second	100.0	98.1	100.0	94.4	92.6	
	Middle	92.8	96.5	97.8	92.9	81.4	
	Fourth	100.0	96.1	97.5	92.3	86.4	
	Richest	89.2	97.0	93.7	82.6	67.0	
Sex	Male	95.2	97.6	97.5	93.1	84.3	
	Female	98.1	97.0	98.4	91.7	85.8	
District	Paramaribo	100.0	99.1	98.5	94.9	92.6	
	Wanica	98.7	98.9	98.2	96.1	92.0	
	Nickerie	97.0	94.4	100.0	81.8	74.9	
	Coronie	100.0	100.0	88.9	100.0	88.9	
	Saramacca	100.0	100.0	100.0	100.0	100.0	
	Commewijne	100.0	100.0	100.0	90.0	90.0	
	Marowijne	90.3	84.2	100.0	88.9	67.6	
	Para	100.0	100.0	100.0	100.0	100.0	
	Brokopondo	86.7	100.0	100.0	92.3	80.0	
	Sipaliwini	81.5	92.9	85.0	71.4	45.9	
	Stratum	Urban	100.0	99.3	98.9	94.4	92.8
		Rural	96.6	95.3	98.2	91.3	82.5
		Interior	84.8	96.2	91.9	86.1	64.5
1.00		96.5	97.3	97.9	92.4	84.9	

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Surinam, 2000

		Sex				Total	
		Male		Female		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth Index Quintiles	Poorest	84.5	178	79.2	157	82.0	336
	Second	81.9	199	82.2	215	82.1	413
	Middle	78.9	401	81.2	349	80.0	750
	Fourth	80.5	353	85.2	297	82.6	650
	Richest	59.8	309	66.6	299	63.1	607
District	Paramaribo	80.9	472	80.9	427	80.9	899
	Wanica	80.8	309	86.4	280	83.5	590
	Nickerie	86.2	134	78.9	141	82.4	275
	Coronie	76.0	23	70.8	22	73.5	44
	Saramacca	83.8	33	84.6	35	84.2	68
	Commewijne	84.3	46	93.0	39	88.3	85
	Marowijne	77.1	87	80.9	76	78.9	164
	Para	81.0	75	81.0	58	81.0	132
	Brokopondo	69.2	56	82.2	65	76.2	121
	Sipaliwini	49.3	204	54.5	174	51.7	378
Stratum	Urban	81.6	661	81.7	589	81.6	1250
	Rural	80.7	476	83.3	452	81.9	928
	Interior	57.8	303	64.9	275	61.2	578
Age	5	1.8	161	6.2	159	4.0	320
	6	76.6	183	80.3	165	78.4	348
	7	87.5	207	89.3	164	88.3	370
	8	92.2	177	94.6	147	93.3	324
	9	89.4	182	95.0	177	92.2	359
	10	91.1	195	94.7	176	92.8	372
	11	90.4	158	90.5	176	90.5	334
	12	72.4	178	75.0	152	73.6	330
Total		76.3	1440	78.7	1316	77.5	2756

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Surinam, 2000

		Sex						
		Male			Female			
		Literate	Not known	Number	Literate	Not known	Number	
Wealth Index Quintiles	Poorest	96.5	.9	1109	95.6	.5	1106	96.1
	Second	95.1	1.6	1214	90.6	1.5	1108	93.0
	Middle	92.6	1.0	1356	89.8	1.2	1366	91.2
	Fourth	86.8	2.5	1268	83.0	1.4	1252	84.9
	Richest	65.9	9.2	487	47.0	6.8	984	53.2
District	Paramaribo	95.2	.6	2262	93.2	.6	2271	94.2
	Wanica	91.8	1.0	1291	88.7	.2	1245	90.3
	Nickerie	85.9	4.5	689	85.9	3.9	639	85.9
	Coronie	93.4	3.3	82	87.3	2.5	71	90.6
	Saramacca	79.9	11.2	152	73.8	9.1	148	76.9
	Commewijne	94.3	.4	236	84.5	.0	215	89.6
	Marowijne	85.8	1.1	238	74.6	1.7	246	80.1
	Para	93.4	.8	215	90.1	.4	211	91.8
	Brokopondo	70.0	12.5	57	54.1	2.5	175	58.0
	Sipaliwini	50.0	14.4	210	33.4	9.7	594	37.7
Stratum	Urban	94.1	1.0	3126	91.8	.8	3081	92.9
	Rural	89.0	2.6	1910	84.9	1.9	1846	87.0
	Interior	65.9	9.4	397	44.4	7.1	890	51.1
Age	15-24	92.2	3.1	1543	91.3	.9	1651	91.7
	25-34	94.5	1.5	1280	89.6	1.4	1335	92.0
	35-44	93.6	1.4	1113	85.8	1.8	1091	89.7
	45-54	89.5	1.2	625	75.4	3.2	708	82.0
	55-64	80.5	2.8	422	65.7	4.5	515	72.4
	65+	73.1	4.1	450	53.8	4.6	516	62.8
Total		90.2	2.2	5433	82.3	2.1	5816	86.2

World Summit for Children Goal => Number 7

Table 12: Percentage of the population aged 15 years and older that is literate, Surinam, 2000

		Total			
		Literate	Not known	Number	
Wealth Index Quintiles	Poorest	96.1	.7	2215	
	Second	93.0	1.6	2322	
	Middle	91.2	1.1	2721	
	Fourth	84.9	1.9	2520	
	Richest	53.2	7.6	1471	
District	Paramaribo	94.2	.6	4533	
	Wanica	90.3	.6	2536	
	Nickerie	85.9	4.2	1328	
	Coronie	90.6	2.9	153	
	Saramacca	76.9	10.2	300	
	Commewijne	89.6	.2	451	
	Marowijne	80.1	1.4	485	
	Para	91.8	.6	426	
	Brokopondo	58.0	4.9	233	
	Sipaliwini	37.7	10.9	804	
	Stratum	Urban	92.9	.9	6207
		Rural	87.0	2.3	3755
		Interior	51.1	7.8	1287
	Age	15-24	91.7	1.9	3194
		25-34	92.0	1.4	2615
35-44		89.7	1.6	2204	
45-54		82.0	2.3	1333	
55-64		72.4	3.7	937	
65+		62.8	4.4	966	
Total		86.2	2.1	11249	

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Surinam, 2000

		Main source of water					
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected spring	Protected dug well
District	Paramaribo	79.9	14.0	.7	.0	.1	.0
	Wanica	44.6	24.6	.5	1.4	1.7	.4
	Nickerie	49.9	31.8	.6	.0	.0	.0
	Coronie	43.1	41.2	.4	.0	.0	.0
	Saramacca	52.0	29.0	.4	1.3	.0	.8
	Commewijne	16.9	7.4	.0	.0	2.1	.0
	Marowijne	42.1	20.9	.0	2.1	2.0	.0
	Para	33.2	36.7	4.2	3.4	4.3	.7
	Brokopondo	.0	9.0	8.2	.0	.0	.0
	Sipaliwini	.0	6.9	.0	.0	.0	.0
	Stratum	Urban	74.5	16.1	.5	.6	.7
Rural		26.0	22.4	1.3	.6	.8	.1
Total		51.0	19.1	.9	.6	.7	.1

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Surinam, 2000

		Main source of water				
		Bottled water	Rainwater collection	Unprotected spring	Unprotected dug well	Pond, river or stream
District	Paramaribo	.1	4.3	.0	.0	.0
	Wanica	.0	21.8	.3	.0	.0
	Nickerie	.2	3.7	.0	.0	.7
	Coronie	.0	12.0	.0	.0	.0
	Saramacca	.8	11.3	.0	1.5	1.5
	Commewijne	.0	70.3	1.5	.0	.0
	Marowijne	.8	9.4	2.6	.0	18.3
	Para	.0	10.3	2.5	.0	1.7
	Brokopondo	.0	5.0	.0	.0	77.9
	Sipaliwini	.0	26.6	.0	.7	65.5
Stratum	Urban	.1	5.5	.2	.0	.0
	Rural	.1	21.8	.6	.2	21.3
Total		.1	13.4	.4	.1	10.3

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Surinam, 2000

		Main source of water				Total
		Tanker truck vendor	Cut official pipe	Other	Missing/DK	
District	Paramaribo	.0	.0	.5	.4	100.0
	Wanica	.0	2.1	2.5	.2	100.0
	Nickerie	1.3	8.5	1.9	1.4	100.0
	Coronie	.0	.0	3.4	.0	100.0
	Saramacca	.0	1.5	.0	.0	100.0
	Commewijne	.0	1.8	.0	.0	100.0
	Marowijne	.0	.0	1.9	.0	100.0
	Para	.0	1.3	1.7	.1	100.0
	Brokopondo	.0	.0	.0	.0	100.0
	Sipaliwini	.0	.0	.0	.4	100.0
Stratum	Urban	.1	.1	1.1	.5	100.0
	Rural	.2	3.1	1.2	.3	100.0
Total		.1	1.6	1.1	.4	100.0

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Surinam, 2000

		Total with safe drinking water	Number of persons
District	Paramaribo	94.6	6388
	Wanica	73.1	3681
	Nickerie	82.3	1887
	Coronie	84.6	241
	Saramacca	83.5	432
	Commewijne	26.4	598
	Marowijne	67.1	828
	Para	82.4	685
	Brokopondo	17.2	578
	Sipaliwini	6.9	1715
	Stratum	Urban	92.5
Rural		51.2	8250
Total		72.5	17033

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Surinam, 2000

		Type of toilet facility					
		Flush to sewage system/septic tank	Pour flush latrine	Improved pit latrine	Traditional pit latrine	River	Open pit
District	Paramaribo	87.6	11.4	.2	.0	.0	.0
	Wanica	73.8	25.6	.0	.2	.0	.1
	Nickerie	77.0	18.7	.0	1.4	.0	.9
	Coronie	53.2	46.8	.0	.0	.0	.0
	Saramacca	53.0	37.6	9.2	.0	.0	.0
	Commewijne	58.3	37.5	1.7	1.2	.0	.6
	Marowijne	45.3	46.5	.0	1.3	.0	4.2
	Para	46.2	52.5	.0	.4	.0	.0
	Brokopondo	1.0	5.5	.0	.0	.0	.0
	Sipaliwini	.8	21.5	.0	.8	38.1	1.4
	Stratum	Urban	84.3	14.6	.1	.0	.0
Rural		45.8	28.9	.6	.8	7.9	1.0
Total		65.6	21.5	.3	.4	3.8	.5

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Surinam, 2000

		Type of toilet facility			Total	Total with sanitary means of excreta disposal	Number of persons
		Other	No facilities/bush/field	Missing			
District	Paramaribo	.5	.0	.4	100.0	99.2	6388
	Wanica	.1	.1	.0	100.0	99.6	3681
	Nickerie	.8	.2	1.0	100.0	97.2	1887
	Coronie	.0	.0	.0	100.0	100.0	241
	Saramacca	.0	.2	.0	100.0	99.8	432
	Commewijne	.8	.0	.0	100.0	98.6	598
	Marowijne	2.4	.3	.0	100.0	93.1	828
	Para	.0	.8	.1	100.0	99.1	685
	Brokopondo	.0	93.5	.0	100.0	6.5	578
	Sipaliwini	.0	36.6	.8	100.0	23.1	1715
Stratum	Urban	.5	.0	.4	100.0	99.1	8783
	Rural	.4	14.4	.2	100.0	76.1	8250
Total		.4	7.0	.3	100.0	88.0	17033

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Surinam, 2000

		Missing height or weight	Number of children	
Wealth Index Quintiles	Poorest	7.6	264	
	Second	6.4	268	
	Middle	5.4	406	
	Fourth	5.2	385	
	Richest	3.1	562	
Sex	Male	4.5	992	
	Female	5.9	893	
District	Paramaribo	5.3	623	
	Wanica	4.7	342	
	Nickerie	15.3	177	
	Coronie	.0	32	
	Saramacca	10.4	42	
	Commewijne	2.2	40	
	Marowijne	1.9	92	
	Para	1.6	86	
	Brokopondo	.0	124	
	Sipaliwini	3.8	327	
	Stratum	Urban	6.5	837
		Rural	5.2	550
		Interior	2.8	498
Age	< 6 months	3.2	231	
	6-11 months	6.7	163	
	12-23 months	3.3	376	
	24-35 months	6.3	430	
	36-47 months	5.8	354	
	48-59 months	5.6	329	
Mother's education level	None	2.6	281	
	Primary	4.4	549	
	Secondary +	6.2	1034	
	Missing/DK	8.3	22	
Total		5.1	1885	

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Surinam, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD
Wealth Index Quintiles	Poorest	7.3	1.2	2.3	.8	7.3
	Second	12.9	1.9	6.2	2.6	8.3
	Middle	10.6	1.2	5.1	1.0	5.5
	Fourth	16.3	2.0	12.3	2.0	8.1
	Richest	16.4	3.4	17.3	5.3	4.7
Sex	Male	14.3	2.7	11.8	3.0	7.3
	Female	12.3	1.5	7.7	2.3	5.6
District	Paramaribo	10.8	2.0	6.0	1.5	6.5
	Wanica	16.5	1.9	8.5	2.5	9.5
	Nickerie	10.3	.0	6.2	.6	7.4
	Coronie	2.9	.0	.0	.0	2.9
	Saramacca	22.0	4.9	9.8	7.3	17.1
	Commewijne	20.0	4.4	6.7	.0	6.7
	Marowijne	3.0	.0	7.0	.0	.0
	Para	3.2	.0	6.3	1.1	.0
	Brokopondo	21.4	6.0	21.4	11.9	4.8
	Sipaliwini	18.5	2.9	20.0	3.9	5.9
Stratum	Urban	10.7	1.5	6.3	1.3	6.5
	Rural	13.8	1.9	8.0	2.0	7.7
	Interior	17.5	3.4	18.4	5.6	5.0
Age	< 6 months	3.5	1.1	2.6	.7	1.3
	6-11 months	12.9	3.7	9.5	2.9	9.0
	12-23 months	17.9	2.6	14.2	4.7	8.7
	24-35 months	12.5	1.8	10.2	2.4	5.3
	36-47 months	13.7	1.6	9.8	2.7	5.6
	48-59 months	15.6	2.4	9.6	1.8	8.7
Mother's education level	None	16.9	4.0	17.8	5.7	4.3
	Primary	16.3	2.3	14.0	2.8	6.3
	Secondary +	10.9	1.4	5.6	1.8	7.0
	Missing/DK	15.6	4.4	16.0	.0	13.5
Total		13.3	2.1	9.9	2.7	6.5

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Surinam, 2000

		Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	1.5	239
	Second	1.1	247
	Middle	1.4	378
	Fourth	1.9	354
	Richest	1.3	499
Sex	Male	1.5	907
	Female	1.5	809
District	Paramaribo	1.5	576
	Wanica	2.4	324
	Nickerie	.6	146
	Coronie	.0	30
	Saramacca	.0	36
	Commewijne	2.2	39
	Marowijne	.0	86
	Para	.0	82
	Brokopondo	.0	115
	Sipaliwini	2.4	281
Stratum	Urban	1.2	767
	Rural	1.7	510
	Interior	1.6	439
Age	< 6 months	.4	210
	6-11 months	4.4	144
	12-23 months	1.0	353
	24-35 months	.7	385
	36-47 months	1.7	326
	48-59 months	2.0	297
Mother's education level	None	2.0	254
	Primary	1.3	488
	Secondary +	1.3	955
	Missing/DK	4.4	20
Total		1.5	1716

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Surinam, 2000

		Exclusive breastfeeding		Complementary feeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children
Sex	Male	15.4	84	19.2	61
	Female	9.9	73	30.8	52
District	Paramaribo	8.6	55	20.0	33
	Wanica	18.8	24	38.2	19
	Nickerie	27.2	10	37.4	7
	Coronie	.0	1	50.0	2
	Saramacca	.0	4	40.0	4
	Commewijne	.0	2	.0	3
	Marowijne	.0	9	37.5	7
	Para	.0	2	26.4	7
	Brokopoondo	7.1	19	.0	4
	Sipaliwini	21.7	32	15.8	26
	Stratum	Urban	12.3	69	25.0
Rural		9.5	36	34.1	36
Mother's education level	Interior	15.8	52	13.0	32
	None	14.0	29	16.9	13
	Primary	20.0	53	18.9	29
	Secondary + Missing/DK	7.3	75	28.6	66
Total		12.8	157	24.5	112

World Summit for Children Goal => Number 16

Table 16: Percent of living children by breastfeeding status, Surinam, 2000

		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 12-15 months	Number of children	Children 20-23 months	Number of children
Sex	Male	43.7	65	9.1	52
	Female	42.2	78	13.2	52
District	Paramaribo	38.1	40	16.7	34
	Wanica	16.1	28	5.0	19
	Nickerie	33.2	14	43.0	6
	Coronie	.	0	.0	2
	Saramacca	33.3	3	33.3	3
	Commewijne	25.0	3	.0	2
	Marowijne	45.4	8	.0	3
	Para	46.2	7	.0	3
	Brokopoondo	50.0	8	.0	14
	Sipaliwini	75.0	33	7.7	18
	Stratum	Urban	31.7	59	17.0
Rural		26.8	36	9.4	28
Mother's education level	Interior	68.6	48	4.3	32
	None	55.1	22	9.2	25
	Primary	57.4	43	7.0	27
	Secondary + Missing/DK	31.3	75	14.4	51
Total		42.9	143	11.1	104

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Surinam, 2000

	Breastfeeding status				
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food
Age 0-1	6.6	15.7	29.3	46.9	1.4
2-3	17.4	12.0	17.7	48.8	4.0
4-5	32.8	.0	12.3	36.6	18.3
6-7	31.4	2.3	6.1	34.5	25.7
8-9	37.3	.0	2.9	33.9	26.0
10-11	40.7	.0	10.5	13.4	35.5
12-13	39.9	2.5	5.0	12.5	40.1
14-15	63.7	1.1	.0	9.3	25.9
16-17	69.1	1.3	.0	3.7	26.0
18-19	82.9	.0	.0	.0	17.1
20-21	88.9	.0	.0	3.2	7.9
22-23	87.3	1.4	.0	1.3	9.9
24-25	93.6	.0	.0	1.2	5.2
26-27	93.0	.0	.0	.0	7.0
28-29	87.8	.0	.0	2.9	9.4
30-31	92.0	.0	1.9	.0	6.1
32-33	95.6	2.7	.0	.0	1.7
34-35	95.2	.0	.0	.0	4.8

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 16w: Percent distribution of children by breastfeeding status, Surinam, 2000

	Total	
	Total	Number of children
Age 0-1	100.0	61
2-3	100.0	88
4-5	100.0	71
6-7	100.0	59
8-9	100.0	47
10-11	100.0	48
12-13	100.0	55
14-15	100.0	78
16-17	100.0	75
18-19	100.0	48
20-21	100.0	29
22-23	100.0	65
24-25	100.0	79
26-27	100.0	73
28-29	100.0	66
30-31	100.0	74
32-33	100.0	51
34-35	100.0	58

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 20a. Birth weight and size at birth

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth Index Quintiles	Poorest	12.7	80.1	7.2	.0
	Second	12.2	75.6	12.2	.0
	Middle	13.5	68.3	16.0	2.1
	Fourth	6.5	75.1	14.9	3.6
	Richest	4.9	58.3	16.9	19.9
District	Paramaribo	9.8	76.2	14.0	.0
	Wanica	15.3	71.9	11.5	1.2
	Nickerie	12.7	78.3	6.0	3.0
	Coronie	.0	100.0	.0	.0
	Saramacca	14.3	50.0	28.6	7.1
	Commewijne	10.0	90.0	.0	.0
	Marowijne	.0	62.5	25.0	12.5
	Para	6.5	61.3	16.1	16.1
	Brokopondo	7.7	38.5	7.7	46.2
	Sipaliwini	3.0	64.2	20.9	11.9
Stratum	Urban	11.1	76.3	12.6	.0
	Rural	10.8	70.8	14.2	4.2
	Interior	4.1	56.1	17.3	22.4
Woman's education level	None	6.8	54.0	12.5	26.6
	Primary	4.8	62.4	20.8	12.0
	Secondary +	11.6	76.5	11.2	.8
	Missing/DK	18.3	69.5	12.2	.0
Total		8.8	68.7	14.5	8.0

Table 20a. Birth weight and size at birth

		Size of child					
		Very large	Larger than average	Average	Smaller than average	Very small	Missing
Wealth Index Quintiles	Poorest	5.5	19.8	58.3	12.9	1.7	1.8
	Second	5.0	8.8	64.8	10.7	3.6	7.1
	Middle	.0	13.2	71.1	12.2	2.4	1.1
	Fourth	2.2	10.7	72.8	11.0	1.1	2.1
	Richest	.7	12.7	65.5	11.9	1.2	6.1
District	Paramaribo	4.2	13.3	64.3	10.5	3.5	4.2
	Wanica	3.8	11.3	66.0	15.2	1.2	2.5
	Nickerie	.0	15.4	72.3	9.3	.0	3.0
	Coronie	.0	20.0	80.0	.0	.0	.0
	Saramacca	.0	7.1	78.6	14.3	.0	.0
	Commewijne	.0	20.0	60.0	10.0	10.0	.0
	Marowijne	.0	15.0	62.5	17.5	5.0	.0
	Para	.0	12.9	71.0	16.1	.0	.0
	Brokopondo	.0	7.7	88.5	3.8	.0	.0
	Sipaliwini	.0	13.4	61.2	13.4	.0	9.0
Stratum	Urban	3.7	11.6	68.4	10.5	2.6	3.2
	Rural	1.7	16.7	63.3	13.3	2.5	2.5
	Interior	.0	11.2	68.4	12.2	.0	6.1
Woman's education level	None	.0	12.3	64.1	16.7	.0	2.3
	Primary	1.4	12.3	68.2	12.5	.7	4.9
	Secondary +	3.0	13.1	66.6	10.4	3.0	3.9
	Missing/DK	.0	12.2	87.8	.0	.0	.0
Total		2.0	12.8	67.1	11.8	1.8	3.9

Table 20a. Birth weight and size at birth

		Size of		
		Don't know	Total	Number
Wealth Index Quintiles	Poorest	.0	100.0	54
	Second	.0	100.0	56
	Middle	.0	100.0	84
	Fourth	.0	100.0	88
	Richest	1.8	100.0	147
District	Paramaribo	.0	100.0	142
	Wanica	.0	100.0	73
	Nickerie	.0	100.0	30
	Coronie	.0	100.0	5
	Saramacca	.0	100.0	13
	Commewijne	.0	100.0	9
	Marowijne	.0	100.0	18
	Para	.0	100.0	14
	Brokopondo	.0	100.0	35
	Sipaliwini	3.0	100.0	91
Stratum	Urban	.0	100.0	188
	Rural	.0	100.0	108
	Interior	2.0	100.0	132
Woman's education level	None	4.6	100.0	59
	Primary	.0	100.0	139
	Secondary +	.0	100.0	223
	Missing/DK	.0	100.0	7
Total		.6	100.0	429

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Surinam, 2000

DPT1	Vaccination Card	83.7
	Mother's Report	5.1
	Not vaccinated	11.2
DPT2	Vaccination Card	81.2
	Mother's Report	3.3
	Not vaccinated	15.6
DPT3	Vaccination Card	75.8
	Mother's Report	3.3
	Not vaccinated	20.9
Polio 1	Vaccination Card	84.0
	Mother's Report	3.8
	Not vaccinated	12.2
Polio 2	Vaccination Card	81.2
	Mother's Report	3.8
	Not vaccinated	15.0
Polio 3	Vaccination Card	75.8
	Mother's Report	2.7
	Not vaccinated	21.5
Polio 4	Vaccination Card	50.2
	Mother's Report	1.6
	Not vaccinated	48.2
Measles	Vaccination Card	55.5
	Mother's Report	4.6
	Not vaccinated	39.8
All vaccinations	Vaccination Card	52.9
	Mother's Report	1.2
	Doesn't have all vaccinations	45.9
No vaccinations	Vaccination Card	1.1
	Mother's Report	3.3
	Has some vaccinations	95.7
Number of children		376.1

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year

DPT 1	98.8
DPT 2	97.1
DPT 3	96.3
Polio 1	98.8
Polio 2	97.1
Polio 3	96.3
Polio 4	43.4
Measles	36.3
All vaccinations	15.6
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year

DPT1	Vaccination Card	83.7
	Mother's Report	5.1
	Not vaccinated	11.2
DPT2	Vaccination Card	81.2
	Mother's Report	3.3
	Not vaccinated	15.6
DPT3	Vaccination Card	75.8
	Mother's Report	3.3
	Not vaccinated	20.9
Polio 1	Vaccination Card	84.0
	Mother's Report	3.8
	Not vaccinated	12.2
Polio 2	Vaccination Card	81.2
	Mother's Report	3.8
	Not vaccinated	15.0
Polio 3	Vaccination Card	75.8
	Mother's Report	2.7
	Not vaccinated	21.5
Polio 4	Vaccination Card	50.2
	Mother's Report	1.6
	Not vaccinated	48.2
Measles	Vaccination Card	55.5
	Mother's Report	4.6
	Not vaccinated	39.8
All vaccinations	Vaccination Card	52.9
	Mother's Report	1.2
	Doesn't have all vaccinations	45.9
No vaccinations	Vaccination Card	1.1
	Mother's Report	3.3
	Has some vaccinations	95.7
Number of children		376.1

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year

DPT 1	98.8
DPT 2	97.1
DPT 3	96.3
Polio 1	98.8
Polio 2	97.1
Polio 3	96.3
Polio 4	43.4
Measles	36.3
All vaccinations	15.6
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Surinam, 2000

	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3
Vaccination card	83.7	81.2	75.8	84.0	81.2	75.8	50.2
Mother's report	5.1	3.3	3.3	3.8	3.8	2.7	1.6
Either	88.8	84.4	79.1	87.8	85.0	78.5	51.8
Vaccinated by 12 months of age	87.8	82.0	76.2	86.7	82.5	75.7	43.4

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Surinam, 2000

	Measles	All	None	Number of children
Vaccination card	55.5	52.9	1.1	376.1
Mother's report	4.6	1.2	3.3	376.1
Either	60.2	54.1	4.3	376.1
Vaccinated by 12 months of age	21.9	8.5	4.3	376.1

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Surinam, 2000

		DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3
Wealth Index Quintiles	Poorest	93.5	91.3	91.3	91.3	91.3	89.3
	Second	94.8	86.4	86.4	94.8	90.6	86.4
	Middle	90.2	87.1	84.0	87.2	86.2	83.1
	Fourth	79.8	79.8	74.7	81.2	81.2	76.0
	Richest	89.2	82.1	71.5	88.1	82.1	70.4
Sex	Male	89.4	82.8	77.8	87.7	83.3	77.0
	Female	88.3	86.1	80.4	87.8	86.6	80.0
District	Paramaribo	88.0	82.9	80.3	87.2	85.5	81.2
	Wanica	93.9	89.1	85.6	90.3	88.0	84.5
	Nickerie	90.7	94.0	90.7	94.0	94.0	90.7
	Coronie	100.0	100.0	100.0	100.0	100.0	100.0
	Saramacca	100.0	100.0	100.0	100.0	100.0	100.0
	Commewijne	100.0	100.0	100.0	100.0	100.0	100.0
	Marowijne	71.1	71.1	71.1	71.1	71.1	71.1
	Para	64.0	64.0	56.6	64.0	64.0	52.0
	Brokopondo	90.5	81.0	76.2	90.5	81.0	76.2
	Sipaliwini	91.1	83.9	69.6	89.3	83.9	67.9
Stratum	Urban	89.3	85.1	82.7	88.7	87.5	83.9
	Rural	88.7	87.0	84.3	87.0	85.2	81.7
	Interior	88.4	81.4	69.8	87.2	81.4	68.6
Mother's education level	None	84.7	75.9	61.1	79.9	73.9	59.1
	Primary	84.3	81.6	76.5	85.2	83.0	76.5
	Secondary +	92.8	88.8	86.5	91.9	89.8	86.1
	Missing/DK	86.4	86.4	86.4	86.4	86.4	86.4
Total		88.8	84.4	79.1	87.8	85.0	78.5

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Surinam, 2000

		Polio 4	Measles	All	None	% with health card	Number of children
Wealth Index Quintiles	Poorest	76.3	63.3	57.0	2.2	87.3	43
	Second	73.9	71.1	63.9	.0	88.5	45
	Middle	61.9	64.6	60.5	5.1	86.0	89
	Fourth	40.6	44.9	40.8	2.6	78.5	70
	Richest	35.1	60.6	52.4	7.1	86.0	129
Sex	Male	54.2	57.1	51.0	3.3	86.2	189
	Female	49.5	63.2	57.2	5.4	83.9	187
District	Paramaribo	62.4	63.2	57.3	3.4	82.1	110
	Wanica	65.2	59.1	53.0	.0	87.8	75
	Nickerie	68.6	62.8	62.8	.0	94.0	29
	Coronie	60.0	80.0	80.0	.0	100.0	4
	Saramacca	55.6	55.6	55.6	.0	100.0	8
	Commewijne	77.8	55.6	55.6	.0	100.0	8
	Marowijne	49.0	49.0	49.0	24.1	80.7	18
	Para	37.2	39.9	27.9	.0	54.7	19
	Brokopondo	38.1	81.0	71.4	9.5	90.5	29
	Sipaliwini	23.2	55.4	46.4	7.1	85.7	77
Stratum	Urban	64.3	63.1	57.7	2.4	83.9	158
	Rural	61.7	56.5	53.0	4.3	87.0	100
	Interior	26.7	59.3	50.0	7.0	84.9	118
Mother's education level	None	25.5	53.2	41.0	9.3	79.9	68
	Primary	40.7	51.9	48.0	6.0	82.5	104
	Secondary +	65.7	66.5	61.2	1.4	87.7	197
	Missing/DK	86.4	72.7	72.7	13.6	100.0	6
Total		51.8	60.2	54.1	4.3	85.0	376

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Surinam, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Gruel without milk	ORS packet
Wealth Index Quintiles	Poorest	5.6	264	19.0	25.4	19.0	56.6
	Second	11.8	268	20.4	35.3	14.9	32.6
	Middle	12.8	406	25.5	46.4	19.3	27.3
	Fourth	14.1	385	23.3	25.0	20.8	31.7
	Richest	22.5	562	28.8	15.1	4.7	38.7
Sex	Male	14.3	992	21.5	28.5	14.5	35.4
	Female	15.4	893	30.0	22.8	10.3	35.5
District	Paramaribo	11.8	623	23.1	37.2	19.2	34.6
	Wanica	11.8	342	15.6	26.5	24.7	31.3
	Nickerie	7.5	177	39.3	39.9	26.8	20.2
	Coronie	16.2	32	16.7	.0	16.7	33.3
	Saramacca	6.2	42	33.3	33.3	.0	.0
	Commewijne	4.3	40	50.0	50.0	.0	.0
	Marowijne	20.1	92	36.3	40.2	33.6	23.4
	Para	13.2	86	7.7	36.3	.0	.0
	Brokopondo	36.7	124	18.2	9.1	.0	54.5
	Sipaliwini	20.6	327	36.7	16.3	.0	40.8
Stratum	Urban	11.2	837	21.0	34.0	22.0	35.0
	Rural	10.4	550	25.8	33.3	19.7	24.2
	Interior	25.6	498	29.0	16.1	2.2	40.9
Age	< 6 months	14.4	231	53.3	31.2	14.8	27.5
	6-11 months	24.4	163	59.8	54.0	16.3	38.0
	12-23 months	21.6	376	27.3	27.9	15.9	39.7
	24-35 months	13.8	430	8.4	16.1	13.3	31.6
	36-47 months	10.1	354	6.2	18.9	7.2	28.0
	48-59 months	9.1	329	2.9	3.2	.0	46.4
Mother's education level	None	23.0	281	26.9	13.5	2.9	41.3
	Primary	18.6	549	30.1	24.8	13.7	37.0
	Secondary +	10.5	1034	20.8	33.1	17.4	29.8
	Missing/DK	18.7	22	23.2	44.7	.0	57.1
Total		14.8	1885	25.7	25.7	12.4	35.5

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Surinam, 2000

		Coconut water	Rice Water	Homemade cure	Any recommended treatment	No treatment	Number of children with diarrhea
							1.00
Wealth Index Quintiles	Poorest	.0	6.3	12.7	75.6	24.4	15
	Second	11.5	6.0	20.6	79.4	20.6	32
	Middle	17.3	12.3	39.2	82.6	17.4	52
	Fourth	14.0	3.5	31.3	89.3	10.7	54
	Richest	7.2	5.0	24.5	77.9	22.1	126
Sex	Male	11.7	7.4	26.5	81.0	19.0	142
	Female	9.3	5.1	28.5	81.1	18.9	137
District	Paramaribo	9.0	11.5	28.2	82.1	17.9	73
	Wanica	13.1	8.8	22.0	80.1	19.9	40
	Nickerie	6.6	.0	13.1	73.2	26.8	13
	Coronie	33.3	.0	50.0	100.0	.0	5
	Saramacca	.0	.0	.0	66.7	33.3	3
	Commewijne	.0	.0	50.0	100.0	.0	2
	Marowijne	35.6	9.4	41.0	85.9	14.1	19
	Para	.0	7.7	84.7	100.0	.0	11
	Brokopondo	9.1	3.0	15.2	81.8	18.2	45
	Sipaliwini	6.1	2.0	26.5	75.5	24.5	67
Stratum	Urban	8.0	10.0	25.0	82.0	18.0	94
	Rural	21.2	9.1	25.8	80.3	19.7	57
	Interior	7.5	2.2	30.1	80.6	19.4	128
Age	< 6 months	4.1	.0	13.5	72.7	27.3	33
	6-11 months	2.2	2.4	20.8	95.4	4.6	40
	12-23 months	16.2	9.0	25.4	81.4	18.6	81
	24-35 months	11.3	6.2	31.6	80.9	19.1	59
	36-47 months	15.1	7.4	43.1	75.8	24.2	36
	48-59 months	5.8	9.2	30.6	76.7	23.3	30
Mother's education level	None	14.1	1.5	21.3	81.5	18.5	64
	Primary	7.8	7.2	24.8	79.0	21.0	102
	Secondary +	11.3	7.6	33.5	82.0	18.0	108
	Missing/DK	.0	21.4	33.9	100.0	.0	4
Total		10.5	6.2	27.5	81.0	19.0	279

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Surinam, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total	
				More	Same/Less	Missing/DK		
Wealth Index Quintiles	Poorest	5.6	264	37.6	56.6	5.8	100.0	
	Second	11.8	268	35.8	61.2	3.0	100.0	
	Middle	12.8	406	36.6	63.4	.0	100.0	
	Fourth	14.1	385	31.8	63.2	4.9	100.0	
	Richest	22.5	562	27.1	68.5	4.3	100.0	
Sex	Male	14.3	992	30.8	66.3	2.9	100.0	
	Female	15.4	893	31.9	63.9	4.3	100.0	
District	Paramaribo	11.8	623	44.9	53.8	1.3	100.0	
	Wanica	11.8	342	27.2	66.2	6.6	100.0	
	Nickerie	7.5	177	6.6	86.9	6.6	100.0	
	Coronie	16.2	32	16.7	83.3	.0	100.0	
	Saramacca	6.2	42	33.3	66.7	.0	100.0	
	Commewijne	4.3	40	50.0	50.0	.0	100.0	
	Marowijne	20.1	92	41.0	59.0	.0	100.0	
	Para	13.2	86	56.0	44.0	.0	100.0	
	Brokopondo	36.7	124	24.2	69.7	6.1	100.0	
	Sipaliwini	20.6	327	22.4	73.5	4.1	100.0	
	Stratum	Urban	11.2	837	43.0	55.0	2.0	100.0
		Rural	10.4	550	19.7	75.8	4.5	100.0
	Age	Interior	25.6	498	28.0	67.7	4.3	100.0
		< 6 months	14.4	231	16.8	69.4	13.8	100.0
6-11 months		24.4	163	21.0	76.8	2.2	100.0	
12-23 months		21.6	376	27.7	68.9	3.4	100.0	
24-35 months		13.8	430	45.5	54.5	.0	100.0	
36-47 months		10.1	354	36.0	61.4	2.6	100.0	
Mother's education level	48-59 months	9.1	329	37.1	59.9	2.9	100.0	
	None	23.0	281	29.8	70.2	.0	100.0	
	Primary	18.6	549	26.5	68.6	5.0	100.0	
	Secondary +	10.5	1034	38.0	57.5	4.5	100.0	
	Missing/DK	18.7	22	.0	100.0	.0	100.0	
Total		14.8	1885	31.3	65.1	3.6	100.0	

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Surinam, 2000

		Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea	
		somewhat less/same/more	Much less/none	Missing/DK			1.00	
Wealth Index Quintiles	Poorest	75.1	19.0	5.8	100.0	37.6	15	
	Second	58.5	38.5	3.0	100.0	26.8	32	
	Middle	72.9	27.1	.0	100.0	25.0	52	
	Fourth	70.8	24.2	4.9	100.0	22.4	54	
	Richest	73.3	20.6	6.1	100.0	22.4	126	
Sex	Male	75.5	21.6	2.9	100.0	23.6	142	
	Female	66.7	27.4	5.9	100.0	24.8	137	
District	Paramaribo	66.7	32.1	1.3	100.0	33.3	73	
	Wanica	64.4	29.0	6.6	100.0	17.9	40	
	Nickerie	86.9	6.6	6.6	100.0	6.6	13	
	Coronie	100.0	.0	.0	100.0	16.7	5	
	Saramacca	100.0	.0	.0	100.0	33.3	3	
	Commewijne	50.0	50.0	.0	100.0	50.0	2	
	Marowijne	57.0	43.0	.0	100.0	21.5	19	
	Para	68.1	24.2	7.7	100.0	31.9	11	
	Brokopondo	75.8	18.2	6.1	100.0	24.2	45	
	Sipaliwini	75.5	18.4	6.1	100.0	20.4	67	
	Stratum	Urban	67.0	31.0	2.0	100.0	30.0	94
		Rural	71.2	22.7	6.1	100.0	18.2	57
	Age	Interior	74.2	20.4	5.4	100.0	22.6	128
		< 6 months	71.2	8.3	20.5	100.0	14.0	33
6-11 months		72.4	25.4	2.2	100.0	18.6	40	
12-23 months		75.1	23.2	1.7	100.0	25.4	81	
24-35 months		78.2	21.8	.0	100.0	32.2	59	
36-47 months		58.3	39.0	2.6	100.0	21.9	36	
Mother's education level	48-59 months	60.0	32.5	7.5	100.0	26.2	30	
	None	69.5	27.0	3.5	100.0	26.9	64	
	Primary	77.4	16.4	6.3	100.0	24.2	102	
	Secondary +	66.9	29.8	3.3	100.0	23.4	108	
	Missing/DK	55.3	44.7	.0	100.0	.0	4	
Total		71.2	24.5	4.4	100.0	24.2	279	

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Surinam, 2000

		Had acute respiratory infection	Number of children under 5	Doctor	Specilaist	Nurse/heath assistant	Emergency room
Wealth Index Quintiles	Poorest	2.8	264	36.9	37.9	.0	.0
	Second	2.0	268	48.0	16.0	.0	.0
	Middle	5.2	406	64.5	.0	.0	.0
	Fourth	4.2	385	39.0	.0	.0	.0
	Richest	5.4	562	10.6	.0	50.2	.0
Sex	Male	4.7	992	31.1	5.9	20.8	.0
	Female	3.8	893	41.3	2.8	16.3	.0
District	Paramaribo	3.6	623	29.2	12.5	.0	.0
	Wanica	5.8	342	68.0	4.4	.0	.0
	Nickerie	1.0	177	100.0	.0	.0	.0
	Coronie	5.4	32	.0	.0	.0	.0
	Saramacca	.0	42
	Commewijne	4.3	40	100.0	.0	.0	.0
	Marowijne	6.2	92	45.6	.0	.0	.0
	Para	4.0	86	25.0	.0	.0	.0
	Brokopondo	4.4	124	.0	.0	50.0	.0
	Sipaliwini	5.5	327	7.7	.0	69.2	.0
Stratum	Urban	3.7	837	39.4	9.1	.0	.0
	Rural	4.4	550	60.7	3.6	.0	.0
	Interior	5.0	498	5.6	.0	61.1	.0
Age	< 6 months	2.3	231	32.5	16.2	25.7	.0
	6-11 months	4.0	163	42.2	.0	.0	.0
	12-23 months	4.6	376	44.4	5.4	15.9	.0
	24-35 months	5.6	430	41.3	.0	28.6	.0
	36-47 months	4.0	354	18.9	6.6	.0	.0
	48-59 months	3.9	329	28.4	7.4	32.3	.0
Mother's education level	None	6.2	281	18.6	.0	54.9	.0
	Primary	3.5	549	23.2	.0	28.3	.0
	Secondary +	4.2	1034	47.7	8.5	.0	.0
	Missing/DK	.0	22
Total		4.2	1885	35.4	4.6	18.9	.0

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Surinam, 2000

		Hopital	Family, friend , neighbour	Other	Any appropriate provider	Number of children with ARI 1.00
Wealth Index Quintiles	Poorest	.0	.0	.0	74.8	7
	Second	16.0	.0	.0	48.0	5
	Middle	.0	4.5	9.0	64.5	21
	Fourth	.0	10.8	5.4	39.0	16
	Richest	.0	4.6	.0	60.8	30
Sex	Male	1.9	3.8	5.9	55.9	46
	Female	.0	6.8	.0	60.4	34
District	Paramaribo	.0	4.2	8.3	41.7	23
	Wanica	4.4	4.4	.0	68.0	20
	Nickerie	.0	.0	.0	100.0	2
	Coronie	.0	.0	.0	.0	2
	Saramacca	0
	Commewijne	.0	.0	.0	100.0	2
	Marowijne	.0	.0	15.2	45.6	6
	Para	.0	25.0	.0	25.0	3
	Brokopondo	.0	25.0	.0	50.0	5
	Sipaliwini	.0	.0	.0	76.9	18
Stratum	Urban	.0	3.0	6.1	48.5	31
	Rural	3.6	7.1	3.6	60.7	24
	Interior	.0	5.6	.0	66.7	25
Age	< 6 months	16.2	.0	.0	58.1	5
	6-11 months	.0	.0	.0	42.2	7
	12-23 months	.0	.0	5.4	65.7	17
	24-35 months	.0	7.5	3.6	69.9	24
	36-47 months	.0	9.7	.0	25.5	14
	48-59 months	.0	6.8	7.4	68.2	13
Mother's education level	None	.0	.0	.0	73.5	17
	Primary	.0	7.1	.0	51.5	19
	Secondary +	2.0	6.2	6.4	54.3	43
	Missing/DK	0
Total		1.1	5.1	3.4	57.8	80

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Surinam, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	36.8	264	20.8	77.3	1.9	100.0
	Second	42.4	268	24.6	73.7	1.7	100.0
	Middle	43.5	406	24.5	74.6	1.0	100.0
	Fourth	47.6	385	21.0	76.2	2.9	100.0
	Richest	55.5	562	16.3	81.1	2.6	100.0
Sex	Male	46.4	992	18.9	79.4	1.8	100.0
	Female	47.3	893	22.2	75.2	2.6	100.0
District	Paramaribo	41.1	623	25.4	73.5	1.1	100.0
	Wanica	46.8	342	16.9	81.4	1.7	100.0
	Nickerie	36.4	177	15.2	82.1	2.7	100.0
	Coronie	51.4	32	31.6	68.4	.0	100.0
	Saramacca	35.4	42	5.9	76.5	17.6	100.0
	Commewijne	37.0	40	29.4	64.7	5.9	100.0
	Marowijne	53.8	92	30.4	69.6	.0	100.0
	Para	46.2	86	33.8	66.2	.0	100.0
	Brokopondo	77.8	124	17.1	78.6	4.3	100.0
	Sipaliwini	52.1	327	13.7	83.9	2.4	100.0
Stratum	Urban	41.2	837	23.8	75.1	1.1	100.0
	Rural	45.2	550	18.2	79.0	2.8	100.0
	Interior	58.1	498	18.5	78.7	2.8	100.0
Age	< 6 months	41.5	231	7.8	86.5	5.7	100.0
	6-11 months	51.1	163	13.3	84.6	2.1	100.0
	12-23 months	57.4	376	17.2	80.7	2.1	100.0
	24-35 months	46.5	430	27.8	71.0	1.1	100.0
	36-47 months	40.7	354	25.0	74.4	.7	100.0
	48-59 months	43.7	329	23.2	74.0	2.8	100.0
Mother's education level	None	55.0	281	21.5	77.6	.9	100.0
	Primary	47.9	549	17.4	80.2	2.4	100.0
	Secondary +	43.9	1034	22.4	75.1	2.5	100.0
	Missing/DK	56.3	22	.0	100.0	.0	100.0
Total		46.8	1885	20.5	77.4	2.1	100.0

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Surinam, 2000

		Eating during illness			Total	Received increased fluids and continued eating	Number of sick children
		somewhat less/same/more	Much less/none	Missing/DK			
Wealth Index Quintiles	Poorest	84.1	14.1	1.9	100.0	17.1	97
	Second	72.3	24.4	3.2	100.0	18.1	114
	Middle	78.1	20.9	1.0	100.0	18.0	176
	Fourth	76.6	20.0	3.4	100.0	15.3	183
	Richest	70.9	25.3	3.8	100.0	12.2	312
Sex	Male	75.2	22.6	2.2	100.0	14.2	461
	Female	75.1	21.2	3.7	100.0	16.5	422
District	Paramaribo	80.9	17.3	1.8	100.0	19.5	256
	Wanica	73.6	24.2	2.2	100.0	12.3	160
	Nickerie	82.1	15.2	2.7	100.0	13.9	65
	Coronie	73.7	26.3	.0	100.0	10.5	16
	Saramacca	70.6	11.8	17.6	100.0	5.9	15
	Commewijne	76.5	23.5	.0	100.0	17.6	15
	Marowijne	62.6	37.4	.0	100.0	17.8	50
	Para	77.8	17.8	4.4	100.0	26.9	40
	Brokopondo	74.3	18.6	7.1	100.0	12.9	96
	Sipaliwini	69.4	28.2	2.4	100.0	11.3	170
Stratum	Urban	79.2	19.1	1.6	100.0	18.0	345
	Rural	74.8	21.7	3.5	100.0	13.3	248
	Interior	70.6	25.6	3.8	100.0	13.7	290
Age	< 6 months	75.4	13.2	11.4	100.0	6.8	96
	6-11 months	73.4	21.8	4.8	100.0	12.2	83
	12-23 months	74.2	23.9	1.9	100.0	14.8	216
	24-35 months	77.7	21.6	.7	100.0	20.9	200
	36-47 months	71.4	28.0	.7	100.0	14.6	144
	48-59 months	77.8	19.4	2.8	100.0	16.2	144
Mother's education level	None	69.0	29.6	1.5	100.0	16.0	154
	Primary	73.9	21.7	4.4	100.0	14.1	263
	Secondary +	78.2	19.2	2.6	100.0	16.2	453
	Missing/DK	66.3	33.7	.0	100.0	.0	12
Total		75.2	22.0	2.9	100.0	15.3	883

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Surinam, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	
Wealth Index Quintiles	Poorest	1.3	5.8	77.6	.9	9.9	1.3	
	Second	1.2	12.0	68.9	5.0	8.3	5.4	
	Middle	3.2	12.9	65.2	5.3	9.4	4.4	
	Fourth	3.0	14.0	68.9	4.7	8.7	4.3	
	Richest	9.4	18.8	84.2	14.5	17.9	11.2	
District	Paramaribo	.0	8.2	68.0	1.0	6.6	1.0	
	Wanica	.3	14.7	70.3	2.4	7.8	4.4	
	Nickerie	11.9	20.6	74.4	15.6	20.0	15.0	
	Coronie	.0	8.0	76.0	.0	4.0	.0	
	Saramacca	14.3	8.6	74.3	11.4	14.3	8.6	
	Commewijne	.0	23.5	70.6	.0	2.9	.0	
	Marowijne	2.6	9.1	66.2	1.3	3.9	2.6	
	Para	.0	4.8	62.9	4.8	8.1	.0	
	Brokopondo	.0	11.5	95.1	9.8	1.6	.0	
	Sipaliwini	17.3	24.3	89.0	24.9	31.2	19.7	
	Stratum	Urban	.4	9.7	68.8	1.5	6.4	1.3
		Rural	5.0	14.9	70.7	7.0	12.0	7.6
		Interior	11.5	19.5	87.8	19.1	21.8	13.4
	Mother's education level	None	7.3	19.4	86.1	11.5	17.6	7.9
Primary		7.0	15.9	74.0	11.5	14.8	9.6	
Secondary +		1.8	11.0	70.1	3.3	8.2	3.3	
Missing/DK		10.0	10.0	65.0	10.0	10.0	10.0	
Total		4.0	13.2	72.9	6.6	11.1	5.6	

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Surinam, 2000

		Is drinking poorly	Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	2.7	13.0	223
	Second	3.7	17.0	241
	Middle	4.1	13.5	342
	Fourth	5.0	15.1	299
	Richest	9.1	26.7	330
District	Paramaribo	.8	10.1	515
	Wanica	4.1	17.7	293
	Nickerie	16.3	26.3	160
	Coronie	.0	4.0	25
	Saramacca	5.7	20.0	35
	Commewijne	2.9	11.8	34
	Marowijne	.0	9.1	77
	Para	.0	11.3	62
	Brokopondo	.0	19.7	61
	Sipaliwini	16.8	37.6	173
Stratum	Urban	1.5	11.5	689
	Rural	7.2	18.4	484
	Interior	11.1	30.9	262
Mother's education level	None	7.9	26.1	165
	Primary	8.1	20.1	384
	Secondary +	3.2	14.7	866
	Missing/DK	10.0	10.0	20
Total		5.2	17.4	1435

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Surinam, 2000

		Slept under a bednet			Bednet treated		Number of children 1.00
		Yes	No	DK/missing	Yes	No	
Sex	Male	75.4	24.0	.6	2.8	97.2	246
	Female	77.9	21.5	.6	4.3	95.7	224
District	Marowijne	100.0	.0	.0	21.4	78.6	19
	Brokopondo	68.9	31.1	.0	.0	100.0	124
	Sipaliwini	78.2	21.0	.8	3.8	96.2	327
Stratum	Interior	76.6	22.8	.6	3.5	96.5	469
Age	< 6 months	92.7	7.3	.0	5.5	94.5	75
	6-11 months	84.4	15.6	.0	3.1	96.9	44
	12-23 months	73.8	25.0	1.3	6.3	93.8	110
	24-35 months	76.1	23.9	.0	1.5	98.5	92
	36-47 months	71.2	26.9	1.9	3.8	96.2	71
Mother's education level	48-59 months	66.1	33.9	.0	.0	100.0	77
	None	72.4	26.9	.6	1.9	98.1	214
	Primary	78.5	20.9	.6	5.1	94.9	217
	Secondary +	95.8	4.2	.0	4.2	95.8	33
Missing/DK		50.0	50.0	.0	.0	100.0	5
Total		76.6	22.8	.6	3.5	96.5	469

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Surinam, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	
Wealth Index Quintiles	Poorest	98.4	82.4	79.9	74.1	88.2	
	Second	95.5	67.5	67.6	60.3	74.9	
	Middle	95.0	64.0	62.8	55.8	71.0	
	Fourth	89.7	52.0	50.9	44.0	58.9	
	Richest	83.8	30.1	27.8	23.9	34.0	
District	Paramaribo	97.0	74.2	74.7	67.9	81.0	
	Wanica	92.7	62.5	62.6	55.0	70.1	
	Nickerie	91.1	52.0	44.3	38.1	58.1	
	Coronie	98.5	67.2	61.2	56.7	71.6	
	Saramacca	88.5	39.2	33.8	26.9	46.2	
	Commewijne	95.2	72.5	67.1	62.9	76.6	
	Marowijne	89.3	51.7	52.7	46.3	58.0	
	Para	95.1	62.2	60.0	56.2	65.9	
	Brokopondo	94.7	22.1	21.2	18.6	24.8	
	Sipaliwini	77.2	24.3	21.3	17.8	27.8	
	Stratum	Urban	96.2	71.9	71.4	64.5	78.7
		Rural	92.0	56.2	53.7	47.1	62.8
		Interior	82.0	26.8	24.7	21.4	30.0
	Age	12-14	82.5	43.9	43.1	38.0	49.0
15-19		92.7	57.4	55.5	49.1	63.8	
20-24		94.6	59.3	61.4	51.9	68.7	
25-29		95.0	65.0	62.3	56.9	70.4	
30-34		95.9	66.9	62.9	58.3	71.4	
35-39		94.3	65.1	64.2	57.9	71.3	
40-44		93.3	64.6	61.4	55.5	70.5	
45-49		89.7	53.0	53.4	47.9	58.5	
Woman's education level	None	79.4	16.0	13.3	10.1	19.2	
	Primary	85.8	38.7	37.2	31.7	44.3	
	Secondary +	98.0	76.8	75.6	68.6	83.7	
	Missing/DK	91.1	51.1	47.7	44.4	54.3	
Total		92.6	59.8	58.4	52.2	66.0	

Monitoring HIV/AIDS Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Surinam, 2000

		Doesn't know any way	Number of women	
			1.00	
Wealth Index Quintiles	Poorest	11.8	975	
	Second	25.1	910	
	Middle	29.0	902	
	Fourth	41.1	901	
	Richest	66.0	867	
District	Paramaribo	19.0	1715	
	Wanica	29.9	1028	
	Nickerie	41.9	518	
	Coronie	28.4	60	
	Saramacca	53.8	117	
	Commewijne	23.4	150	
	Marowijne	42.0	185	
	Para	34.1	167	
	Brokopondo	75.2	153	
	Sipaliwini	72.2	462	
	Stratum	Urban	21.3	2371
		Rural	37.2	1477
		Interior	70.0	707
	Age	12-14	51.0	478
15-19		36.2	845	
20-24		31.3	654	
25-29		29.6	603	
30-34		28.6	614	
35-39		28.7	554	
40-44		29.5	444	
45-49		41.5	363	
Woman's education level	None	80.8	371	
	Primary	55.7	1399	
	Secondary +	16.3	2728	
	Missing/DK	45.7	58	
Total		34.0	4555	

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Surinam, 2000, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways
Wealth Index Quintiles	Poorest	98.6	79.8	75.0	55.9	47.0
	Second	93.5	65.3	68.1	47.3	41.0
	Middle	96.6	63.1	63.6	47.3	34.6
	Fourth	91.3	49.9	47.7	38.1	29.2
	Richest	85.1	35.7	30.1	26.6	18.3
District	Paramaribo	96.8	67.3	71.1	48.9	41.9
	Wanica	93.9	61.1	56.8	46.2	32.3
	Nickerie	88.7	49.6	42.1	37.0	27.4
	Coronie	100.0	56.3	68.8	50.0	50.0
	Saramacca	88.2	52.9	47.1	35.3	29.4
	Commewijne	97.7	88.4	79.1	67.4	55.8
	Marowijne	87.4	52.6	55.8	40.0	29.5
	Para	95.2	61.9	50.8	36.5	25.4
	Brokopondo	96.8	19.4	19.4	19.4	12.9
	Sipaliwini	78.5	32.3	24.6	20.0	15.4
Stratum	Urban	96.1	67.6	69.4	50.9	41.6
	Rural	92.9	57.3	52.1	41.3	31.1
	Interior	83.0	30.2	25.5	20.8	15.1
Age	15-19	92.7	57.4	55.5	42.2	33.2
Woman's education level	None	89.3	20.6	11.3	8.2	3.1
	Primary	80.9	30.7	30.5	26.4	19.4
	Secondary +	98.1	72.2	70.1	51.8	41.5
	Missing/DK	100.0	39.5	39.5	39.5	39.5
Total		92.7	57.4	55.5	42.2	33.2

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Surinam, 2000, 2000

		Knows at least one way	Doesn't know any way	Number of women
				1.00
Wealth Index Quintiles	Poorest	87.2	12.8	144
	Second	73.5	26.5	153
	Middle	72.9	27.1	166
	Fourth	57.5	42.5	203
	Richest	40.4	59.6	178
District	Paramaribo	76.4	23.6	282
	Wanica	71.5	28.5	198
	Nickerie	55.4	44.6	96
	Coronie	68.8	31.3	14
	Saramacca	58.8	41.2	15
	Commewijne	90.7	9.3	39
	Marowijne	64.2	35.8	43
	Para	61.9	38.1	28
	Brokopondo	22.6	77.4	42
	Sipaliwini	33.8	66.2	88
	Stratum	Urban	77.4	22.6
Rural		64.1	35.9	316
Interior		33.0	67.0	143
Age	15-19	64.9	35.1	845
Woman's education level	None	22.7	77.3	44
	Primary	37.8	62.2	242
	Secondary +	80.4	19.6	552
	Missing/DK	39.5	60.5	7
Total		64.9	35.1	845

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Surinam, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	
Wealth Index Quintiles	Poorest	98.4	80.0	72.6	87.9	61.4	
	Second	95.5	62.2	53.0	77.0	41.2	
	Middle	95.0	56.1	46.9	69.8	32.9	
	Fourth	89.7	49.5	38.3	62.0	24.8	
	Richest	83.8	28.0	21.6	46.4	13.2	
District	Paramaribo	97.0	69.4	61.7	80.9	49.6	
	Wanica	92.7	58.9	47.7	70.3	34.3	
	Nickerie	91.1	45.7	36.5	65.4	26.5	
	Coronie	98.5	61.2	50.7	68.7	38.8	
	Saramacca	88.5	49.2	34.6	58.5	23.8	
	Commewijne	95.2	61.1	49.7	68.3	29.9	
	Marowijne	89.3	41.0	41.2	56.3	23.7	
	Para	95.1	54.1	45.7	67.0	29.7	
	Brokopondo	94.7	26.5	20.4	43.4	11.5	
	Sipaliwini	77.2	25.1	16.7	44.4	13.2	
	Stratum	Urban	96.2	66.7	58.4	78.6	46.1
		Rural	92.0	52.1	42.2	64.9	28.5
		Interior	82.0	26.8	19.5	45.9	13.2
Age	12-14	82.5	38.3	36.2	50.4	18.5	
	15-19	92.7	55.0	44.7	68.0	30.9	
	20-24	94.6	58.5	47.6	72.9	37.5	
	25-29	95.0	61.0	53.5	74.0	41.9	
	30-34	95.9	61.8	51.6	73.0	40.6	
	35-39	94.3	61.1	52.2	72.0	42.1	
	40-44	93.3	54.8	47.0	73.0	37.0	
	45-49	89.7	50.0	40.1	65.6	31.5	
Woman's education level	None	79.4	15.7	9.5	36.8	6.5	
	Primary	85.8	33.6	27.3	51.5	15.7	
	Secondary +	98.0	72.8	62.6	82.8	49.5	
	Missing/DK	91.1	45.7	33.4	59.0	23.9	
Total		92.6	55.8	47.1	69.1	35.3	

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Surinam, 2000

		Knows at least one misconception	Doesn't correctly identify any misconception	Number of women
				1.00
Wealth Index Quintiles	Poorest	95.1	4.9	975
	Second	85.7	14.3	910
	Middle	82.6	17.4	902
	Fourth	75.4	24.6	901
	Richest	56.2	43.8	867
District	Paramaribo	89.8	10.2	1715
	Wanica	81.7	18.3	1028
	Nickerie	75.2	24.8	518
	Coronie	80.6	19.4	60
	Saramacca	73.1	26.9	117
	Commewijne	86.2	13.8	150
	Marowijne	70.0	30.0	185
	Para	80.5	19.5	167
	Brokopondo	55.8	44.2	153
	Sipaliwini	50.9	49.1	462
	Stratum	Urban	88.0	12.0
Rural		77.9	22.1	1477
Interior		53.9	46.1	707
Age	12-14	64.8	35.2	478
	15-19	80.8	19.2	845
	20-24	82.3	17.7	654
	25-29	82.5	17.5	603
	30-34	83.7	16.3	614
	35-39	81.3	18.7	554
	40-44	80.9	19.1	444
	45-49	73.3	26.7	363
Woman's education level	None	44.4	55.6	371
	Primary	63.1	36.9	1399
	Secondary +	92.7	7.3	2728
	Missing/DK	74.4	25.6	58
Total		79.4	20.6	4555

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Surinam, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	
Wealth	Poorest	87.5	82.1	59.5	45.8	33.4	
Index Quintiles	Second	79.4	75.2	51.3	46.5	31.7	
	Middle	78.4	72.5	51.5	46.9	32.4	
	Fourth	65.2	59.6	43.0	41.7	30.0	
	Richest	49.1	45.4	35.5	38.9	28.8	
District	Paramaribo	84.4	78.7	55.3	45.6	32.1	
	Wanica	73.4	68.5	48.2	44.5	30.3	
	Nickerie	67.1	61.0	43.0	45.4	30.5	
	Coronie	83.6	71.6	56.7	59.7	43.3	
	Saramacca	66.2	63.8	49.2	37.7	32.3	
	Commewijne	78.4	76.0	50.9	48.5	34.1	
	Marowijne	69.3	64.1	48.3	48.0	33.4	
	Para	71.6	69.2	52.2	46.8	37.0	
	Brokopondo	46.9	39.8	31.9	35.4	25.7	
	Sipaliwini	39.2	37.4	31.9	34.2	28.1	
	Stratum	Urban	82.0	76.0	53.5	45.9	31.6
		Rural	71.0	66.7	48.2	45.9	33.1
		Interior	42.8	39.8	32.1	34.2	26.6
Age	12-14	53.2	47.0	31.5	34.4	21.7	
	15-19	70.2	64.5	43.9	44.7	30.5	
	20-24	75.2	69.7	49.1	46.2	31.7	
	25-29	77.2	72.4	53.8	42.4	31.0	
	30-34	78.7	74.3	54.9	47.1	34.6	
	35-39	76.7	71.2	54.8	45.1	34.4	
	40-44	76.0	72.0	51.6	48.7	35.2	
	45-49	67.6	65.2	47.1	41.9	30.9	
Woman's education level	None	42.7	39.7	33.8	36.6	30.2	
	Primary	54.4	50.1	38.0	38.9	28.5	
	Secondary +	85.5	79.9	55.8	47.5	32.8	
	Missing/DK	74.4	71.0	48.3	52.8	38.4	
Total		72.4	67.4	48.5	44.1	31.3	

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Surinam, 2000

		Did not know any specific way	Number of women
			1.00
Wealth Index Quintiles	Poorest	14.2	975
	Second	22.1	910
	Middle	23.8	902
	Fourth	37.1	901
	Richest	52.3	867
District	Paramaribo	17.6	1715
	Wanica	28.2	1028
	Nickerie	35.8	518
	Coronie	22.4	60
	Saramacca	36.2	117
	Commewijne	21.6	150
	Marowijne	32.4	185
	Para	28.4	167
	Brokopondo	56.6	153
	Sipaliwini	61.1	462
Stratum	Urban	20.2	2371
	Rural	30.5	1477
	Interior	58.3	707
Age	12-14	49.2	478
	15-19	32.2	845
	20-24	25.7	654
	25-29	24.4	603
	30-34	22.9	614
	35-39	25.3	554
	40-44	25.8	444
	45-49	34.0	363
Woman's education level	None	58.3	371
	Primary	47.6	1399
	Secondary +	16.2	2728
	Missing/DK	29.0	58
Total		29.4	4555

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Surinam, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women	
						1.00	
Wealth Index Quintiles	Poorest	21.4	76.6	77.5	22.5	975	
	Second	35.3	79.1	80.1	19.9	910	
	Middle	41.6	80.1	81.3	18.7	902	
	Fourth	42.2	74.5	76.2	23.8	901	
	Richest	48.5	64.3	67.9	32.1	867	
District	Paramaribo	29.5	78.6	79.7	20.3	1715	
	Wanica	37.6	78.1	79.3	20.7	1028	
	Nickerie	45.1	75.8	77.4	22.6	518	
	Coronie	47.8	79.1	79.1	20.9	60	
	Saramacca	32.3	66.2	66.9	33.1	117	
	Commewijne	46.1	74.9	76.6	23.4	150	
	Marowijne	49.8	78.8	79.3	20.7	185	
	Para	35.9	84.6	85.7	14.3	167	
	Brokopondo	68.1	86.7	88.5	11.5	153	
	Sipaliwini	40.4	47.4	52.6	47.4	462	
	Stratum	Urban	31.4	78.6	79.7	20.3	2371
		Rural	43.0	76.8	78.2	21.8	1477
		Interior	46.3	59.7	63.5	36.5	707
Age	12-14	42.0	69.2	71.8	28.2	478	
	15-19	37.9	71.2	73.4	26.6	845	
	20-24	37.5	75.6	77.2	22.8	654	
	25-29	36.5	77.8	79.8	20.2	603	
	30-34	36.4	78.5	78.9	21.1	614	
	35-39	36.6	79.6	80.8	19.2	554	
	40-44	37.1	74.0	75.5	24.5	444	
	45-49	35.2	74.4	76.0	24.0	363	
	Woman's education level	None	43.1	57.2	61.1	38.9	371
Primary		51.6	73.7	75.6	24.4	1399	
Secondary +		29.3	78.1	79.3	20.7	2728	
Missing/DK		44.3	77.8	77.8	22.2	58	
Total		37.4	75.0	76.7	23.3	4555	

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Surinam, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women	
						1.00	
Wealth Index Quintiles	Poorest	98.4	51.5	61.4	37.2	975	
	Second	95.5	39.8	41.2	23.6	910	
	Middle	95.0	36.6	32.9	18.0	902	
	Fourth	89.7	30.5	24.8	13.5	901	
	Richest	83.8	17.7	13.2	6.7	867	
District	Paramaribo	97.0	45.8	49.6	28.9	1715	
	Wanica	92.7	36.5	34.3	19.9	1028	
	Nickerie	91.1	27.4	26.5	14.6	518	
	Coronie	98.5	41.8	38.8	22.4	60	
	Saramacca	88.5	17.7	23.8	7.7	117	
	Commewijne	95.2	43.1	29.9	17.4	150	
	Marowijne	89.3	33.2	23.7	14.9	185	
	Para	95.1	35.4	29.7	14.1	167	
	Brokopondo	94.7	14.2	11.5	4.4	153	
	Sipaliwini	77.2	14.3	13.2	7.9	462	
	Stratum	Urban	96.2	43.9	46.1	27.0	2371
		Rural	92.0	31.5	28.5	15.2	1477
Interior		82.0	16.4	13.2	7.8	707	
Age	12-14	82.5	28.5	18.5	11.0	478	
	15-19	92.7	33.2	30.9	16.1	845	
	20-24	94.6	32.9	37.5	18.8	654	
	25-29	95.0	38.6	41.9	25.3	603	
	30-34	95.9	40.1	40.6	23.4	614	
	35-39	94.3	40.6	42.1	25.9	554	
	40-44	93.3	37.3	37.0	21.8	444	
	45-49	89.7	33.0	31.5	19.5	363	
Woman's education level	None	79.4	6.0	6.5	1.9	371	
	Primary	85.8	22.4	15.7	9.2	1399	
	Secondary +	98.0	46.4	49.5	28.3	2728	
	Missing/DK	91.1	34.6	23.9	16.5	58	
Total		92.6	35.6	35.3	20.2	4555	

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Surinam, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women	
					1.00	
Wealth Index Quintiles	Poorest	74.3	15.0	81.9	975	
	Second	62.4	9.5	90.2	910	
	Middle	59.6	9.7	88.1	902	
	Fourth	49.4	8.7	83.8	901	
	Richest	32.6	8.0	77.9	867	
District	Paramaribo	69.3	13.0	87.1	1715	
	Wanica	59.4	9.6	89.1	1028	
	Nickerie	44.8	8.6	80.7	518	
	Coronie	49.3	10.4	57.1	60	
	Saramacca	36.9	3.8	60.0	117	
	Commewijne	56.9	4.2	57.1	150	
	Marowijne	46.8	11.0	95.6	185	
	Para	55.4	11.9	81.8	167	
	Brokopondo	32.7	5.3	83.3	153	
	Sipaliwini	30.1	7.9	66.7	462	
	Stratum	Urban	66.4	12.0	87.8	2371
		Rural	51.0	8.7	82.5	1477
		Interior	32.3	7.6	70.0	707
	Age	12-14	32.7	.8	47.6	478
15-19		53.8	3.4	65.1	845	
20-24		64.7	11.9	87.5	654	
25-29		62.6	14.9	88.2	603	
30-34		59.6	16.3	88.8	614	
35-39		57.7	13.2	80.1	554	
40-44		60.4	12.0	75.0	444	
45-49		52.9	11.5	95.3	363	
Woman's education level	None	18.6	6.9	75.4	371	
	Primary	39.0	8.5	80.1	1399	
	Secondary +	70.3	11.6	86.6	2728	
	Missing/DK	42.7	12.1	85.9	58	
Total		56.1	10.3	84.3	4555	

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Surinam, 2000

		Current method					
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections
Wealth Index Quintiles	Poorest	49.1	12.5	.2	29.3	1.9	1.9
	Second	48.7	10.4	.0	29.6	2.9	3.0
	Middle	51.2	10.2	.2	29.4	1.6	3.1
	Fourth	55.1	10.1	.0	24.7	1.9	4.4
	Richest	85.9	2.9	.0	9.0	.0	.7
District	Paramaribo	47.7	10.8	.2	29.8	2.3	3.3
	Wanica	55.9	14.0	.0	22.8	1.7	2.1
	Nickerie	47.4	6.3	.0	35.7	1.1	5.2
	Coronie	61.0	4.9	.0	29.3	2.4	.0
	Saramacca	49.4	16.9	.0	27.0	1.1	3.4
	Commewijne	50.9	12.3	.0	30.2	2.8	.0
	Marowijne	72.9	5.8	.0	17.9	.0	.8
	Para	60.4	7.1	.0	20.3	4.1	3.0
	Brokopondo	100.0	.0	.0	.0	.0	.0
	Sipaliwini	92.9	.0	.0	5.2	.0	.5
Stratum	Urban	48.8	10.9	.1	29.4	2.2	3.3
	Rural	54.9	11.2	.0	26.2	1.4	2.6
	Interior	92.9	.0	.0	5.1	.6	.3
Woman's education level	None	91.1	3.2	.0	4.9	.4	.3
	Primary	67.4	9.4	.0	16.2	.8	3.4
	Secondary +	47.3	10.2	.1	32.1	2.3	2.5
	Missing/DK	58.2	8.8	.0	22.0	.0	4.5
Total		57.9	9.3	.1	24.5	1.7	2.6

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Surinam, 2000

		Current method					
		Condom	Diaphragm/f oam/jelly	LAM	Periodic abstinence	Withdrawal	Other
Wealth Index Quintiles	Poorest	3.7	.1	.0	.8	.1	.2
	Second	2.8	.0	.4	.9	.5	.7
	Middle	3.2	.0	.0	.2	.6	.4
	Fourth	1.9	.0	.0	.5	.7	.6
	Richest	.7	.0	.0	.3	.3	.3
District	Paramaribo	4.7	.0	.2	.4	.2	.3
	Wanica	1.5	.0	.0	.9	.7	.3
	Nickerie	2.2	.0	.0	.6	.8	.6
	Coronie	2.4	.0	.0	.0	.0	.0
	Saramacca	1.1	.0	.0	.0	.0	1.1
	Commewijne	.9	.0	.0	.9	.0	1.9
	Marowijne	.8	.8	.0	.8	.0	.0
	Para	3.0	.0	.0	.0	1.0	1.0
	Brokopondo	.0	.0	.0	.0	.0	.0
	Sipaliwini	.0	.0	.0	.5	.5	.5
Stratum	Urban	3.9	.0	.1	.4	.3	.4
	Rural	1.7	.1	.0	.8	.7	.5
	Interior	.0	.0	.0	.3	.3	.3
Woman's education level	None	.0	.0	.0	.0	.0	.0
	Primary	1.3	.0	.0	.3	.6	.5
	Secondary +	3.6	.1	.1	.8	.4	.4
	Missing/DK	2.3	.0	.0	.0	.0	4.1
Total		2.5	.0	.1	.5	.4	.4

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Surinam, 2000

		Total	Any modern method	Any traditional method	Any method	Number of currently married women
						1.00
Wealth Index Quintiles	Poorest	100.0	49.7	1.1	50.9	604
	Second	100.0	48.7	2.5	51.3	519
	Middle	100.0	47.7	1.1	48.8	492
	Fourth	100.0	43.0	1.9	44.9	521
	Richest	100.0	13.3	.9	14.1	529
District	Paramaribo	100.0	51.1	1.2	52.3	931
	Wanica	100.0	42.1	1.9	44.1	613
	Nickerie	100.0	50.6	2.0	52.6	342
	Coronie	100.0	39.0	.0	39.0	37
	Saramacca	100.0	49.4	1.1	50.6	80
	Commewijne	100.0	46.2	2.8	49.1	95
	Marowijne	100.0	26.2	.8	27.1	108
	Para	100.0	37.6	2.0	39.6	89
	Brokopondo	100.0	.0	.0	.0	84
	Sipaliwini	100.0	5.7	1.4	7.1	287
Stratum	Urban	100.0	49.8	1.3	51.2	1335
	Rural	100.0	43.1	2.0	45.1	910
	Interior	100.0	6.1	1.0	7.1	420
Woman's education level	None	100.0	8.9	.0	8.9	262
	Primary	100.0	31.1	1.5	32.6	801
	Secondary +	100.0	51.0	1.7	52.7	1559
	Missing/DK	100.0	37.7	4.1	41.8	44
Total		100.0	40.6	1.5	42.1	2666

World Summit for Children Goal => Number 10

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Surinam, 2000

		Person delivering antenatal care					
		No antenatal care received	Doctor	Nurse/midwife	Auxiliary midwife	Village health worker	Other/missing
Wealth Index Quintiles	Poorest	3.7	89.1	3.7	.0	.0	3.5
	Second	14.0	69.8	10.9	5.4	.0	.0
	Middle	10.2	65.8	16.2	5.6	1.2	1.1
	Fourth	8.0	56.6	20.8	7.8	4.6	2.1
	Richest	6.4	16.5	8.4	8.4	59.7	.6
District	Paramaribo	11.2	75.5	9.1	2.8	.7	.7
	Wanica	4.9	72.6	19.8	2.7	.0	.0
	Nickerie	12.3	37.7	21.7	13.0	.0	15.4
	Coronie	.0	100.0	.0	.0	.0	.0
	Saramacca	7.1	78.6	14.3	.0	.0	.0
	Commewijne	20.0	60.0	10.0	10.0	.0	.0
	Marowijne	20.0	45.0	25.0	10.0	.0	.0
	Para	9.7	51.6	22.6	16.1	.0	.0
	Brokopondo	.0	.0	15.4	3.8	80.8	.0
	Sipaliwini	4.5	10.4	3.0	11.9	70.1	.0
Stratum	Urban	8.9	71.1	13.7	4.7	.5	1.1
	Rural	9.2	67.5	15.8	4.2	.0	3.3
	Interior	6.1	7.1	7.1	10.2	69.4	.0
Woman's education level	None	.0	13.4	8.7	10.0	66.2	1.7
	Primary	9.0	34.9	11.4	9.6	33.8	1.3
	Secondary +	10.0	70.2	13.6	3.0	1.8	1.2
	Missing/DK	.0	39.0	12.2	12.2	36.6	.0
Total		8.1	50.4	12.2	6.3	21.7	1.3

World Summit for Children Goals => Numbers 9, 11

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Surinam, 2000

		Total	Any skilled personnel	Number of women
				1.00
Wealth Index Quintiles	Poorest	100.0	92.8	54
	Second	100.0	86.0	56
	Middle	100.0	88.7	84
	Fourth	100.0	89.8	88
	Richest	100.0	93.0	147
District	Paramaribo	100.0	88.1	142
	Wanica	100.0	95.1	73
	Nickerie	100.0	72.3	30
	Coronie	100.0	100.0	5
	Saramacca	100.0	92.9	13
	Commewijne	100.0	80.0	9
	Marowijne	100.0	80.0	18
	Para	100.0	90.3	14
	Brokopondo	100.0	100.0	35
	Sipaliwini	100.0	95.5	91
	Stratum	Urban	100.0	90.0
Rural		100.0	87.5	108
Interior		100.0	93.9	132
Woman's education level	None	100.0	98.3	59
	Primary	100.0	89.7	139
	Secondary +	100.0	88.7	223
	Missing/DK	100.0	100.0	7
Total		100.0	90.6	429

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Surinam, 2000**

		Person assisting at delivery					
		Doctor	Nurse/midwife	Auxiliary midwife	Village health worker	Traditional birth attendant	Other/missing
Wealth Index Quintiles	Poorest	36.5	47.2	9.0	.0	.0	7.2
	Second	33.1	45.1	9.4	.0	.0	8.9
	Middle	32.7	49.3	12.7	.0	1.1	4.3
	Fourth	26.1	43.9	14.9	4.6	1.5	7.9
	Richest	9.9	20.8	4.1	36.7	22.7	5.9
District	Paramaribo	32.2	48.3	11.2	.0	.0	7.0
	Wanica	30.4	55.6	12.8	.0	.0	1.2
	Nickerie	34.6	30.7	13.0	.0	.0	21.7
	Coronie	60.0	20.0	.0	.0	.0	.0
	Saramacca	14.3	64.3	7.1	.0	7.1	7.1
	Commewijne	30.0	60.0	10.0	.0	.0	.0
	Marowijne	30.0	40.0	5.0	.0	5.0	20.0
	Para	19.4	54.8	19.4	.0	.0	6.5
	Brokopondo	7.7	11.5	.0	23.1	57.7	.0
	Sipaliwini	7.5	10.4	6.0	55.2	14.9	6.0
Stratum	Urban	31.1	49.5	12.1	.0	.0	6.3
	Rural	32.5	49.2	8.3	.0	1.7	7.5
	Interior	7.1	11.2	6.1	43.9	25.5	6.1
Woman's education level	None	11.7	14.8	1.7	36.5	29.7	4.0
	Primary	18.6	28.6	13.2	22.4	10.7	6.6
	Secondary +	31.5	48.8	8.8	1.8	.8	7.5
	Missing/DK	.0	51.2	12.2	18.3	18.3	.0
Total		24.0	37.6	9.3	13.6	8.3	6.6

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Surinam, 2000**

		Person assisting at delivery		Total	Any skilled personnel	Number of women
		No assistance received				1.00
Wealth Index Quintiles	Poorest	.0	100.0	100.0	92.8	54
	Second	3.4	100.0	100.0	87.7	56
	Middle	.0	100.0	100.0	94.6	84
	Fourth	1.1	100.0	100.0	89.4	88
	Richest	.0	100.0	100.0	71.5	147
District	Paramaribo	1.4	100.0	100.0	91.6	142
	Wanica	.0	100.0	100.0	98.8	73
	Nickerie	.0	100.0	100.0	78.3	30
	Coronie	20.0	100.0	100.0	80.0	5
	Saramacca	.0	100.0	100.0	85.7	13
	Commewijne	.0	100.0	100.0	100.0	9
	Marowijne	.0	100.0	100.0	75.0	18
	Para	.0	100.0	100.0	93.5	14
	Brokopondo	.0	100.0	100.0	42.3	35
	Sipaliwini	.0	100.0	100.0	79.1	91
Stratum	Urban	1.1	100.0	100.0	92.6	188
	Rural	.8	100.0	100.0	90.0	108
	Interior	.0	100.0	100.0	68.4	132
Woman's education level	None	1.7	100.0	100.0	64.7	59
	Primary	.0	100.0	100.0	82.7	139
	Secondary +	.8	100.0	100.0	90.9	223
	Missing/DK	.0	100.0	100.0	81.7	7
Total		.7	100.0	100.0	84.5	429

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Surinam, 2000

		Birth registered	DK if birth registered	
Wealth	Poorest	95.8	3.2	
Index Quintiles	Second	94.5	5.1	
	Middle	96.4	2.0	
	Fourth	89.8	6.8	
	Richest	97.0	2.2	
	Sex	Male	94.4	3.8
	Female	95.4	3.4	
District	Paramaribo	95.5	2.4	
	Wanica	95.0	2.9	
	Nickerie	83.2	16.2	
	Coronie	100.0	.0	
	Saramacca	91.7	6.2	
	Commewijne	97.8	2.2	
	Marowijne	94.7	2.4	
	Para	99.0	1.0	
	Brokopondo	97.8	2.2	
	Sipaliwini	97.5	1.7	
	Stratum	Urban	93.9	3.8
		Rural	94.0	4.9
		Interior	97.5	1.9
	Age	< 6 months	91.7	4.1
6-11 months		97.2	1.7	
12-23 months		95.9	2.4	
24-35 months		94.4	5.0	
36-47 months		94.1	4.0	
48-59 months		96.4	3.6	
Mother's education level	None	93.9	2.4	
	Primary	93.4	4.9	
	Secondary +	95.9	3.4	
	Missing/DK	95.7	.0	
Total		94.9	3.6	

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Surinam, 2000

		Registration status				
		Costs too much	Must travel too far	Didn't know it should be registered	Doesn't know where to register	Other
Wealth Index Quintiles	Poorest	.0	.0	66.7	.0	.0
	Second	.0	50.0	.0	.0	.0
	Middle	14.6	.0	.0	.0	56.2
	Fourth	.0	15.7	7.2	15.7	45.8
	Richest	.0	19.4	.0	.0	.0
Sex	Male	5.5	16.1	5.5	5.5	37.7
	Female	.0	8.9	17.1	8.9	25.3
District	Paramaribo	7.1	7.1	14.3	7.1	28.6
	Wanica	.0	29.2	.0	14.6	56.2
	Nickerie	.0	.0	.0	.0	.0
	Coronie	.0	.0	.0	.0	.0
	Saramacca	.0	.0	100.0	.0	.0
	Commewijne	.0	.0	.0	.0	.0
	Marowijne	.0	33.3	.0	.0	66.7
	Para	.0	.0	.0	.0	.0
	Brokopondo	.0	.0	.0	.0	.0
	Sipaliwini	.0	.0	.0	.0	.0
Stratum	Urban	5.0	15.0	10.0	10.0	30.0
	Rural	.0	14.3	14.3	.0	57.1
	Interior	.0	.0	.0	.0	.0
Age	< 6 months	.0	18.8	.0	.0	47.4
	6-11 months	.0	.0	.0	.0	48.0
	12-23 months	.0	16.9	16.9	.0	49.3
	24-35 months	25.5	.0	25.5	.0	25.5
	36-47 months	.0	13.6	12.5	27.1	.0
	48-59 months	.0	.0	.0	.0	.0
Mother's education level	None	.0	8.5	18.5	18.5	18.5
	Primary	10.3	31.0	9.5	.0	38.9
	Secondary +	.0	.0	.0	.0	37.3
	Missing/DK	.0	.0	.0	.0	100.0
Total		3.4	13.4	9.9	6.8	33.0

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Surinam, 2000

		Registration status		Total	Number of children
		Reason DK or Missing			
Wealth Index Quintiles	Poorest	33.3	100.0	100.0	264
	Second	50.0	100.0	100.0	268
	Middle	29.2	100.0	100.0	406
	Fourth	15.7	100.0	100.0	385
	Richest	80.6	100.0	100.0	562
Sex	Male	29.6	100.0	100.0	992
	Female	39.7	100.0	100.0	893
District	Paramaribo	35.7	100.0	100.0	623
	Wanica	.0	100.0	100.0	342
	Nickerie	100.0	100.0	100.0	177
	Coronie	.0	.0	.0	32
	Saramacca	.0	100.0	100.0	42
	Commewijne	.0	.0	.0	40
	Marowijne	.0	100.0	100.0	92
	Para	.0	.0	.0	86
	Brokopondo	.0	.0	.0	124
	Sipaliwini	100.0	100.0	100.0	327
Stratum	Urban	30.0	100.0	100.0	837
	Rural	14.3	100.0	100.0	550
	Interior	100.0	100.0	100.0	498
Age	< 6 months	33.8	100.0	100.0	231
	6-11 months	52.0	100.0	100.0	163
	12-23 months	16.9	100.0	100.0	376
	24-35 months	23.5	100.0	100.0	430
	36-47 months	46.9	100.0	100.0	354
	48-59 months	.0	.0	.0	329
Mother's education level	None	36.1	100.0	100.0	281
	Primary	10.3	100.0	100.0	549
	Secondary +	62.7	100.0	100.0	1034
	Missing/DK	.0	100.0	100.0	22
Total		33.5	100.0	100.0	1885

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Surinam, 2000

		Living arrangement				
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead
Wealth Index Quintiles	Poorest	75.8	.6	.0	3.6	.1
	Second	66.5	.5	.3	5.3	.0
	Middle	61.9	.8	.4	6.0	.5
	Fourth	64.0	.3	.3	7.4	.1
	Richest	50.3	.8	.7	8.9	.1
Sex	Male	63.0	.6	.2	6.4	.2
	Female	61.3	.7	.6	6.7	.2
District	Paramaribo	61.4	.7	.4	5.5	.1
	Wanica	74.9	.4	.2	4.1	.2
	Nickerie	71.0	.3	.2	5.7	.5
	Coronie	70.1	.0	.0	8.2	2.1
	Saramacca	72.7	2.1	.0	4.9	.0
	Commewijne	70.6	.6	.0	6.7	.0
	Marowijne	57.1	.6	.0	10.4	.0
	Para	59.7	.7	.6	6.8	.4
	Brokopondo	64.6	.5	.5	2.6	.5
	Sipaliwini	38.1	.7	1.1	13.0	.0
Stratum	Urban	64.2	.7	.3	5.4	.2
	Rural	71.0	.6	.2	5.5	.2
	Interior	45.6	.6	.9	10.4	.1
Age	0-4 years	66.7	.2	.3	3.9	.0
	5-9 years	62.1	.7	.2	7.6	.1
	10-14 years	57.0	1.1	.7	8.6	.4
Total		62.2	.6	.4	6.6	.2

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Surinam, 2000

		Living arrangement					Total
		Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive	Living with father only: mother dead	Impossible to determine	
Wealth Index Quintiles	Poorest	14.0	.9	2.3	.3	2.3	100.0
	Second	18.5	3.4	2.4	.2	2.9	100.0
	Middle	22.8	1.9	1.8	.2	3.7	100.0
	Fourth	20.7	2.0	1.5	.3	3.4	100.0
	Richest	31.0	2.3	1.0	.3	4.5	100.0
Sex	Male	21.5	2.2	2.1	.2	3.7	100.0
	Female	23.5	2.0	1.3	.3	3.4	100.0
District	Paramaribo	24.9	2.5	2.2	.4	1.9	100.0
	Wanica	14.3	2.7	1.7	.1	1.4	100.0
	Nickerie	9.9	.5	2.6	.7	8.6	100.0
	Coronie	8.2	3.1	.0	.0	8.2	100.0
	Saramacca	7.7	2.8	.0	.0	9.8	100.0
	Commewijne	17.2	1.2	3.1	.6	.0	100.0
	Marowijne	23.8	2.1	2.4	.0	3.6	100.0
	Para	23.6	3.2	1.7	.4	3.1	100.0
	Brokopondo	27.7	1.5	.0	.0	2.1	100.0
	Sipaliwini	38.8	1.2	.5	.0	6.5	100.0
Stratum	Urban	21.5	2.6	2.1	.4	2.7	100.0
	Rural	15.5	1.8	1.8	.3	3.2	100.0
	Interior	34.3	1.5	.8	.0	5.7	100.0
Age	0-4 years	23.7	.9	1.1	.1	3.0	100.0
	5-9 years	23.3	2.3	1.3	.1	2.5	100.0
	10-14 years	20.4	3.3	2.8	.6	5.1	100.0
Total		22.5	2.1	1.7	.3	3.5	100.0

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Surinam, 2000

		One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
Wealth Index Quintiles	Poorest	.0	4.3	2.0	2.0	828
	Second	.0	6.1	4.4	4.4	913
	Middle	.1	7.7	3.8	3.8	1213
	Fourth	.0	8.1	3.0	3.0	1166
	Richest	.2	10.6	4.2	4.3	1435
Sex	Male	.1	7.4	3.4	3.5	2877
	Female	.0	8.2	3.7	3.8	2677
District	Paramaribo	.1	6.6	4.1	4.2	1835
	Wanica	.1	4.8	3.5	3.6	1127
	Nickerie	.0	6.7	2.2	2.2	555
	Coronie	.0	10.3	5.2	5.2	87
	Saramacca	.0	7.0	4.9	4.9	129
	Commewijne	.0	7.4	2.5	2.5	147
	Marowijne	.0	11.0	2.7	2.7	318
	Para	.0	8.4	5.2	5.2	257
	Brokopondo	.5	4.1	3.1	3.6	280
	Sipaliwini	.0	14.8	3.0	3.0	818
Stratum	Urban	.1	6.5	4.1	4.2	2540
	Rural	.0	6.4	3.0	3.0	1762
	Interior	.1	12.1	3.1	3.2	1252
Age	0-4 years	.0	4.5	1.5	1.5	2034
	5-9 years	.1	8.5	3.2	3.4	1721
	10-14 years	.1	10.8	6.1	6.2	1799
Total		.1	7.8	3.5	3.6	5554

Monitoring Children's Rights Indicator