

Table 1: Number of households and women, and response rates, Swaziland, 2000

	Area			Total
	Rural	Urban	Company Town	
Sampled households	2749	1013	429	4192
Occupied households	2749	1013	429	4192
Completed households	2749	1013	429	4192
Household response rate	100.0	100.0	100.0	100.0
Eligible women	3843	1112	366	5321
Interviewed women	3583	1033	343	4959
Women response rate	93.2	92.9	93.7	93.2
Children under 5	2851	496	165	3512
Interviewed children under 5	2721	464	161	3346
Child response rate	95.4	93.4	97.6	95.3

Table 2: Single year age distribution of household population by sex, Swaziland, 2000

	Sex			
	Male		Female	
	Number	Percent	Number	Percent
Age 0	370	3.1	384	3.1
1	334	2.8	333	2.7
2	367	3.1	366	3.0
3	387	3.2	357	2.9
4	426	3.6	356	2.9
5	389	3.3	358	2.9
6	379	3.2	405	3.3
7	361	3.0	335	2.7
8	365	3.1	350	2.8
9	388	3.3	329	2.7
10	437	3.7	402	3.2
11	347	2.9	325	2.6
12	363	3.0	361	2.9
13	340	2.9	338	2.7
14	316	2.7	369	3.0

Table 2: Single year age distribution of household population by sex, Swaziland, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
Age	15	334	2.8	251	2.0
	16	347	2.9	267	2.2
	17	248	2.1	260	2.1
	18	300	2.5	296	2.4
	19	233	2.0	246	2.0
	20	242	2.0	285	2.3
	21	196	1.7	245	2.0
	22	134	1.1	227	1.8
	23	158	1.3	229	1.8
	24	147	1.2	212	1.7
	25	142	1.2	207	1.7
	26	152	1.3	193	1.6
	27	130	1.1	180	1.5
	28	156	1.3	177	1.4
	29	122	1.0	126	1.0
	30	151	1.3	200	1.6
	31	106	.9	129	1.0
	32	169	1.4	195	1.6
	33	98	.8	109	.9
	34	96	.8	117	.9
	35	130	1.1	146	1.2
	36	98	.8	154	1.2
	37	96	.8	105	.8
	38	102	.9	137	1.1
	39	106	.9	93	.8
	40	129	1.1	150	1.2
	41	71	.6	92	.7
	42	127	1.1	105	.8
	43	85	.7	70	.6
	44	68	.6	73	.6
	45	92	.8	92	.7
	46	66	.6	69	.6
	47	59	.5	63	.5
	48	85	.7	73	.6
	49	52	.4	48	.4

Table 2: Single year age distribution of household population by sex, Swaziland, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
Age	50	104	.9	143	1.2
	51	53	.4	81	.7
	52	80	.7	113	.9
	53	66	.6	82	.7
	54	48	.4	46	.4
	55	60	.5	62	.5
	56	56	.5	46	.4
	57	31	.3	39	.3
	58	49	.4	57	.5
	59	43	.4	35	.3
	60	82	.7	82	.7
	61	37	.3	22	.2
	62	43	.4	32	.3
	63	36	.3	43	.3
	64	33	.3	30	.2
	65	37	.3	29	.2
	66	16	.1	17	.1
	67	18	.2	23	.2
	68	36	.3	33	.3
	69	28	.2	24	.2
	70+	181	1.5	217	1.7
	Missing/DK	174	1.5	141	1.1
Total		11906	100.0	12391	100.0

Table 3: Percentage of cases missing information for selected questions, Swaziland, 2000

	Percent missing	Number
Level of education	.0	15966
Year of education	.0	16232
Number of hours worked	.0	273

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	5271
Date of last tetanus toxoid injection	27.5	102
Ever been tested for HIV	.0	5075

Table 3: Percentage of cases missing information for selected questions, Country, Year

	Percent missing	Number
Complete birth date	.0	3509
Diarrhoea in last 2 weeks	.0	3509
Weight	.8	3509
Height	.2	3509

Table 4: Percent distribution of households by background characteristics, Swaziland, 2000

		Percent	Number	Unweighted
Region	Hhohho	28.8	1208	1199
	Manzini	31.3	1310	1310
	Shiselweni	17.8	745	747
	Lubombo	22.1	928	936
Area	Rural	65.6	2749	2737
	Urban	24.2	1013	1028
	Company Town	10.2	429	427
Number of HH members	1	17.4	727	730
	2-3	20.5	858	859
	4-5	20.7	869	869
	6-7	16.3	683	682
	8-9	10.4	436	435
	10+	14.8	619	617
Total		100.0	4192	4192

Table 4: Percent distribution of households by background characteristics, Swaziland, 2000

	Percent	Number	Unweighted
At least one child age < 15	69.4	4191	4191
At least one child age < 5	48.2	4191	4191
At least one woman age 15-49	74.6	4191	4191

Table 4a: Percent distribution of households by background characteristics, Swaziland, 2000

		Area			Total
		Rural	Urban	Company Town	
Region	Hhohho	26.6	41.0	14.1	28.8
	Manzini	25.1	50.8	24.6	31.3
	Shiselweni	25.1	5.5	.0	17.8
	Lubombo	23.2	2.7	61.4	22.1
Number of HH members	1	8.9	29.0	43.8	17.4
	2-3	15.7	31.4	25.3	20.5
	4-5	21.1	21.2	17.3	20.7
	6-7	19.9	9.6	8.9	16.3
	8-9	13.8	4.8	1.6	10.4
	10+	20.6	4.0	3.0	14.8
	Total	100.0	100.0	100.0	100.0
	Number	2749	1013	429	4192
Unweighted	2737	1028	427	4192	

Table 4a: Percent distribution of households by background characteristics, Country, Year

	Area			Total
	Rural	Urban	Company Town	
At least one child age < 15	80.7	51.8	38.9	69.4
At least one child age < 5	57.3	32.4	26.9	48.2
At least one woman age 15-49	79.3	70.2	55.3	74.6
Number	2749	1012	429	4191
Unweighted	2737	1027	427	4191

Table 5: Percent distribution of women 15-49 by background characteristics, Swaziland, 2000

		Percent	Number	Unweighted
Region	Hhohho	28.5	1501	1476
	Manzini	31.5	1662	1683
	Shiselweni	20.0	1057	1037
	Lubombo	19.9	1052	1075
Area	Rural	72.4	3815	3801
	Urban	20.7	1091	1104
	Company Town	6.9	366	366
Age	15-19	24.0	1264	1263
	20-24	20.9	1100	1102
	25-29	15.6	820	821
	30-34	13.0	687	686
	35-39	11.6	613	614
	40-44	8.8	463	462
	45-49	6.1	324	323
Marital status	Currently married	47.8	2517	2516
	Formerly married	8.3	438	440
	Never married	43.9	2317	2315
Ever given birth	Yes	71.1	3746	3746
	No	28.9	1525	1525
Woman's education level	None	17.2	908	907
	Primary	32.8	1731	1729
	Secondary +	49.0	2585	2587
	Non-standard curriculum	.8	41	41
	Missing/DK	.1	7	7
Total		100.0	5271	5271

Table 6: Percent distribution of children under 5 by background characteristics, Swaziland, 2000

		Percent	Number	Unweighted
Sex	Male	51.2	1797	1797
	Female	48.8	1710	1709
Region	Hhohho	26.3	923	891
	Manzini	28.6	1002	1030
	Shiselweni	24.3	852	832
	Lubombo	20.8	729	753
Area	Rural	81.5	2858	2856
	Urban	13.9	486	484
	Company Town	4.6	163	166
Age	< 6 months	9.5	335	336
	6-11 months	11.4	399	399
	12-23 months	19.8	696	695
	24-35 months	19.9	698	699
	36-47 months	20.3	712	711
	48-59 months	19.1	671	669
Mother's education level	None	22.8	798	797
	primary	35.9	1261	1262
	Secondary+	40.4	1418	1418
	Non Standard currulum	.7	26	26
	DK/Missing	.2	6	6
Total		100.0	3509	3509

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Swaziland, 2000

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	5.2	310
	Second	5.7	369
	Middle	10.0	271
	Fourth	21.2	221
	Richest	40.7	140
Sex	Male	11.7	737
	Female	13.2	644
Region	Hhohho	12.7	374
	Manzini	14.3	380
	Shiselweni	11.6	343
	Lubombo	10.5	285
Area	Rural	8.7	1137
	Urban	29.3	189
	Company Town	30.2	55
Age	36-47 months	8.5	712
	48-59 months	16.6	671
Mother's education level	None	5.0	354
	primary	7.0	518
	Secondary+	23.3	500
	Non Standard currulum	.0	9
	DK/Missing	100.0	1
Total		12.4	1382

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Swaziland, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Poorest	98.6	97.3	93.0	96.2	85.8
	Second	99.5	98.4	99.4	97.5	94.9
	Middle	100.0	100.0	99.3	98.3	97.6
	Fourth	97.9	100.0	97.9	98.9	94.8
	Richest	100.0	100.0	98.2	100.0	98.2
Sex	Male	98.7	98.6	97.7	98.2	93.3
	Female	99.7	98.8	97.3	97.8	93.7
Region	Hhohho	99.5	99.5	99.4	100.0	98.3
	Manzini	100.0	99.4	97.7	98.0	95.2
	Shiselweni	97.3	97.9	94.7	96.7	87.2
	Lubombo	100.0	97.5	99.2	97.2	94.0
Area	Rural	99.0	98.6	97.4	97.7	93.0
	Urban	100.0	98.5	98.0	100.0	96.5
	Company Town	100.0	100.0	100.0	100.0	100.0
1.00		99.1	98.7	97.5	98.0	93.5

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Swaziland, 2000

		Sex				Total		
		Male		Female		Attending	Number	
		Attending primary school		Attending primary school				
		Attending	Number	Attending	Number	Attending	Number	
Wealth Index Quintiles	Poorest	58.3	630	60.6	581	59.4	1212	
	Second	72.3	737	71.2	662	71.8	1398	
	Middle	76.3	543	73.1	529	74.7	1072	
	Fourth	76.4	373	79.6	352	77.9	726	
	Richest	79.9	238	76.2	259	77.9	497	
Region	Hhohho	69.6	698	70.8	657	70.2	1355	
	Manzini	72.7	741	72.0	724	72.4	1465	
	Shiselweni	71.9	672	72.5	634	72.2	1305	
	Lubombo	68.1	528	65.9	491	67.0	1019	
Area	Rural	70.4	2306	70.1	2126	70.3	4432	
	Urban	75.0	249	74.2	299	74.6	547	
	Company Town	67.9	84	69.1	81	68.5	166	
Age	6	34.1	379	36.5	405	35.4	784	
	7	67.5	361	71.1	335	69.2	696	
	8	76.4	365	72.7	350	74.6	715	
	9	78.8	388	80.5	329	79.6	717	
	10	79.5	437	81.5	402	80.5	839	
	11	79.2	347	77.1	325	78.2	672	
	12	79.6	363	79.2	361	79.4	724	
Total		70.8	2639	70.6	2506	70.7	5145	
Total (7-12) years		100.00	76.9	2260	77.2	2101	77.0	4362

The official school age is 6-12. The data were collected during the summer when school was not in session, therefore data for children aged 7-12 is presented as a more stable estimate of primary school attendance World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Swaziland, 2000

		Sex						Total		
		Male			Female			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	64.4	.9	1170	63.1	.4	1351	63.7	.6	2521
	Second	78.1	.5	1363	72.7	.3	1563	75.2	.4	2927
	Middle	82.6	.9	1238	81.7	.5	1337	82.2	.7	2575
	Fourth	87.7	.4	1162	85.9	.4	1145	86.8	.4	2307
	Richest	93.2	.2	961	92.6	.3	1116	92.9	.2	2078
Region	Hhohho	85.2	.4	1749	79.5	.3	1900	82.2	.4	3650
	Manzini	83.5	.9	1875	82.7	.5	2182	83.1	.6	4056
	Shiselweni	75.2	.7	1230	77.5	.1	1466	76.5	.3	2696
	Lubombo	74.6	.4	1311	69.1	.5	1334	71.8	.4	2645
Area	Rural	78.1	.7	4558	75.1	.3	5173	76.5	.5	9730
	Urban	88.5	.3	1120	87.8	.3	1306	88.1	.3	2426
	Company Town	83.9	.0	488	84.5	.7	403	84.2	.3	891
Age	15-24	86.8	.3	2339	89.4	.4	2519	88.1	.3	4858
	25-34	86.6	.4	1321	86.6	.2	1634	86.6	.3	2955
	35-44	83.2	.4	1012	78.9	.0	1126	80.9	.2	2138
	45-54	74.0	1.1	706	60.9	.5	811	67.0	.8	1517
	55-64	60.8	1.5	470	49.9	.9	449	55.5	1.2	919
	65+	42.7	1.6	317	28.9	.6	343	35.5	1.1	660
Total		80.4	.6	6165	78.1	.3	6882	79.2	.5	13047

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Swaziland, 2000

		Main source of water												Total	Total with safe drinking water	Number of persons
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well	Protected spring	Rainwater collection	Unprotected dug well	Pond, river or stream	Tanker truck vendor	Other	Missing/DK			
Region	Hhohho	16.3	13.0	16.8	4.5	5.9	.0	.1	17.2	25.3	.2	.7	.2	100.0	56.4	253305
	Manzini	12.5	17.9	12.7	3.0	2.7	.0	.0	10.2	37.6	2.3	.9	.2	100.0	48.7	280179
	Shiselweni	4.7	5.3	23.2	2.6	10.3	.0	.1	19.0	30.8	.3	1.6	2.2	100.0	46.0	216099
	Lubombo	16.3	7.4	16.1	7.9	3.0	.2	1.5	8.5	37.8	1.0	.2	.1	100.0	50.9	193921
Area of residence	Urban	42.2	24.5	16.5	.9	2.4	.0	.0	4.4	5.0	2.8	1.1	.2	100.0	86.3	194731
	Rural	4.8	8.2	17.0	5.2	6.1	.0	.4	16.2	40.0	.5	.8	.8	100.0	41.3	748773
Total		12.5	11.5	16.9	4.3	5.3	.0	.3	13.7	32.8	1.0	.9	.7	100.0	50.6	943504

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Swaziland, 2000

		Type of toilet facility						Total	Total with sanitary means of excreta disposal	Number of persons
		Flush to sewage system/septic tank	Pour flush latrine	Improved pit latrine	Traditional pit latrine	Other	No facilities/bush/field			
Region	Hhohho	15.0	1.5	14.2	42.2	.4	26.6	100.0	72.9	253305
	Manzini	13.5	1.1	13.3	54.5	1.5	16.0	100.0	81.7	280179
	Shiselweni	3.0	.7	27.8	33.3	5.7	29.5	100.0	64.7	216099
	Lubombo	18.0	1.1	8.8	37.4	1.0	33.7	100.0	64.9	193921
Area of residence	Urban	46.8	1.9	10.7	37.5	.5	2.6	100.0	96.4	194731
	Rural	3.5	.9	17.3	44.2	2.5	31.6	100.0	65.6	748773
Total		12.4	1.1	16.0	42.8	2.1	25.6	100.0	72.0	943504

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Swaziland, 2000

		Missing height or weight	Number of children
Wealth Index Quintiles	Poorest	3.5	817
	Second	1.4	890
	Middle	.8	718
	Fourth	.7	538
	Richest	2.8	374
Sex	Male	1.8	1797
	Female	2.0	1710
Region	Hhohho	.9	923
	Manzini	1.3	1002
	Shiselweni	4.4	852
	Lubombo	1.0	729
Area	Rural	2.0	2858
	Urban	1.4	486
	Company Town	1.8	163
Age	< 6 months	1.8	335
	6-11 months	1.5	399
	12-23 months	2.0	696
	24-35 months	1.6	698
	36-47 months	1.4	712
	48-59 months	2.9	671
Mother's education level	None	1.9	798
	primary	2.6	1261
	Secondary+	1.3	1418
	Non Standard currulum	.0	26
	DK/Missing	.0	6
Total		1.9	3509

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Swaziland, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	15.4	3.1	38.2	15.8	1.5	.1	729
	Second	9.6	1.7	32.5	12.2	1.4	.1	825
	Middle	10.3	2.8	31.6	12.6	1.5	.3	669
	Fourth	8.2	1.4	23.8	9.7	.6	.2	509
	Richest	3.0	.3	13.4	2.9	1.2	.3	341
Sex	Male	10.6	2.5	31.9	12.4	1.6	.2	1669
	Female	9.9	1.8	28.3	11.0	1.0	.1	1556
Region	Hhohho	10.1	2.3	28.2	9.5	2.1	.4	875
	Manzini	9.0	1.6	26.9	10.7	.6	.1	923
	Shiselweni	12.5	2.6	38.3	15.8	1.5	.1	759
	Lubombo	9.7	2.4	27.9	11.4	.9	.1	668
Area	Rural	10.9	2.4	31.9	12.5	1.4	.2	2623
	Urban	7.7	1.1	24.0	9.2	.7	.0	451
	Company Town	7.9	1.3	17.7	5.9	1.3	.6	152
Age	< 6 months	2.2	.0	8.9	2.3	.7	.4	274
	6-11 months	12.8	4.8	26.2	12.0	1.4	.3	377
	12-23 months	13.8	3.8	39.9	14.5	2.4	.3	639
	24-35 months	12.5	2.6	30.3	13.5	2.0	.3	655
	36-47 months	9.2	.9	33.2	11.3	.3	.0	663
	48-59 months	7.5	.7	28.6	11.4	.7	.0	618
Mother's education level	None	13.2	3.1	35.5	13.8	1.5	.0	725
	primary	11.9	2.7	32.9	13.4	1.2	.4	1151
	Secondary+	7.4	1.2	25.0	9.0	1.2	.2	1322
	Non Standard curriculum	.0	.0	22.8	4.4	.0	.0	22
	DK/Missing	.0	.0	33.3	33.3	.0	.0	6
Total		10.3	2.2	30.2	11.7	1.3	.2	3225

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Swaziland, 2000

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children
Sex	Male	33.8	115	62.7	137	78.4	135
	Female	28.4	109	57.5	124	74.7	119
Region	Hhohho	21.4	59	71.3	72	77.5	65
	Manzini	30.9	66	64.3	71	70.0	75
	Shiselweni	40.9	55	47.4	58	80.0	62
	Lubombo	32.8	44	54.8	60	81.1	51
Area	Rural	31.4	172	59.8	202	78.6	205
	Urban	32.3	40	70.5	41	69.4	33
	Company Town	25.4	12	41.8	18	65.9	15
Mother's education level	None	28.6	42	48.9	47	73.8	57
	primary	28.2	75	55.4	74	77.6	90
	Secondary+	35.4	102	66.3	139	77.1	105
	Non Standard currulum	.0	4	.	0	100.0	1
	DK/Missing	50.0	2	100.0	1	.	0
Total		31.2	224	60.2	261	76.6	253

World Summit for Children Goal => Number 16

Table 16: Percent of living children by breastfeeding status, Swaziland, 2000

		Continued breastfeeding rate	
		Children 20-23 months	Number of children
Sex	Male	20.8	96
	Female	27.4	151
Region	Hhohho	31.6	69
	Manzini	20.2	62
	Shiselweni	21.4	62
	Lubombo	25.5	53
	Company Town	21.3	14
Area	Rural	22.6	204
	Urban	42.2	29
	Company Town	21.3	14
Mother's education level	None	16.8	53
	primary	29.3	97
	Secondary+	25.3	95
	Non Standard currulum	.0	2
	DK/Missing	.	0
Total		24.8	247

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Swaziland, 2000

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	5.0	38.8	2.1	45.7	8.4	100.0	95
2-3	3.6	22.1	.9	38.9	34.6	100.0	112
4-5	2.9	8.6	3.8	27.8	56.9	100.0	104
6-7	6.1	4.0	.7	27.2	61.9	100.0	129
8-9	10.0	3.4	2.5	19.3	64.8	100.0	119
10-11	12.5	2.9	2.3	18.5	63.8	100.0	130
12-13	16.5	1.7	9.1	17.3	55.3	100.0	121
14-15	21.4	4.6	6.3	16.8	50.9	100.0	112
16-17	33.0	1.1	1.1	22.1	42.8	100.0	91
18-19	49.4	.0	2.2	15.0	33.4	100.0	87
20-21	63.1	2.0	3.0	5.8	26.2	100.0	104
22-23	84.6	.0	.8	4.0	10.6	100.0	124
24-25	89.5	.0	.8	1.5	8.2	100.0	133
26-27	94.6	.0	.9	.9	3.6	100.0	109
28-29	90.7	1.0	.0	.0	8.3	100.0	98
30-31	95.7	1.1	.0	1.1	2.1	100.0	91
32-33	99.0	.0	.0	.0	1.0	100.0	101
34-35	97.3	.0	.0	.0	2.7	100.0	109

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Swaziland, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	11.0	80.4	43.2	56.8	838
	Second	8.8	82.7	41.6	58.4	839
	Middle	5.4	84.6	38.1	61.9	838
	Fourth	6.7	83.8	40.7	59.3	838
	Richest	5.3	85.1	40.0	60.0	838
Region	Hhohho	5.3	87.0	35.4	64.6	1208
	Manzini	9.0	82.8	37.8	62.2	1310
	Shiselweni	8.8	75.0	43.4	56.6	745
	Lubombo	6.8	85.8	49.7	50.3	928
Area	Rural	8.1	82.7	43.3	56.7	2749
	Urban	5.8	85.9	32.0	68.0	1013
	Company Town	7.3	81.3	45.5	54.5	429
Total		7.4	83.3	40.7	59.3	4192

World Summit for Children Goal => Number 14

Table 17a: Percentage of population consuming adequately iodized salt, Swaziland, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons
				< 15 PPM	15+ PPM	Total
Wealth Index Quintiles	Poorest	8.1	83.1	46.3	53.7	5174
	Second	6.5	85.3	40.0	60.0	5906
	Middle	5.0	86.3	41.6	58.4	4885
	Fourth	3.4	90.1	44.3	55.7	3954
	Richest	3.2	88.9	41.7	58.3	3177
Region	Hhohho	3.2	89.5	37.0	63.0	6575
	Manzini	7.9	85.1	40.2	59.8	7247
	Shiselweni	6.9	79.4	45.5	54.5	5492
	Lubombo	5.0	89.7	51.3	48.7	4983
Area	Rural	6.3	85.2	44.0	56.0	19253
	Urban	4.0	88.8	34.2	65.8	3729
	Company Town	4.2	88.0	50.3	49.7	1315
Total		5.8	85.9	42.8	57.2	24297

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Swaziland, 2000

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	3.6	2.9	1.8	14.0	77.7	100.0	737
	Second	2.7	3.7	2.2	16.0	75.4	100.0	817
	Middle	4.8	4.2	3.4	16.9	70.7	100.0	646
	Fourth	4.6	4.6	1.0	17.5	72.3	100.0	477
	Richest	7.8	3.5	2.3	14.3	72.1	100.0	340
Sex	Male	3.6	3.9	2.6	16.2	73.6	100.0	1630
	Female	4.7	3.5	1.9	15.5	74.4	100.0	1542
Region	Hhohho	5.7	3.3	2.8	13.8	74.4	100.0	834
	Manzini	4.7	4.4	2.0	14.3	74.5	100.0	908
	Shiselweni	4.1	3.9	2.0	24.6	65.4	100.0	769
	Lubombo	1.5	3.2	2.3	10.4	82.6	100.0	661
	Rural	3.8	3.8	2.3	16.2	73.9	100.0	2595
Area	Urban	5.3	3.8	2.2	15.0	73.7	100.0	429
	Company Town	6.6	2.0	2.7	12.6	76.1	100.0	147
	Age	6-11 months	8.3	1.0	.2	10.1	80.4	100.0
Age	12-23 months	4.0	2.9	2.0	15.9	75.3	100.0	696
	24-35 months	3.7	5.1	2.3	14.2	74.6	100.0	698
	36-47 months	3.7	4.3	3.2	18.1	70.7	100.0	712
	48-59 months	2.8	4.1	2.8	18.6	71.7	100.0	671
	Mother's education level	None	3.7	2.6	3.0	17.6	73.1	100.0
primary		3.3	4.5	1.6	16.4	74.2	100.0	1152
Secondary+		5.2	3.6	2.4	14.3	74.6	100.0	1259
Non Standard currulum		4.4	9.1	14.0	9.1	63.4	100.0	22
DK/Missing		.0	.0	.0	25.4	74.6	100.0	4
Total		4.1	3.7	2.3	15.8	74.0	100.0	3174

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Swaziland, 2000

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	19.2	8.8	194
	Second	15.8	9.2	195
	Middle	17.8	7.3	163
	Fourth	17.2	10.0	122
	Richest	16.7	14.7	107
Region	Hhohho	20.7	10.9	206
	Manzini	13.8	10.5	273
	Shiselweni	17.1	7.7	184
	Lubombo	22.1	9.6	165
Area	Rural	18.6	9.2	635
	Urban	15.5	12.8	146
	Company Town	15.2	8.8	46
Woman's education level	None	20.1	8.8	160
	Primary	15.9	8.9	270
	Secondary +	18.1	11.0	391
	Non-standard curriculum	25.4	.0	4
	Missing/DK	50.0	.0	2
Total		17.9	9.8	828

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth Index Quintiles	Poorest	4.1	52.8	9.4	33.7
	Second	2.6	63.0	10.3	24.1
	Middle	7.4	62.5	7.3	22.8
	Fourth	9.0	68.7	10.0	12.3
	Richest	3.7	79.5	11.2	5.7
Region	Hhohho	4.4	66.1	11.9	17.6
	Manzini	5.8	69.1	9.0	16.1
	Shiselweni	5.0	51.3	12.2	31.5
	Lubombo	4.2	62.4	7.8	25.7
Area	Rural	4.7	59.8	9.8	25.6
	Urban	6.1	75.0	12.3	6.7
	Company Town	4.3	69.7	8.8	17.2
Woman's education level	None	4.3	61.9	7.5	26.3
	Primary	4.1	55.4	9.7	30.8
	Secondary +	5.6	69.0	11.6	13.8
	Non-standard curriculum	24.2	25.4	24.9	25.4
	Missing/DK	.0	100.0	.0	.0
Total		5.0	63.0	10.2	21.8

Table 20a. Birth weight and size at birth

		Size of child						Total	Number
		Very large	Larger than average	Average	Smaller than average	Very small	Don't know		
Wealth Index Quintiles	Poorest	10.9	24.3	47.1	9.8	3.1	4.7	100.0	194
	Second	11.3	16.4	49.8	11.3	4.6	6.7	100.0	195
	Middle	8.0	19.6	52.3	10.3	4.3	5.5	100.0	163
	Fourth	7.2	20.4	49.3	10.7	2.5	9.9	100.0	122
	Richest	10.2	20.5	48.9	7.4	3.7	9.3	100.0	107
Region	Hhohho	4.9	22.7	52.2	7.9	1.5	10.9	100.0	206
	Manzini	6.5	18.9	50.1	13.4	2.9	8.3	100.0	273
	Shiselweni	17.1	15.5	48.6	9.9	6.1	2.8	100.0	184
	Lubombo	13.7	24.5	43.9	8.4	4.2	5.4	100.0	165
Area	Rural	10.1	20.5	49.8	9.8	4.0	5.8	100.0	635
	Urban	7.9	14.8	49.8	13.4	2.0	12.2	100.0	146
	Company Town	12.9	32.9	36.7	6.6	2.1	8.8	100.0	46
Woman's education level	None	7.6	23.7	48.2	10.5	2.5	7.5	100.0	160
	Primary	12.2	19.3	48.9	10.4	4.4	4.8	100.0	270
	Secondary +	9.4	19.4	49.7	9.5	3.3	8.7	100.0	391
	Non-standard curriculum	.0	25.4	24.9	49.7	.0	.0	100.0	4
	Missing/DK	.0	.0	50.0	50.0	.0	.0	100.0	2
Total		9.9	20.2	49.1	10.2	3.5	7.1	100.0	828

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Country, Year

BCG	Vaccination Card	65.9
	Mother's Report	28.6
	Not vaccinated	5.6
DPT1	Vaccination Card	66.0
	Mother's Report	27.0
	Not vaccinated	7.0
DPT2	Vaccination Card	65.2
	Mother's Report	23.4
	Not vaccinated	11.4
DPT3	Vaccination Card	72.0
	Mother's Report	6.6
	Not vaccinated	21.4
Polio 0	Vaccination Card	69.8
	Mother's Report	20.0
	Not vaccinated	10.2
Polio 1	Vaccination Card	66.9
	Mother's Report	25.1
	Not vaccinated	8.0
Polio 2	Vaccination Card	66.9
	Mother's Report	18.2
	Not vaccinated	14.9
Polio 3	Vaccination Card	66.6
	Mother's Report	9.4
	Not vaccinated	24.0
Measles	Vaccination Card	53.3
	Mother's Report	25.1
	Not vaccinated	21.6
All vaccinations	Vaccination Card	49.3
	Mother's Report	16.0
	Doesn't have all vaccinations	34.7
No vaccinations	Mother's Report	3.0
	Has some vaccinations	97.0
Number of children		695.7

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Country, Year

BCG	99.6
DPT 1	99.3
DPT 2	99.1
DPT 3	98.8
Polio 0	99.6
Polio 1	99.3
Polio 2	99.1
Polio 3	98.8
Measles	92.2
All vaccinations	90.7
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Swaziland, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 0	Polio 1	Polio 2	Polio 3	Measles	All	None
Wealth Index Quintiles	Poorest	93.7	92.6	88.5	74.0	88.5	91.9	86.2	71.6	70.5	57.2	2.9
	Second	95.2	92.2	87.5	76.7	90.4	92.2	83.3	74.3	78.3	64.6	1.8
	Middle	93.3	92.7	89.4	80.1	90.1	91.4	86.1	79.5	79.4	67.6	5.3
	Fourth	95.8	92.6	86.1	82.8	92.4	90.2	82.7	79.4	79.5	67.4	1.0
	Richest	97.3	96.1	94.8	86.9	94.8	93.5	89.6	84.3	92.1	81.7	2.7
Sex	Male	94.6	92.3	87.2	77.7	89.9	92.5	85.3	76.0	77.9	65.3	3.0
	Female	94.2	93.7	89.8	79.4	89.8	91.4	84.8	76.0	78.8	65.3	3.1
Region	Hhohho	96.5	95.9	93.1	82.3	93.6	91.9	87.9	79.4	81.6	69.6	3.5
	Manzini	91.4	90.9	86.1	77.9	87.5	90.8	84.2	77.4	76.5	64.9	3.8
	Shiselweni	94.6	94.7	88.7	76.7	88.1	92.9	84.5	74.3	73.6	61.7	2.4
	Lubombo	95.9	90.3	86.2	77.2	90.3	92.4	83.4	71.7	82.7	64.8	2.1
Area	Rural	94.7	93.0	88.9	77.6	89.6	92.4	85.9	75.6	77.5	64.3	2.6
	Urban	90.6	90.7	84.5	82.4	88.5	89.5	81.4	78.1	78.9	68.5	6.4
	Company Town	100.0	100.0	93.9	85.0	97.0	90.7	81.8	75.9	90.9	72.8	.0
Mother's education level	None	93.7	90.5	85.4	76.3	86.6	91.1	84.1	74.3	69.6	60.7	3.9
	primary	92.8	91.4	84.1	71.1	88.3	90.9	82.5	68.8	75.7	58.9	3.8
	Secondary+	96.3	96.3	94.8	87.8	92.9	94.3	88.8	84.5	85.5	74.5	1.9
	Non Standard curriculum	100.0	84.0	84.0	50.9	100.0	50.9	50.9	50.9	100.0	50.9	.0
	DK/Missing	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	.0
Total		94.4	93.0	88.6	78.6	89.8	92.0	85.1	76.0	78.4	65.3	3.0

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Swaziland, 2000

		% with health card	Number of children
Wealth Index Quintiles	Poorest	82.2	174
	Second	79.8	167
	Middle	80.1	151
	Fourth	83.6	92
	Richest	81.4	75
Sex	Male	81.2	331
	Female	79.6	364
Region	Hhohho	83.3	180
	Manzini	79.8	202
	Shiselweni	80.9	171
	Lubombo	76.5	141
Area	Rural	80.1	566
	Urban	83.2	96
	Company Town	75.7	32
Mother's education level	None	80.8	156
	primary	76.9	263
	Secondary+	83.7	270
	Non Standard currulum	67.0	6
	DK/Missing	100.0	1
Total		80.3	696

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Swaziland, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding
Wealth Index Quintiles	Poorest	24.7	817	48.8	30.8	30.9	66.5	24.9	24.8
	Second	21.2	890	49.8	36.9	34.3	70.6	24.7	34.8
	Middle	19.6	718	42.7	29.1	31.3	60.6	24.6	34.7
	Fourth	18.5	538	44.3	30.9	25.7	63.1	33.9	32.0
	Richest	17.9	374	49.2	34.5	26.6	72.9	26.7	43.3
Sex	Male	21.4	1797	48.9	31.9	31.7	65.9	24.7	32.6
	Female	20.6	1710	43.7	33.3	29.2	67.1	28.6	32.5
Region	Hhohho	21.4	923	47.6	30.6	33.4	68.5	23.0	34.0
	Manzini	19.5	1002	42.2	37.4	24.3	67.8	27.9	38.9
	Shiselweni	20.3	852	51.0	33.8	24.4	59.5	24.4	19.6
	Lubombo	23.3	729	45.2	28.0	40.6	69.7	31.3	36.6
Area	Rural	21.1	2858	47.3	34.4	32.1	67.0	26.9	31.6
	Urban	18.5	486	44.5	16.4	20.0	60.7	22.3	29.5
	Company Town	27.2	163	37.7	40.3	30.7	71.4	31.0	51.2
Age	< 6 months	19.4	335	77.3	13.9	20.1	56.7	29.5	18.7
	6-11 months	39.6	399	80.5	31.4	25.2	70.3	32.7	27.6
	12-23 months	34.4	696	56.8	35.6	31.8	65.7	28.7	34.2
	24-35 months	19.2	698	13.3	35.1	37.9	67.9	21.4	36.4
	36-47 months	10.2	712	8.3	37.1	46.7	72.2	20.7	35.8
	48-59 months	10.3	671	8.8	33.3	17.3	59.3	18.7	39.1
Mother's education level	None	22.9	798	37.2	35.0	25.2	65.1	23.8	27.8
	primary	21.0	1261	45.6	35.4	37.0	69.0	27.7	31.8
	Secondary+	20.0	1418	53.8	29.2	27.9	64.6	27.2	36.1
	Non Standard curriculum	22.9	26	33.7	.0	34.6	65.4	33.6	32.6
	DK/Missing	.0	6
Total		21.0	3509	46.6	32.6	30.6	66.3	26.6	32.4

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Swaziland, 2000

		Any recommended treatment	No treatment	Number of children with diarrhea
				1.00
Wealth Index Quintiles	Poorest	91.0	9.0	202
	Second	94.7	5.3	189
	Middle	90.8	9.2	140
	Fourth	93.9	6.1	100
	Richest	93.9	6.1	67
Sex	Male	93.2	6.8	384
	Female	91.7	8.3	352
Region	Hhohho	95.2	4.8	198
	Manzini	92.1	7.9	196
	Shiselweni	88.1	11.9	173
	Lubombo	94.3	5.7	170
Area	Rural	92.7	7.3	602
	Urban	87.7	12.3	90
	Company Town	100.0	.0	44
Age	< 6 months	94.0	6.0	65
	6-11 months	95.5	4.5	158
	12-23 months	93.7	6.3	240
	24-35 months	90.2	9.8	134
	36-47 months	93.1	6.9	73
	48-59 months	84.0	16.0	69
Mother's education level	None	89.7	10.3	183
	primary	93.9	6.1	265
	Secondary+	92.8	7.2	284
	Non Standard curriculum	100.0	.0	6
	DK/Missing	.	.	0
Total		92.5	7.5	738

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Swaziland, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	24.7	817	29.1	55.4	15.5	100.0
	Second	21.2	890	26.5	58.8	14.8	100.0
	Middle	19.6	718	24.2	53.9	21.9	100.0
	Fourth	18.5	538	31.0	56.9	12.1	100.0
	Richest	17.9	374	25.2	64.4	10.4	100.0
Sex	Male	21.4	1797	29.5	53.4	17.1	100.0
	Female	20.6	1710	25.2	61.1	13.7	100.0
Region	Hhohho	21.4	923	32.1	55.9	12.1	100.0
	Manzini	19.5	1002	26.0	57.2	16.8	100.0
	Shiselweni	20.3	852	18.8	61.7	19.5	100.0
	Lubombo	23.3	729	32.5	53.8	13.7	100.0
Area	Rural	21.1	2858	26.9	58.3	14.8	100.0
	Urban	18.5	486	28.0	48.9	23.1	100.0
	Company Town	27.2	163	33.6	57.6	8.8	100.0
Age	< 6 months	19.4	335	15.3	60.2	24.5	100.0
	6-11 months	39.6	399	25.2	60.3	14.4	100.0
	12-23 months	34.4	696	26.0	60.3	13.7	100.0
	24-35 months	19.2	698	33.5	52.1	14.4	100.0
	36-47 months	10.2	712	36.8	56.3	6.9	100.0
	48-59 months	10.3	671	26.1	47.7	26.2	100.0
Mother's education level	None	22.9	798	31.1	53.2	15.7	100.0
	primary	21.0	1261	27.4	57.9	14.7	100.0
	Secondary+	20.0	1418	25.4	58.7	15.9	100.0
	Non Standard curriculum	22.9	26	.0	82.7	17.3	100.0
	DK/Missing	.0	6	.0	.0	.0	.0
Total		21.0	3509	27.3	57.2	15.4	100.0

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Swaziland, 2000

		Eating during diarrhea			Total	Received increased fluids and continued eating	Number of children with diarrhea
		somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth Index Quintiles	Poorest	24.1	72.4	3.5	100.0	4.5	202
	Second	37.0	60.4	2.6	100.0	6.9	189
	Middle	28.3	65.3	6.4	100.0	6.5	140
	Fourth	32.9	63.1	4.0	100.0	10.9	100
	Richest	32.4	64.3	3.2	100.0	10.3	67
Sex	Male	29.3	67.3	3.3	100.0	7.8	384
	Female	30.5	64.6	4.9	100.0	6.0	352
Region	Hhohho	33.4	63.4	3.2	100.0	9.0	198
	Manzini	30.4	66.7	3.0	100.0	7.5	196
	Shiselweni	29.0	65.2	5.9	100.0	3.6	173
	Lubombo	26.2	69.2	4.6	100.0	7.4	170
Area	Rural	29.7	66.5	3.8	100.0	5.7	602
	Urban	27.5	64.8	7.7	100.0	12.3	90
	Company Town	37.8	62.2	.0	100.0	13.5	44
Age	< 6 months	36.8	55.6	7.6	100.0	4.5	65
	6-11 months	23.9	72.3	3.8	100.0	6.3	158
	12-23 months	29.3	67.5	3.3	100.0	4.6	240
	24-35 months	40.5	55.7	3.8	100.0	15.0	134
	36-47 months	22.0	75.2	2.8	100.0	2.8	73
	48-59 months	27.7	66.4	5.9	100.0	7.4	69
Mother's education level	None	31.2	61.8	7.0	100.0	8.8	183
	primary	32.4	66.5	1.1	100.0	6.3	265
	Secondary+	26.1	69.2	4.6	100.0	6.4	284
	Non Standard curriculum	66.4	16.4	17.3	100.0	.0	6
	DK/Missing	.0	.0	.0	.0	.	0
Total		30.0	66.0	4.1	100.0	6.9	738

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Swaziland, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH clinic	Private physician
Wealth Index Quintiles	Poorest	9.9	817	22.3	28.4	.0	1.3	12.4	1.2
	Second	9.4	890	13.2	41.8	2.4	3.6	2.4	1.2
	Middle	11.0	718	27.5	34.0	1.2	2.5	2.5	.0
	Fourth	10.6	538	23.0	29.6	3.4	.0	3.4	3.4
	Richest	9.3	374	29.0	19.2	2.8	.0	11.7	8.7
Sex	Male	9.8	1797	21.6	28.8	2.8	1.7	6.9	3.4
	Female	10.3	1710	21.6	34.4	1.7	1.7	5.7	.5
Region	Hhohho	9.7	923	24.5	25.3	1.1	1.1	4.6	1.2
	Manzini	9.2	1002	22.1	36.8	4.2	3.2	3.2	6.3
	Shiselweni	12.0	852	16.8	24.0	1.0	2.0	7.0	.0
Area	Lubombo	9.3	729	24.3	44.3	2.9	.0	11.4	.0
	Rural	9.9	2858	20.1	32.8	2.4	2.1	7.1	1.4
	Urban	11.3	486	27.4	22.8	1.7	.0	.0	5.5
Age	Company Town	8.4	163	28.5	42.6	.0	.0	14.5	.0
	< 6 months	8.7	335	24.6	51.0	6.8	.0	7.0	.0
	6-11 months	13.3	399	19.0	35.2	.0	.0	5.6	1.8
	12-23 months	12.2	696	25.7	26.9	2.3	2.4	10.6	1.1
	24-35 months	10.0	698	21.5	38.3	1.4	1.4	5.7	2.8
	36-47 months	9.3	712	18.2	28.4	.0	1.5	3.1	1.5
Mother's education level	48-59 months	7.2	671	20.3	18.6	6.0	4.2	4.0	4.3
	None	10.1	798	16.3	34.5	3.6	.0	8.6	.0
	primary	10.3	1261	21.5	31.6	1.5	3.9	3.8	.8
	Secondary+	10.0	1418	24.7	29.9	2.1	.7	7.1	4.2
	Non Standard curriculum	.0	26
	DK/Missing	.0	6
Total		10.0	3509	21.6	31.6	2.2	1.7	6.3	2.0

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Swaziland, 2000

		Traditional healer	Other	Any appropriate provider	Number of children with ARI
					1.00
Wealth Index Quintiles	Poorest	5.0	5.0	63.2	81
	Second	6.2	1.2	59.7	83
	Middle	3.7	9.2	61.6	79
	Fourth	1.9	10.9	59.4	57
	Richest	.0	8.3	65.7	35
Sex	Male	1.7	7.5	58.4	177
	Female	6.4	5.2	62.2	175
Region	Hhohho	4.7	9.5	54.5	89
	Manzini	2.1	5.2	68.5	92
	Shiselweni	6.0	5.0	47.8	102
	Lubombo	2.9	5.7	75.7	68
Area	Rural	4.3	4.6	60.3	283
	Urban	3.7	15.1	55.6	55
	Company Town	.0	7.0	78.5	14
Age	< 6 months	3.5	3.5	78.9	29
	6-11 months	3.7	4.0	59.8	53
	12-23 months	6.1	3.6	64.4	85
	24-35 months	2.9	8.4	66.9	70
	36-47 months	4.6	6.1	49.6	66
	48-59 months	2.0	12.9	47.4	48
Mother's education level	None	7.6	9.1	58.2	80
	primary	5.5	3.2	57.7	129
	Secondary+	.7	7.7	63.8	142
	Non Standard curriculum	.	.	.	0
	DK/Missing	.	.	.	0
Total		4.0	6.4	60.3	352

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Swaziland, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total
				More	Same/Less	Missing/DK	
Wealth Index Quintiles	Poorest	43.1	817	30.5	58.7	10.9	100.0
	Second	41.6	890	26.6	63.5	9.9	100.0
	Middle	39.1	718	27.0	62.0	11.0	100.0
	Fourth	40.8	538	32.4	61.7	6.0	100.0
	Richest	43.5	374	26.8	66.5	6.7	100.0
Sex	Male	40.8	1797	31.4	58.7	9.9	100.0
	Female	42.2	1710	25.5	65.8	8.7	100.0
Region	Hhohho	42.8	923	32.6	61.1	6.3	100.0
	Manzini	39.9	1002	25.1	65.0	9.9	100.0
	Shiselweni	40.1	852	25.0	63.1	12.0	100.0
	Lubombo	43.6	729	31.4	59.1	9.5	100.0
Area	Rural	40.8	2858	27.7	63.0	9.3	100.0
	Urban	42.9	486	33.2	55.9	10.9	100.0
	Company Town	50.1	163	27.8	66.2	6.0	100.0
Age	< 6 months	42.4	335	9.8	76.9	13.4	100.0
	6-11 months	59.6	399	23.1	66.1	10.8	100.0
	12-23 months	50.6	696	26.3	63.8	9.9	100.0
	24-35 months	39.8	698	34.2	57.8	8.0	100.0
	36-47 months	33.8	712	37.4	58.0	4.6	100.0
	48-59 months	30.8	671	33.0	55.9	11.1	100.0
Mother's education level	None	42.1	798	28.5	60.9	10.6	100.0
	primary	41.1	1261	27.0	63.3	9.7	100.0
	Secondary+	41.6	1418	30.3	61.4	8.3	100.0
	Non Standard currulum	38.2	26	.0	89.7	10.3	100.0
	DK/Missing	50.5	6	.0	100.0	.0	100.0
Total		41.5	3509	28.4	62.2	9.3	100.0

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Swaziland, 2000

		Eating during illness			Total	Received increased fluids and continued eating	Number of sick children
		somewhat less/same/more	Much less/none	Missing/DK			1.00
Wealth Index Quintiles	Poorest	33.3	64.1	2.6	100.0	8.9	352
	Second	43.5	54.6	1.9	100.0	9.7	370
	Middle	33.9	62.6	3.6	100.0	8.3	281
	Fourth	36.1	62.1	1.8	100.0	10.6	219
	Richest	37.0	59.8	3.2	100.0	11.5	163
Sex	Male	36.9	60.6	2.4	100.0	10.9	733
	Female	36.3	60.9	2.8	100.0	7.8	722
Region	Hhohho	42.6	55.6	1.8	100.0	12.1	395
	Manzini	35.6	62.7	1.7	100.0	8.5	400
	Shiselweni	33.9	62.0	4.2	100.0	8.1	342
	Lubombo	33.5	63.4	3.1	100.0	8.5	318
Area	Rural	37.5	60.0	2.5	100.0	8.7	1165
	Urban	31.7	65.0	3.3	100.0	13.5	208
	Company Town	37.6	60.0	2.4	100.0	8.5	81
Age	< 6 months	40.9	52.0	7.1	100.0	2.8	142
	6-11 months	27.3	70.2	2.5	100.0	6.3	238
	12-23 months	34.4	63.3	2.2	100.0	7.1	352
	24-35 months	42.3	55.9	1.8	100.0	15.2	277
	36-47 months	37.5	61.2	1.3	100.0	11.3	240
	48-59 months	39.7	57.3	3.0	100.0	11.2	207
Mother's education level	None	37.0	58.9	4.1	100.0	8.1	336
	primary	38.3	60.1	1.6	100.0	8.7	518
	Secondary+	34.5	63.0	2.6	100.0	10.9	590
	Non Standard curriculum	69.5	20.2	10.3	100.0	.0	10
	DK/Missing	34.1	65.9	.0	100.0	.0	3
Total		36.7	60.7	2.6	100.0	9.4	1457

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Swaziland, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly
Wealth Index Quintiles	Poorest	23.1	37.8	47.9	12.8	10.1	12.2	6.6
	Second	19.9	34.5	44.3	12.1	10.1	14.1	5.1
	Middle	15.7	37.8	41.4	14.4	11.8	12.3	8.3
	Fourth	13.1	35.1	41.1	14.9	13.4	11.1	8.4
	Richest	14.3	38.6	40.9	15.9	17.2	17.9	5.8
Region	Hhohho	24.4	37.3	36.1	15.2	12.1	8.2	6.7
	Manzini	21.7	45.5	53.5	14.7	12.0	18.9	7.4
	Shiselweni	13.9	24.7	37.9	7.4	5.2	12.6	7.7
	Lubombo	9.4	37.4	42.9	16.8	17.3	11.0	4.6
Area	Rural	18.4	35.5	44.2	12.0	10.0	12.3	6.7
	Urban	19.5	47.3	42.3	22.3	16.4	19.5	6.5
	Company Town	8.3	28.8	31.1	12.9	22.7	6.8	7.6
Mother's education level	None	17.4	35.4	43.1	11.6	10.6	10.2	5.5
	primary	17.8	35.7	44.6	12.6	10.0	14.0	7.5
	Secondary+	18.5	38.5	42.0	15.4	13.3	13.6	6.4
	Non Standard curriculum	27.8	55.6	50.0	16.7	22.2	16.7	16.7
	DK/Missing	.0	40.0	20.0	.0	.0	20.0	.0
Total		18.0	36.9	43.2	13.6	11.6	13.0	6.7

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Swaziland, 2000

		Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	42.1	572
	Second	39.3	644
	Middle	37.0	527
	Fourth	35.9	404
	Richest	38.6	308
Region	Hhohho	36.4	659
	Manzini	50.4	782
	Shiselweni	27.9	596
	Lubombo	35.7	543
Area	Rural	38.0	2063
	Urban	44.4	385
	Company Town	29.5	132
Mother's education level	None	37.4	559
	primary	39.3	914
	Secondary+	38.5	1087
	Non Standard currulum	44.4	18
	DK/Missing	20.0	5
Total		38.5	2583

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Swaziland, 2000

		Slept under a bednet			Bednet treated		Number of children
		Yes	No	DK/missing	Yes	No	
Wealth Index Quintiles	Poorest	.2	98.8	1.0	.1	99.9	816
	Second	.1	97.5	2.4	.1	99.9	890
	Middle	.1	97.3	2.6	.0	100.0	718
	Fourth	.0	98.5	1.5	.0	100.0	538
	Richest	.5	98.7	.8	.2	99.8	374
Sex	Male	.2	98.0	1.9	.1	99.9	1796
	Female	.2	98.3	1.6	.1	99.9	1710
Region	Hhohho	.0	99.7	.3	.0	100.0	923
	Manzini	.1	99.6	.3	.0	100.0	1002
	Shiselweni	.5	93.5	6.0	.3	99.7	851
	Lubombo	.1	99.5	.4	.0	100.0	729
Area	Rural	.2	97.8	2.0	.1	99.9	2857
	Urban	.2	99.4	.4	.2	99.8	486
	Company Town	.0	100.0	.0	.0	100.0	163
Age	< 6 months	.0	97.9	2.1	.0	100.0	335
	6-11 months	.5	97.7	1.8	.2	99.8	398
	12-23 months	.1	98.7	1.2	.1	99.9	696
	24-35 months	.3	97.2	2.5	.1	99.9	698
	36-47 months	.1	98.6	1.3	.0	100.0	712
	48-59 months	.0	98.3	1.7	.0	100.0	671
Total		.2	98.1	1.7	.1	99.9	3508

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Swaziland, 2000

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Other	Don't know
Wealth Index Quintiles	Poorest	2.5	817	55.3	30.1	25.0	.0	5.1
	Second	2.7	890	36.8	12.0	4.2	.0	4.0
	Middle	3.3	718	42.2	24.2	4.1	.0	8.4
	Fourth	6.2	538	61.2	27.7	.0	.0	2.9
	Richest	8.5	374	87.9	18.7	.0	.0	3.0
Sex	Male	3.9	1797	61.6	25.6	7.2	.0	2.8
	Female	4.2	1710	56.5	19.7	4.2	.0	5.6
Region	Hhohho	3.9	923	79.2	20.8	.0	.0	.0
	Manzini	5.8	1002	63.6	26.5	1.7	.0	6.6
	Shiselweni	4.3	852	41.4	19.5	16.7	.0	5.6
Area	Lubombo	1.5	729	27.3	18.2	9.1	.0	.0
	Rural	3.0	2858	54.2	22.2	9.5	.0	5.8
	Urban	9.4	486	61.1	28.4	.0	.0	2.1
	Company Town	6.2	163	90.4	.0	.0	.0	.0
Age	< 6 months	3.3	335	46.1	.0	.0	.0	.0
	6-11 months	6.0	399	50.1	16.0	4.3	.0	8.0
	12-23 months	5.7	696	56.7	20.9	10.3	.0	5.1
	24-35 months	3.3	698	48.1	30.4	4.5	.0	4.3
	36-47 months	3.7	712	88.4	27.3	3.9	.0	.0
	48-59 months	2.7	671	55.3	32.3	5.4	.0	5.7
Mother's education level	None	2.8	798	59.6	26.6	8.7	.0	.0
	primary	3.8	1261	44.6	23.3	13.0	.0	4.2
	Secondary+	5.1	1418	68.4	20.9	.0	.0	5.5
	Non Standard currulum	.0	26
	DK/Missing	.0	6
Total		4.0	3509	59.0	22.6	5.7	.0	4.2

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Swaziland, 2000

		Any appropriate anti-malarial drug	Number of children with fever
			1.00
Wealth Index Quintiles	Poorest	35.1	20
	Second	16.2	24
	Middle	28.3	24
	Fourth	27.7	33
	Richest	18.7	32
Sex	Male	27.1	70
	Female	23.9	71
Region	Hhohho	20.8	36
	Manzini	26.5	58
	Shiselweni	27.9	37
	Lubombo	27.3	11
Area	Rural	26.9	86
	Urban	28.4	46
	Company Town	.0	10
Age	< 6 months	.0	11
	6-11 months	20.3	24
	12-23 months	26.0	40
	24-35 months	30.4	23
	36-47 months	31.3	26
	48-59 months	32.3	18
Mother's education level	None	31.0	22
	primary	29.8	48
	Secondary+	20.9	72
	Non Standard curriculum	.	0
	DK/Missing	.	0
Total		25.5	142

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Swaziland, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women
								1.00
Wealth Index Quintiles	Poorest	96.1	50.3	51.8	41.8	60.2	39.8	950
	Second	96.3	56.1	61.8	47.6	70.4	29.6	1125
	Middle	97.9	61.9	63.4	50.6	74.8	25.2	1008
	Fourth	98.3	66.8	68.0	55.7	79.1	20.9	926
	Richest	98.3	69.5	66.5	53.7	82.3	17.7	950
Region	Hhohho	98.0	65.8	64.1	53.2	76.7	23.3	1501
	Manzini	97.3	65.1	64.8	53.7	76.2	23.8	1662
	Shiselweni	97.2	57.1	64.0	49.6	71.5	28.5	1057
	Lubombo	96.5	48.0	52.2	37.3	62.8	37.2	1052
Area	Rural	97.0	58.2	61.2	49.0	70.5	29.5	3815
	Urban	98.6	68.5	65.5	52.5	81.5	18.5	1091
	Company Town	97.3	57.5	58.3	45.7	70.0	30.0	366
Age	15-19	96.5	58.9	60.5	48.8	70.6	29.4	1264
	20-24	97.5	64.3	66.1	52.7	77.6	22.4	1100
	25-29	97.6	61.9	64.1	50.6	75.4	24.6	820
	30-34	98.0	62.4	64.9	51.5	75.8	24.2	687
	35-39	98.4	59.1	60.5	49.8	69.8	30.2	613
	40-44	97.9	58.7	57.5	46.0	70.2	29.8	463
Woman's education level	45-49	95.1	48.0	50.5	38.4	60.1	39.9	324
	None	94.5	49.2	49.4	39.0	59.7	40.3	908
	Primary	96.5	53.7	57.5	44.6	66.6	33.4	1731
	Secondary +	99.0	68.8	69.6	56.7	81.8	18.2	2585
	Non-standard curriculum	92.8	51.2	41.6	39.0	53.7	46.3	41
	Missing/DK	100.0	14.7	56.9	14.7	56.9	43.1	7
Total		97.3	60.3	61.9	49.5	72.7	27.3	5271

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Swaziland, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women
									1.00
Wealth Index Quintiles	Poorest	94.1	49.6	51.9	56.9	40.6	64.5	35.5	223
	Second	95.4	55.9	61.5	60.8	42.8	74.2	25.8	284
	Middle	98.0	61.6	64.0	66.7	44.9	79.9	20.1	253
	Fourth	96.4	63.7	63.3	64.5	45.0	78.1	21.9	195
	Richest	98.7	66.0	60.6	68.2	40.4	86.5	13.5	222
Region	Hhohho	97.2	62.1	61.8	64.8	45.1	78.2	21.8	355
	Manzini	96.4	63.6	60.6	65.5	46.6	77.9	22.1	388
	Shiselweni	95.7	56.2	66.3	65.9	43.5	77.2	22.8	281
	Lubombo	96.7	49.6	51.5	53.9	33.7	68.2	31.8	240
Area	Rural	95.8	57.7	60.8	62.3	44.3	74.3	25.7	958
	Urban	99.1	66.1	61.7	67.0	41.3	84.4	15.6	227
	Company Town	97.5	52.5	53.8	62.8	33.3	73.0	27.0	79
Age	15-19	96.5	58.9	60.5	63.2	43.1	76.0	24.0	1264
Woman's education level	None	93.4	46.1	51.2	58.6	35.9	65.8	34.2	137
	Primary	94.1	51.8	55.7	56.7	38.4	69.0	31.0	475
	Secondary +	98.9	66.8	66.1	69.0	48.0	83.5	16.5	649
	Non-standard curriculum	100.0	33.4	33.4	33.4	33.4	33.4	66.6	3
Total		96.5	58.9	60.5	63.2	43.1	76.0	24.0	1264

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Swaziland, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women
									1.00
Wealth Index Quintiles	Poorest	96.1	60.3	39.1	72.3	29.9	83.8	16.2	950
	Second	96.3	67.1	46.8	77.6	36.5	88.6	11.4	1125
	Middle	97.9	73.7	49.5	79.1	37.2	92.5	7.5	1008
	Fourth	98.3	75.4	54.4	83.7	44.1	93.2	6.8	926
	Richest	98.3	83.1	68.2	89.1	58.3	95.4	4.6	950
Region	Hhohho	98.0	76.5	56.2	75.3	42.1	91.4	8.6	1501
	Manzini	97.3	73.0	55.8	86.4	47.9	93.1	6.9	1662
	Shiselweni	97.2	63.3	43.9	80.7	33.3	88.6	11.4	1057
	Lubombo	96.5	69.0	45.0	75.9	36.5	86.7	13.3	1052
Area	Rural	97.0	68.8	48.2	77.8	37.7	89.0	11.0	3815
	Urban	98.6	78.0	61.0	87.1	50.1	95.5	4.5	1091
	Company Town	97.3	77.2	55.4	81.5	48.3	90.2	9.8	366
Age	15-19	96.5	73.6	56.2	77.8	43.2	91.0	9.0	1264
	20-24	97.5	76.1	53.2	83.6	43.8	93.1	6.9	1100
	25-29	97.6	73.9	53.7	81.6	43.2	91.3	8.7	820
	30-34	98.0	72.0	51.6	81.3	42.7	91.0	9.0	687
	35-39	98.4	64.8	46.2	79.8	35.9	89.2	10.8	613
	40-44	97.9	64.7	45.5	79.6	37.2	87.5	12.5	463
Woman's education level	45-49	95.1	59.4	38.0	69.9	29.3	82.0	18.0	324
	None	94.5	59.2	38.9	70.2	31.5	80.9	19.1	908
	Primary	96.5	65.0	42.7	75.3	32.2	87.3	12.7	1731
	Secondary +	99.0	80.0	61.9	86.6	50.5	96.0	4.0	2585
	Non-standard curriculum	92.8	56.2	36.7	75.8	31.9	85.5	14.5	41
	Missing/DK	100.0	56.9	27.7	85.3	27.7	85.3	14.7	7
Total		97.3	71.3	51.4	80.0	41.0	90.4	9.6	5271

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Swaziland, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Num ber of wome n 1.00
Wealth Index Quintiles	Poorest	64.2	61.6	52.1	51.8	42.5	36.3	950
	Second	68.6	66.3	58.0	52.7	45.3	31.4	1125
	Middle	70.9	68.4	60.6	54.4	47.2	29.1	1008
	Fourth	76.6	72.4	64.1	58.4	47.9	23.5	926
	Richest	80.8	75.0	70.5	60.9	50.9	19.3	950
Region	Hhohho	70.9	67.4	64.0	52.8	47.3	29.4	1501
	Manzini	73.8	71.1	63.4	57.2	49.1	26.1	1662
	Shiselweni	70.9	67.5	54.3	55.5	42.9	29.1	1057
	Lubombo	73.1	68.3	61.2	57.8	47.4	27.5	1052
Area	Rural	68.5	65.5	57.4	52.8	44.5	31.7	3815
	Urban	84.7	80.5	74.6	65.3	55.8	15.3	1091
	Company Town	73.7	67.4	61.8	57.3	46.4	26.2	366
Age	15-19	72.1	67.6	59.5	56.9	46.5	28.2	1264
	20-24	75.8	72.4	63.4	59.3	49.4	24.2	1100
	25-29	76.0	73.2	64.3	57.2	47.8	24.2	820
	30-34	72.1	68.0	62.2	55.0	46.0	27.6	687
	35-39	71.1	67.5	60.7	53.2	45.6	29.1	613
	40-44	67.8	66.1	60.5	52.4	48.1	32.9	463
	45-49	60.1	57.7	53.6	46.7	42.4	40.2	324
Woman's education level	None	65.0	62.8	56.2	50.9	44.5	35.3	908
	Primary	68.3	65.4	56.7	53.5	44.7	32.2	1731
	Secondary +	77.4	73.0	66.1	58.9	49.4	22.5	2585
	Non-standard curriculum	73.4	71.0	66.1	56.3	51.5	26.6	41
	Missing/DK	71.4	71.4	71.4	57.6	57.6	28.6	7
Total		72.2	68.8	61.3	55.7	47.0	27.9	5271

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Swaziland, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women
						1.00
Wealth Index Quintiles	Poorest	32.5	48.3	52.3	47.7	950
	Second	26.8	42.4	48.0	52.0	1125
	Middle	21.2	38.5	42.9	57.1	1008
	Fourth	15.7	32.7	36.4	63.6	926
	Richest	7.8	25.6	28.6	71.4	950
Region	Hhohho	21.6	35.8	40.0	60.0	1501
	Manzini	14.7	33.1	36.4	63.6	1662
	Shiselweni	23.9	45.7	48.5	51.5	1057
	Lubombo	28.0	41.5	48.6	51.4	1052
Area	Rural	24.3	41.2	45.7	54.3	3815
	Urban	11.6	30.1	32.8	67.2	1091
	Company Town	17.4	28.9	34.6	65.4	366
Age	15-19	21.5	38.6	43.5	56.5	1264
	20-24	17.2	33.0	37.0	63.0	1100
	25-29	16.4	33.2	36.6	63.4	820
	30-34	20.4	39.1	43.0	57.0	687
	35-39	25.5	41.5	46.8	53.2	613
	40-44	26.9	44.6	48.1	51.9	463
	45-49	30.7	47.7	52.0	48.0	324
Woman's education level	None	29.9	47.7	51.6	48.4	908
	Primary	29.2	43.7	49.7	50.3	1731
	Secondary + Non-standard curriculum	12.4	30.5	33.7	66.3	2585
	Missing/DK	39.2	58.7	58.7	41.3	41
Total	43.1	57.2	71.7	28.3	7	
		21.2	38.1	42.3	57.7	5271

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Swaziland, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
Wealth Index Quintiles	Poorest	96.1	37.8	29.9	17.2	950
	Second	96.3	40.1	36.5	20.0	1125
	Middle	97.9	43.7	37.2	20.0	1008
	Fourth	98.3	46.7	44.1	25.2	926
	Richest	98.3	45.0	58.3	30.6	950
Region	Hhohho	98.0	45.4	42.1	23.1	1501
	Manzini	97.3	46.4	47.9	27.6	1662
	Shiselweni	97.2	42.2	33.3	19.0	1057
	Lubombo	96.5	31.8	36.5	17.5	1052
Area	Rural	97.0	42.0	37.7	21.6	3815
	Urban	98.6	44.2	50.1	24.2	1091
	Company Town	97.3	39.9	48.3	28.0	366
Age	15-19	96.5	43.1	43.2	23.6	1264
	20-24	97.5	46.5	43.8	24.5	1100
	25-29	97.6	43.3	43.2	23.4	820
	30-34	98.0	42.3	42.7	23.8	687
	35-39	98.4	40.0	35.9	19.9	613
	40-44	97.9	38.6	37.2	20.9	463
Woman's education level	45-49	95.1	32.9	29.3	15.5	324
	None	94.5	33.7	31.5	17.1	908
	Primary	96.5	38.7	32.2	18.3	1731
	Secondary +	99.0	48.1	50.5	27.6	2585
	Non-standard curriculum	92.8	34.2	31.9	14.7	41
	Missing/DK	100.0	14.7	27.7	.0	7
Total		97.3	42.4	41.0	22.6	5271

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Swaziland, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women
					1.00
Wealth Index Quintiles	Poorest	45.5	12.8	74.4	950
	Second	53.0	14.4	73.5	1125
	Middle	60.6	17.5	76.7	1008
	Fourth	66.7	19.6	76.4	926
	Richest	75.9	23.4	84.3	950
Region	Hhohho	66.7	18.4	76.8	1501
	Manzini	61.5	19.7	80.7	1662
	Shiselweni	51.4	15.7	76.0	1057
	Lubombo	55.1	13.4	72.3	1052
Area	Rural	54.2	15.1	74.9	3815
	Urban	76.9	25.6	83.6	1091
	Company Town	65.9	15.0	71.1	366
Age	15-19	51.5	9.0	63.4	1264
	20-24	64.0	20.3	75.0	1100
	25-29	67.7	23.1	78.9	820
	30-34	62.9	21.2	84.1	687
	35-39	59.9	17.6	80.7	613
	40-44	58.0	18.2	81.0	463
Woman's education level	45-49	51.4	14.6	80.8	324
	None	45.9	13.5	73.1	908
	Primary	51.7	14.5	74.9	1731
	Secondary +	69.9	20.3	79.2	2585
	Non-standard curriculum	58.7	22.1	100.0	41
	Missing/DK	43.0	42.8	66.1	7
Total		59.7	17.3	77.4	5271

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Swaziland, 2000

		Current method								
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Condom	LAM	Periodic abstinence
Wealth Index Quintiles	Poorest	86.3	3.1	.0	3.7	.2	5.6	.2	.2	.0
	Second	75.3	6.5	.0	4.0	1.0	11.3	.3	.0	.2
	Middle	69.8	8.0	.0	4.3	.6	13.1	1.1	.0	.9
	Fourth	66.1	5.5	.0	4.8	1.0	17.1	3.6	.5	.7
	Richest	57.6	8.3	.3	12.2	3.5	11.8	5.1	.0	.3
Region	Hhohho	72.2	5.8	.1	4.9	1.5	10.9	2.8	.1	.4
	Manzini	68.7	5.2	.0	6.9	1.5	13.1	2.2	.0	.6
	Shiselweni	75.3	7.9	.0	4.7	1.0	10.1	.4	.0	.0
	Lubombo	74.3	5.4	.0	5.0	.4	12.2	1.1	.4	.6
Area	Rural	76.0	6.0	.1	4.0	.8	10.4	.8	.2	.5
	Urban	59.4	6.2	.0	9.4	2.8	15.3	5.8	.0	.2
	Company Town	65.4	5.1	.0	11.5	.0	15.4	1.9	.0	.0
Woman's education level	None	80.8	3.6	.2	3.3	.9	8.2	1.2	.2	.5
	Primary	76.9	5.0	.0	4.6	.7	11.0	.6	.1	.2
	Secondary +	63.6	8.0	.0	7.4	1.7	14.3	3.1	.1	.4
	Non-standard curriculum	82.7	6.8	.0	.0	.0	3.5	.0	.0	3.5
	Missing/DK	100.0	.0	.0	.0	.0	.0	.0	.0	.0
Total		72.3	6.0	.0	5.4	1.2	11.6	1.8	.1	.4

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Swaziland, 2000

		Current method		Total	Any modern method	Any traditional method	Any method	Number of currently married women
		Withdrawal	Other					1.00
Wealth Index Quintiles	Poorest	.4	.4	100.0	12.7	1.0	13.7	520
	Second	.9	.5	100.0	23.1	1.6	24.7	576
	Middle	1.3	.9	100.0	27.2	3.0	30.2	465
	Fourth	.7	.0	100.0	32.0	1.9	33.9	415
	Richest	.5	.5	100.0	41.2	1.3	42.4	397
Region	Hhohho	1.1	.3	100.0	26.0	1.9	27.8	759
	Manzini	1.2	.5	100.0	28.9	2.3	31.3	723
	Shiselweni	.2	.4	100.0	24.1	.6	24.7	503
	Lubombo	.2	.6	100.0	24.0	1.7	25.7	532
Area	Rural	.8	.5	100.0	22.1	1.9	24.0	1899
	Urban	.7	.2	100.0	39.5	1.1	40.6	462
	Company Town	.6	.0	100.0	33.9	.6	34.6	156
Woman's education level	None	1.1	.0	100.0	17.4	1.8	19.2	565
	Primary	.5	.3	100.0	21.9	1.2	23.1	854
	Secondary +	.8	.7	100.0	34.4	2.0	36.4	1065
	Non-standard curriculum	.0	3.5	100.0	10.3	6.9	17.3	29
	Missing/DK	.0	.0	100.0	.0	.0	.0	4
Total		.8	.4	100.0	26.0	1.7	27.7	2517

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Swaziland, 2000

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers
						1.00
Wealth Index Quintiles	Poorest	79.7	.5	.0	80.3	194
	Second	84.1	.0	.0	84.1	195
	Middle	78.5	.0	.0	78.5	163
	Fourth	76.9	.8	.0	77.7	122
	Richest	78.7	.0	.0	78.7	107
Region	Hhohho	72.8	.5	.0	73.3	206
	Manzini	81.0	.4	.0	81.3	273
	Shiselweni	77.9	.6	.0	78.4	184
	Lubombo	86.9	.0	.0	86.9	165
Area	Rural	81.2	.5	.0	81.6	635
	Urban	68.3	.0	.0	68.3	146
	Company Town	91.1	.0	.0	91.1	46
Woman's education level	None	78.7	.0	.0	78.7	160
	Primary	81.1	.7	.0	81.8	270
	Secondary +	78.3	.3	.0	78.6	391
	Non-standard curriculum	100.0	.0	.0	100.0	4
	Missing/DK	100.0	.0	.0	100.0	2
Total		79.4	.4	.0	79.8	828

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Swaziland, 2000

		Person delivering antenatal care						Total	Any skilled personnel	Number of women
		No antenatal care received	Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Other/missing			1.00
Wealth Index Quintiles	Poorest	3.6	6.7	79.8	1.6	4.7	3.6	100.0	88.1	194
	Second	6.2	5.2	77.4	1.5	5.7	4.1	100.0	84.1	195
	Middle	3.7	3.7	82.2	3.1	2.4	4.9	100.0	89.0	163
	Fourth	5.7	11.5	74.5	.0	1.6	6.7	100.0	86.0	122
	Richest	3.6	19.5	64.7	3.8	.0	8.4	100.0	88.0	107
Region	Hhohho	1.0	7.4	79.7	.0	2.9	8.9	100.0	87.1	206
	Manzini	5.4	12.7	73.2	2.2	1.1	5.4	100.0	88.1	273
	Shiselweni	7.7	5.0	74.0	5.0	6.1	2.2	100.0	84.0	184
	Lubombo	4.2	4.2	81.5	.6	4.8	4.8	100.0	86.3	165
Area	Rural	4.4	6.8	78.2	2.1	4.0	4.6	100.0	87.0	635
	Urban	5.9	10.8	71.7	1.4	1.3	8.9	100.0	83.9	146
	Company Town	2.1	15.2	71.6	2.2	2.3	6.7	100.0	89.0	46
Woman's education level	None	3.1	7.5	79.9	.6	4.4	4.4	100.0	88.1	160
	Primary	5.2	4.8	79.2	.8	5.2	4.8	100.0	84.8	270
	Secondary +	4.8	10.5	73.2	3.3	1.8	6.4	100.0	87.0	391
	Non-standard curriculum	.0	.0	100.0	.0	.0	.0	100.0	100.0	4
	Missing/DK	.0	.0	100.0	.0	.0	.0	100.0	100.0	2
Total		4.6	8.0	76.7	1.9	3.4	5.4	100.0	86.6	828

World Summit for Children Goals => Numbers 9, 11

Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery Swaziland, 2000

		Person assisting at delivery							Total
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received	
Wealth Index Quintiles	Poorest	3.1	46.1	3.1	15.0	21.8	4.1	6.7	100.0
	Second	5.1	60.5	5.2	11.2	10.2	4.6	3.1	100.0
	Middle	4.9	63.7	5.5	8.0	9.8	3.7	4.3	100.0
	Fourth	9.0	66.2	2.5	5.8	4.9	6.7	4.8	100.0
	Richest	15.9	67.4	3.8	1.8	1.9	8.4	.9	100.0
Region	Hhohho	5.9	62.1	2.5	8.8	9.3	8.0	3.4	100.0
	Manzini	6.5	65.1	5.5	5.1	8.4	5.4	4.0	100.0
	Shiselweni	8.3	47.0	7.2	15.5	13.8	3.3	5.0	100.0
	Lubombo	6.6	56.4	3.0	11.9	12.5	5.4	4.2	100.0
Area	Rural	5.7	56.4	4.9	11.2	12.8	4.6	4.4	100.0
	Urban	9.5	69.6	2.7	1.3	3.3	9.6	4.0	100.0
	Company Town	13.0	54.2	6.5	15.4	4.3	6.7	.0	100.0
Woman's education level	None	8.7	53.7	3.1	11.3	14.4	5.6	3.1	100.0
	Primary	2.6	50.3	4.5	15.6	15.9	4.8	6.3	100.0
	Secondary +	9.0	66.2	5.4	5.1	5.1	6.2	3.0	100.0
	Non-standard curriculum	.0	74.6	.0	.0	25.4	.0	.0	100.0
	Missing/DK	.0	50.0	.0	.0	50.0	.0	.0	100.0
Total		6.8	58.6	4.6	9.7	10.7	5.6	4.1	100.0

World Summit for Children Goal => Numbers 11

Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery Swaziland, 2000

		Any skilled personnel	Number of women
			1.00
Wealth Index Quintiles	Poorest	52.3	194
	Second	70.8	195
	Middle	74.2	163
	Fourth	77.7	122
	Richest	87.0	107
Region	Hhohho	70.5	206
	Manzini	77.1	273
	Shiselweni	62.4	184
	Lubombo	66.0	165
Area	Rural	67.0	635
	Urban	81.8	146
	Company Town	73.7	46
Woman's education level	None	65.5	160
	Primary	57.3	270
	Secondary +	80.6	391
	Non-standard curriculum	74.6	4
	Missing/DK	50.0	2
Total		70.0	828

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Swaziland, 2000

		Birth registered	DK if birth registered
Wealth Index Quintiles	Poorest	43.7	3.6
	Second	47.5	4.4
	Middle	57.0	3.8
	Fourth	57.4	5.2
	Richest	75.1	3.1
Sex	Male	54.7	3.4
	Female	52.3	4.6
Region	Hhohho	53.8	3.2
	Manzini	63.0	4.7
	Shiselweni	47.2	3.3
	Lubombo	47.6	4.9
	Company Town	62.1	4.2
Area	Rural	49.8	4.0
	Urban	72.4	3.9
	Company Town	62.1	4.2
Age	< 6 months	47.3	1.2
	6-11 months	47.7	2.5
	12-23 months	49.4	3.7
	24-35 months	58.3	4.3
	36-47 months	52.5	6.0
Mother's education level	48-59 months	60.4	4.2
	None	45.6	5.0
	primary	50.7	4.3
	Secondary+	61.0	3.1
	Non Standard currulum	31.0	11.4
	DK/Missing	34.5	.0
Total		53.5	4.0

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Swaziland, 2000

		Registration status					
		Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other
Wealth Index Quintiles	Poorest	29.3	12.1	5.9	1.3	4.8	32.8
	Second	22.0	14.7	7.5	2.0	3.3	30.8
	Middle	22.3	10.2	10.1	.8	5.0	41.1
	Fourth	16.9	11.3	13.2	.5	6.4	39.3
	Richest	6.2	10.3	14.8	4.2	5.7	36.3
Sex	Male	21.6	12.5	9.5	1.4	4.6	34.7
	Female	23.2	12.8	7.8	1.7	4.6	35.8
Region	Hhohho	17.2	13.2	8.0	.6	3.2	34.0
	Manzini	17.6	19.5	11.1	.7	4.7	29.2
	Shiselweni	29.1	8.8	2.8	1.5	3.4	48.0
	Lubombo	23.6	10.8	14.3	3.3	7.4	26.3
Area	Rural	23.7	12.4	7.8	1.4	4.2	34.8
	Urban	12.3	16.2	18.1	3.1	8.7	36.0
	Company Town	9.5	11.1	11.2	1.8	7.4	43.8
Age	< 6 months	15.0	11.6	9.6	1.3	6.5	45.6
	6-11 months	18.4	11.8	7.7	2.8	2.8	39.3
	12-23 months	23.0	11.5	6.7	1.0	4.4	38.7
	24-35 months	19.1	17.0	9.4	1.2	7.4	30.9
	36-47 months	27.0	10.8	10.0	1.5	2.7	32.5
	48-59 months	28.4	12.7	9.0	1.9	4.3	28.5
Mother's education level	None	24.9	10.6	9.7	.8	3.0	34.0
	primary	25.5	13.0	6.5	.8	6.4	33.1
	Secondary+	16.9	14.0	10.2	3.1	3.5	39.0
	Non Standard currulum	22.6	8.0	.0	.0	7.5	38.9
	DK/Missing	.0	.0	49.2	.0	24.6	26.2
Total		22.4	12.6	8.7	1.5	4.6	35.4

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Swaziland, 2000

		Registration status	Total	Number of children
		Reason DK or Missing		
Wealth Index Quintiles	Poorest	13.7	100.0	817
	Second	19.6	100.0	890
	Middle	10.4	100.0	718
	Fourth	12.3	100.0	538
	Richest	22.5	100.0	374
Sex	Male	15.6	100.0	1797
	Female	14.1	100.0	1710
Region	Hhohho	23.8	100.0	923
	Manzini	17.3	100.0	1002
	Shiselweni	6.4	100.0	852
	Lubombo	14.3	100.0	729
Area	Rural	15.6	100.0	2858
	Urban	5.6	100.0	486
	Company Town	15.1	100.0	163
Age	< 6 months	10.4	100.0	335
	6-11 months	17.1	100.0	399
	12-23 months	14.7	100.0	696
	24-35 months	15.0	100.0	698
	36-47 months	15.6	100.0	712
	48-59 months	15.3	100.0	671
Mother's education level	None	17.0	100.0	798
	primary	14.7	100.0	1261
	Secondary+	13.3	100.0	1418
	Non Standard currulum	23.0	100.0	26
	DK/Missing	.0	100.0	6
Total		14.8	100.0	3509

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Swaziland, 2000

		Living arrangement							
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive
Wealth Index Quintiles	Poorest	38.1	.9	2.1	12.7	1.7	30.6	5.9	2.4
	Second	34.7	.8	3.0	17.8	1.6	29.4	5.8	2.5
	Middle	37.3	1.2	2.5	15.4	2.1	30.0	4.4	3.7
	Fourth	37.3	.8	2.6	13.9	3.4	27.8	4.1	3.3
	Richest	51.8	.4	2.7	8.4	1.6	22.4	3.6	3.3
Sex	Male	38.9	.8	2.5	14.6	1.9	28.7	4.7	2.7
	Female	37.7	.9	2.7	13.9	2.1	29.0	5.4	3.1
Region	Hhohho	41.4	1.2	1.9	10.5	1.9	29.3	4.6	3.4
	Manzini	37.5	1.1	2.9	16.2	1.6	27.5	4.7	3.2
	Shiselweni	34.3	.4	3.0	17.7	2.5	29.2	5.7	1.8
	Lubombo	40.3	.5	2.4	12.1	2.1	29.8	5.3	3.2
Area	Rural	36.2	.9	2.6	15.3	2.1	30.2	5.1	2.7
	Urban	49.4	.6	2.3	8.4	1.6	21.0	5.2	3.0
	Company Town	51.1	.2	2.4	8.3	1.5	22.5	2.9	6.1
Age	0-4 years	41.7	.3	.8	9.4	.7	36.1	3.7	1.9
	5-9 years	37.2	.9	2.5	16.5	1.8	27.6	5.6	3.5
	10-14 years	36.0	1.3	4.4	16.9	3.5	22.8	5.9	3.3
Total		38.3	.8	2.6	14.3	2.0	28.9	5.0	2.9

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Swaziland, 2000

		Living arrangement		Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Living with father only: mother dead	Impossible to determine						
Wealth Index Quintiles	Poorest	.7	4.9	100.0	.1	17.5	11.3	11.4	2536
	Second	.5	4.0	100.0	.2	23.2	11.7	11.8	2911
	Middle	.4	3.0	100.0	.1	21.2	10.6	10.7	2255
	Fourth	.7	6.2	100.0	.2	20.6	11.5	11.7	1605
	Richest	.7	5.1	100.0	.1	13.0	9.0	9.1	1079
Sex	Male	.6	4.5	100.0	.2	19.8	10.5	10.8	5567
	Female	.5	4.8	100.0	.1	19.5	11.5	11.6	5368
Region	Hhohho	.6	5.1	100.0	.0	15.6	10.3	10.3	2882
	Manzini	.6	4.7	100.0	.1	21.8	10.9	11.0	3117
	Shiselweni	.5	4.8	100.0	.3	23.6	12.1	12.4	2739
	Lubombo	.6	3.8	100.0	.1	17.0	10.9	11.0	2196
Area	Rural	.5	4.3	100.0	.2	20.9	11.2	11.4	9257
	Urban	1.1	7.2	100.0	.0	13.1	10.9	10.9	1266
	Company Town	.7	4.2	100.0	.0	12.5	7.8	7.8	411
Age	0-4 years	.2	5.1	100.0	.1	11.3	5.8	5.9	3679
	5-9 years	.8	3.6	100.0	.2	21.7	11.6	11.7	3658
	10-14 years	.7	5.3	100.0	.2	26.1	15.8	16.0	3597
Total		.6	4.7	100.0	.1	19.7	11.0	11.2	10934

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Swaziland, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
Wealth Index Quintiles	Poorest	1.5	.7	74.2	4.3	5.54	11.4	1684
	Second	.8	.8	76.0	2.8	5.78	9.3	1978
	Middle	.8	.8	78.7	3.3	8.21	11.6	1504
	Fourth	1.1	3.1	75.2	2.1	8.98	14.2	1048
	Richest	.7	4.7	61.4	1.4	7.28	12.8	687
Sex	Male	1.1	1.3	73.2	3.0	7.57	11.8	3684
	Female	1.1	1.7	75.3	3.0	7.18	11.9	3571
Region	Hhohho	1.0	1.3	69.5	3.4	7.07	11.2	1921
	Manzini	1.0	2.7	73.9	4.0	7.06	13.3	2055
	Shiselweni	1.0	1.0	79.2	1.0	5.88	8.6	1860
	Lubombo	1.5	.7	74.5	3.6	10.21	14.9	1420
Area	Rural	1.1	.7	76.4	3.1	7.16	11.1	6252
	Urban	1.0	7.9	59.3	2.6	7.51	17.4	765
	Company Town	.8	1.3	63.7	.8	12.66	13.5	238
Age	5-9 years	.5	1.5	65.4	1.7	4.85	8.0	3658
	10-14 years	1.6	1.4	83.2	4.3	9.95	15.7	3597
Total		1.1	1.5	74.2	3.0	7.38	11.8	7255

Monitoring Children's Rights Indicator