


**WHO/UNICEF
Review of National Immunization Coverage
1980-2008**

Tuvalu

July, 2009

Tuvalu



Description of trend

Estimated immunization coverage levels are based on reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%) —	Reported to:*		Government official estimate (%) ○	Reported doses administered (%)** ✕	Survey data (%)***	
		WHO (%) □	UNICEF (%) ■			Survey 12-23 months 	Survey <12 months +
1980	99	99					
1981	89						
1982	78	78					
1983	99	100					
1984	90	90					
1985	90	90					
1986	92	92					
1987	86	86					
1988	95	95					
1989	98	98					
1990	96	96	96	96	96		
1991	95	95	95	95	95		
1992	97	97	97	97	97		
1993	87	87	87	87	83		
1994	90	90	90	90	90		
1995	88	88	88	88	88		
1996	99	100	100	100	100		
1997	99	100	100	100	100		
1998	99	100	100	100	100		
1999	99	100	100	100	100		
2000	99	100	100	100	99		
2001	99	100	100	100	100		
2002	99	100	100	100	100		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	100	100	100	100		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Tuvalu

DTP1 (1980-2008)



Description of trend

WHO and UNICEF began requesting data on DTP1 coverage in 2001 and have received national reports reflecting DTP1 coverage from 2001 onward. The estimates prior to 2000 as well as for 2003 are derived from the WHO/UNICEF estimates of DTP3 and the relationship between levels of DTP3 coverage and the drop-out between DTP1 and DTP3. This relationship results from an analysis of 282 surveys conducted in 1 countries which were published between 1980 and 2004. The DTP1 estimates for 2000-2003 and from 2004 onward are based on nationally reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	61						
1981	73						
1982	89						
1983	92						
1984	62						
1985	76						
1986	90						
1987	81						
1988	96						
1989	95						
1990	99						
1991	90						
1992	88						
1993	94						
1994	99						
1995	95						
1996	98						
1997	91						
1998	99						
1999	96						
2000	80	80	80	80	82		
2001	99	100	100	100	100		
2002	99	100	100	100	100		
2003	99	100	100	100	100		
2004	99	100	100	100	100		
2005	99	100	100	100	100		
2006	99	99	99	99	99		
2007	99	100	100	100	100		
2008	99	100	100	100	100		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Tuvalu

DTP3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	36	36					
1981	49	49					
1982	72	72					
1983	79	79					
1984	37	37					
1985	52	52					
1986	73	73					
1987	59	59					
1988	89	89					
1989	85	85					
1990	99	100	100	100	100		
1991	74	74	74	74	74		
1992	70	70	70	70	70		
1993	80	80	80	80	82		
1994	99	100	100	100	100		
1995	87	87	87	87	87		
1996	97	97	97	97	97		
1997	77	77	77	77	77		
1998	94	94	94	94	100		
1999	83	83	83	83	90		
2000	82	82	82	82	75		
2001	96	96	96	96	96		
2002	98	98	98	98	98		
2003	93	93	93	93	93		
2004	98	98	98	98	98		
2005	93	93	93	93	93		
2006	97	97	97	97	97		
2007	97	97	97	97	97		
2008	99	99	99	99	99		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Tuvalu

Pol3 (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980	23	23					
1981	44	44					
1982	79	79					
1983	83	83					
1984	74	74					
1985	97	97					
1986	73	73					
1987	59	59					
1988	91	91					
1989	66	66					
1990	84	84	84	84	84		
1991	71	71	71	71	71		
1992	86	86	86	86	86		
1993	86	86	86	86	86		
1994	95	95	95	95	95		
1995	85	85	85	85	85		
1996	92	92	92	92	92		
1997	80	80	80	80	80		
1998	78	78	78	78	100		
1999	84	84	84	84	84		
2000	82	82	82	82	82		
2001	96	96	96	96	96		
2002	98	98	98	98	98		
2003	93	93	93	93	93		
2004	98	98	98	98	98		
2005	99	100	100	100	93		
2006	97	97	97	97	97		
2007	97	97	97	97	97		
2008	99	99	99	99	99		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Tuvalu

MCV (1980-2008)



Description of trend

Estimated immunization coverage levels are based on reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983	65	65					
1984	71	71					
1985	92	92					
1986	65	65					
1987	65	65					
1988	90	90					
1989	79	79					
1990	95	95					
1991	63	63	63				
1992	66	66	60				
1993	64	64	88				
1994	79		64				
1995	94	94	94				
1996	94	94	94				
1997	99	100	100	100	100		
1998	96	96	96	96	96		
1999	94	94	94	94	94		
2000	81	81	81	81	81		
2001	99	100	100	100	100		
2002	99	99	99	99	99		
2003	95	95	95	95	95		
2004	97	97	97	97	98		
2005	62	62	62	62	79		
2006	84	84	84	84	84		
2007	95	95	95	95	95		
2008	93	93	93	93	93		


*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

Tuvalu

HepB3 (1980-2008)



Description of trend

Monovalent HepB3 introduced in 1992. Estimated immunization coverage levels are based on reported data.

Data presented in chart

Year	WHO/ UNICEF estimate (%)	Reported to:*		Government official estimate (%)	Reported doses administered (%)**	Survey data (%)***	
		WHO (%)	UNICEF (%)			Survey 12-23 months	Survey <12 months
1980							
1981							
1982							
1983							
1984							
1985							
1986							
1987							
1988							
1989							
1990							
1991							
1992							
1993							
1994	17	17	17	17	17		
1995	49	49	49	49	49		
1996	86	86	86	86	86		
1997	88	88	88	88	88		
1998	96	96	96	96	80		
1999	93	93	93	93	92		
2000	81	81	81	81	81		
2001	99	99	99	99	99		
2002	99	99	99	99	99		
2003	95	95	95	95	95		
2004	98	98	98	98	98		
2005	79	79	79	79	79		
2006	97	97	97	97	97		
2007	97	97	97	97	97		
2008	99	99	99	99	99		

*Prior to 1998 national reports to WHO/UNICEF did not specify whether information was derived from administrative records, surveys or other sources.

**Coverage based on registration of doses administered by health care providers.

***In case more than one survey was implemented in a certain year the highest value is presented. Details of all data are presented in the second section of this report.

