

Table 1: Number of households and women, and response rates, Vietnam, 2000

	Area		Total
	Urban	Rural	
Sampled households	1855	5773	7628
Occupied households	1855	5773	7628
Completed households	1855	5773	7628
Household response rate	100.0	100.0	100.0
Eligible women	2361	6985	9346
Interviewed women	2319	6798	9117
Women response rate	98.2	97.3	97.5
Children under 5	539	2568	3107
Interviewed children under 5	539	2565	3104
Child response rate	100.0	99.9	99.9

Table 2: Single year age distribution of household population by sex, Vietnam, 2000

	Sex			
	Male		Female	
	Number	Percent	Number	Percent
Age 0	238	1.4	255	1.5
1	240	1.4	232	1.3
2	284	1.7	270	1.5
3	299	1.8	289	1.6
4	330	1.9	299	1.7
5	400	2.3	337	1.9
6	374	2.2	373	2.1
7	453	2.7	405	2.3
8	445	2.6	427	2.4
9	477	2.8	423	2.4
10	475	2.8	429	2.4
11	451	2.6	416	2.4
12	478	2.8	460	2.6
13	384	2.3	398	2.3
14	413	2.4	449	2.6
15	417	2.4	415	2.4
16	446	2.6	398	2.3
17	450	2.6	405	2.3
18	389	2.3	330	1.9
19	310	1.8	350	2.0

Table 2: Single year age distribution of household population by sex, Vietnam, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
Age	20	316	1.9	349	2.0
	21	295	1.7	315	1.8
	22	282	1.7	243	1.4
	23	298	1.7	263	1.5
	24	248	1.5	249	1.4
	25	258	1.5	270	1.5
	26	259	1.5	249	1.4
	27	230	1.4	253	1.4
	28	258	1.5	265	1.5
	29	273	1.6	268	1.5
	30	250	1.5	299	1.7
	31	270	1.6	251	1.4
	32	249	1.5	237	1.4
	33	249	1.5	238	1.4
	34	250	1.5	277	1.6
	35	267	1.6	255	1.5
	36	277	1.6	308	1.8
	37	267	1.6	248	1.4
	38	246	1.4	226	1.3
	39	216	1.3	253	1.4
	40	259	1.5	292	1.7
	41	222	1.3	268	1.5
	42	220	1.3	229	1.3
	43	220	1.3	241	1.4
	44	199	1.2	185	1.1
	45	180	1.1	196	1.1
	46	161	.9	207	1.2
	47	153	.9	154	.9
	48	132	.8	133	.8
	49	130	.8	145	.8
	50	140	.8	181	1.0
	51	95	.6	137	.8
	52	116	.7	122	.7
	53	77	.5	121	.7
	54	83	.5	83	.5
	55	80	.5	78	.4
	56	71	.4	99	.6
	57	66	.4	73	.4
	58	67	.4	99	.6

Table 2: Single year age distribution of household population by sex, Vietnam, 2000

		Sex			
		Male		Female	
		Number	Percent	Number	Percent
Age	59	72	.4	99	.6
	60	101	.6	107	.6
	61	77	.5	71	.4
	62	72	.4	106	.6
	63	72	.4	80	.5
	64	70	.4	88	.5
	65	76	.4	102	.6
	66	52	.3	97	.6
	67	81	.5	108	.6
	68	63	.4	63	.4
	69	59	.3	72	.4
	70+	576	3.4	833	4.7
	Missing/DK	0	.0	7	.0
Total		17055	100.0	17554	100.0

Table 3: Percentage of cases missing information for selected questions, Vietnam, 2000

	Percent missing	Number
Level of education	.0	29110
Year of education	.0	27194
Number of hours worked	.5	245

Table 4: Percent distribution of households by background characteristics, Vietnam, 2000

		Percent	Number	Unweighted
Region of residence	DBSH	13.8	1049	1049
	DB	11.2	852	852
	TB	10.7	813	813
	BTB	12.3	942	942
	DHNTB	13.3	1017	1017
	TN	11.4	872	872
	DNB	13.4	1025	1025
	DBSCL	13.9	1058	1058
Area	Urban	24.3	1855	1855
	Rural	75.7	5773	5773
Number of HH members	1	3.4	257	257
	2-3	22.2	1690	1690
	4-5	46.3	3532	3532
	6-7	20.0	1523	1523
	8-9	6.4	490	490
	10+	1.8	136	136
Total		100.0	7628	7628

Table 4: Percent distribution of households by background characteristics, Vietnam, 2000

	Percent	Number	Unweighted
At least one child age < 15	74.9	7621	7621
At least one child age < 5	32.6	7621	7621
At least one woman age 15-49	87.3	7621	7621

Table 4a: Percent distribution of households by background characteristics, Vietnam, 2000

		Area		Total
		Urban	Rural	
Region of residence	DBSH	12.7	14.1	13.8
	DB	7.4	12.4	11.2
	TB	4.3	12.7	10.7
	BTB	6.9	14.1	12.3
	DHNTB	14.3	13.0	13.3
	TN	11.5	11.4	11.4
	DNB	27.7	8.9	13.4
	DBSCL	15.2	13.4	13.9
Number of HH members	1	3.4	3.4	3.4
	2-3	27.1	20.6	22.2
	4-5	49.7	45.2	46.3
	6-7	14.3	21.8	20.0
	8-9	4.2	7.2	6.4
	10+	1.3	1.9	1.8
	Total	100.0	100.0	100.0
Number		1855	5773	7628
Unweighted		1855	5773	7628

Table 4a: Percent distribution of households by background characteristics, Vietnam, 2000

	Area		Total	
	Urban	Rural		
At least one child age < 15	66.1	77.8	74.9	
At least one child age < 5	26.1	34.7	32.6	
At least one woman age 15-49	87.0	87.4	87.3	
Number		1855	5766	7621
Unweighted		1855	5766	7621

Table 5: Percent distribution of women 15-49 by background characteristics, Vietnam, 2000

		Percent	Number	Unweighted
Region of residence	DBSH	20.0	1852	1161
	DB	13.6	1264	1027
	TB	2.7	254	1102
	BTB	12.1	1125	1058
	DHNTB	8.4	782	1185
	TN	3.5	324	1032
	DNB	17.6	1631	1291
	DBSCL	22.0	2039	1396
Area	Urban	25.8	2389	2335
	Rural	74.2	6882	6917
Age	15-19	20.5	1902	1900
	20-24	15.1	1396	1398
	25-29	14.2	1320	1341
	30-34	14.0	1298	1337
	35-39	14.2	1313	1313
	40-44	13.2	1219	1181
	45-49	8.9	822	782
Marital status	Currently married	63.5	5874	5929
	Formerly married	4.8	444	451
	Never married	31.7	2939	2858
Woman's education level	None	7.3	680	942
	primaire	25.0	2315	2273
	Lower secondary	42.2	3909	3824
	Upper secondary	18.7	1735	1629
	Non standard	.4	35	39
	Tech voc. training	2.4	227	219
	College univerty or higher	3.9	364	321
	Don't know	.1	6	5
Total		100.0	9271	9252

Table 6: Percent distribution of children under 5 by background characteristics, Vietnam, 2000

		Percent	Number	Unweighted
Gioi tinh	Nam	50.8	1578	1584
	Nu	49.2	1526	1521
Region of residence	DBSH	15.9	493	278
	DB	16.0	498	363
	TB	3.5	109	428
	BTB	14.8	459	390
	DHNTB	10.4	324	449
	TN	6.1	190	526
	DNB	15.2	473	340
	DBSCL	18.0	558	331
	Area	Urban	18.8	584
	Rural	81.2	2520	2566
Age	< 6 months	7.7	238	230
	6-11 months	9.7	300	288
	12-23 months	17.3	536	545
	24-35 months	20.2	626	640
	36-47 months	21.4	663	675
	48-59 months	23.9	741	727
Total		100.0	3104	3105

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Vietnam, 2000

		Attending programme	Number of children
wealth index quintiles	Poorest	11.0	429
	Second	21.8	301
	Middle	40.0	205
	Fourth	37.4	213
	Richest	67.1	256
Gioi tinh	Nam	30.2	720
	Nu	33.4	684
Region of residence	DBSH	61.7	223
	DB	21.2	210
	TB	24.6	47
	BTB	26.5	225
	DHNTB	25.5	151
	TN	16.4	84
	DNB	36.6	231
	DBSCL	23.7	233
Area	Urban	60.3	280
	Rural	24.6	1124
Age	36-47 months	22.2	663
	48-59 months	40.3	741
Mother's education level	None	7.2	184
	primaire	14.7	365
	Lower secondary	34.8	574
	Upper secondary	61.6	205
	Non standard	19.2	6
	Tech voc. training	69.8	24
	College univerty or higher	78.9	44
Don't know	.0	3	
Total		31.7	1404

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Vietnam, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
wealth index quintiles	Poorest	97.0	97.5	94.4	92.2	82.3
	Second	97.7	97.5	98.4	94.5	88.6
	Middle	100.0	99.9	99.2	97.5	96.6
	Fourth	99.7	100.0	99.5	97.9	97.1
	Richest	100.0	100.0	100.0	100.0	100.0
Sex	Male	97.7	98.2	98.9	97.0	92.0
	Female	99.5	99.4	97.0	95.5	91.7
Region of residence	DBSH	100.0	100.0	100.0	97.0	97.0
	DB	98.1	99.0	98.9	93.3	89.7
	TB	99.0	97.2	95.6	97.7	90.0
	BTB	99.1	99.1	97.8	96.0	92.2
	DHNTB	100.0	100.0	99.2	100.0	99.2
	TN	98.6	100.0	98.4	96.8	93.9
	DNB	100.0	100.0	98.8	97.5	96.4
	DBSCL	95.5	96.2	95.4	94.6	82.9
	Area	Urban	99.1	100.0	100.0	98.6
	Rural	98.5	98.6	97.7	95.8	90.8
1.00		98.6	98.8	98.0	96.3	91.9

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Vietnam, 2000

		Sex				Total		
		Male		Female		Attending	Number	
		Attending primary school		Attending primary school				
		Attending	Number	Attending	Number			
wealth index quintiles	Poorest	79.1	527	75.9	500	77.5	1027	
	Second	86.6	526	85.6	474	86.1	999	
	Middle	89.7	471	90.6	417	90.1	888	
	Fourth	92.0	379	93.7	354	92.8	733	
	Richest	92.8	321	90.8	312	91.8	634	
Region of residence	DBSH	91.3	398	91.3	360	91.3	758	
	DB	87.8	352	80.9	312	84.6	664	
	TB	72.3	70	71.1	68	71.7	137	
	BTB	89.9	358	89.9	316	89.9	674	
	DHNTB	86.8	205	84.7	194	85.8	399	
	TN	81.3	103	83.5	102	82.4	205	
	DNB	90.4	316	89.5	302	90.0	618	
	DBSCL	82.8	424	85.6	402	84.2	827	
	Area	Urban	93.5	395	90.5	366	92.0	762
		Rural	86.0	1829	85.6	1690	85.8	3520
Age	6	57.8	374	59.0	373	58.4	747	
	7	90.5	453	89.4	405	90.0	858	
	8	95.0	445	93.1	427	94.1	872	
	9	95.1	477	94.6	423	94.9	900	
	10	92.4	475	92.8	429	92.6	904	
Total		87.3	2225	86.4	2056	86.9	4281	

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Vietnam, 2000

		Sex						Total		
		Male			Female			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
wealth index quintiles	Poorest	79.6	.6	1924	65.7	.8	2197	72.2	.7	4120
	Second	92.6	.4	2128	84.5	.5	2351	88.3	.4	4479
	Middle	97.4	.1	2278	89.4	.4	2404	93.3	.3	4683
	Fourth	97.3	.1	2428	91.6	.3	2476	94.5	.2	4904
	Richest	98.6	.1	2555	96.6	.4	2656	97.6	.2	5211
Region of residence	DBSH	98.5	.1	2297	92.6	.1	2440	95.5	.1	4736
	DB	88.7	.0	1549	77.1	.0	1638	82.8	.0	3187
	TB	82.2	.2	313	62.4	.1	314	72.3	.2	627
	BTB	94.1	.0	1366	86.3	.0	1486	90.1	.0	2851
	DHNTB	95.5	.1	917	87.8	.2	1015	91.5	.1	1932
Area	TN	90.6	.0	421	80.5	.2	403	85.7	.1	824
	DNB	96.3	.1	2024	92.4	.8	2115	94.3	.4	4139
	DBSCL	91.4	.9	2426	83.9	1.3	2674	87.5	1.1	5100
	Urban	98.2	.1	2973	94.8	.5	3133	96.5	.3	6106
	Rural	92.2	.3	8341	83.2	.5	8951	87.5	.4	17291
Age	15-24	95.4	.2	3453	93.9	.1	3317	94.7	.2	6770
	25-34	94.0	.3	2547	91.7	.1	2607	92.8	.2	5153
	35-44	95.4	.1	2393	91.5	.3	2506	93.4	.2	4899
	45-54	95.2	.1	1267	88.3	.4	1477	91.5	.3	2745
	55-64	91.3	.3	747	74.5	.8	902	82.1	.6	1649
	65+	82.6	.4	906	49.9	2.4	1275	63.4	1.6	2181
Total		93.7	.2	11313	86.2	.5	12084	89.8	.4	23397

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Vietnam, 2000

		Main source of water													Total	Total with safe drinking water	Number of persons
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Protected dug well	Protected spring	Rainwater collection	Unprotected dug well	Unprotected spring	Pond, river or stream	Tanker truck vendor	Other	Missing/DK			
Region of residence	DBSH	14.1	.6	.0	32.5	12.5	.0	35.3	1.0	.0	3.7	.1	.2	.0	100.0	95.0	6688
	DB	1.7	.0	.2	13.0	53.0	.4	.7	10.7	16.6	1.2	.0	2.5	.1	100.0	68.9	4930
	TB	3.0	.8	.0	.4	32.9	8.4	1.5	18.5	33.4	.0	.0	1.0	.0	100.0	47.1	1011
	BTB	5.8	.1	.0	12.5	60.2	1.8	11.0	2.9	1.2	4.4	.0	.0	.0	100.0	91.5	4543
	DHNTB	7.2	.1	.0	9.8	76.3	.0	.2	1.8	3.1	.1	.3	1.2	.0	100.0	93.6	2962
	TN	4.3	.0	.0	3.3	63.7	4.6	.1	14.2	8.5	1.2	.0	.0	.0	100.0	76.0	1390
	DNB	33.4	.5	.2	24.7	27.4	.0	1.0	7.0	.2	3.9	1.7	.0	.0	100.0	87.2	5765
Area	DBSCL	9.0	.8	.0	26.5	3.7	.0	14.5	4.5	.0	40.5	.0	.6	.0	100.0	54.4	7321
	Urban	49.0	1.4	.2	17.9	22.7	.4	3.8	1.1	.1	1.6	1.3	.4	.0	100.0	95.4	8133
	Rural	.7	.1	.0	21.3	36.5	.8	14.1	6.8	5.4	13.5	.0	.7	.0	100.0	73.5	26478
Total		12.1	.4	.1	20.5	33.2	.7	11.7	5.5	4.1	10.7	.3	.7	.0	100.0	78.7	34611

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Vietnam, 2000

		Type of toilet facility								Total	Total with sanitary means of excreta disposal	Number of persons
		Flush to sewage system/septic tank	Pour flush latrine (water seal type)	Improved pit latrine (i.e., VIP)	Traditional pit latrine	Open pit	Bucket	Other	No facilities/bush/field			
Region of residence	DBSH	20.2	2.8	.4	52.0	12.3	1.9	3.0	7.4	100.0	75.4	6688
	DB	3.6	.5	4.0	29.7	28.9	6.5	.5	26.4	100.0	37.8	4930
	TB	3.0	.5	.5	16.5	51.1	.6	3.6	24.0	100.0	20.6	1011
	BTB	6.2	2.0	1.5	37.3	20.1	2.8	10.2	19.8	100.0	47.1	4543
	DHNTB	13.5	12.9	2.1	12.0	14.6	.9	1.7	42.3	100.0	40.5	2962
	TN	6.3	9.0	1.6	5.3	46.6	.9	.1	30.1	100.0	22.2	1390
	DNB	31.0	23.5	1.1	4.1	25.2	1.5	.7	13.0	100.0	59.7	5765
	DBSCL	4.1	8.0	2.0	.1	68.3	.3	1.3	15.8	100.0	14.3	7321
Area	Urban	45.8	23.1	2.2	10.7	11.3	1.4	1.0	4.5	100.0	81.8	8133
	Rural	2.6	3.3	1.6	24.9	38.9	2.3	3.1	23.2	100.0	32.5	26478
Total		12.8	8.0	1.7	21.6	32.4	2.1	2.6	18.8	100.0	44.1	34611

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Vietnam, 2000

		Missing height or weight	Number of children
wealth index quintiles	Poorest	2.7	946
	Second	1.7	662
	Middle	1.1	503
	Fourth	2.3	494
	Richest	3.1	499
Gioi tinh	Nam	2.5	1578
	Nu	1.9	1526
Region of residence	DBSH	.4	493
	DB	1.6	498
	TB	4.1	109
	BTB	.8	459
	DHNTB	3.6	324
	TN	2.3	190
	DNB	2.4	473
	DBSCL	4.4	558
Area	Urban	3.0	584
	Rural	2.1	2520
Age	< 6 months	5.8	238
	6-11 months	1.9	300
	12-23 months	1.7	536
	24-35 months	1.7	626
	36-47 months	1.9	663
	48-59 months	2.3	741
Mother's education level	None	2.7	398
	primaire	2.7	832
	Lower secondary	1.9	1311
	Upper secondary	2.2	411
	Non standard	2.7	9
	Tech voc. training	3.5	61
	College univerty or higher	.3	78
Don't know	.0	4	
Total		2.2	3104

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Vietnam, 2000

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
wealth index quintiles	Poorest	42.1	10.0	45.6	16.9	7.5	.6	900
	Second	36.0	5.8	42.2	14.5	4.7	.6	646
	Middle	31.5	4.1	36.9	11.8	4.0	.3	489
	Fourth	29.6	4.1	30.7	8.9	5.1	.3	476
	Richest	17.6	1.5	16.4	2.4	5.2	.4	481
Gioi tinh	Nam	31.2	5.0	35.4	10.1	6.4	.7	1513
	Nu	35.1	6.6	37.4	13.7	4.8	.2	1480
Region of residence	DBSH	28.1	2.6	33.3	7.8	4.8	.4	483
	DB	37.5	7.9	49.6	22.0	2.6	.9	479
	TB	38.9	6.8	42.6	20.1	9.4	1.9	102
	BTB	38.7	6.5	45.5	16.4	5.7	.0	450
	DHNTB	30.5	5.1	32.5	7.6	5.3	.5	312
	TN	44.5	8.6	43.3	17.6	6.4	.2	181
	DNB	27.6	5.4	26.6	6.6	4.8	.0	458
	DBSCL	30.3	6.0	26.7	6.3	8.7	.7	528
Area	Urban	21.6	3.3	19.5	5.3	6.2	.6	563
	Rural	35.8	6.4	40.3	13.5	5.4	.4	2429
Age	< 6 months	2.0	.3	7.1	3.7	1.2	.0	213
	6-11 months	12.9	4.2	19.8	3.3	3.1	.1	284
	12-23 months	37.6	9.3	42.2	16.6	10.9	.8	522
	24-35 months	40.2	7.9	37.6	13.6	4.1	.5	605
	36-47 months	37.2	4.7	40.9	13.8	5.4	.5	650
Mother's education level	48-59 months	37.4	4.9	42.3	11.2	5.5	.3	718
	None	47.8	12.3	56.6	28.1	5.3	.2	379
	primaire	37.7	7.4	40.9	12.9	6.6	.4	800
	Lower secondary	31.2	4.3	34.6	9.2	5.1	.6	1266
	Upper secondary	23.1	3.4	20.3	6.9	5.6	.2	400
	Non standard	27.3	.0	57.5	.0	.0	.0	9
	Tech voc. training	21.3	.0	19.4	5.8	9.4	2.9	59
	College univerty or higher	6.3	.0	11.8	.0	2.2	.0	76
Total	Don't know	36.6	.0	68.3	.0	.0	.0	4
		33.1	5.8	36.4	11.9	5.6	.5	2992

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Vietnam, 2000

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
Gioi tinh	Nam	28.5	73	32.0	111	86.1	76	20.5	114
	Nu	33.7	78	26.3	103	89.3	88	19.5	96
Region of residence	DBSH	49.8	21	51.7	52	88.7	16	6.8	27
	DB	28.1	19	6.6	41	100.0	15	29.4	37
	TB	64.7	6	35.1	6	88.1	6	30.0	4
	BTB	56.3	19	27.7	17	95.9	28	32.2	40
	DHNTB	7.1	10	17.2	17	100.0	19	20.6	21
	TN	12.6	6	20.5	14	83.7	11	18.9	13
	DNB	.0	20	39.8	35	72.4	25	4.8	30
	DBSCL	30.6	50	20.9	32	82.6	43	18.7	38
Area	Urban	18.9	32	36.0	37	88.0	33	16.5	35
	Rural	34.5	119	27.9	178	87.8	131	20.7	174
Mother's education level	None	17.8	23	3.1	24	75.0	18	43.4	29
	primaire	45.3	42	20.7	63	87.9	52	15.8	49
	Lower secondary	34.8	51	38.8	85	90.8	71	16.8	100
	Upper secondary	23.4	25	29.6	30	89.1	20	20.9	23
	Non standard	.0	1	.0	0	.	0	.0	1
	Tech voc. training	.0	3	57.4	3	100.0	0	.0	3
	College univerty or higher	.0	4	60.6	9	83.2	2	.0	3
Don't know	.	0	.	0	.	0	.0	1	
Total		31.2	151	29.3	214	87.8	164	20.0	210

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Vietnam, 2000

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	.0	39.5	45.6	8.5	6.4	100.0	60
2-3	1.7	24.4	39.0	29.5	5.4	100.0	85
4-5	1.7	9.0	18.2	33.7	37.5	100.0	87
6-7	3.0	1.8	10.9	37.9	46.5	100.0	116
8-9	5.7	3.7	8.2	24.7	57.7	100.0	94
10-11	3.5	.0	6.6	18.7	71.1	100.0	83
12-13	6.5	.0	4.2	18.1	71.3	100.0	90
14-15	19.2	.3	2.6	13.6	64.3	100.0	74
16-17	44.5	.3	2.8	8.5	43.9	100.0	78
18-19	46.4	.9	1.6	5.4	45.8	100.0	84
20-21	77.5	.0	6.1	.0	16.4	100.0	105
22-23	81.1	.0	1.4	.0	17.5	100.0	97
24-25	79.4	.0	.0	.0	20.6	100.0	78
26-27	84.3	.0	.4	.0	15.3	100.0	81
28-29	91.1	.0	.0	.0	8.9	100.0	99
30-31	93.1	.0	.0	.9	5.9	100.0	125
32-33	95.7	.0	.0	1.6	2.7	100.0	113
34-35	96.8	.0	1.0	.0	2.2	100.0	113

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Vietnam, 2000

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 15 PPM	15+ PPM	
wealth index quintiles	Poorest	2.1	97.9	68.9	31.1	1550
	Second	3.5	96.3	67.3	32.7	1550
	Middle	3.9	96.0	64.8	35.2	1499
	Fourth	5.4	94.1	57.3	42.7	1466
	Richest	3.3	96.5	44.2	55.8	1565
Region of residence	DBSH	5.6	94.3	75.4	24.6	1644
	DB	3.0	97.0	59.0	41.0	1054
	TB	.6	99.4	69.9	30.1	190
	BTB	3.5	96.4	74.4	25.6	989
	DHNTB	2.8	97.2	49.3	50.7	646
	TN	.5	99.0	15.6	84.4	276
	DNB	4.3	95.2	44.1	55.9	1263
	DBSCL	2.8	97.0	62.2	37.8	1567
Area	Urban	3.8	95.9	47.6	52.4	1911
	Rural	3.6	96.3	64.8	35.2	5718
Total		3.6	96.2	60.5	39.5	7629

World Summit for Children Goal => Number 14

Table 17: Percentage of population consuming adequately iodized salt, Vietnam, 2000

		Percent of population with no salt	Percent of population in which salt was tested	Result of test		Number of persons	
				< 15 PPM	15+ PPM	Total	
wealth index quintiles	Poorest	1.9	98.1	67.9	32.1	6928	
	Second	3.3	96.6	67.4	32.6	6924	
	Middle	3.9	96.1	65.1	34.9	6921	
	Fourth	5.1	94.5	57.6	42.4	6912	
	Richest	3.2	96.7	43.5	56.5	6926	
Region of residence	DBSH	5.8	94.1	74.8	25.2	6688	
	DB	2.6	97.4	58.8	41.2	4930	
	TB	.7	99.3	70.5	29.5	1011	
	BTB	3.2	96.7	75.2	24.8	4543	
	DHNTB	2.5	97.5	49.9	50.1	2962	
	TN	.6	98.8	15.9	84.1	1390	
	DNB	4.5	95.0	44.4	55.6	5765	
	DBSCL	2.6	97.4	63.0	37.0	7321	
	Area	Urban	3.8	96.1	47.3	52.7	8133
		Rural	3.4	96.5	64.3	35.7	26478
Total		3.5	96.4	60.3	39.7	34611	

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months, Vietnam, 2000

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
wealth index quintiles	Poorest	49.4	14.2	11.9	1.1	23.4	100.0	879
	Second	57.2	18.9	11.0	.7	12.1	100.0	610
	Middle	62.4	17.4	5.8	1.2	13.2	100.0	467
	Fourth	67.4	14.6	8.6	.4	8.9	100.0	450
	Richest	72.0	13.3	6.7	.2	7.8	100.0	461
Gioi tinh	Nam	59.4	16.4	8.8	1.0	14.5	100.0	1465
	Nu	60.0	14.8	9.9	.6	14.6	100.0	1401
Region of residence	DBSH	65.1	16.5	7.3	.4	10.8	100.0	463
	DB	58.4	16.1	7.6	.0	18.0	100.0	460
	TB	40.7	10.8	10.7	2.6	35.1	100.0	101
	BTB	61.1	19.3	10.9	1.7	7.0	100.0	427
	DHNTB	54.7	21.2	16.8	.2	7.2	100.0	299
	TN	39.6	18.6	14.8	.2	26.8	100.0	179
	DNB	70.8	9.8	3.1	1.5	14.7	100.0	440
	DBSCL	58.6	13.1	10.5	.6	17.1	100.0	496
	Area	Urban	67.0	14.7	8.8	.5	8.9	100.0
	Rural	58.0	15.9	9.5	.8	15.9	100.0	2330
Age	6-11 months	53.0	3.1	3.5	1.0	39.4	100.0	300
	12-23 months	70.5	12.6	4.7	.4	11.8	100.0	536
	24-35 months	66.2	12.6	9.1	.5	11.6	100.0	626
	36-47 months	59.9	16.8	10.0	.9	12.4	100.0	663
	48-59 months	48.8	24.4	14.8	1.1	10.9	100.0	741
Mother's education level	None	48.9	13.3	10.7	1.6	25.4	100.0	367
	primaire	55.0	15.7	9.4	1.6	18.3	100.0	763
	Lower secondary	62.1	16.8	9.6	.2	11.2	100.0	1223
	Upper secondary	71.4	13.1	6.7	.4	8.5	100.0	377
	Non standard	3.2	17.2	28.0	.0	51.6	100.0	8
	Tech voc. training	63.9	16.8	13.3	.0	6.0	100.0	56
	College univerty or higher	63.0	18.1	7.6	.6	10.7	100.0	69
	Don't know	63.4	36.6	.0	.0	.0	100.0	4
Total		59.7	15.6	9.4	.8	14.6	100.0	2866

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old, Vietnam, 2000

		Received Vitamin A supplement	Not sure if received	Number of women	
wealth index quintiles	Poorest	20.3	.8	143	
	Second	29.3	.0	96	
	Middle	25.9	1.7	96	
	Fourth	31.3	.0	97	
	Richest	32.8	.0	82	
Region of residence	DBSH	28.5	1.7	95	
	DB	15.9	1.3	93	
	TB	20.7	.0	15	
	BTB	46.2	.0	59	
	DHNTB	27.0	.0	46	
	TN	28.3	.0	29	
	DNB	21.1	.0	72	
	DBSCL	29.8	.0	104	
	Area	Urban	30.6	.0	95
		Rural	26.3	.7	419
Woman's education level	None	15.4	1.8	67	
	primaire	26.6	.0	146	
	Lower secondary	25.8	.8	202	
	Upper secondary	34.5	.0	70	
	Non standard	.0	.0	2	
	Tech voc. training	35.5	.0	9	
	College univerty or higher	58.7	.0	18	
Total		27.1	.5	514	

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight			Size of child					
		<2500	2500+	Not weighted at birth	Very large	Larger than average	Average	Smaller than average	Very small	Don't know
wealth index quintiles	Poorest	3.2	36.9	59.9	1.3	17.0	60.6	17.6	2.8	.7
	Second	4.4	65.2	30.4	.0	20.2	63.5	12.1	3.1	1.1
	Middle	5.8	68.3	25.9	2.9	12.7	65.8	16.9	1.7	.0
	Fourth	5.3	84.7	10.1	.3	27.8	55.0	16.9	.0	.0
	Richest	1.5	95.4	3.1	1.8	26.1	65.4	6.8	.0	.0
Region of residence	DBSH	3.4	86.2	10.3	3.3	25.5	54.1	13.6	3.4	.0
	DB	.0	43.9	56.1	2.5	15.9	73.9	7.6	.0	.0
	TB	2.8	28.2	68.9	.0	18.8	69.8	11.3	.0	.0
	BTB	5.3	38.0	56.8	.0	19.7	55.6	19.4	1.8	3.5
	DHNTB	4.2	55.2	40.6	1.4	15.6	60.6	18.1	4.2	.0
	TN	1.0	26.8	72.2	1.1	11.9	68.5	16.3	2.2	.0
	DNB	7.0	89.5	3.5	.0	30.3	59.1	10.7	.0	.0
	DBSCL	6.3	90.5	3.2	.0	17.4	61.1	20.0	1.6	.0
	Urban	1.7	95.7	2.7	1.6	24.2	69.7	4.6	.0	.0
	Rural	4.6	59.8	35.6	1.2	19.3	60.1	16.9	2.0	.5
Woman's education level	None	1.9	25.2	72.9	.0	7.2	78.4	13.0	1.5	.0
	primaire	4.1	59.1	36.8	.0	19.9	57.8	18.7	2.9	.7
	Lower secondary	3.4	76.2	20.4	1.9	25.4	58.2	12.4	1.6	.5
	Upper secondary	9.3	81.4	9.3	1.7	17.9	65.6	14.8	.0	.0
	Non standard	.0	65.1	34.9	.0	.0	82.6	17.4	.0	.0
	Tech voc. training	.0	100.0	.0	.0	16.9	47.6	35.5	.0	.0
	College univerty or higher	.0	94.1	5.9	8.4	26.0	65.7	.0	.0	.0
Total		4.0	66.4	29.5	1.3	20.2	61.9	14.6	1.7	.4

Table 20a. Birth weight and size at birth

		Total	Number
wealth index quintiles	Poorest	100.0	143
	Second	100.0	96
	Middle	100.0	96
	Fourth	100.0	95
	Richest	100.0	82
Region of residence	DBSH	100.0	95
	DB	100.0	93
	TB	100.0	15
	BTB	100.0	59
	DHNTB	100.0	46
	TN	100.0	29
	DNB	100.0	71
	DBSCL	100.0	104
Area	Urban	100.0	95
	Rural	100.0	417
Woman's education level	None	100.0	67
	primaire	100.0	145
	Lower secondary	100.0	202
	Upper secondary	100.0	70
	Non standard	100.0	2
	Tech voc. training	100.0	9
	College univerty or higher	100.0	18
Total		100.0	512

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Vietnam, 2000

BCG	Vaccination Card	27.3
	Mother's Report	60.9
	Not vaccinated	11.8
DPT1	Vaccination Card	27.3
	Mother's Report	59.9
	Not vaccinated	12.8
DPT2	Vaccination Card	26.9
	Mother's Report	49.7
	Not vaccinated	23.4
DPT3	Vaccination Card	24.9
	Mother's Report	39.3
	Not vaccinated	35.8
Polio 1	Vaccination Card	27.1
	Mother's Report	63.9
	Not vaccinated	9.0
Polio 2	Vaccination Card	25.8
	Mother's Report	53.8
	Not vaccinated	20.5
Polio 3	Vaccination Card	20.6
	Mother's Report	31.3
	Not vaccinated	48.1
Measles	Vaccination Card	21.0
	Mother's Report	53.9
	Not vaccinated	25.1
All vaccinations	Vaccination Card	17.2
	Mother's Report	25.1
	Doesn't have all vaccinations	57.7
No vaccinations	Mother's Report	5.0
	Has some vaccinations	95.0
Number of children		536.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Vietnam, 2000

BCG	100.0
DPT 1	99.7
DPT 2	98.5
DPT 3	97.8
Polio 1	99.5
Polio 2	98.7
Polio 3	97.4
Measles	97.0
All vaccinations	93.3
No vaccinations	.0

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Vietnam, 2000

	BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	27.3	27.3	26.9	24.9	27.1	25.8	20.6	21.0	17.2	.0	536.0
Mother's report	60.9	59.9	49.7	39.3	63.9	53.8	31.3	53.9	25.1	5.0	536.0
Either	88.2	87.2	76.6	64.2	91.0	79.5	51.9	74.9	42.3	5.0	536.0
Vaccinated by 12 months of age	88.2	87.0	75.5	62.8	90.5	78.5	50.6	72.7	39.5	5.0	536.0

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Vietnam, 2000

		BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	% with health card	Number of children
wealth index quintiles	Poorest	75.5	74.3	58.8	39.4	80.1	57.4	28.3	51.5	18.4	12.8	15.7	166
	Second	89.4	88.6	78.4	65.2	92.6	82.5	52.0	80.7	42.5	3.6	32.6	120
	Middle	96.0	96.2	88.5	76.5	99.0	93.2	58.9	88.0	53.2	.0	20.4	96
	Fourth	92.0	89.0	77.6	72.3	95.0	89.7	63.6	78.2	47.4	1.6	27.7	75
	Richest	100.0	99.5	95.9	92.5	97.7	95.1	81.6	96.3	74.1	.0	52.2	79
Gioi tinh	Nam	87.9	86.3	71.9	59.7	92.9	80.8	50.2	74.2	39.9	4.8	24.9	271
	Nu	88.4	88.1	81.5	68.9	88.9	78.2	53.7	75.6	44.7	5.3	30.0	265
Region of residence	DBSH	94.8	100.0	95.0	92.4	100.0	89.7	69.2	89.7	64.0	.0	25.2	69
	DB	79.7	92.2	75.0	57.8	90.6	76.6	41.8	71.9	35.6	3.1	6.6	86
	TB	74.7	63.3	51.9	37.9	68.3	48.1	27.8	58.2	21.5	15.2	.0	20
	BTB	91.7	84.8	72.3	47.2	91.7	76.5	40.3	80.6	33.4	4.2	4.2	84
	DHNTB	90.7	90.7	82.7	75.9	96.0	86.6	59.5	81.3	48.8	1.3	36.8	53
	TN	86.6	77.2	61.7	44.2	81.3	52.2	35.8	54.5	24.6	8.3	27.6	35
	DNB	93.6	90.4	80.4	65.9	95.1	88.6	64.2	80.6	54.3	3.2	49.4	85
	DBSCL	85.5	80.0	72.7	69.1	86.2	81.8	54.2	65.1	37.5	10.9	47.4	104
Area	Urban	99.4	99.4	90.1	86.2	97.6	94.7	74.1	91.3	66.7	.0	54.3	107
	Rural	85.4	84.2	73.2	58.8	89.3	75.7	46.3	70.8	36.2	6.3	20.7	429
Mother's education level	None	73.4	71.9	51.7	33.8	76.7	53.5	19.3	52.8	14.6	14.8	7.8	74
	primaire	87.0	83.7	75.0	62.8	90.3	76.3	46.7	67.4	33.9	6.4	32.8	144
	Lower secondary	90.8	89.6	79.1	66.5	93.6	84.7	57.7	80.1	46.8	2.8	25.8	231
	Upper secondary	96.9	99.5	93.0	87.5	96.7	92.5	77.4	90.9	71.2	.0	36.7	70
	Non standard	.0	100.0	100.0	.0	100.0	100.0	.0	100.0	.0	.0	.0	1
	Tech voc. training	100.0	100.0	95.5	95.5	100.0	92.2	74.4	100.0	74.4	.0	69.6	8
	College univerty or higher	100.0	100.0	100.0	100.0	100.0	100.0	53.2	100.0	53.2	.0	51.9	7
Don't know	100.0	100.0	100.0	.0	100.0	100.0	.0	100.0	.0	.0	.0	1	
Total		88.2	87.2	76.6	64.2	91.0	79.5	51.9	74.9	42.3	5.0	27.4	536

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Vietnam, 2000

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding
wealth index quintiles	Poorest	17.5	946	30.6	54.1	4.2	8.2	6.4	79.7
	Second	11.0	662	34.5	56.1	4.8	9.7	13.7	78.0
	Middle	9.3	503	38.7	62.6	3.9	17.5	17.9	80.5
	Fourth	7.9	494	47.7	40.0	11.7	14.4	22.7	53.1
	Richest	5.5	499	41.6	65.0	20.4	17.0	30.0	63.9
Gioi tinh	Nam	12.5	1578	30.4	60.8	5.4	11.5	11.8	76.2
	Nu	10.1	1526	41.4	47.4	7.7	10.6	14.7	74.1
Region of residence	DBSH	6.8	493	42.3	52.7	21.0	21.0	15.7	84.3
	DB	17.7	498	39.7	51.2	1.9	9.5	3.1	84.7
	TB	7.3	109	31.0	45.4	.0	21.7	9.3	60.8
	BTB	12.2	459	29.1	54.3	.0	10.4	4.4	64.4
	DHNTB	11.8	324	32.1	64.1	9.5	13.3	21.1	79.3
	TN	14.7	190	40.4	73.9	7.7	9.0	20.8	62.6
	DNB	6.7	473	35.0	39.5	13.2	8.9	17.5	51.9
	DBSCL	12.2	558	31.4	56.8	5.5	8.3	22.6	82.9
Area	Urban	6.3	584	31.9	74.3	19.3	19.3	30.5	61.9
	Rural	12.5	2520	35.6	52.7	4.9	10.2	11.0	76.8
Age	< 6 months	7.3	238	88.2	30.1	.0	7.8	26.5	58.0
	6-11 months	18.5	300	94.9	41.8	4.5	9.8	23.0	75.5
	12-23 months	17.7	536	48.9	56.3	4.6	12.2	11.0	72.8
	24-35 months	11.8	626	8.5	62.1	13.0	14.3	9.0	78.2
	36-47 months	9.0	663	1.2	60.2	5.1	11.9	9.7	79.5
	48-59 months	6.8	741	5.6	58.7	5.8	6.2	11.4	76.0
	None	21.0	398	39.0	54.4	.4	9.3	4.1	79.9
Mother's education level	primaire	13.1	832	25.7	46.8	6.6	6.4	12.2	77.1
	Lower secondary	10.1	1311	37.0	63.1	6.9	15.0	18.1	74.3
	Upper secondary	5.6	411	57.8	47.1	25.2	19.6	19.2	57.6
	Non standard	4.0	9	100.0	100.0	.0	.0	.0	100.0
	Tech voc. training	1.2	61	100.0	100.0	.0	.0	100.0	100.0
	College univerty or higher	3.4	78	.0	44.7	.0	.0	.0	44.7
	Don't know	.0	4
Total		11.3	3104	35.3	54.9	6.4	11.1	13.1	75.3

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Vietnam, 2000

		Any recommended treatment	No treatment	Number of children with diarrhea
				1.00
wealth index quintiles	Poorest	90.9	9.1	166
	Second	94.5	5.5	73
	Middle	100.0	.0	47
	Fourth	98.1	1.9	39
	Richest	94.7	5.3	27
Gioi tinh	Nam	94.8	5.2	198
	Nu	92.9	7.1	154
Region of residence	DBSH	94.7	5.3	34
	DB	96.9	3.1	88
	TB	93.8	6.2	8
	BTB	87.5	12.5	56
	DHNTB	88.7	11.3	38
	TN	98.7	1.3	28
	DNB	91.1	8.9	32
Area	DBSCL	97.2	2.8	68
	Urban	94.0	6.0	37
Age	Rural	93.9	6.1	315
	< 6 months	100.0	.0	17
	6-11 months	100.0	.0	55
	12-23 months	95.4	4.6	95
	24-35 months	90.5	9.5	74
	36-47 months	91.0	9.0	60
	48-59 months	90.9	9.1	50
Mother's education level	None	93.1	6.9	84
	primaire	93.0	7.0	109
	Lower secondary	95.1	4.9	133
	Upper secondary	100.0	.0	23
	Non standard	100.0	.0	0
	Tech voc. training	100.0	.0	1
	College univerty or higher	44.7	55.3	3
Total	Don't know	.	.	0
		93.9	6.1	352

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Vietnam, 2000

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total	Eating during diarrhea		
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK
wealth index quintiles	Poorest	17.5	946	45.5	50.9	3.6	100.0	49.9	50.1	.0
	Second	11.0	662	47.9	52.1	.0	100.0	61.9	36.5	1.6
	Middle	9.3	503	42.7	48.3	9.1	100.0	48.2	51.8	.0
	Fourth	7.9	494	37.2	60.8	1.9	100.0	61.4	38.6	.0
	Richest	5.5	499	29.8	62.3	7.9	100.0	81.4	16.0	2.6
Gioi tinh	Nam	12.5	1578	42.1	54.5	3.4	100.0	55.9	43.7	.4
	Nu	10.1	1526	45.3	50.6	4.1	100.0	55.8	43.4	.8
Region of residence	DBSH	6.8	493	42.3	47.3	10.4	100.0	73.7	26.3	.0
	DB	17.7	498	60.3	38.2	1.5	100.0	52.3	47.7	.0
	TB	7.3	109	29.9	67.0	3.1	100.0	82.5	17.5	.0
	BTB	12.2	459	43.9	56.1	.0	100.0	52.2	45.7	2.1
	DHNTB	11.8	324	64.0	32.2	3.8	100.0	41.8	56.3	1.9
	TN	14.7	190	38.9	49.3	11.8	100.0	54.6	45.4	.0
	DNB	6.7	473	39.0	56.4	4.6	100.0	69.6	30.4	.0
	DBSCL	12.2	558	16.0	81.3	2.8	100.0	53.6	46.4	.0
Area	Urban	6.3	584	45.8	43.5	10.7	100.0	65.6	34.4	.0
	Rural	12.5	2520	43.2	53.9	2.9	100.0	54.7	44.7	.6
Age	< 6 months	7.3	238	37.2	50.9	11.8	100.0	68.0	27.9	4.1
	6-11 months	18.5	300	25.4	69.4	5.2	100.0	64.4	35.6	.0
	12-23 months	17.7	536	39.7	58.1	2.2	100.0	53.9	46.1	.0
	24-35 months	11.8	626	53.9	40.4	5.8	100.0	57.4	41.0	1.6
	36-47 months	9.0	663	42.6	54.2	3.1	100.0	56.4	43.6	.0
	48-59 months	6.8	741	58.4	41.6	.0	100.0	43.1	56.9	.0
Mother's education level	None	21.0	398	42.3	55.7	2.0	100.0	56.8	43.2	.0
	primaire	13.1	832	37.7	58.7	3.6	100.0	49.0	51.0	.0
	Lower secondary	10.1	1311	47.9	48.1	4.0	100.0	60.4	38.2	1.4
	Upper secondary	5.6	411	53.2	45.2	1.6	100.0	53.0	47.0	.0
	Non standard	4.0	9	.0	.0	100.0	100.0	.0	100.0	.0
	Tech voc. training	1.2	61	100.0	.0	.0	100.0	100.0	.0	.0
	College univerty or higher	3.4	78	.0	44.7	55.3	100.0	100.0	.0	.0
Don't know	.0	4	.0	.0	.0	.0	.0	.0	.0	
Total		11.3	3104	43.5	52.8	3.7	100.0	55.9	43.6	.5

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Vietnam, 2000

			Received increased fluids and continued eating	Number of children with diarrhea
		Total		1.00
wealth index quintiles	Poorest	100.0	20.3	166
	Second	100.0	27.9	73
	Middle	100.0	12.9	47
	Fourth	100.0	12.1	39
	Richest	100.0	23.2	27
Gioi tinh	Nam	100.0	20.4	198
	Nu	100.0	19.9	154
Region of residence	DBSH	100.0	31.6	34
	DB	100.0	24.8	88
	TB	100.0	18.6	8
	BTB	100.0	23.1	56
	DHNTB	100.0	22.7	38
	TN	100.0	19.6	28
	DNB	100.0	21.8	32
	DBSCL	100.0	4.4	68
Area	Urban	100.0	26.1	37
	Rural	100.0	19.5	315
Age	< 6 months	100.0	17.6	17
	6-11 months	100.0	15.5	55
	12-23 months	100.0	11.8	95
	24-35 months	100.0	30.3	74
	36-47 months	100.0	19.8	60
	48-59 months	100.0	27.8	50
Mother's education level	None	100.0	18.4	84
	primaire	100.0	17.1	109
	Lower secondary	100.0	23.0	133
	Upper secondary	100.0	25.1	23
	Non standard	100.0	.0	0
	Tech voc. training	100.0	100.0	1
	College univerty or higher	100.0	.0	3
Don't know	.0	.	0	
Total		100.0	20.2	352

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Vietnam, 2000

		Had acute respiratory infection	Number of children under 5	Hospital	Health centre	Dispensary	Village health worker	MCH/clinic	Mobile /outreach clinic
wealth index quintiles	Poorest	11.9	946	4.5	23.0	.0	9.4	.0	.0
	Second	11.5	662	5.1	19.9	6.8	10.1	.0	.0
	Middle	7.7	503	6.7	22.8	3.0	13.6	.0	9.3
	Fourth	7.9	494	12.4	35.1	.0	3.5	.0	.0
	Richest	4.1	499	25.5	3.6	2.0	.0	.0	.0
Gioi tinh	Nam	9.1	1578	9.1	23.6	3.5	9.5	.0	1.3
	Nu	9.4	1526	6.0	21.2	1.2	7.9	.0	1.2
Region of residence	DBSH	6.5	493	10.9	28.0	.0	11.2	.0	11.2
	DB	11.4	498	4.7	11.8	4.7	9.5	.0	.0
	TB	8.1	109	18.5	8.4	4.6	28.1	.0	.0
	BTB	14.0	459	5.4	43.8	3.6	9.1	.0	.0
	DHNTB	10.7	324	12.5	18.8	.0	14.4	.0	.0
	TN	7.6	190	2.4	20.0	.0	5.0	.0	.0
	DNB	4.9	473	.0	12.0	5.8	.0	.0	.0
	DBSCL	9.4	558	10.7	14.3	.0	3.6	.0	.0
Area	Urban	5.2	584	14.6	15.2	1.4	.0	.0	.0
	Rural	10.2	2520	6.7	23.2	2.5	9.7	.0	1.4
Age	< 6 months	5.9	238	13.4	5.1	.0	.0	.0	.0
	6-11 months	12.6	300	12.2	30.3	3.1	7.3	.0	4.8
	12-23 months	10.1	536	9.0	15.4	2.5	5.9	.0	.0
	24-35 months	10.6	626	6.3	24.8	2.0	9.2	.0	.0
	36-47 months	9.5	663	4.1	28.9	1.9	9.9	.0	2.9
	48-59 months	7.0	741	6.9	17.7	3.4	12.6	.0	.0
	None	8.4	398	5.7	9.2	.0	3.3	.0	.0
Mother's education level	primaire	12.0	832	5.1	17.6	5.2	8.1	.0	.0
	Lower secondary	9.8	1311	7.5	28.5	1.2	10.9	.0	2.8
	Upper secondary	4.0	411	17.9	37.9	.0	9.8	.0	.0
	Non standard	18.6	9	.0	.0	.0	.0	.0	.0
	Tech voc. training	4.0	61	.0	30.6	.0	.0	.0	.0
	College univerty or higher	6.3	78	43.0	.0	.0	.0	.0	.0
	Don't know	.0	4
Total		9.3	3104	7.5	22.4	2.4	8.7	.0	1.2

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Vietnam, 2000

		Private physician	Pharmacy or drug seller	Other	Any appropriate provider	Number of children with ARI 1.00
wealth index quintiles	Poorest	21.51	7.7	11.6	51.9	113
	Second	19.28	9.8	3.9	58.4	76
	Middle	38.04	9.3	.0	72.6	39
	Fourth	32.13	6.9	.0	76.3	39
	Richest	38.69	29.2	3.7	60.8	21
Gioi tinh	Nam	23.18	9.5	3.2	60.9	143
	Nu	28.44	10.4	8.4	59.9	144
Region of residence	DBSH	11.20	10.9	.0	61.3	32
	DB	7.70	16.6	11.8	36.1	57
	TB	2.81	2.8	18.7	57.9	9
	BTB	18.14	7.3	3.6	78.2	64
	DHNTB	46.22	10.3	.0	73.1	35
	TN	42.52	10.1	2.4	59.9	14
	DNB	23.16	23.9	.0	40.9	23
	DBSCL	50.74	.0	10.7	65.1	53
Area	Urban	34.96	15.2	2.5	59.9	30
	Rural	24.74	9.3	6.2	60.4	257
Age	< 6 months	13.40	9.6	9.6	26.8	14
	6-11 months	22.21	10.5	11.7	61.0	38
	12-23 months	29.56	9.3	3.3	59.0	54
	24-35 months	21.98	11.7	8.1	60.1	67
	36-47 months	31.00	9.7	3.3	70.0	63
	48-59 months	26.54	8.1	3.4	59.2	52
	Mother's education level	None	9.93	5.4	19.3	28.1
primaire	28.12	7.9	4.9	56.1	100	
Lower secondary	28.28	11.6	2.9	69.6	129	
Upper secondary	29.90	12.6	.0	91.1	16	
Non standard	.00	.0	78.7	.0	2	
Tech voc. training	30.57	69.4	.0	30.6	2	
College univerty or higher	15.27	.0	7.0	58.3	5	
Don't know	0	
Total		25.82	9.9	5.8	60.4	287

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Vietnam, 2000

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total	Eating during illness		
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK
wealth index quintiles	Poorest	47.5	946	34.7	63.9	1.4	100.0	61.1	38.9	.0
	Second	46.1	662	33.5	66.1	.4	100.0	66.6	32.6	.8
	Middle	47.5	503	30.3	68.0	1.8	100.0	69.2	30.8	.0
	Fourth	34.8	494	28.1	70.4	1.5	100.0	69.8	29.2	1.0
	Richest	34.6	499	29.7	69.1	1.3	100.0	82.6	17.0	.4
Gioi tinh	Nam	42.7	1578	33.2	65.3	1.5	100.0	68.1	31.4	.5
	Nu	43.5	1526	31.0	68.0	1.0	100.0	67.3	32.6	.2
Region of residence	DBSH	37.9	493	31.4	65.8	2.8	100.0	72.4	26.7	1.0
	DB	45.9	498	40.5	58.9	.6	100.0	60.1	39.9	.0
	TB	25.9	109	29.6	69.6	.9	100.0	72.8	27.2	.0
	BTB	44.8	459	32.7	66.7	.6	100.0	59.4	39.5	1.1
	DHNTB	48.8	324	44.8	54.2	.9	100.0	55.9	43.7	.5
	TN	38.7	190	31.4	63.6	5.0	100.0	65.6	34.4	.0
	DNB	42.2	473	32.6	66.6	.7	100.0	78.0	22.0	.0
	DBSCL	46.0	558	17.0	82.3	.7	100.0	76.9	23.1	.0
Area	Urban	37.1	584	34.4	63.8	1.8	100.0	76.8	23.2	.0
	Rural	44.5	2520	31.7	67.2	1.1	100.0	65.9	33.7	.4
Age	< 6 months	28.1	238	20.7	76.2	3.1	100.0	76.7	22.2	1.1
	6-11 months	57.3	300	24.5	72.8	2.7	100.0	65.5	33.4	1.0
	12-23 months	50.1	536	32.5	66.7	.8	100.0	63.6	36.4	.0
	24-35 months	44.7	626	35.9	62.5	1.7	100.0	69.9	29.7	.4
	36-47 months	42.9	663	36.4	63.0	.7	100.0	70.1	29.9	.0
	48-59 months	35.9	741	31.0	68.5	.4	100.0	65.9	33.6	.4
Mother's education level	None	42.3	398	31.3	67.5	1.2	100.0	64.9	35.1	.0
	primaire	47.9	832	28.0	70.7	1.3	100.0	62.9	36.8	.3
	Lower secondary	44.7	1311	34.4	64.4	1.2	100.0	69.5	29.8	.6
	Upper secondary	33.9	411	36.5	63.3	.3	100.0	72.2	27.8	.0
	Non standard	37.2	9	39.4	50.0	10.6	100.0	50.0	50.0	.0
	Tech voc. training	22.5	61	26.2	73.8	.0	100.0	67.9	32.1	.0
	College univerty or higher	36.1	78	28.6	66.3	5.1	100.0	92.2	7.8	.0
	Don't know	.0	4	.0	.0	.0	.0	.0	.0	.0
Total		43.1	3104	32.1	66.6	1.2	100.0	67.7	32.0	.4

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Vietnam, 2000

		Total	Received increased fluids and continued eating	Number of sick children 1.00
wealth index quintiles	Poorest	100.0	16.5	449
	Second	100.0	19.5	305
	Middle	100.0	16.7	239
	Fourth	100.0	14.0	172
	Richest	100.0	23.6	173
Gioi tinh	Nam	100.0	18.7	674
	Nu	100.0	17.0	664
Region of residence	DBSH	100.0	22.8	187
	DB	100.0	18.6	229
	TB	100.0	18.4	28
	BTB	100.0	16.0	206
	DHNTB	100.0	20.2	158
	TN	100.0	18.2	73
	DNB	100.0	23.0	199
	DBSCL	100.0	9.4	257
Area	Urban	100.0	22.8	217
	Rural	100.0	16.9	1121
Age	< 6 months	100.0	11.9	67
	6-11 months	100.0	12.6	172
	12-23 months	100.0	13.5	268
	24-35 months	100.0	23.9	280
	36-47 months	100.0	21.5	284
	48-59 months	100.0	16.8	266
Mother's education level	None	100.0	17.4	168
	primaire	100.0	14.3	399
	Lower secondary	100.0	19.3	586
	Upper secondary	100.0	20.7	139
	Non standard	100.0	.0	3
	Tech voc. training	100.0	16.5	14
	College univerty or higher	100.0	28.6	28
	Don't know	.0	.	0
Total		100.0	17.8	1337

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Vietnam, 2000

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
wealth index quintiles	Poorest	13.5	62.0	68.9	21.9	34.7	18.1	6.3	72.2	839
	Second	14.8	51.9	71.3	20.1	40.7	17.4	6.7	69.5	541
	Middle	19.9	52.7	79.6	21.4	40.8	22.5	9.0	73.1	387
	Fourth	19.3	44.7	82.9	24.6	44.9	22.7	9.6	68.4	374
	Richest	15.1	43.3	86.8	17.5	36.6	19.1	9.7	66.9	372
Region of residence	DBSH	9.7	34.8	77.7	27.9	38.9	17.4	3.6	55.9	247
	DB	46.9	78.1	76.7	47.9	64.2	53.5	34.0	91.0	288
	TB	11.6	63.1	50.9	14.4	20.6	14.7	2.8	56.9	320
	BTB	19.6	45.8	74.8	29.1	48.7	20.6	8.5	82.0	306
	DHNTB	9.9	51.0	82.7	12.3	35.9	10.7	3.0	70.4	365
	TN	5.7	52.5	78.2	21.0	41.3	9.4	3.0	74.5	404
	DNB	6.8	42.9	79.3	8.2	25.2	7.5	4.1	48.6	294
	DBSCL	21.8	54.0	86.2	12.8	36.3	28.7	6.6	81.7	289
	Urban	14.9	46.5	84.7	19.6	42.0	18.2	9.0	72.2	490
	Rural	16.1	54.6	73.7	21.6	37.9	19.8	7.5	70.0	2023
Mother's education level	None	12.6	67.9	59.6	17.9	28.5	15.4	5.1	71.2	396
	primaire	14.5	52.7	74.1	17.8	37.2	17.8	5.5	67.2	656
	Lower secondary	17.8	50.7	79.2	24.5	43.6	21.6	9.4	72.5	1027
	Upper secondary	16.2	43.5	86.0	21.9	38.1	19.0	8.9	69.8	315
	Non standard	11.1	55.6	66.7	.0	44.4	22.2	11.1	88.9	9
	Tech voc. training	20.4	49.0	85.7	24.5	49.0	26.5	10.2	71.4	49
	College univerty or higher	13.6	50.8	84.7	20.3	33.9	23.7	15.3	66.1	59
Don't know	.0	50.0	50.0	.0	.0	.0	.0	.0	2	
Total	15.8	53.0	75.8	21.2	38.7	19.5	7.8	70.4	2513	

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Vietnam, 2000

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	
wealth index quintiles	Poorest	92.4	7.5	.1	27.3	72.7	.0	946
	Second	98.6	1.4	.0	15.1	84.9	.0	660
	Middle	98.7	1.3	.0	11.0	89.0	.0	503
	Fourth	99.0	1.0	.0	11.6	88.4	.0	494
	Richest	92.7	7.3	.0	4.1	95.7	.2	498
Gioi tinh	Nam	95.5	4.4	.0	14.4	85.6	.0	1575
	Nu	96.2	3.8	.0	17.3	82.7	.1	1526
Region of residence	DBSH	99.3	.7	.0	4.7	95.3	.0	493
	DB	92.1	7.9	.0	24.0	76.0	.0	496
	TB	78.2	21.8	.0	30.5	69.5	.0	109
	BTB	99.5	.5	.0	27.3	72.7	.0	459
	DHNTB	95.8	4.0	.2	20.5	79.5	.0	323
	TN	98.8	1.2	.0	37.0	63.0	.0	189
	DNB	91.8	8.2	.0	6.9	93.1	.0	473
	DBSCL	99.1	.9	.0	3.7	96.1	.2	557
Area	Urban	93.7	6.3	.0	3.8	96.0	.2	581
	Rural	96.4	3.6	.0	18.6	81.4	.0	2519
Age	< 6 months	95.2	4.8	.0	13.1	86.9	.0	237
	6-11 months	95.0	5.0	.0	13.5	86.5	.0	300
	12-23 months	96.2	3.8	.0	17.1	82.9	.0	536
	24-35 months	96.4	3.6	.0	16.7	83.3	.0	626
	36-47 months	95.2	4.8	.0	15.9	84.1	.0	663
	48-59 months	96.3	3.6	.1	15.8	84.0	.1	739
Total		95.9	4.1	.0	15.8	84.2	.0	3100

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Vietnam, 2000

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Quinine	Other	Don't know
wealth index quintiles	Poorest	10.5	946	30.4	4.7	1.4	2.1	21.9	29.4
	Second	14.0	662	49.4	5.1	4.4	.4	22.9	18.4
	Middle	19.1	503	50.4	.4	.4	1.9	25.0	23.6
	Fourth	12.4	494	53.6	3.9	.0	4.4	22.3	18.9
	Richest	11.4	499	79.1	5.1	.0	5.1	27.5	9.6
Gioi tinh	Nam	13.5	1578	50.4	4.1	1.4	3.1	23.7	20.5
	Nu	12.7	1526	49.2	3.3	1.4	1.6	23.7	21.9
Region of residence	DBSH	13.0	493	72.2	.0	.0	2.8	27.9	2.8
	DB	16.2	498	40.8	6.7	6.7	.0	23.8	10.4
	TB	9.0	109	39.4	7.6	.0	.0	41.2	.0
	BTB	5.2	459	55.6	.0	.0	.0	26.0	19.7
	DHNTB	18.3	324	29.5	1.2	.0	1.2	17.1	50.0
	TN	17.4	190	52.8	11.9	1.0	1.1	16.2	24.2
	DNB	18.7	473	61.3	4.8	.0	7.8	31.2	12.5
	DBSCL	8.2	558	35.3	.0	.0	.0	12.3	48.3
Area	Urban	12.5	584	67.3	5.9	.5	4.0	25.5	23.1
	Rural	13.2	2520	46.0	3.2	1.6	2.1	23.3	20.7
Age	< 6 months	8.2	238	30.8	.0	.0	7.4	31.0	6.9
	6-11 months	16.7	300	57.9	2.7	.0	6.3	19.3	23.4
	12-23 months	14.1	536	46.7	3.5	.0	.0	22.9	24.3
	24-35 months	14.9	626	46.9	4.1	1.5	2.2	25.1	17.8
	36-47 months	13.9	663	53.5	5.4	.0	3.0	25.2	24.7
	48-59 months	10.1	741	51.6	3.1	5.8	.5	22.0	20.0
	Mother's education level	None	9.6	398	14.9	9.0	.9	1.9	16.6
Mother's education level	primaire	14.1	832	36.4	6.0	3.4	1.5	22.0	24.2
	Lower secondary	14.5	1311	59.8	1.3	.7	1.6	23.9	19.1
	Upper secondary	11.9	411	65.8	4.2	.0	8.7	28.1	16.0
	Non standard	4.0	9	.0	.0	.0	.0	.0	.0
	Tech voc. training	7.2	61	61.5	.0	.0	.0	30.7	.0
	College univerty or higher	7.0	78	87.4	.0	.0	.0	60.4	.0
	Don't know	.0	4
Total	13.1	3104	49.8	3.7	1.4	2.4	23.7	21.2	

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Vietnam, 2000

		Any appropriate anti-malarial drug	Number of children with fever
			1.00
wealth index quintiles	Poorest	8.1	99
	Second	7.0	92
	Middle	2.6	96
	Fourth	6.1	61
	Richest	10.2	57
Gioi tinh	Nam	7.4	212
	Nu	5.6	193
Region of residence	DBSH	2.8	64
	DB	10.0	81
	TB	7.6	10
	BTB	.0	24
	DHNTB	2.4	59
	TN	14.0	33
	DNB	11.1	89
	DBSCL	.0	46
Area	Urban	10.3	73
	Rural	5.7	333
Age	< 6 months	7.4	20
	6-11 months	9.0	50
	12-23 months	3.5	75
	24-35 months	6.3	93
	36-47 months	6.9	92
	48-59 months	7.6	75
Mother's education level	None	11.7	38
	primaire	8.7	118
	Lower secondary	3.6	191
	Upper secondary	10.1	49
	Non standard	.0	0
	Tech voc. training	.0	4
	College univerty or higher	.0	5
	Don't know	.	0
Total		6.5	406

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Vietnam, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women
								1.00
wealth index quintiles	Poorest	67.4	37.6	37.5	29.7	45.3	54.7	1662
	Second	85.0	56.6	56.5	48.5	64.6	35.4	1798
	Middle	89.9	69.9	69.4	62.4	76.9	23.1	1862
	Fourth	92.7	75.5	74.6	67.0	83.1	16.9	1886
	Richest	97.8	81.1	83.0	73.1	91.0	9.0	2064
Region of residence	DBSH	90.3	76.1	75.5	68.5	83.2	16.8	1852
	DB	81.8	57.5	61.1	52.6	66.0	34.0	1264
	TB	67.1	44.7	52.8	42.2	55.2	44.8	254
	BTB	84.5	66.6	69.2	61.1	74.8	25.2	1125
	DHNTB	90.4	62.5	59.6	53.5	68.6	31.4	782
Area	TN	78.0	40.2	53.2	34.3	59.1	40.9	324
	DNB	95.8	74.9	74.0	63.8	85.1	14.9	1631
	DBSCL	85.3	58.9	55.1	49.3	64.7	35.3	2039
	Urban	96.9	79.2	81.0	70.7	89.5	10.5	2389
	Rural	83.9	60.3	59.8	52.5	67.6	32.4	6882
Age	15-19	84.7	63.0	58.2	51.4	69.7	30.3	1902
	20-24	84.8	62.6	62.1	53.8	71.0	29.0	1396
	25-29	87.2	64.6	68.0	58.0	74.7	25.3	1320
	30-34	87.3	63.9	64.8	56.2	72.5	27.5	1298
	35-39	90.0	71.2	72.9	65.6	78.5	21.5	1313
	40-44	91.3	68.5	69.3	60.8	77.0	23.0	1219
	45-49	86.9	62.9	65.0	57.7	70.3	29.7	822
Woman's education level	None	43.8	16.5	16.4	12.5	20.4	79.6	680
	primaire	83.8	51.5	49.7	42.1	59.2	40.8	2315
	Lower secondary	91.8	72.3	72.9	64.2	80.9	19.1	3909
	Upper secondary	97.6	82.3	83.3	74.1	91.5	8.5	1735
	Non standard	69.1	34.0	28.3	21.0	41.2	58.8	35
	Tech voc. training	96.3	82.8	84.6	75.0	92.4	7.6	227
	College univerty or higher	89.4	77.0	80.4	73.5	84.0	16.0	364
Total	Don't know	50.9	50.9	29.2	29.2	50.9	49.1	6
		87.2	65.2	65.3	57.2	73.3	26.7	9271

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Vietnam, 2000

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women	
									1.00	
wealth index quintiles	Poorest	64.3	36.8	29.8	18.4	11.6	43.9	56.1	311	
	Second	83.0	51.0	46.7	30.9	23.8	59.8	40.2	375	
	Middle	85.9	67.3	62.9	36.0	30.4	73.7	26.3	450	
	Fourth	89.6	76.4	68.5	39.9	30.0	83.3	16.7	426	
	Richest	97.3	77.8	77.6	41.6	33.7	90.1	9.9	340	
Region of residence	DBSH	83.0	66.5	61.4	30.4	23.5	74.1	25.9	393	
	DB	82.2	60.1	57.4	46.8	38.0	69.7	30.3	257	
	TB	68.1	41.1	48.4	24.9	19.2	54.5	45.5	59	
	BTB	84.6	72.6	72.6	41.3	35.8	78.5	21.5	240	
	DHNTB	86.9	59.4	54.5	27.8	18.9	67.4	32.6	150	
	TN	75.5	29.5	31.4	25.2	15.0	43.0	57.0	65	
	DNB	93.9	76.3	69.8	50.0	36.4	88.6	11.4	288	
	DBSCL	84.4	56.9	47.1	20.2	16.6	61.8	38.2	451	
	Area	Urban	96.2	75.8	72.8	40.2	30.0	88.4	11.6	406
		Rural	81.5	59.5	54.2	32.3	25.6	66.5	33.5	1497
Age	15-19	84.7	63.0	58.2	34.0	26.5	71.2	28.8	1902	
Woman's education level	None	32.6	3.9	6.0	4.1	1.0	8.6	91.4	85	
	primaire	75.9	43.1	35.6	23.8	16.5	49.6	50.4	401	
	Lower secondary	86.8	66.9	62.5	37.8	30.0	75.5	24.5	783	
	Upper secondary	97.2	80.5	76.2	41.4	33.3	90.2	9.8	573	
	Non standard	38.5	20.3	12.0	8.9	8.9	20.3	79.7	14	
	Tech voc. training	85.5	81.8	73.7	37.7	34.0	85.5	14.5	16	
	College univerty or higher	75.3	71.1	66.4	22.7	17.9	75.3	24.7	31	
Total		84.7	63.0	58.2	34.0	26.5	71.2	28.8	1902	

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Vietnam, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women	
									1.00	
wealth index quintiles	Poorest	67.4	42.6	18.6	32.8	11.0	49.9	50.1	1662	
	Second	85.0	63.6	30.1	51.9	21.0	71.1	28.9	1798	
	Middle	89.9	75.9	39.3	63.9	29.8	81.9	18.1	1862	
	Fourth	92.7	82.5	44.7	72.3	37.0	87.3	12.7	1886	
	Richest	97.8	93.4	65.2	76.0	53.2	95.9	4.1	2064	
Region of residence	DBSH	90.3	84.2	43.2	72.4	35.5	87.8	12.2	1852	
	DB	81.8	63.0	34.3	59.8	27.9	72.0	28.0	1264	
	TB	67.1	52.9	31.8	44.2	24.3	58.1	41.9	254	
	BTB	84.5	72.5	31.3	65.4	23.9	79.5	20.5	1125	
	DHNTB	90.4	70.7	40.9	60.6	34.1	75.8	24.2	782	
	TN	78.0	69.0	44.6	58.7	35.0	73.3	26.7	324	
	DNB	95.8	86.9	57.2	68.2	43.9	90.4	9.6	1631	
	DBSCL	85.3	61.3	34.6	43.2	23.3	67.4	32.6	2039	
	Area	Urban	96.9	90.7	63.4	74.4	52.1	93.6	6.4	2389
		Rural	83.9	66.6	32.8	55.6	24.3	73.0	27.0	6882
Age	15-19	84.7	72.0	45.0	60.3	34.8	77.3	22.7	1902	
	20-24	84.8	70.8	42.4	61.0	33.6	76.1	23.9	1396	
	25-29	87.2	73.9	40.0	61.3	30.7	79.5	20.5	1320	
	30-34	87.3	71.4	38.2	57.1	28.9	76.2	23.8	1298	
	35-39	90.0	75.6	39.4	62.7	30.9	81.7	18.3	1313	
	40-44	91.3	75.2	40.1	63.0	31.0	80.9	19.1	1219	
	45-49	86.9	70.7	35.7	56.0	26.4	76.2	23.8	822	
Woman's education level	None	43.8	18.0	8.1	13.6	3.4	24.0	76.0	680	
	primaire	83.8	57.5	26.8	42.9	16.9	65.2	34.8	2315	
	Lower secondary	91.8	80.0	39.1	66.5	29.6	85.9	14.1	3909	
	Upper secondary	97.6	93.2	64.2	80.7	53.1	96.0	4.0	1735	
	Non standard	69.1	42.1	19.7	40.2	12.0	55.9	44.1	35	
	Tech voc. training	96.3	94.4	78.6	90.3	75.2	94.7	5.3	227	
	College univerty or higher	89.4	88.0	73.1	81.1	66.7	89.4	10.6	364	
	Don't know	50.9	50.9	.0	29.2	.0	50.9	49.1	6	
Total		87.2	72.8	40.7	60.4	31.4	78.3	21.7	9271	

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Vietnam, 2000

		Know AIDS can be transmitted from mother to child	Transmission during pregnancy possible	Transmission at delivery possible	Transmission through breastmilk possible	Knows all three	Did not know any specific way	Number of women n
								1.00
wealth index quintiles	Poorest	55.2	50.9	44.3	40.6	34.8	46.2	1662
	Second	75.3	71.6	61.2	50.7	45.1	26.5	1798
	Middle	82.3	80.0	66.8	50.2	43.8	18.2	1862
	Fourth	87.9	85.7	71.6	48.4	43.5	12.9	1886
	Richest	94.6	92.7	76.2	46.9	41.3	6.1	2064
Region of residence	DBSH	86.9	85.5	65.2	45.8	39.8	14.0	1852
	DB	75.3	73.4	66.3	45.1	42.3	25.4	1264
	TB	56.5	54.8	48.1	31.3	28.8	44.5	254
	BTB	77.3	74.4	68.1	48.3	46.9	23.7	1125
	DHNTB	77.2	75.0	67.1	43.8	40.2	23.3	782
	TN	70.0	65.8	53.1	33.5	28.6	31.6	324
	DNB	91.4	91.2	77.5	51.4	46.2	8.6	1631
Area	DBSCL	74.5	67.5	54.4	52.4	41.4	28.0	2039
	Urban	92.7	90.5	74.3	45.5	40.3	8.2	2389
Age	Rural	75.6	72.5	61.4	48.1	42.4	25.5	6882
	15-19	77.6	73.2	62.1	42.4	36.6	23.4	1902
	20-24	77.4	73.4	62.2	44.3	39.1	24.3	1396
	25-29	80.2	78.2	65.4	48.8	43.1	20.5	1320
	30-34	80.6	78.6	65.8	51.6	45.8	20.6	1298
	35-39	82.3	80.1	67.5	48.7	42.7	18.5	1313
	40-44	83.8	82.2	67.4	50.8	45.2	16.8	1219
	45-49	78.9	76.2	64.2	48.9	44.0	22.4	822
Woman's education level	None	28.5	26.3	21.8	20.1	18.0	72.5	680
	primaire	72.3	68.4	58.0	51.6	44.2	29.2	2315
	Lower secondary	86.0	83.4	70.5	54.1	48.2	15.0	3909
	Upper secondary	94.3	91.8	76.4	43.4	38.6	6.1	1735
	Non standard	44.6	37.6	40.6	33.6	30.0	58.8	35
	Tech voc. training	92.7	91.1	71.8	35.7	30.0	8.0	227
	College univerty or higher	87.8	85.6	69.2	30.6	27.1	13.4	364
Total	Don't know	39.7	39.7	39.7	18.0	18.0	60.3	6
		80.0	77.1	64.7	47.5	41.8	21.1	9271

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Vietnam, 2000

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women
						1.00
wealth index quintiles	Poorest	40.6	56.2	58.2	41.8	1662
	Second	42.3	61.9	65.7	34.3	1798
	Middle	33.8	60.6	63.8	36.2	1862
	Fourth	34.5	57.6	60.8	39.2	1886
	Richest	25.9	60.7	64.6	35.4	2064
Region of residence	DBSH	32.1	60.7	64.1	35.9	1852
	DB	34.2	55.8	59.5	40.5	1264
	TB	28.1	45.1	47.8	52.2	254
	BTB	31.5	61.9	64.7	35.3	1125
	DHNTB	34.2	51.7	55.5	44.5	782
	TN	32.7	47.4	51.2	48.8	324
	DNB	30.2	60.3	64.8	35.2	1631
	DBSCL	45.6	65.5	67.3	32.7	2039
	Area	Urban	25.4	60.2	63.5	36.5
	Rural	38.4	59.2	62.5	37.5	6882
Age	15-19	27.6	53.1	56.1	43.9	1902
	20-24	32.8	55.1	59.1	40.9	1396
	25-29	34.2	59.2	62.4	37.6	1320
	30-34	37.2	59.5	63.3	36.7	1298
	35-39	38.1	62.9	65.6	34.4	1313
	40-44	40.7	65.9	69.6	30.4	1219
	45-49	40.7	67.0	69.3	30.7	822
	Woman's education level	None	25.1	38.1	38.7	61.3
primaire		47.6	66.7	69.8	30.2	2315
Lower secondary		38.2	64.4	68.2	31.8	3909
Upper secondary		22.5	52.8	56.1	43.9	1735
Non standard		46.8	58.5	62.8	37.2	35
Tech voc. training		17.6	42.0	45.9	54.1	227
College univerty or higher		10.0	44.4	46.9	53.1	364
Don't know		.0	18.0	18.0	82.0	6
Total		35.0	59.5	62.7	37.3	9271

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Vietnam, 2000

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women 1.00
wealth index quintiles	Poorest	67.4	15.1	11.0	3.4	1662
	Second	85.0	27.1	21.0	7.9	1798
	Middle	89.9	34.2	29.8	13.1	1862
	Fourth	92.7	35.4	37.0	14.8	1886
	Richest	97.8	34.3	53.2	18.8	2064
Region of residence	DBSH	90.3	29.7	35.5	10.4	1852
	DB	81.8	40.0	27.9	16.4	1264
	TB	67.1	21.8	24.3	8.8	254
	BTB	84.5	37.9	23.9	10.5	1125
	DHNTB	90.4	25.8	34.1	10.6	782
	TN	78.0	20.8	35.0	9.4	324
	DNB	95.8	37.3	43.9	18.5	1631
	DBSCL	85.3	16.4	23.3	7.5	2039
Area	Urban	96.9	35.1	52.1	19.3	2389
	Rural	83.9	27.8	24.3	9.4	6882
Age	15-19	84.7	26.5	34.8	11.7	1902
	20-24	84.8	27.0	33.6	11.7	1396
	25-29	87.2	28.8	30.7	11.4	1320
	30-34	87.3	27.2	28.9	11.1	1298
	35-39	90.0	36.2	30.9	13.0	1313
	40-44	91.3	33.7	31.0	13.2	1219
	45-49	86.9	30.3	26.4	11.5	822
Woman's education level	None	43.8	6.7	3.4	1.8	680
	primaire	83.8	21.5	16.9	6.1	2315
	Lower secondary	91.8	34.8	29.6	11.8	3909
	Upper secondary	97.6	37.7	53.1	20.7	1735
	Non standard	69.1	19.2	12.0	5.6	35
	Tech voc. training	96.3	37.3	75.2	25.9	227
	College univerty or higher	89.4	28.0	66.7	19.5	364
	Don't know	50.9	18.0	.0	.0	6
Total		87.2	29.7	31.4	12.0	9271

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Vietnam, 2000

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women	
					1.00	
wealth index quintiles	Poorest	23.5	1.4	62.2	1662	
	Second	41.7	2.7	54.6	1798	
	Middle	51.8	3.3	51.7	1862	
	Fourth	59.9	4.3	60.8	1886	
	Richest	77.1	14.9	89.9	2064	
Region of residence	DBSH	58.6	3.3	76.8	1852	
	DB	60.4	2.8	55.4	1264	
	TB	37.7	.2	.0	254	
	BTB	58.0	6.3	23.1	1125	
	DHNTB	50.5	3.5	66.2	782	
	TN	32.9	2.0	62.0	324	
	DNB	69.8	17.0	93.7	1631	
	DBSCL	28.8	2.0	79.4	2039	
	Area	Urban	73.1	12.9	87.8	2389
		Rural	44.7	3.1	59.9	6882
Age	15-19	50.2	2.3	69.6	1902	
	20-24	52.5	5.4	74.1	1396	
	25-29	53.1	7.8	81.6	1320	
	30-34	53.1	7.4	80.4	1298	
	35-39	53.5	5.6	72.6	1313	
	40-44	51.9	6.3	73.0	1219	
	45-49	50.2	6.5	77.6	822	
Woman's education level	None	9.3	.4	49.9	680	
	primaire	31.5	3.8	69.3	2315	
	Lower secondary	56.4	5.3	76.5	3909	
	Upper secondary	76.6	8.8	78.9	1735	
	Non standard	37.0	3.0	100.0	35	
	Tech voc. training	83.5	10.8	71.1	227	
	College univerty or higher	81.5	12.6	84.1	364	
	Don't know	32.9	11.2	100.0	6	
Total		52.0	5.6	76.4	9271	

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Vietnam, 2000

		Current method									
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Implants	Condom	Female condom	LAM
Wealth index quintiles	Poorest	36.9	6.3	.9	5.9	37.6	.5	.0	2.5	.0	.5
	Second	28.0	7.1	.6	4.2	37.9	.8	.0	3.4	.2	.4
	Middle	22.6	6.3	.6	5.4	40.6	.4	.1	4.9	.0	1.1
	Fourth	21.6	6.5	.8	5.7	37.1	.5	.0	7.2	.5	.4
	Richest	20.8	4.4	.2	5.6	31.9	.0	.0	12.1	.1	.3
Region of residence	DBSH	15.4	6.0	.9	4.0	43.0	.4	.1	7.1	.4	1.0
	DB	26.4	5.1	.1	4.2	44.6	.0	.0	3.8	.1	.2
	TB	28.1	6.7	.2	5.5	49.8	.0	.0	2.9	.1	.0
	BTB	22.8	6.3	.8	4.9	48.1	.0	.0	5.0	.0	.0
	DHNTB	26.8	9.0	.9	3.2	30.1	.5	.0	10.0	.0	2.6
	TN	43.1	4.9	.6	5.6	27.4	.7	.0	6.5	.0	.6
	DNB	20.4	6.8	.4	8.1	28.6	.3	.0	8.8	.1	.3
	DBSCL	38.2	5.4	.5	6.7	27.0	1.2	.0	4.2	.1	.0
	Urban	21.2	4.3	.3	5.1	33.2	.1	.1	11.3	.1	.3
	Rural	27.3	6.7	.7	5.4	38.1	.6	.0	4.4	.2	.6
Age	15-19	81.8	.0	.0	2.6	10.2	.2	.0	2.1	.0	1.4
	20-24	45.7	.6	.0	5.4	31.3	.7	.0	4.5	.0	2.0
	25-49	21.7	7.0	.7	5.4	38.4	.4	.0	6.4	.2	.3
Woman's education level	None	44.1	7.4	.7	5.0	34.4	.7	.0	.9	.0	.4
	primaire	32.8	6.9	.7	5.4	31.1	.5	.1	3.7	.1	.5
	Lower secondary	21.1	5.9	.6	5.6	41.1	.4	.0	5.7	.1	.6
	Upper secondary	19.2	5.1	.3	5.5	37.7	.4	.0	11.2	.7	.3
	Non standard	31.4	25.3	.0	.0	27.8	.0	.0	.0	.0	.0
	Tech voc. training	22.1	2.5	.7	3.2	37.1	.6	.0	13.0	.0	.0
	College univerty or higher	18.7	3.7	1.0	3.8	32.0	.0	.0	16.6	.0	2.1
Don't know	49.1	.0	.0	21.7	18.0	.0	.0	.0	.0	.0	
Total		25.8	6.1	.6	5.4	37.0	.4	.0	6.1	.2	.5

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Vietnam, 2000

		Current method			Total	Any modern method	Any traditional method	Any method	Number of currently married women
		Periodic abstinence	Withdrawal	Other					1.00
Wealth index quintiles	Poorest	4.3	4.7	.1	100.0	53.6	9.5	63.1	1141
	Second	9.4	7.8	.3	100.0	54.1	17.9	72.0	1155
	Middle	10.6	7.1	.3	100.0	58.4	19.1	77.4	1179
	Fourth	13.0	6.7	.1	100.0	58.2	20.2	78.4	1168
	Richest	17.5	6.5	.8	100.0	54.2	25.0	79.2	1231
Region of residence	DBSH	13.2	8.0	.5	100.0	61.9	22.8	84.6	1247
	DB	11.6	3.1	.8	100.0	57.9	15.7	73.6	908
	TB	2.2	3.9	.5	100.0	65.2	6.6	71.9	175
	BTB	1.9	10.1	.0	100.0	65.1	12.0	77.2	738
	DHNTB	8.5	8.1	.3	100.0	53.8	19.4	73.2	479
	TN	6.9	3.6	.1	100.0	45.7	11.2	56.9	218
	DNB	20.8	5.1	.3	100.0	53.1	26.5	79.6	892
	DBSCL	9.9	6.8	.0	100.0	45.1	16.7	61.8	1218
	Urban	17.4	6.2	.5	100.0	54.5	24.4	78.8	1387
	Rural	9.1	6.7	.3	100.0	56.1	16.6	72.7	4487
Age	15-19	1.6	.2	.0	100.0	15.1	3.2	18.2	140
	20-24	5.6	4.0	.3	100.0	42.5	11.8	54.3	664
	25-49	12.0	7.1	.3	100.0	58.6	19.7	78.3	5070
Woman's education level	None	2.6	3.3	.4	100.0	49.2	6.6	55.9	485
	primaire	10.7	7.4	.1	100.0	48.4	18.7	67.2	1564
	Lower secondary	11.8	6.7	.5	100.0	59.4	19.5	78.9	2599
	Upper secondary	12.4	7.0	.3	100.0	60.8	20.0	80.8	883
	Non standard	9.8	5.7	.0	100.0	53.1	15.5	68.6	23
	Tech voc. training	17.0	2.9	.8	100.0	57.2	20.7	77.9	151
	College univerty or higher	15.3	6.7	.0	100.0	57.1	24.2	81.3	163
Don't know	.0	11.2	.0	100.0	39.7	11.2	50.9	6	
Total		11.1	6.6	.3	100.0	55.7	18.5	74.2	5874

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Vietnam, 2000

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00	
wealth index quintiles	Poorest	48.1	.0	.0	48.1	143	
	Second	65.2	.0	.0	65.2	96	
	Middle	67.6	.0	.0	67.6	96	
	Fourth	81.0	.0	.0	81.0	97	
	Richest	84.2	.0	.0	84.2	82	
Region of residence	DBSH	81.2	.0	.0	81.2	95	
	DB	57.9	.0	.0	57.9	93	
	TB	45.2	.0	.0	45.2	15	
	BTB	66.5	.0	.0	66.5	59	
	DHNTB	62.2	.0	.0	62.2	46	
	TN	56.4	.0	.0	56.4	29	
	DNB	63.3	.0	.0	63.3	72	
	DBSCL	73.1	.0	.0	73.1	104	
	Area	Urban	81.9	.0	.0	81.9	95
		Rural	63.5	.0	.0	63.5	419
Woman's education level	None	29.7	.0	.0	29.7	67	
	primaire	57.6	.0	.0	57.6	146	
	Lower secondary	76.9	.0	.0	76.9	202	
	Upper secondary	84.8	.0	.0	84.8	70	
	Non standard	.0	.0	.0	.0	2	
	Tech voc. training	83.1	.0	.0	83.1	9	
	College univerty or higher	98.0	.0	.0	98.0	18	
Total		66.9	.0	.0	66.9	514	

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Vietnam, 2000

		Person delivering antenatal care						Total	Any skilled personnel	Number of women
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Other/missing	No antenatal care received or Don't know			1.00
wealth index quintiles	Poorest	14.0	18.3	8.6	2.4	7.7	49.0	100.0	40.9	143
	Second	23.9	33.0	11.1	3.7	10.4	17.8	100.0	68.1	96
	Middle	31.6	26.2	9.6	.7	11.8	20.1	100.0	67.4	96
	Fourth	35.3	33.3	15.8	3.4	4.1	8.1	100.0	84.4	97
	Richest	77.5	20.1	.8	.0	.0	1.5	100.0	98.5	82
Region of residence	DBSH	38.3	25.5	19.0	.0	10.3	6.9	100.0	82.8	95
	DB	14.9	25.8	5.4	1.3	14.0	38.5	100.0	46.2	93
	TB	7.5	17.9	7.1	1.4	12.2	53.9	100.0	32.5	15
	BTB	16.8	23.2	10.6	1.8	8.8	38.8	100.0	50.6	59
	DHNTB	36.6	33.9	2.9	2.8	1.4	22.3	100.0	73.5	46
Area	TN	28.0	19.6	2.2	1.1	.0	49.1	100.0	49.8	29
	DNB	56.3	17.6	10.5	3.5	3.5	8.7	100.0	84.3	72
	DBSCL	42.7	31.7	7.9	4.1	3.2	10.5	100.0	82.3	104
	Urban	66.7	25.1	3.6	1.0	.4	3.2	100.0	95.4	95
	Rural	25.7	25.8	10.7	2.4	8.6	26.8	100.0	62.2	419
Woman's education level	None	9.2	9.1	4.6	2.1	7.8	67.2	100.0	22.8	67
	primaire	21.7	23.6	13.4	3.8	9.1	28.5	100.0	58.7	146
	Lower secondary	33.9	33.2	11.8	1.9	6.7	12.5	100.0	78.9	202
	Upper secondary	64.4	22.6	2.3	.0	6.3	4.3	100.0	89.3	70
	Non standard	.0	65.1	.0	.0	.0	34.9	100.0	65.1	2
	Tech voc. training	83.2	16.8	.0	.0	.0	.0	100.0	100.0	9
	College univerty or higher	68.7	31.3	.0	.0	.0	.0	100.0	100.0	18
Total		33.3	25.6	9.4	2.1	7.1	22.5	100.0	68.3	514

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Vietnam, 2000**

		Person assisting at delivery							Total
		Doctor	Nurse/midwife	Auxiliary midwife	Traditional birth attendant	Relative/friend	Other/missing	No assistance received	
wealth index quintiles	Poorest	9.3	21.9	11.8	21.1	23.4	4.6	7.9	100.0
	Second	21.2	32.7	12.0	20.7	6.7	6.5	.2	100.0
	Middle	25.9	30.0	11.6	16.9	3.5	12.1	.0	100.0
	Fourth	37.7	37.4	14.8	3.2	.3	5.2	1.3	100.0
	Richest	76.1	20.3	2.3	.0	.0	1.3	.0	100.0
Region of residence	DBSH	38.3	34.2	13.8	3.4	.0	10.3	.0	100.0
	DB	22.2	12.7	5.1	12.7	34.4	7.6	5.1	100.0
	TB	10.3	15.1	4.3	16.5	41.1	7.1	5.7	100.0
	BTB	14.7	25.3	14.1	31.8	1.8	10.6	1.8	100.0
	DHNTB	29.9	28.1	11.3	26.5	.0	2.8	1.4	100.0
Area	TN	10.7	33.5	4.4	28.4	14.2	.0	8.8	100.0
	DNB	51.1	24.5	17.4	5.2	.0	.0	1.7	100.0
	DBSCL	35.1	40.8	9.5	8.2	.0	4.8	1.6	100.0
	Urban	70.9	24.3	2.1	2.7	.0	.0	.0	100.0
	Rural	21.5	29.0	12.8	15.9	10.4	7.3	3.0	100.0
Woman's education level	None	10.1	11.4	3.0	12.1	45.4	6.7	11.3	100.0
	primaire	13.8	28.6	18.3	24.2	9.0	4.1	2.0	100.0
	Lower secondary	36.2	32.6	11.7	11.5	.1	7.1	.8	100.0
	Upper secondary	53.4	31.4	4.7	3.8	.0	6.6	.0	100.0
	Non standard	.0	65.1	.0	.0	.0	.0	34.9	100.0
	Tech voc. training	50.7	49.3	.0	.0	.0	.0	.0	100.0
	College univerty or higher	87.0	7.2	.0	.0	.0	5.9	.0	100.0
Total		30.7	28.1	10.8	13.5	8.5	5.9	2.5	100.0

World Summit for Children Goal => Numbers 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Vietnam, 2000**

		Any skilled personnel	Number of women
			1.00
wealth index quintiles	Poorest	43.0	143
	Second	65.9	96
	Middle	67.5	96
	Fourth	89.9	97
	Richest	98.7	82
Region of residence	DBSH	86.2	95
	DB	40.1	93
	TB	29.6	15
	BTB	54.1	59
	DHNTB	69.3	46
	TN	48.6	29
Area	DNB	93.0	72
	DBSCL	85.4	104
	Urban	97.3	95
	Rural	63.3	419
Woman's education level	None	24.5	67
	primaire	60.7	146
	Lower secondary	80.5	202
	Upper secondary	89.5	70
	Non standard	65.1	2
	Tech voc. training	100.0	9
	College univerty or higher	94.1	18
Total		69.6	514

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Vietnam, 2000

		Birth registered	DK if birth registered
wealth index quintiles	Poorest	49.4	.6
	Second	72.4	.0
	Middle	76.3	.0
	Fourth	87.1	.4
	Richest	96.5	.0
Gioi tinh	Nam	71.5	.4
	Nu	73.0	.1
Region of residence	DBSH	88.4	.0
	DB	57.7	.0
	TB	52.8	.0
	BTB	59.7	.3
	DHNTB	78.3	.0
	TN	71.6	.2
	DNB	86.1	.0
	DBSCL	70.0	1.0
Area	Urban	91.5	.2
	Rural	67.8	.2
Age	< 6 months	50.9	.0
	6-11 months	68.8	.0
	12-23 months	67.5	.0
	24-35 months	71.8	.6
	36-47 months	77.4	.3
	48-59 months	79.7	.3
	Mother's education level	None	35.0
primaire		65.0	.0
Lower secondary		79.1	.5
Upper secondary		93.4	.0
Non standard		58.8	.0
Tech voc. training		94.2	.0
College univerty or higher		99.0	.0
Don't know	63.4	.0	
Total		72.2	.2

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Vietnam, 2000

		Registration status						
		Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Busy , have no time	Other
wealth index quintiles	Poorest	6.5	10.2	16.8	5.4	3.6	31.5	22.8
	Second	9.4	6.1	6.7	7.0	3.0	37.9	27.5
	Middle	2.8	.2	8.9	13.7	.0	45.9	27.0
	Fourth	4.1	3.0	4.8	3.9	.0	58.2	26.0
	Richest	.0	8.1	.0	.0	.0	48.5	43.3
Gioi tinh	Nam	5.5	7.1	13.0	6.2	2.9	39.3	23.7
	Nu	7.2	7.6	11.5	7.2	2.4	34.8	26.5
Region of residence	DBSH	3.1	.0	3.1	21.8	6.3	53.1	12.5
	DB	5.2	8.4	27.7	5.8	1.9	30.4	16.7
	TB	1.0	24.1	.5	3.9	1.4	23.1	46.1
	BTB	.6	.6	12.7	6.4	2.5	31.2	45.9
	DHNTB	8.2	2.1	10.3	4.2	2.1	41.3	22.7
	TN	13.5	4.8	10.9	6.0	7.5	34.4	20.3
	DNB	4.3	14.4	.0	2.1	.0	52.1	27.2
	DBSCL	14.7	11.2	5.3	7.0	2.5	44.4	11.4
Area	Urban	6.8	2.3	2.3	7.3	4.6	50.7	25.9
	Rural	6.3	7.6	12.9	6.7	2.5	36.3	25.0
Age	< 6 months	1.9	10.2	6.1	5.1	2.6	42.5	28.4
	6-11 months	7.5	4.5	13.7	7.8	3.9	43.0	16.0
	12-23 months	9.1	5.3	10.1	6.8	2.2	40.6	25.9
	24-35 months	5.2	8.6	14.7	7.2	2.1	34.3	22.9
	36-47 months	6.1	7.6	16.7	8.0	3.5	31.8	26.0
	48-59 months	7.2	7.6	11.7	5.2	2.2	33.8	28.5
Mother's education level	None	3.6	12.4	17.8	5.2	3.4	29.8	23.1
	primaire	12.0	4.9	11.3	9.5	2.2	35.2	22.3
	Lower secondary	3.5	5.6	9.8	6.0	2.8	41.8	30.0
	Upper secondary	1.3	.0	.0	.0	.0	71.9	26.7
	Non standard	.0	.0	.0	.0	.0	64.5	35.5
	Tech voc. training	.0	.0	.0	.0	.0	100.0	.0
	College univerty or higher	.0	.0	.0	.0	.0	.0	.0
Don't know	.0	100.0	.0	.0	.0	.0	.0	
Total	6.3	7.4	12.3	6.7	2.6	37.1	25.0	

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Vietnam, 2000

		Registration status	Total	Number of children
		Reason DK or Missing		
wealth index quintiles	Poorest	3.3	100.0	946
	Second	2.3	100.0	662
	Middle	1.6	100.0	503
	Fourth	.0	100.0	494
	Richest	.0	100.0	499
Gioi tinh	Nam	2.3	100.0	1578
	Nu	2.8	100.0	1526
Region of residence	DBSH	.0	100.0	493
	DB	3.9	100.0	498
	TB	.0	100.0	109
	BTB	.0	100.0	459
	DHNTB	9.2	100.0	324
	TN	2.7	100.0	190
	DNB	.0	100.0	473
	DBSCL	3.5	100.0	558
Area	Urban	.0	100.0	584
	Rural	2.7	100.0	2520
Age	< 6 months	3.1	100.0	238
	6-11 months	3.6	100.0	300
	12-23 months	.0	100.0	536
	24-35 months	5.0	100.0	626
	36-47 months	.2	100.0	663
	48-59 months	3.7	100.0	741
Mother's education level	None	4.8	100.0	398
	primaire	2.7	100.0	832
	Lower secondary	.5	100.0	1311
	Upper secondary	.0	100.0	411
	Non standard	.0	100.0	9
	Tech voc. training	.0	100.0	61
	College univerty or higher	.0	.0	78
Don't know	.0	100.0	4	
Total		2.5	100.0	3104

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Vietnam, 2000

		Living arrangement								
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive	Living with father only: mother dead
wealth index quintiles	Poorest	90.2	.1	.2	.9	.1	4.0	2.5	.5	1.1
	Second	89.8	.2	.1	1.0	.2	4.3	2.9	.4	.8
	Middle	93.8	.1	.1	.6	.0	2.9	1.4	.3	.7
	Fourth	91.8	.1	.1	1.2	.0	3.7	1.6	.8	.6
	Richest	87.8	.0	.0	1.9	.0	7.4	1.4	1.0	.3
Sex	Male	90.6	.2	.1	1.1	.1	4.2	2.0	.8	.8
	Female	91.0	.1	.1	1.1	.1	4.4	2.1	.4	.7
Region of residence	DBSH	90.9	.0	.1	.2	.0	4.8	2.3	.7	.8
	DB	92.3	.0	.1	.9	.1	3.3	2.2	.1	.8
	TB	93.1	.1	.3	.7	.2	2.3	1.9	.2	.9
	BTB	90.9	.1	.1	.6	.1	4.2	2.2	.3	1.2
	DHNTB	91.4	.1	.1	1.0	.2	4.7	2.0	.3	.1
	TN	93.2	.2	.1	.4	.1	2.7	1.7	.3	1.1
	DNB	86.9	.0	.1	1.9	.0	7.1	2.4	1.1	.5
	DBSCL	90.8	.4	.1	2.0	.1	3.3	1.3	1.0	.7
Area	Urban	86.9	.0	.1	2.3	.0	6.9	1.8	1.0	.7
	Rural	91.6	.1	.1	.8	.1	3.7	2.1	.5	.7
Age	0-4 years	93.5	.0	.0	.6	.0	4.7	.6	.4	.1
	5-9 years	91.4	.1	.1	1.2	.1	3.8	2.0	.6	.6
	10-14 years	88.4	.2	.2	1.3	.1	4.6	3.0	.7	1.3
Total		90.8	.1	.1	1.1	.1	4.3	2.0	.6	.7

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Vietnam, 2000

		Living arrangement		One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Impossible to determine	Total					
wealth index quintiles	Poorest	.4	100.0	.0	1.3	4.0	4.0	2807
	Second	.2	100.0	.0	1.5	4.2	4.3	2444
	Middle	.1	100.0	.0	.8	2.3	2.3	2237
	Fourth	.2	100.0	.1	1.3	2.3	2.4	2005
	Richest	.0	100.0	.0	1.9	1.8	1.8	1712
Sex	Male	.2	100.0	.0	1.4	3.2	3.2	5742
	Female	.1	100.0	.1	1.4	3.0	3.0	5463
Region of residence	DBSH	.1	100.0	.0	.3	3.2	3.2	1949
	DB	.4	100.0	.1	1.0	3.1	3.2	1743
	TB	.3	100.0	.0	1.3	3.4	3.4	384
	BTB	.3	100.0	.0	.9	3.8	3.8	1689
	DHNTB	.1	100.0	.0	1.5	2.6	2.6	1030
	TN	.2	100.0	.0	.8	3.2	3.2	566
	DNB	.0	100.0	.0	2.0	3.0	3.0	1624
	DBSCL	.2	100.0	.1	2.6	2.6	2.7	2221
Area	Urban	.2	100.0	.0	2.4	2.6	2.6	2024
	Rural	.2	100.0	.0	1.1	3.2	3.2	9182
Age	0-4 years	.1	100.0	.0	.6	.8	.8	2738
	5-9 years	.2	100.0	.0	1.4	2.8	2.8	4115
	10-14 years	.3	100.0	.1	1.8	4.8	4.8	4353
Total		.2	100.0	.0	1.4	3.1	3.1	11206

Monitoring Children's Rights Indicator

Table 42a: Percentage of children 5-14 years of age who are currently working, Vietnam, 2000

		Paid work	Unpaid work	Domestic work: < 4 hours/day	Domestic work: 4 or more hours/day	Family work (farm or business)	Currently working	Number of children
wealth index quintiles	Poorest	2.6	.5	49.0	2.1	31.46	35.0	1973
	Second	1.7	.6	49.3	2.7	26.21	29.6	1861
	Middle	1.2	.8	51.8	4.0	26.21	30.9	1793
	Fourth	.7	.2	52.5	3.9	19.75	23.5	1569
	Richest	.1	.2	39.5	1.4	7.06	8.3	1272
Sex	Male	1.5	.3	42.4	1.9	24.00	26.8	4351
	Female	1.3	.7	55.8	4.0	22.69	26.8	4117
Region of residence	DBSH	.6	.2	57.0	5.7	15.89	21.5	1513
	DB	.5	.8	56.8	1.5	43.36	45.0	1304
	TB	.2	.2	65.7	2.0	39.47	41.4	287
	BTB	.9	.8	52.1	3.2	28.51	32.2	1284
	DHNTB	1.2	.8	41.4	3.3	18.47	22.4	745
	TN	.9	.8	45.9	2.1	19.98	22.1	399
	DNB	1.3	.1	40.1	2.1	12.15	14.9	1207
	DBSCL	3.5	.5	40.7	1.9	19.03	22.6	1729
Area	Urban	.9	.3	41.1	1.8	7.40	9.9	1508
	Rural	1.5	.5	50.6	3.1	26.82	30.5	6960
Age	5-9 years	.1	.1	29.2	1.4	8.61	10.1	4115
	10-14 years	2.6	.8	67.5	4.3	37.30	42.7	4353
Total		1.4	.5	48.9	2.9	23.36	26.8	8468

Monitoring Children's Rights Indicator