

Table 1: Number of households and women, and response rates, Zambia, 1999

	Area		Total
	Rural	Urban	
Eligible women	4641	5487	10128
Interviewed women	4409	5230	9639
Women response rate	95.0	95.3	95.2
Children under 5	3413	2984	6397
Interviewed children under 5	3298	2919	6217
Child response rate	96.6	97.8	97.2

Table 2: Single year age distribution of household population by sex, Zambia, 1999

	SEX			
	Male		Female	
	Number	Percent	Number	Percent
Age 0	149919	2.8	133577	2.5
1	170212	3.2	164164	3.1
2	185175	3.5	163827	3.1
3	156159	3.0	157539	3.0
4	146968	2.8	141269	2.7
5	197814	3.7	199128	3.8
6	178834	3.4	168728	3.2
7	172850	3.3	177742	3.4
8	150242	2.8	148746	2.8
9	156345	3.0	132541	2.5
10	150731	2.9	164253	3.1
11	141966	2.7	138453	2.6
12	149463	2.8	140919	2.7
13	126225	2.4	145507	2.8
14	128328	2.4	144619	2.8
15	134983	2.6	133682	2.5
16	142061	2.7	120489	2.3
17	143870	2.7	131094	2.5
18	129202	2.4	118553	2.3
19	134619	2.6	114607	2.2
20	108755	2.1	105280	2.0

Table 2: Single year age distribution of household population by sex, Zambia, 1999

		SEX			
		Male		Female	
		Number	Percent	Number	Percent
Age	21	103728	2.0	103669	2.0
	22	92748	1.8	114546	2.2
	23	83149	1.6	102327	1.9
	24	97766	1.9	101043	1.9
	25	98430	1.9	104512	2.0
	26	83533	1.6	89620	1.7
	27	90549	1.7	103948	2.0
	28	69234	1.3	61385	1.2
	29	86008	1.6	85374	1.6
	30	73633	1.4	63929	1.2
	31	73608	1.4	81783	1.6
	32	52133	1.0	44824	.9
	33	52645	1.0	54956	1.0
	34	52490	1.0	50216	1.0
	35	80308	1.5	79543	1.5
	36	43429	.8	52876	1.0
	37	45102	.9	44972	.9
	38	35957	.7	42185	.8
	39	51232	1.0	51517	1.0
	40	34083	.6	41360	.8
	41	44829	.8	48144	.9
	42	36189	.7	37728	.7
	43	35964	.7	33052	.6
	44	31204	.6	28032	.5
	45	34397	.7	30847	.6
	46	29830	.6	31337	.6
	47	27138	.5	31183	.6
	48	13880	.3	15398	.3
	49	28821	.5	23970	.5
	50	26486	.5	47752	.9
	51	28084	.5	39815	.8
	52	31087	.6	27264	.5
	53	17470	.3	25699	.5
	54	26396	.5	28411	.5
	55	18815	.4	21960	.4

Table 2: Single year age distribution of household population by sex, Zambia, 1999

		SEX			
		Male		Female	
		Number	Percent	Number	Percent
Age	56	17784	.3	14919	.3
	57	24325	.5	25954	.5
	58	16259	.3	14772	.3
	59	23199	.4	17108	.3
	60	22011	.4	25580	.5
	61	13680	.3	14768	.3
	62	12142	.2	11739	.2
	63	15155	.3	15178	.3
	64	14192	.3	12139	.2
	65	11184	.2	12183	.2
	66	13637	.3	7834	.1
	67	13356	.3	18103	.3
	68	10372	.2	7100	.1
	69	12611	.2	16867	.3
	70+	71217	1.3	50711	1.0
Total		5276197	100.0	5254846	100.0

Table 3: Percentage of cases missing information for selected questions, Zambia, 1999

	Percent missing	Number
Level of education	1.9	26177
Number of hours worked	.0	11030

Table 3: Percentage of cases missing information for selected questions, Zambia, 1999

	Percent missing	Number
Complete birth date	.0	9833
Date of last tetanus toxoid injection	61.4	1381
Ever been tested for HIV	3.6	9833

Table 3: Percentage of cases missing information for selected questions, Zambia, 1999

	Percent missing	Number
Complete birth date	.0	6142
Diarrhoea in last 2 weeks	7.0	6142
Weight	21.0	5418
Height	21.0	5418

Table 4: Percent distribution of households by background characteristics, Zambia, 1999

		Percent	Number	Unweighted
Region	Central	9.1	175927	783
	Copperbelt	14.2	274539	1075
	Eastern	15.7	303968	860
	Luapula	8.6	166667	747
	Lusaka	14.2	273400	1216
	Northern	13.7	264092	892
	North-Western	5.8	112620	713
	Southern	10.9	211092	862
	Western	7.7	149343	767
Area	Rural	63.1	1218420	3983
	Urban	36.9	713228	3932
Number of HH members	1	5.5	98427	435
	2-3	22.8	410883	1694
	4-5	29.8	537617	2100
	6-7	21.6	390247	1539
	8-9	12.1	218256	925
	10+	8.3	148995	637
Total	100.0	1804424	7330	

Table 4: Percent distribution of households by background characteristics, Zambia, 1999

	Percent	Number	Unweighted
At least one child age < 15	79.8	1931165	7912
At least one child age < 5	53.6	1931165	7912
At least one woman age 15-49	83.7	1931165	7912

Table 4a: Percent distribution of households by background characteristics, Zambia, 1999

		Area		Total
		Rural	Urban	
Region	Central	9.1	9.1	9.1
	Copperbelt	3.5	32.6	14.2
	Eastern	22.1	4.8	15.7
	Luapula	12.1	2.7	8.6
	Lusaka	2.9	33.4	14.2
	Northern	18.2	5.9	13.7
	North-Western	7.7	2.6	5.8
	Southern	13.4	6.7	10.9
	Western	10.9	2.2	7.7
Number of HH members	1	5.2	5.8	5.5
	2-3	22.3	23.6	22.8
	4-5	31.4	27.2	29.8
	6-7	22.3	20.5	21.6
	8-9	11.0	13.9	12.1
	10+	7.9	8.9	8.3
	Total	100.0	100.0	100.0
	Number	1119848	684576	1804424
Unweighted	3618	3712	7330	

Table 4a: Percent distribution of households by background characteristics, Zambia, 1999

	Area		Total
	Rural	Urban	
At least one child age < 15	81.0	77.8	79.8
At least one child age < 5	54.4	52.0	53.6
At least one woman age 15-49	81.9	86.9	83.7
Number	1217936	713228	1931165
Unweighted	3980	3932	7912

Table 5: Percent distribution of women 15-49 by background characteristics, Zambia, 1999

		Percent	Number	Unweighted
Province	Central	9.8	229739	1035
	Copperbelt	16.2	378648	1448
	Eastern	14.5	339372	970
	Luapula	7.7	180204	852
	Lusaka	14.9	349666	1537
	Northern	12.6	295295	1047
	North-western	5.4	125886	861
	Southern	11.5	269762	1124
	Western	7.3	170512	959
Rural/Urban	Rural	58.5	1367734	4465
	Urban	41.5	971351	5368
Age Group	15-19	23.8	557088	2424
	20-24	21.3	498116	2088
	25-29	18.4	431416	1763
	30-34	12.3	286788	1228
	35-39	11.1	260340	1078
	40-44	7.8	182665	758
	45-49	5.2	122673	494
Marital status	Currently married	55.9	1215410	4833
	Widowed	4.7	101270	413
	Divorced	5.7	124447	525
	Separated	2.7	57671	247
	Never Married	31.1	675247	3060
Ever given birth	Yes	71.4	1499010	6062
	No	28.6	600410	2718
Education	None	28.4	665354	2584
	Primary	43.7	1022471	3967
	Secondary +	27.8	651260	3282
Total		100.0	2339085	9833

Table 6: Percent distribution of children under 5 by background characteristics, Zambia, 1999

		Percent	Number	Unweighted
Sex	Male	51.8	810687	3118
	Female	48.2	754322	3024
Region	Central	10.8	169047	696
	Copperbelt	13.9	217924	838
	Eastern	15.3	239308	670
	Luapula	8.5	132813	572
	Lusaka	13.1	204312	866
	Northern	13.7	213643	720
	North-Western	4.9	76603	506
	Southern	13.1	205366	745
	Western	6.7	104259	513
	Area	Rural	65.5	1025635
Urban		34.5	539374	2896
Age group	< 6 months	12.2	190518	724
	6-11 months	10.3	160685	600
	12-23 months	20.9	327497	1270
	24-35 months	21.3	334008	1330
	36-47 months	18.3	286571	1128
	48-59 months	17.0	265732	1090
Total		100.0	1565010	6142

Table 9: Percentage of children aged 36-59 months who are attending some form of organized early childhood education programme, Zambia, 1999

		Attending programme	Number of children
Wealth Index Quintiles	Poorest	.9	107855
	Second	1.4	110960
	Middle	1.4	103909
	Fourth	8.8	117562
	Richest	18.9	111288
Sex	Male	6.7	280739
	Female	6.2	271564
Region	Central	5.9	63201
	Copperbelt	11.3	80556
	Eastern	1.2	71942
	Luapula	4.6	42393
	Lusaka	19.2	77310
	Northern	1.6	80339
	North-Western	1.1	26677
	Southern	4.7	70278
	Western	.5	38878
Area	Rural	2.1	348355
	Urban	13.9	203947
Age	36-47 months	5.8	286571
	48-59 months	7.1	265732
Mother's education level	None	3.1	135200
	Primary	4.1	286560
	Secondary +	14.9	130543
Total		6.4	552303

World Summit for Children Goal => Number 26

Table 10: Percentage of children entering first grade of primary school who eventually reach grade 5, Zambia, 2000

		Percent in grade 1 reaching grade 2	Percent in grade 2 reaching grade 3	Percent in grade 3 reaching grade 4	Percent in grade 4 reaching grade 5	Percent who reach grade 5 of those who enter grade 1
Wealth Index Quintiles	Poorest	95.4	93.1	91.1	93.2	75.4
	Second	94.2	97.4	97.4	94.4	84.3
	Middle	91.6	95.5	94.4	98.4	81.3
	Fourth	97.4	98.7	96.9	95.5	89.0
	Richest	99.0	98.3	97.2	97.6	92.4
SEX	Male	96.2	95.8	95.4	97.9	86.1
	Female	95.3	98.1	95.8	94.4	84.4
Province	Central	94.4	97.3	93.6	96.0	82.6
	Copperbelt	97.2	98.8	97.3	96.9	90.5
	Eastern	94.3	97.5	94.5	94.3	81.9
	Luapula	91.6	95.6	97.5	99.4	84.9
	Lusaka	95.2	96.8	96.3	94.7	84.1
	Northern	93.3	96.8	92.8	93.2	78.1
	North-western	97.2	100.0	98.5	100.0	95.8
	Southern	100.0	94.4	97.4	97.8	89.8
	Western	97.1	94.6	93.2	98.3	84.1
Rural/Urban		95.6	96.8	95.8	96.4	85.3
	Rural	94.8	96.2	94.8	96.5	83.5
	Urban	97.2	97.9	96.8	95.7	88.3
1.00		95.8	96.9	95.6	96.2	85.3

World Summit for Children Goal => Number 6

Table 11: Percentage of children of primary school age attending primary school, Zambia, 1999

		SEX				Total	
		Male		Female		Attending	Number
		Attending primary school		Attending primary school			
		Attending	Number	Attending	Number		
Wealth Index Quintiles	Poorest	48.6	191551	45.8	187223	47.2	378774
	Second	53.3	180356	51.5	188710	52.4	369066
	Middle	55.7	210199	58.4	198415	57.0	408614
	Fourth	66.7	237751	70.0	227432	68.3	465183
	Richest	79.1	227782	75.8	246380	77.4	474162
Province	Central	62.0	114287	64.7	111751	63.3	226038
	Copperbelt	72.2	185394	69.4	183414	70.8	368808
	Eastern	42.7	130362	44.9	132017	43.8	262379
	Luapula	59.1	78883	57.1	66140	58.2	145023
	Lusaka	65.6	142385	65.7	160324	65.7	302709
	Northern	63.0	135638	59.1	123032	61.1	258670
	North-western	53.5	55719	51.0	58367	52.2	114085
	Southern	67.0	130368	68.0	144741	67.5	275109
	Western	56.5	74787	61.1	68373	58.7	143160
Rural/Urban	Rural	55.3	652590	55.3	638527	55.3	1291117
	Urban	71.9	395232	71.1	409634	71.5	804866
AGE	7.00	35.8	172850	39.8	177742	37.8	350592
	8.00	59.3	150242	56.0	148746	57.6	298989
	9.00	62.4	156345	61.9	132541	62.2	288886
	10.00	71.7	150731	69.7	164253	70.6	314984
	11.00	67.2	141966	71.3	138453	69.2	280419
	12.00	71.4	149463	73.0	140919	72.2	290382
	13.00	68.5	126225	63.7	145507	65.9	271732
Total		61.6	1047822	61.5	1048161	61.5	2095982

World Summit for Children Goal => Number 6

Table 12: Percentage of the population aged 15 years and older that is literate, Zambia, 1999

		SEX						Total		
		Male			Female			Literate	Not known	Number
		Literate	Not known	Number	Literate	Not known	Number			
Wealth Index Quintiles	Poorest	59.7	.3	486875	39.4	.4	552541	48.9	.4	1039416
	Second	65.3	.2	510199	44.8	.1	518400	55.0	.2	1028599
	Middle	73.5	.2	520538	53.3	.1	543414	63.2	.1	1063953
	Fourth	82.5	.1	650034	68.8	.2	635467	75.7	.1	1285501
	Richest	90.6	.1	744942	84.2	.1	682117	87.5	.1	1427059
Province	Central	74.3	.0	275381	64.0	.1	277914	69.1	.1	553296
	Copperbelt	90.3	.0	524012	78.3	.0	519379	84.3	.0	1043391
	Eastern	58.5	.1	360870	38.8	.1	378851	48.4	.1	739721
	Luapula	74.0	.3	192444	53.9	.3	204555	63.6	.3	397000
	Lusaka	83.1	.2	503607	70.0	.1	444090	76.9	.1	947697
	Northern	82.0	.1	335157	54.8	.2	365743	67.8	.1	700900
	North-western	56.7	.1	154654	41.3	.0	163419	48.8	.1	318073
	Southern	75.2	.2	356739	62.4	.1	341365	69.0	.1	698104
	Western	65.5	.7	212102	49.7	.8	238518	57.2	.8	450620
Rural/Urban	Rural	67.0	.2	1669878	47.6	.2	1738303	57.1	.2	3408180
	Urban	88.4	.1	1245089	77.4	.1	1195533	83.0	.1	2440621
Age	15-24	72.6	.1	1170882	66.1	.1	1145289	69.4	.1	2316171
	25-34	81.4	.2	732261	67.5	.1	740548	74.4	.2	1472810
	35-44	84.2	.1	438296	65.1	.3	459409	74.5	.2	897705
	45-54	79.6	.3	263589	45.7	.1	301674	61.5	.2	565263
	55-64	67.4	.3	177563	21.9	.3	174117	44.9	.3	351680
	65+	56.7	.3	132376	17.3	.0	112797	38.5	.2	245173
Total		76.1	.2	2914967	59.7	.2	2933835	67.9	.2	5848802

World Summit for Children Goal => Number 7

Table 13: Percentage of the population using improved drinking water sources, Zambia, 1999

		Main source of water							
		Piped into dwelling	Piped into yard or plot	Public tap	Tubewell/borehole with pump	Bottled water	Protected dug well/Protected spring	Unprotected dug well/unprotected spring	Rainwater collection
Province	Central	9.1	8.7	7.2	11.8	.1	16.6	38.5	.0
	Copperbelt	41.6	20.0	15.7	1.3	.2	5.2	11.6	.1
	Eastern	1.0	1.7	4.0	22.7	.2	23.4	35.6	.0
	Luapula	2.0	2.0	4.0	.9	.1	8.1	57.7	.4
	Lusaka	25.0	15.8	38.5	8.7	.1	.6	4.9	.0
	Northern	6.2	3.9	8.3	.8	.0	5.8	36.8	.0
	North-western	6.0	1.6	6.0	.6	.3	24.2	49.3	.0
	Southern	6.6	11.4	10.4	31.9	.0	6.3	15.9	.0
	Western	3.5	2.7	4.9	13.3	.0	22.0	48.6	.0
Rural/Urban	Rural	1.2	1.6	3.4	16.0	.2	16.0	40.9	.1
	Urban	34.4	21.0	27.8	3.0	.0	2.7	8.4	.0
Total		14.6	9.4	13.2	10.7	.1	10.6	27.8	.0

World Summit for Children Goal => Number 4

Table 13: Percentage of the population using improved drinking water sources, Zambia, 1999

		Main source of water			Total	Total with safe drinking water	Number of persons
		Pond, river or stream	Tanker truck vendor	Other			
Province	Central	7.5	.0	.5	100.0	53.4	1039523
	Copperbelt	2.7	.0	1.6	100.0	83.9	1878593
	Eastern	11.3	.0	.1	100.0	53.1	1339174
	Luapula	24.0	.0	1.0	100.0	17.0	718381
	Lusaka	2.8	.0	3.6	100.0	88.6	1624749
	Northern	37.3	.0	1.0	100.0	25.0	1283270
	North-western	12.0	.0	.0	100.0	38.5	564998
	Southern	15.0	.0	2.4	100.0	66.7	1312004
	Western	4.8	.1	.1	100.0	46.3	771434
Rural/Urban	Rural	20.2	.0	.6	100.0	38.3	6283635
	Urban	.2	.0	2.5	100.0	88.7	4248491
Total		12.1	.0	1.4	100.0	58.6	10532125

World Summit for Children Goal => Number 4

Table 14: Percentage of the population using sanitary means of excreta disposal, Zambia, 1999

		Kind of toilet facility							Total
		Flush to sewer system/septic tank	Pour flush latrine (Water seal type)	Improved pit latrine (Eg VIP)	Traditional Pit latrine	Aqua Privy	Bucket	Non/Bush/field	
Province	Central	14.2	2.9	.8	69.9	.1	.1	11.8	100.0
	Copperbelt	49.6	8.8	3.0	34.6	.2	.1	3.7	100.0
	Eastern	1.4	.0	2.5	55.9	.0	.0	40.2	100.0
	Luapula	3.9	.7	1.5	87.2	.4	.5	5.8	100.0
	Lusaka	21.6	1.2	11.5	63.1	.2	.1	2.4	100.0
	Northern	7.1	.3	.9	78.4	.0	.0	13.3	100.0
	North-western	6.2	.1	.9	87.6	.0	.1	5.0	100.0
	Southern	8.8	2.0	6.4	34.8	.0	.5	47.6	100.0
	Western	4.1	.3	1.9	25.3	.4	.9	67.1	100.0
Rural/Urban	Rural	1.8	.1	2.5	61.6	.1	.3	33.5	100.0
	Urban	38.5	5.8	6.0	48.4	.1	.1	1.2	100.0
Total		16.6	2.4	3.9	56.3	.1	.2	20.5	100.0

World Summit for Children Goal => Number 5

Table 14: Percentage of the population using sanitary means of excreta disposal, Zambia, 1999

		Total with sanitary means of excreta disposal	Number of persons
Province	Central	87.9	1039523
	Copperbelt	95.9	1878593
	Eastern	59.8	1339174
	Luapula	93.3	718381
	Lusaka	97.2	1624749
	Northern	86.7	1283270
	North-western	94.5	564998
	Southern	52.0	1312004
	Western	31.7	771434
Rural/Urban	Rural	66.1	6283635
	Urban	98.5	4248491
Total		79.2	10532125

World Summit for Children Goal => Number 5

Table 15: Percentage of under-five children with missing height or weight, Zambia, 1999

		Missing height or weight	Number of children
Wealth Index Quintiles	Poorest	19.9	285922
	Second	19.0	273821
	Middle	19.4	271103
	Fourth	18.4	289137
	Richest	21.4	252832
Sex	Male	18.9	711637
	Female	20.4	662855
Region	Central	25.4	147915
	Copperbelt	21.4	194527
	Eastern	19.6	206457
	Luapula	16.5	112016
	Lusaka	18.4	180222
	Northern	17.4	186704
	North-Western	26.5	65088
	Southern	14.3	185923
	Western	22.4	93964
Area	Rural	19.4	895873
	Urban	19.9	478619
Age group	6-11 months	32.4	160685
	12-23 months	23.1	327497
	24-35 months	13.2	334008
	36-47 months	15.4	286571
	48-59 months	20.0	265732
Mother's education level	None	21.7	319316
	Primary	18.7	752898
	Secondary +	19.5	302278
Total		19.6	1374492

World Summit for Children Goal => Number 3, 9, 26

Table 15: Percentage of under-five children who are severely or moderately undernourished, Zambia, 1999

		Weight for age: -2 SD	Weight for age: -3 SD	Height for age: -2 SD	Height for age: -3 SD	Weight for height: -2 SD	Weight for height: -3 SD	Number of children
Wealth Index Quintiles	Poorest	29.9	7.7	57.9	31.2	4.7	1.0	227415
	Second	26.2	5.9	58.5	28.7	4.5	1.4	219920
	Middle	31.1	8.4	58.1	32.5	7.8	2.0	216473
	Fourth	22.5	3.8	46.7	25.7	6.5	1.3	234615
	Richest	14.3	3.3	42.9	20.2	4.6	.6	195365
Sex	Male	26.3	6.1	54.6	28.4	6.0	1.0	572665
	Female	23.6	5.6	51.2	27.1	5.2	1.6	522335
Region	Central	21.0	5.2	47.9	24.7	3.6	1.2	109774
	Copperbelt	17.3	5.0	49.8	28.3	3.5	.7	149925
	Eastern	23.0	3.9	61.4	29.7	4.9	1.5	163659
	Luapula	39.7	13.3	57.5	29.5	10.2	4.0	92202
	Lusaka	19.3	3.5	44.3	22.2	8.1	1.6	145767
	Northern	37.5	9.5	58.7	36.9	7.1	.3	153738
	North-Western	30.1	7.9	58.3	33.2	10.1	3.0	46959
	Southern	21.2	3.4	48.3	21.5	3.0	.6	158896
	Western	23.1	4.9	54.2	27.2	3.9	.7	72869
Area	Rural	28.1	6.9	55.5	29.1	5.9	1.4	716136
	Urban	19.1	3.9	48.2	25.4	5.1	1.1	378864
Age group	6-11 months	22.8	7.1	36.5	12.8	8.4	2.6	106722
	12-23 months	34.1	9.0	57.9	29.9	8.8	2.0	249845
	24-35 months	24.6	6.2	51.3	26.9	5.8	1.3	287778
	36-47 months	18.0	4.8	53.7	29.3	3.4	.6	240304
	48-59 months	24.0	2.3	57.0	32.5	2.8	.5	210351
Mother's education level	None	26.4	6.5	56.9	33.0	6.7	1.3	247139
	Primary	26.7	6.6	55.4	29.0	5.4	1.2	606194
	Secondary +	19.2	3.3	42.8	19.5	5.0	1.3	241667
Total		25.0	5.9	53.0	27.8	5.6	1.3	1095000

World Summit for Children Goal => Number 3, 9, 26

Table 16: Percent of living children by breastfeeding status, Zambia, 1999

		Exclusive breastfeeding		Complementary feeding rate		Continued breastfeeding rate		Continued breastfeeding rate	
		Children 0-3 months	Number of children	Children 6-9 months	Number of children	Children 12-15 months	Number of children	Children 20-23 months	Number of children
Wealth Index Quintiles	Poorest	26.8	24553	14.4	27751	76.4	21939	29.0	22946
	Second	24.0	24882	20.4	16463	78.6	23091	28.6	25163
	Middle	22.8	27993	19.8	19811	72.8	24837	24.9	26649
	Fourth	37.3	26707	17.8	21675	62.2	19942	19.7	18444
	Richest	35.4	23491	23.8	19584	74.9	16981	24.0	16360
Sex	Male	30.1	63413	24.3	57691	71.9	55028	28.1	57459
	Female	28.1	64269	12.1	47594	74.4	51843	22.8	52160
Region	Central	24.8	13628	19.4	11342	69.7	10726	9.8	11098
	Copperbelt	31.9	16943	10.5	13518	68.7	13290	25.6	11943
	Eastern	21.1	21970	12.0	20255	84.2	18407	33.4	20718
	Luapula	36.7	14701	21.6	5857	67.1	12065	29.7	11395
	Lusaka	41.4	16964	22.3	14630	73.0	10888	18.5	11346
	Northern	9.0	17300	33.0	11999	75.0	14348	24.4	16745
	North-Western	12.7	7648	18.0	4997	52.4	6286	18.0	4979
	Southern	64.9	11251	23.5	15524	79.6	12402	27.7	15856
	Western	21.5	7221	9.9	7164	72.0	8379	38.9	5482
Area	Rural	26.8	85836	18.7	72507	73.3	73626	27.2	79763
	Urban	33.9	41846	19.0	32777	72.5	33246	21.2	29856
Mother's education level	None	16.5	28280	10.6	22410	67.9	21440	23.8	30533
	Primary	30.2	74152	20.1	62971	74.3	62665	28.0	58584
	Secondary +	40.1	25250	23.9	19904	74.7	22767	21.5	20503
Total		29.1	127682	18.8	105285	73.1	106872	25.6	109620

World Summit for Children Goal => Number 16

Table 16w: Percent distribution of children by breastfeeding status, Zambia, 1999

	Breastfeeding status					Total	
	Not breastfeeding	Exclusively breastfed	Breast milk and water only	Breast milk and liquids only	Breast milk and solid/mushy food	Total	Number of children
Age 0-1	.6	35.8	42.0	8.0	13.6	100.0	55882
2-3	.4	16.8	32.8	18.3	31.7	100.0	53748
4-5	.9	4.2	17.7	20.2	56.9	100.0	44567
6-7	3.7	2.8	10.7	12.9	69.9	100.0	12492
8-9	13.2	3.5	2.8	8.8	71.7	100.0	15441
10-11	27.7	8.6	3.5	18.4	41.8	100.0	10503
12-13	32.0	3.7	10.4	5.1	48.8	100.0	13375
14-15	39.2	.0	11.0	13.0	36.8	100.0	6908
16-17	74.6	.0	.0	5.8	19.6	100.0	12723
18-19	64.8	.0	5.7	8.2	21.3	100.0	13104
20-21	85.7	.0	.0	2.2	12.1	100.0	19580
22-23	95.9	.0	1.1	.0	3.0	100.0	18588
24-25	93.0	7.0	.0	.0	.0	100.0	2329
26-27	88.1	.0	.0	.0	11.9	100.0	3946
28-29	100.0	.0	.0	.0	.0	100.0	1986
30-31	84.0	.0	.0	.0	16.0	100.0	2186
32-33	66.7	11.7	12.5	.0	9.1	100.0	1415
34-35	100.0	.0	.0	.0	.0	100.0	837

Exclusively breastfed includes vitamin, mineral supplements and medicine

Table 17: Percentage of households consuming adequately iodized salt, Zambia, 1999

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of households interviewed
				< 25 PPM	25+ PPM	Total
Wealth Index Quintiles	Poorest	11.2	88.0	23.2	76.8	386212
	Second	11.0	87.4	35.3	64.7	386285
	Middle	13.9	85.4	37.8	62.2	386418
	Fourth	7.8	90.4	31.4	68.6	386338
	Richest	4.0	93.4	34.8	65.2	386394
Region	Central	8.5	88.9	25.9	74.1	175927
	Copperbelt	6.3	93.1	25.2	74.8	274539
	Eastern	7.9	90.8	41.4	58.6	303968
	Luapula	21.9	77.3	63.3	36.7	166667
	Lusaka	6.3	90.9	40.2	59.8	273400
	Northern	12.6	85.1	58.1	41.9	264092
	North-Western	7.9	91.7	47.9	52.1	112620
	Southern	4.7	94.8	21.9	78.1	211092
	Western	15.6	82.8	6.6	93.4	149343
Area	Rural	11.1	87.6	31.0	69.0	1218420
	Urban	6.9	91.1	33.0	67.0	713228
Total		9.6	88.9	31.8	68.2	1931648

World Summit for Children Goal => Number 14

Table 17: Percentage of population consuming adequately iodized salt, Zambia, 1999

		Percent of households with no salt	Percent of households in which salt was tested	Result of test		Number of persons
				< 25 PPM	25+ PPM	Total
Wealth Index Quintiles	Poorest	8.3	90.8	21.7	78.3	1917753
	Second	9.1	89.4	30.8	69.2	1873189
	Middle	12.1	87.4	36.3	63.7	1956096
	Fourth	7.0	91.2	29.9	70.1	2318448
	Richest	3.9	93.8	34.0	66.0	2460777
Province	Central	6.9	91.1	23.2	76.8	1039523
	Copperbelt	5.9	93.5	26.5	73.5	1878593
	Eastern	6.9	91.9	40.4	59.6	1339174
	Luapula	19.4	79.8	63.3	36.7	718381
	Lusaka	6.2	91.2	39.2	60.8	1624749
	Northern	11.0	86.2	57.9	42.1	1283270
	North-western	6.3	93.1	47.1	52.9	564998
	Southern	2.7	96.8	20.1	79.9	1312004
Rural/Urban	Western	12.8	84.9	6.7	93.3	771434
	Rural	9.0	89.8	28.7	71.3	6283635
	Urban	6.2	91.9	32.2	67.8	4248491
Total		7.8	90.6	30.2	69.8	10532125

World Summit for Children Goal => Number 14

Table 18: Percent distribution of children aged 6-59 months by whether they received a high dose of Vitamin A supplement in the last 6 months,Zambia, 1999

		Vitamin A					Total	
		Received: within last 6 months	Received: prior to last 6 months	Received: not sure when	Not sure if received	Not received	Total	Number of children
Wealth Index Quintiles	Poorest	67.7	11.0	5.5	2.8	13.0	100.0	262965
	Second	67.7	8.7	7.0	1.9	14.7	100.0	254368
	Middle	75.7	8.0	4.8	.6	10.9	100.0	246936
	Fourth	78.9	7.4	3.0	1.5	9.3	100.0	266841
	Richest	88.7	4.5	1.5	1.1	4.2	100.0	232504
Sex	Male	76.6	7.4	4.2	1.4	10.4	100.0	657935
	Female	74.3	8.6	4.6	1.8	10.7	100.0	606375
Region	Central	74.5	9.9	3.9	.6	11.0	100.0	128878
	Copperbelt	90.3	2.2	.1	1.8	5.7	100.0	184269
	Eastern	59.9	14.1	10.6	2.1	13.3	100.0	199011
	Luapula	83.6	2.1	2.3	.9	11.1	100.0	100660
	Lusaka	85.4	5.6	2.9	1.1	5.0	100.0	163763
	Northern	72.9	7.9	1.7	.4	17.2	100.0	172806
	North-Western	78.2	7.6	4.1	.7	9.4	100.0	58210
	Southern	66.2	14.4	4.0	3.2	12.3	100.0	168639
	Western	74.8	2.6	11.4	3.4	7.9	100.0	87379
Area	Rural	69.7	9.8	5.7	1.8	13.0	100.0	822597
	Urban	86.3	4.6	2.0	1.2	6.0	100.0	441712
Age group	6-11 months	73.7	3.4	2.5	1.4	18.9	100.0	140658
	12-23 months	77.5	5.3	3.8	.9	12.5	100.0	299907
	24-35 months	76.1	8.0	4.9	1.8	9.1	100.0	312411
	36-47 months	77.0	9.6	4.4	1.4	7.7	100.0	274126
	48-59 months	71.6	12.0	5.6	2.6	8.2	100.0	237206
Mother's education level	None	68.0	8.2	7.0	3.5	13.4	100.0	290093
	Primary	75.1	8.7	3.9	1.2	11.1	100.0	694975
	Secondary +	84.3	6.1	2.9	.6	6.1	100.0	279241
Total		75.5	8.0	4.4	1.6	10.5	100.0	1264309

World Summit for Children Goal => Number 15

Table 19: Percentage of women with a birth in the last 12 months by whether they received a high dose of Vitamin A supplement before the infant was 8 weeks old,Zambia, 1999

		Received Vitamin A supplement	Not sure if received	Number of women
Wealth Index Quintiles	Poorest	34.5	1.4	81880
	Second	38.6	.0	73097
	Middle	34.7	2.5	72414
	Fourth	41.6	3.2	73842
	Richest	51.6	1.1	62367
Province	Central	48.8	.0	28401
	Copperbelt	53.0	.8	45535
	Eastern	37.0	2.3	63030
	Luapula	35.3	.0	33359
	Lusaka	39.4	2.5	48107
	Northern	31.5	.7	58820
	North-western	58.0	2.8	16035
	Southern	28.8	4.2	46859
Rural/Urban	Western	47.3	1.1	23511
	Rural	36.0	2.2	246311
	Urban	47.6	.6	117347
	Education	None	35.4	1.5
Education	Primary	38.9	1.8	196746
	Secondary +	47.6	1.5	72491
Total		39.7	1.7	363657

World Summit for Children Goal => Number 15

Table 20a. Birth weight and size at birth

		Birth weight			
		<2500	2500+	DK/Missing	Not weighted at birth
Wealth Index Quintiles	Poorest	2.6	34.7	32.9	29.8
	Second	4.7	40.3	25.0	29.9
	Middle	3.2	43.2	26.3	27.2
	Fourth	4.4	65.7	15.7	14.1
	Richest	6.9	77.1	4.2	11.8
Province	Central	1.0	60.4	4.1	34.5
	Copperbelt	6.9	64.7	6.2	22.3
	Eastern	.5	32.5	57.5	9.5
	Luapula	2.9	52.1	31.5	13.5
	Lusaka	6.3	69.5	15.0	9.2
	Northern	3.0	38.6	.1	58.3
	North-western	7.0	72.7	17.6	2.6
	Southern	4.0	48.2	37.6	10.2
	Western	12.5	47.0	.1	40.3
Rural/Urban	Rural	2.8	41.7	28.2	27.3
	Urban	7.3	71.0	7.6	14.0
Education	None	3.2	39.0	31.0	26.8
	Primary	4.5	47.6	23.0	24.9
	Secondary +	4.9	76.6	5.5	12.9
Total		4.3	51.1	21.6	23.0

Table 20a. Birth weight and size at birth

		SIZE OF LAST BORN						Total	Number
		Very large	Large	Average	Smaller than average	Very small	DK		
Wealth Index Quintiles	Poorest	10.0	13.3	62.8	8.2	2.8	2.9	100.0	81880
	Second	11.2	16.7	48.7	8.7	3.6	11.1	100.0	73097
	Middle	15.8	14.4	56.3	3.1	2.5	7.8	100.0	72414
	Fourth	11.3	16.7	59.7	4.7	2.5	5.1	100.0	73842
	Richest	15.0	15.0	51.4	5.3	2.9	10.4	100.0	62367
Province	Central	24.9	8.2	53.7	7.2	.4	5.7	100.0	28401
	Copperbelt	17.0	19.8	47.8	4.5	3.1	7.9	100.0	45535
	Eastern	3.2	10.6	69.1	9.3	1.6	6.2	100.0	63030
	Luapula	7.1	17.6	55.8	5.5	2.3	11.8	100.0	33359
	Lusaka	9.5	19.4	54.1	5.7	3.2	8.2	100.0	48107
	Northern	18.6	16.5	51.2	4.1	2.1	7.5	100.0	58820
	North-western	13.5	17.8	60.8	2.4	3.2	2.2	100.0	16035
	Southern	10.3	11.9	56.5	8.2	7.6	5.6	100.0	46859
	Western	16.7	16.7	53.0	4.0	1.3	8.3	100.0	23511
Rural/Urban	Rural	11.4	14.2	58.9	6.0	2.6	6.8	100.0	246311
	Urban	14.9	17.3	50.2	6.1	3.4	8.2	100.0	117347
Education	None	11.1	11.3	60.2	6.0	3.0	8.4	100.0	94420
	Primary	12.0	16.8	54.5	7.2	2.7	6.9	100.0	196746
	Secondary +	15.9	16.0	55.1	3.2	3.2	6.5	100.0	72491
Total		12.5	15.2	56.1	6.1	2.9	7.2	100.0	363657

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey, Zambia, 1999

BCG	Vaccination Card	51.5
	Mother's Report	13.1
	Not vaccinated	35.4
DPT1	Vaccination Card	60.9
	Mother's Report	20.6
	Not vaccinated	18.5
DPT2	Vaccination Card	59.0
	Mother's Report	15.6
	Not vaccinated	25.4
DPT3	Vaccination Card	56.0
	Mother's Report	8.2
	Not vaccinated	35.8
Polio 1	Vaccination Card	63.7
	Mother's Report	21.7
	Not vaccinated	14.6
Polio 2	Vaccination Card	62.4
	Mother's Report	16.9
	Not vaccinated	20.7
Polio 3	Vaccination Card	59.0
	Mother's Report	6.5
	Not vaccinated	34.5
Measles	Vaccination Card	57.2
	Mother's Report	17.1
	Not vaccinated	25.7
All vaccinations	Vaccination Card	38.7
	Mother's Report	12.2
	Doesn't have all vaccinations	49.1
No vaccinations	Vaccination Card	.4
	Mother's Report	2.8
	Has some vaccinations	96.8
Number of children		327497.3

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases before the first birthday, for children who had a complete date on their vaccination card, Zambia, 1999

BCG	97.0
DPT 1	95.9
DPT 2	95.2
DPT 3	92.1
Polio 1	95.9
Polio 2	95.4
Polio 3	92.2
Measles	88.1
All vaccinations	73.3
No vaccinations	.1

World Summit for Children Goal => Number 22

Table 21 Percentage of children 12-23 months immunized against childhood diseases at any time before the survey and before the first birthday, Zambia, 1999

	BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	Number of children
Vaccination card	51.5	60.9	59.0	56.0	63.7	62.4	59.0	57.2	38.7	.4	327497.3
Mother's report	13.1	20.6	15.6	8.2	21.7	16.9	6.5	17.1	12.2	2.8	327497.3
Either	64.6	81.5	74.6	64.2	85.4	79.3	65.5	74.3	50.9	3.2	327497.3
Vaccinated by 12 months of age	62.6	78.2	71.0	59.1	81.9	75.6	60.4	65.4	37.3	3.2	327497.3

World Summit for Children Goal => Number 22

Table 22: Percentage of children age 12-23 months currently vaccinated against childhood diseases, Zambia, 1999

		BCG	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	% with health card	Number of children
Wealth Index Quintiles	Poorest	58.1	76.3	69.1	58.4	82.2	72.9	57.0	65.0	41.1	3.4	59.0	66468
	Second	58.9	76.9	66.8	55.5	84.1	77.1	62.6	71.8	42.7	3.4	62.1	71257
	Middle	64.7	82.1	75.2	64.7	83.0	76.7	64.3	77.1	52.1	5.2	67.5	72951
	Fourth	68.1	85.5	80.3	66.5	89.2	84.8	69.7	77.5	56.6	1.8	68.9	64135
	Richest	76.3	89.2	84.5	80.3	90.3	87.4	76.9	82.0	66.1	1.5	76.7	52384
Sex	Male	66.3	81.6	74.9	64.7	86.1	80.6	66.1	74.1	51.3	2.5	67.6	168297
	Female	62.8	81.4	74.2	63.7	84.6	77.9	64.8	74.5	50.5	3.9	65.0	159200
Region	Central	53.8	71.6	71.0	60.7	71.9	68.1	58.6	66.3	45.3	9.6	56.0	34004
	Copperbelt	78.6	96.3	88.8	78.5	98.4	96.0	79.7	91.0	70.2	.7	78.6	39444
	Eastern	63.5	83.6	78.1	65.5	87.5	80.1	69.1	76.8	54.1	3.9	66.9	57585
	Luapula	65.6	82.0	75.9	69.3	85.8	82.8	67.8	80.9	57.4	6.5	66.9	31708
	Lusaka	71.7	81.9	79.4	74.1	84.6	79.7	71.1	68.8	53.5	1.6	71.7	37141
	Northern	62.7	80.2	67.4	48.2	90.7	81.7	58.3	74.7	37.6	.7	65.4	47942
	North-Western	50.0	72.7	60.3	50.6	69.5	57.1	42.4	58.2	33.9	2.3	52.3	17037
	Southern	65.8	81.0	70.8	63.7	85.1	77.1	66.3	72.9	51.5	1.0	67.6	42881
	Western	58.3	74.3	69.1	63.6	79.7	74.8	60.6	63.9	43.4	3.7	59.0	19453
Area	Rural	60.7	78.5	71.0	59.6	83.5	76.4	61.3	71.4	46.4	3.9	62.9	227294
	Urban	73.5	88.3	82.6	74.7	89.6	85.8	75.0	81.0	61.2	1.5	74.0	100203
Mother's education level	None	58.5	75.2	68.4	56.8	83.1	73.5	60.5	69.9	43.6	4.8	59.6	76357
	Primary	64.2	82.9	75.4	64.0	86.0	79.6	63.7	73.6	49.4	3.2	66.7	181697
	Secondary +	72.4	84.8	78.9	73.1	86.4	84.8	75.5	80.9	63.0	1.3	72.7	69444
Total		64.6	81.5	74.6	64.2	85.4	79.3	65.5	74.3	50.9	3.2	66.3	327497

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Zambia, 1999

		Had diarrhea in last two weeks	Number of children under 5	Breast milk	Gruel	Local acceptable	ORS packet	Other milk or infant formula	Water with feeding
Wealth	Poorest	16.3	323044	46.1	61.9	35.2	42.5	2.9	51.6
Index Quintiles	Second	21.2	313131	53.5	58.5	40.2	48.9	3.4	44.9
	Middle	18.5	312012	48.2	55.7	39.4	40.9	3.4	47.4
	Fourth	20.2	328185	45.9	71.9	41.3	54.2	8.3	53.6
	Richest	19.1	286903	44.0	67.7	42.3	58.2	14.5	65.2
	Sex	Male	19.9	810687	46.4	61.5	40.1	49.6	6.5
	Female	18.0	754322	49.4	65.3	39.5	48.6	6.4	55.6
Region	Central	10.9	169047	49.4	62.4	39.8	37.0	10.1	41.7
	Copperbelt	18.3	217924	50.2	67.1	34.0	55.9	11.8	64.4
	Eastern	19.3	239308	52.4	61.0	38.4	43.0	3.7	49.9
	Luapula	23.8	132813	51.1	54.0	41.3	47.7	1.0	39.6
	Lusaka	24.6	204312	41.5	76.8	49.1	60.7	11.9	61.7
	Northern	23.5	213643	48.1	57.9	31.9	39.8	4.2	46.0
	North-Western	11.3	76603	37.9	39.5	27.7	49.7	5.8	39.3
	Southern	16.8	205366	47.3	69.8	49.9	48.7	4.7	58.0
	Western	17.1	104259	44.8	53.3	35.9	58.9	2.0	51.2
Area	Rural	18.3	1025635	48.8	59.7	38.8	44.9	3.3	48.3
	Urban	20.4	539374	45.9	69.4	41.5	56.4	11.8	59.0
Age group	< 6 months	13.0	190518	89.0	54.3	27.8	34.8	9.4	54.6
	6-11 months	27.9	160685	80.9	64.2	32.0	47.9	5.8	43.3
	12-23 months	30.7	327497	71.4	61.7	36.8	49.1	5.6	51.6
	24-35 months	18.0	334008	10.3	62.5	44.3	50.0	5.3	54.6
	36-47 months	15.0	286571	8.8	68.3	53.1	54.8	6.8	55.5
	48-59 months	9.3	265732	9.0	70.0	43.9	53.8	10.1	57.6
Mother's education level	None	20.0	359438	46.9	63.8	42.8	41.6	2.7	49.5
	Primary	20.0	863921	49.0	62.0	36.6	49.7	6.2	51.7
	Secondary +	15.6	341651	45.0	66.3	46.1	57.4	12.1	57.8
Total		19.0	1565010	47.7	63.2	39.8	49.1	6.4	52.3

World Summit for Children Goal => Number 23

Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Zambia, 1999

		Any recommended treatment	No treatment	Number of children with diarrhea
				1.00
Wealth Index Quintiles	Poorest	91.5	8.5	52676
	Second	93.4	6.6	66281
	Middle	89.8	10.2	57590
	Fourth	93.2	6.8	66398
	Richest	92.1	7.9	54767
Sex	Male	90.9	9.1	161657
	Female	93.4	6.6	136055
Region	Central	89.4	10.6	18473
	Copperbelt	91.4	8.6	39793
	Eastern	92.6	7.4	46258
	Luapula	89.5	10.5	31617
	Lusaka	95.5	4.5	50248
	Northern	90.8	9.2	50309
	North-Western	82.4	17.6	8648
	Southern	95.2	4.8	34487
	Western	92.3	7.7	17879
Area	Rural	91.8	8.2	187921
	Urban	92.6	7.4	109791
Age group	< 6 months	94.4	5.6	24706
	6-11 months	93.8	6.2	44791
	12-23 months	94.0	6.0	100433
	24-35 months	87.8	12.2	60075
	36-47 months	93.2	6.8	42969
	48-59 months	87.1	12.9	24738
Mother's education level	None	91.8	8.2	71920
	Primary	91.8	8.2	172362
	Secondary +	93.5	6.5	53430
Total		92.1	7.9	297712

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Zambia, 1999

		Had diarrhea in last two weeks	Number of children under 5	Drinking during diarrhea			Total	Eating during diarrhea		
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK
Wealth Index Quintiles	Poorest	16.3	323044	28.3	64.0	7.7	100.0	37.2	54.4	8.4
	Second	21.2	313131	28.5	67.1	4.4	100.0	28.6	65.8	5.6
	Middle	18.5	312012	46.2	44.7	9.0	100.0	28.5	62.4	9.1
	Fourth	20.2	328185	36.3	59.6	4.1	100.0	33.0	63.0	4.0
	Richest	19.1	286903	36.9	59.0	4.1	100.0	32.8	62.7	4.5
Sex	Male	19.9	810687	34.7	58.3	7.0	100.0	31.7	61.4	6.8
	Female	18.0	754322	35.7	60.0	4.3	100.0	32.0	62.5	5.5
Region	Central	10.9	169047	25.8	63.9	10.3	100.0	24.3	64.5	11.2
	Copperbelt	18.3	217924	29.3	65.7	5.0	100.0	34.1	60.3	5.6
	Eastern	19.3	239308	24.2	69.5	6.3	100.0	33.4	59.1	7.5
	Luapula	23.8	132813	52.1	38.4	9.5	100.0	29.4	61.3	9.4
	Lusaka	24.6	204312	46.6	50.2	3.1	100.0	30.4	67.0	2.6
	Northern	23.5	213643	38.9	57.1	4.0	100.0	32.8	63.7	3.5
	North-Western	11.3	76603	47.2	44.9	7.9	100.0	35.6	56.5	7.9
	Southern	16.8	205366	24.4	68.8	6.8	100.0	31.2	59.3	9.5
	Western	17.1	104259	28.7	66.9	4.5	100.0	35.7	59.8	4.5
Area	Rural	18.3	1025635	32.6	61.4	6.0	100.0	32.5	60.6	6.9
	Urban	20.4	539374	39.6	55.1	5.4	100.0	30.8	64.2	5.0
Age group	< 6 months	13.0	190518	30.0	63.6	6.4	100.0	34.1	56.0	9.9
	6-11 months	27.9	160685	27.5	65.8	6.7	100.0	26.7	65.5	7.7
	12-23 months	30.7	327497	34.1	60.6	5.3	100.0	29.8	64.6	5.6
	24-35 months	18.0	334008	41.7	51.8	6.5	100.0	32.2	61.4	6.5
	36-47 months	15.0	286571	36.6	58.7	4.6	100.0	34.7	61.2	4.1
	48-59 months	9.3	265732	40.4	54.1	5.6	100.0	41.5	52.9	5.6
Mother's education level	None	20.0	359438	31.3	60.3	8.3	100.0	31.6	61.4	7.0
	Primary	20.0	863921	34.6	59.7	5.8	100.0	31.1	61.9	7.0
	Secondary +	15.6	341651	42.3	55.4	2.3	100.0	34.6	62.8	2.7
Total		19.0	1565010	35.2	59.0	5.8	100.0	31.9	61.9	6.2

World Summit for Children Goal => Number 23

Table 24: Percentage of under-five children with diarrhea in the last two weeks who took increased fluids and continued to feed during the episode, Zambia, 1999

		Total	Received increased fluids and continued eating	Number of children with diarrhea
				1.00
Wealth Index Quintiles	Poorest	100.0	6.8	52676
	Second	100.0	4.0	66281
	Middle	100.0	10.5	57590
	Fourth	100.0	9.7	66398
	Richest	100.0	10.9	54767
Sex	Male	100.0	7.2	161657
	Female	100.0	9.6	136055
Region	Central	100.0	5.3	18473
	Copperbelt	100.0	10.7	39793
	Eastern	100.0	4.2	46258
	Luapula	100.0	10.0	31617
	Lusaka	100.0	10.8	50248
	Northern	100.0	9.7	50309
	North-Western	100.0	13.3	8648
	Southern	100.0	5.2	34487
	Western	100.0	5.9	17879
Area	Rural	100.0	7.2	187921
	Urban	100.0	10.1	109791
Age group	< 6 months	100.0	7.5	24706
	6-11 months	100.0	5.3	44791
	12-23 months	100.0	7.7	100433
	24-35 months	100.0	8.9	60075
	36-47 months	100.0	10.7	42969
	48-59 months	100.0	11.1	24738
Mother's education level	None	100.0	5.1	71920
	Primary	100.0	8.4	172362
	Secondary +	100.0	12.3	53430
Total		100.0	8.3	297712

World Summit for Children Goal => Number 23

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Zambia, 1999

		Had acute respiratory infection	Number of children under 5	Government Hospital	Community health worker	Mobile/outreach clinic	Private physician	Traditional healer	Other
Wealth Index Quintiles	Poorest	1.7	323044	23.5	.0	.0	.0	3.0	3.0
	Second	3.2	313131	20.5	.0	.0	.0	5.8	14.3
	Middle	2.1	312012	7.1	3.9	.0	.0	.0	.0
	Fourth	2.2	328185	6.3	.0	.0	.0	.0	7.9
	Richest	2.6	286903	3.5	.0	.0	4.1	3.1	.0
Sex	Male	2.4	810687	10.3	.0	.0	.0	.0	7.4
	Female	2.3	754322	14.5	1.5	.0	1.8	5.6	4.3
Region	Central	1.5	169047	6.5	.0	.0	.0	.0	.0
	Copperbelt	2.0	217924	6.0	.0	.0	7.1	.0	.0
	Eastern	1.7	239308	25.4	.0	.0	.0	14.0	24.4
	Luapula	2.3	132813	10.6	.0	.0	.0	.0	.0
	Lusaka	2.6	204312	3.7	.0	.0	.0	4.3	.0
	Northern	4.8	213643	14.0	.0	.0	.0	.0	9.5
	North-Western	1.6	76603	9.9	21.2	.0	.0	.0	.0
	Southern	2.2	205366	8.6	.0	.0	.0	.0	.0
	Western	1.1	104259	47.2	.0	.0	.0	14.0	14.0
Area	Rural	2.1	1025635	18.7	1.2	.0	.0	3.4	9.6
	Urban	2.8	539374	3.0	.0	.0	2.1	1.5	.5
Age group	< 6 months	3.1	190518	2.0	.0	.0	.0	.0	1.3
	6-11 months	3.0	160685	9.7	.0	.0	.0	4.8	6.3
	12-23 months	2.9	327497	25.7	1.3	.0	.0	7.8	16.6
	24-35 months	2.1	334008	12.5	.0	.0	.0	.0	2.8
	36-47 months	1.7	286571	6.8	.0	.0	6.2	.0	.0
	48-59 months	1.6	265732	5.4	3.0	.0	.0	.0	.0
Mother's education level	None	1.7	359438	14.5	.0	.0	.0	11.9	11.9
	Primary	2.4	863921	15.6	1.2	.0	1.5	1.1	5.3
	Secondary +	2.7	341651	3.5	.0	.0	.0	.0	3.2
Total		2.3	1565010	12.3	.7	.0	.8	2.7	5.9

World Summit for Children Goal => Number 24

Table 25: Percentage of under-five children with acute respiratory infection in the last two weeks and treatment by health providers, Zambia, 1999

		Any appropriate provider	Number of children with ARI
			1.00
Wealth Index Quintiles	Poorest	23.5	5380
	Second	20.5	9917
	Middle	11.0	6530
	Fourth	6.3	7250
	Richest	7.7	7354
Sex	Male	10.3	19111
	Female	17.7	17319
Region	Central	6.5	2472
	Copperbelt	13.1	4325
	Eastern	25.4	4120
	Luapula	10.6	3043
	Lusaka	3.7	5351
	Northern	14.0	10341
	North-Western	31.1	1198
	Southern	8.6	4434
	Western	47.2	1147
Area	Rural	19.9	21598
	Urban	5.0	14833
Age group	< 6 months	2.0	5829
	6-11 months	9.7	4764
	12-23 months	27.0	9508
	24-35 months	12.5	7152
	36-47 months	13.0	4925
	48-59 months	8.4	4253
Mother's education level	None	14.5	6229
	Primary	18.3	20824
	Secondary +	3.5	9378
Total		13.8	36431

World Summit for Children Goal => Number 24

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Zambia, 1999

		Reported illness in last two weeks	Number of children under 5	Drinking during illness			Total	Eating during illness		
				More	Same/Less	Missing/DK		somewhat less/same/more	Much less/none	Missing/DK
Wealth Index Quintiles	Poorest	28.8	323044	21.0	65.8	13.2	100.0	37.1	49.8	13.1
	Second	33.1	313131	24.0	64.9	11.0	100.0	31.9	56.2	11.9
	Middle	35.0	312012	33.8	52.3	14.0	100.0	33.9	51.4	14.7
	Fourth	31.2	328185	30.4	57.6	12.0	100.0	34.2	53.4	12.4
	Richest	27.6	286903	31.0	60.8	8.2	100.0	35.0	57.1	7.9
Sex	Male	31.9	810687	28.6	59.1	12.3	100.0	35.4	52.6	12.1
	Female	30.4	754322	27.5	61.1	11.4	100.0	33.2	54.4	12.4
Region	Central	20.1	169047	23.2	63.2	13.6	100.0	34.9	53.7	11.4
	Copperbelt	26.9	217924	25.2	64.2	10.6	100.0	38.8	50.7	10.5
	Eastern	32.7	239308	20.0	72.4	7.6	100.0	41.4	50.4	8.3
	Luapula	47.3	132813	37.0	42.4	20.5	100.0	29.8	47.8	22.4
	Lusaka	33.1	204312	39.1	51.3	9.6	100.0	27.6	62.9	9.5
	Northern	39.5	213643	30.7	62.4	6.9	100.0	37.7	55.7	6.7
	North-Western	20.9	76603	33.8	56.4	9.7	100.0	33.7	55.9	10.5
	Southern	27.4	205366	20.2	62.7	17.1	100.0	29.2	52.1	18.7
	Western	28.4	104259	21.2	62.8	16.0	100.0	32.0	52.0	16.0
Area	Rural	31.6	1025635	25.4	61.4	13.2	100.0	35.5	50.6	13.9
	Urban	30.4	539374	33.4	57.4	9.2	100.0	32.1	59.1	8.9
Age group	< 6 months	24.4	190518	19.3	66.4	14.3	100.0	38.5	44.3	17.2
	6-11 months	41.4	160685	23.5	68.0	8.5	100.0	28.4	62.4	9.2
	12-23 months	42.7	327497	29.9	59.4	10.7	100.0	30.2	59.0	10.8
	24-35 months	30.6	334008	31.9	57.1	10.9	100.0	35.4	53.5	11.0
	36-47 months	25.7	286571	29.2	56.9	14.0	100.0	35.0	51.1	13.9
	48-59 months	22.2	265732	27.9	56.5	15.6	100.0	44.9	40.0	15.1
Mother's education level	None	29.1	359438	25.4	62.3	12.3	100.0	32.0	56.0	12.0
	Primary	32.6	863921	28.1	60.1	11.8	100.0	33.3	53.9	12.8
	Secondary +	29.7	341651	30.9	57.5	11.6	100.0	39.7	49.5	10.8
Total		31.2	1565010	28.1	60.0	11.9	100.0	34.3	53.4	12.2

Monitoring IMCI and Malaria Indicator

Table 26: Percentage of children 0-59 months of age reported ill during the last two weeks who received increased fluids and continued feeding, Zambia, 1999

		Total	Received increased fluids and continued eating	Number of sick children
				1.00
Wealth Index Quintiles	Poorest	100.0	4.4	93006
	Second	100.0	4.7	103793
	Middle	100.0	7.0	109244
	Fourth	100.0	9.6	102552
	Richest	100.0	8.0	79317
Sex	Male	100.0	6.6	258822
	Female	100.0	6.9	229090
Region	Central	100.0	4.5	34018
	Copperbelt	100.0	10.4	58716
	Eastern	100.0	4.1	78194
	Luapula	100.0	8.4	62869
	Lusaka	100.0	8.8	67692
	Northern	100.0	7.5	84468
	North-Western	100.0	7.2	15995
	Southern	100.0	3.2	56315
Area	Western	100.0	5.0	29644
	Rural	100.0	5.8	323694
Age group	Urban	100.0	8.5	164218
	< 6 months	100.0	4.8	46473
	6-11 months	100.0	3.6	66547
	12-23 months	100.0	6.6	139896
	24-35 months	100.0	7.5	102362
	36-47 months	100.0	8.3	73662
Mother's education level	48-59 months	100.0	8.7	58973
	None	100.0	4.0	104772
	Primary	100.0	6.8	281803
	Secondary +	100.0	9.3	101337
Total		100.0	6.7	487912

Monitoring IMCI and Malaria Indicator

Table 27: Percentage of caretakers of children 0-59 months who know at least 2 signs for seeking care immediately, Zambia, 1999

		Not able to drink/breast feed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Knows at least two signs	Number of caretakers
Wealth Index Quintiles	Poorest	6.8	9.2	12.2	6.4	6.8	6.1	4.3	12.0	760
	Second	6.8	9.1	13.6	6.7	6.3	6.3	4.4	12.3	778
	Middle	3.5	4.7	10.4	3.8	4.1	3.0	2.1	8.1	896
	Fourth	7.7	10.3	14.4	6.6	7.5	7.2	4.6	12.5	1112
	Richest	11.3	15.5	23.4	11.5	12.6	11.6	7.3	22.2	1043
Region	Central	6.0	6.8	11.5	6.0	5.8	4.0	4.0	8.9	503
	Copperbelt	17.4	26.1	39.8	16.7	19.9	19.6	7.6	37.1	633
	Eastern	3.7	2.3	5.2	3.3	2.7	1.9	2.1	5.2	485
	Luapula	8.3	11.9	18.3	6.4	8.8	5.2	5.0	16.9	421
	Lusaka	10.2	12.3	14.7	10.1	10.1	9.6	8.6	13.9	675
	Northern	2.5	2.5	6.2	2.3	3.4	.8	1.3	5.9	529
	North-Western	.8	.8	1.0	.3	.5	.3	.3	.8	386
	Southern	6.4	12.5	20.4	6.9	6.0	9.8	5.6	16.7	550
Area	Western	6.6	7.6	8.8	7.4	6.4	5.9	4.2	8.6	407
	Rural	5.7	7.9	11.7	5.5	5.5	5.1	3.4	10.7	2384
Mother's education level	Urban	9.2	12.3	18.9	9.0	10.1	9.1	6.0	17.1	2210
	None	7.7	9.5	14.1	7.1	7.5	7.0	5.3	12.8	1004
	Primary	6.9	10.0	14.7	6.5	7.5	6.9	4.1	13.2	2343
	Secondary +	8.1	10.5	16.8	8.4	8.2	7.3	5.1	15.6	1247
Total		7.4	10.0	15.2	7.2	7.7	7.0	4.7	13.8	4594

Monitoring IMCI and Malaria Indicator

Table 28: Percentage of children 0-59 months of age who slept under an insecticide-impregnated bednet during the previous night, Zambia, 2000

		Slept under a bednet			Bednet treated			Number of children
		Yes	No	DK/missing	Yes	No	DK/missing	1.00
Wealth Index Quintiles	Poorest	3.9	95.9	.2	.2	99.8	.0	323044
	Second	3.0	96.9	.0	.4	99.6	.0	313131
	Middle	4.8	94.7	.5	1.0	99.0	.0	312012
	Fourth	7.2	92.5	.3	1.1	98.7	.2	328185
	Richest	11.5	88.0	.5	2.9	97.1	.0	286903
Sex	Male	6.1	93.6	.3	1.3	98.6	.1	810687
	Female	5.9	93.8	.3	.8	99.1	.1	754322
Region	Central	6.3	93.6	.1	1.2	98.8	.0	169047
	Copperbelt	7.2	92.4	.3	2.0	97.8	.2	217924
	Eastern	3.2	96.8	.0	.7	99.3	.0	239308
	Luapula	9.1	90.2	.7	2.7	97.2	.1	132813
	Lusaka	4.0	95.7	.3	.5	99.3	.2	204312
	Northern	9.7	90.1	.2	.4	99.6	.0	213643
	North-Western	2.8	97.1	.1	1.2	98.8	.0	76603
	Southern	3.9	95.4	.7	.9	99.1	.0	205366
	Western	8.2	91.4	.4	.5	99.4	.1	104259
Area	Rural	4.7	95.0	.3	.8	99.2	.0	1025635
	Urban	8.5	91.2	.3	1.6	98.2	.1	539374
Age group	< 6 months	7.3	92.6	.2	1.4	98.6	.0	190518
	6-11 months	4.5	95.0	.4	.8	99.0	.2	160685
	12-23 months	7.6	92.2	.2	1.3	98.6	.1	327497
	24-35 months	5.9	93.8	.4	1.1	98.8	.0	334008
	36-47 months	5.7	94.0	.3	1.1	98.9	.0	286571
	48-59 months	4.4	95.1	.5	.7	99.3	.0	265732
Total		6.0	93.7	.3	1.1	98.9	.1	1565010

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Zambia, 2000

		Had a fever in last two weeks	Number of children under 5	Paracetamol	Chloroquine	Fansidar	Quinine	Other	Don't know
Wealth Index Quintiles	Poorest	15.6	323044	49.1	50.2	2.4	.4	.4	16.0
	Second	15.9	313131	62.7	50.4	.1	2.7	2.7	10.3
	Middle	19.0	312012	62.7	65.5	1.9	1.8	1.8	26.8
	Fourth	12.5	328185	59.5	54.7	3.5	1.4	1.4	14.7
	Richest	8.5	286903	69.9	62.4	6.6	5.1	5.1	23.9
Sex	Male	14.4	810687	58.7	56.6	2.6	1.5	1.5	21.2
	Female	14.4	754322	61.0	56.2	2.2	2.5	2.5	15.0
Region	Central	8.1	169047	44.7	41.3	5.6	.7	.7	9.4
	Copperbelt	7.7	217924	54.8	62.8	.0	3.9	3.9	25.2
	Eastern	15.8	239308	77.2	49.6	1.7	1.8	1.8	2.8
	Luapula	27.0	132813	59.1	69.0	2.4	2.0	2.0	46.2
	Lusaka	11.6	204312	63.5	52.5	7.3	1.9	1.9	13.0
	Northern	17.1	213643	53.0	58.3	.9	3.6	3.6	6.1
	North-Western	12.9	76603	59.4	69.2	2.3	1.1	1.1	10.0
	Southern	14.7	205366	59.3	50.9	.5	.8	.8	32.6
	Western	20.2	104259	52.3	55.0	3.6	.9	.9	8.3
Area	Rural	16.3	1025635	58.9	56.5	2.2	1.6	1.6	18.4
	Urban	10.7	539374	62.4	56.2	3.2	2.9	2.9	17.5
Age group	< 6 months	11.9	190518	47.5	48.8	1.4	.0	.0	26.0
	6-11 months	16.3	160685	58.2	57.9	4.2	2.5	2.5	10.5
	12-23 months	16.6	327497	63.8	52.6	1.5	3.0	3.0	13.0
	24-35 months	15.0	334008	57.1	59.3	2.6	1.5	1.5	25.2
	36-47 months	14.1	286571	60.8	60.8	1.6	3.5	3.5	15.7
	48-59 months	11.9	265732	66.2	57.0	4.2	.0	.0	19.9
Mother's education level	None	15.4	359438	55.0	47.3	2.8	1.3	1.3	15.4
	Primary	14.8	863921	59.8	58.2	1.7	1.7	1.7	18.8
	Secondary +	12.2	341651	66.3	63.2	4.2	3.7	3.7	20.1
Total		14.4	1565010	59.8	56.4	2.4	2.0	2.0	18.2

Monitoring IMCI and Malaria Indicator

Table 29: Percentage of children 0-59 months of age who were ill with fever in the last two weeks who received anti-malarial drugs, Zambia, 2000

		Any appropriate anti-malarial drug	Number of children with fever
			1.00
Wealth Index Quintiles	Poorest	52.6	50547
	Second	50.4	49880
	Middle	66.7	59366
	Fourth	56.9	40920
	Richest	65.5	24499
Sex	Male	58.2	116465
	Female	57.8	108828
Region	Central	45.3	13683
	Copperbelt	64.9	16776
	Eastern	50.3	37705
	Luapula	69.4	35898
	Lusaka	56.4	23615
	Northern	59.3	36479
	North-Western	72.5	9907
	Southern	50.9	30109
	Western	58.3	21038
Area	Rural	58.0	167490
	Urban	57.9	57803
Age group	< 6 months	48.8	22646
	6-11 months	59.1	26178
	12-23 months	55.1	54344
	24-35 months	60.2	49982
	36-47 months	61.9	40542
	48-59 months	60.2	31602
Mother's education level	None	48.9	55470
	Primary	59.5	128105
	Secondary +	65.6	41719
Total		58.0	225294

Monitoring IMCI and Malaria Indicator

Table 30: Percentage of women aged 15-49 who know the main ways of preventing HIV transmission, Zambia, 1999

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Knows both (two) ways	Knows at least one way	Doesn't know any way	Number of women 1.00
Wealth Index Quintiles	Poorest	95.6	78.6	57.0	49.8	85.8	14.2	428578
	Second	94.7	77.7	55.0	47.3	85.5	14.5	408814
	Middle	97.3	75.6	51.0	42.1	84.4	15.6	432163
	Fourth	96.2	80.1	60.6	53.3	87.4	12.6	514653
	Richest	96.7	84.4	60.9	55.1	90.2	9.8	553325
Province	Central	95.5	76.6	48.9	42.7	82.9	17.1	229739
	Copperbelt	97.2	82.6	61.6	54.7	89.6	10.4	378648
	Eastern	95.7	66.1	49.5	37.9	77.7	22.3	339372
	Luapula	98.2	80.1	49.9	40.4	89.5	10.5	180204
	Lusaka	95.4	85.2	63.2	57.7	90.6	9.4	349666
	Northern	93.9	72.9	41.6	33.0	81.5	18.5	295295
	North-western	98.5	83.8	62.2	56.0	89.9	10.1	125886
	Southern	95.8	87.6	71.5	66.9	92.2	7.8	269762
Rural/Urban	Western	97.7	87.6	71.0	65.9	92.7	7.3	170512
	Rural	95.8	77.3	54.6	46.6	85.3	14.7	1367734
Age Group	Urban	96.6	82.8	61.0	54.8	89.0	11.0	971351
	15-19	95.3	75.5	60.2	50.7	84.9	15.1	557088
	20-24	96.1	81.3	58.0	52.1	87.3	12.7	498116
	25-29	95.7	80.3	59.8	51.0	89.0	11.0	431416
	30-34	95.7	80.2	56.0	50.0	86.2	13.8	286788
	35-39	97.7	83.2	57.2	50.7	89.7	10.3	260340
	40-44	97.8	81.1	51.5	47.5	85.2	14.8	182665
Education	45-49	97.2	77.4	43.9	36.6	84.7	15.3	122673
	None	95.4	78.7	54.6	47.6	85.7	14.3	665354
	Primary	96.0	78.5	55.8	48.0	86.3	13.7	1022471
Total	Secondary +	97.1	82.2	62.3	55.5	89.0	11.0	651260
		96.1	79.6	57.3	50.0	86.9	13.1	2339085

Monitoring HIV/AIDS Indicator

Table 30a: Percentage of women aged 15-19 who know the main ways of preventing HIV transmission, Zambia, 1999

		Heard of AIDS	Have only one faithful uninfected sex partner	Using a condom every time	Abstaining from sex	Knows all three ways	Knows at least one way	Doesn't know any way	Number of women
									1.00
Wealth Index Quintiles	Poorest	93.1	72.6	60.3	73.5	41.8	89.1	10.9	98692
	Second	91.8	71.8	54.9	75.0	39.8	87.6	12.4	89745
	Middle	97.1	71.6	56.9	76.4	38.9	92.4	7.6	114753
	Fourth	96.8	75.9	64.2	84.9	49.2	95.4	4.6	123019
	Richest	96.4	83.3	62.6	83.2	51.2	94.9	5.1	130630
Province	Central	92.2	71.0	52.4	76.6	37.4	92.0	8.0	54289
	Copperbelt	97.1	80.5	60.9	80.8	45.5	95.9	4.1	85989
	Eastern	94.0	61.0	53.3	71.9	33.5	86.4	13.6	84680
	Luapula	95.9	74.1	58.6	75.1	37.9	94.9	5.1	48702
	Lusaka	95.4	82.7	66.2	86.9	56.8	93.9	6.1	68586
	Northern	92.6	66.1	46.9	71.8	28.7	85.5	14.5	79139
	North-western	99.0	83.7	71.5	84.2	57.2	96.1	3.9	34333
	Southern	96.6	86.9	72.1	86.4	60.3	96.3	3.7	60265
Rural/Urban	Western	97.8	85.1	73.5	85.2	61.6	95.6	4.4	41104
	Rural	94.6	71.8	57.5	75.8	40.7	89.8	10.2	329356
	Urban	96.4	80.9	64.1	84.0	50.6	95.9	4.1	227732
	Age Group	15-19	95.3	75.5	60.2	79.2	44.8	92.3	7.7
Education	None	94.0	76.2	58.3	78.9	43.6	92.0	8.0	167908
	Primary	94.9	72.5	58.6	78.1	42.2	91.4	8.6	248701
	Secondary +	97.6	79.8	65.1	81.4	50.7	94.3	5.7	140479
Total		95.3	75.5	60.2	79.2	44.8	92.3	7.7	557088

Monitoring HIV/AIDS Indicator

Table 31: Percentage of women aged 15-49 who correctly identify misconceptions about HIV/AIDS, Zambia, 2000

		Heard of AIDS	AIDS can't be transmitted by supernatural means	AIDS can't be transmitted by mosquito bites	A healthy looking person can be infected	Knows all three misconceptions	Knows at least one misconception	Doesn't correctly identify any misconception	Number of women 1.00
Wealth Index Quintiles	Poorest	95.6	57.8	55.8	69.7	30.7	88.2	11.8	428578
	Second	94.7	61.5	56.6	72.9	33.2	89.6	10.4	408814
	Middle	97.3	67.7	62.4	71.5	36.9	92.2	7.8	432163
	Fourth	96.2	70.0	63.1	81.2	42.5	94.0	6.0	514653
	Richest	96.7	75.2	71.4	86.2	55.0	94.9	5.1	553325
Province	Central	95.5	67.4	62.1	80.2	44.6	91.7	8.3	229739
	Copperbelt	97.2	71.6	68.2	86.7	48.7	95.5	4.5	378648
	Eastern	95.7	68.3	60.4	68.8	36.5	89.9	10.1	339372
	Luapula	98.2	63.8	59.6	71.8	32.2	91.8	8.2	180204
	Lusaka	95.4	68.4	62.8	83.6	45.4	93.0	7.0	349666
	Northern	93.9	63.2	60.6	64.3	30.6	89.5	10.5	295295
	North-western	98.5	60.9	66.2	68.7	36.5	90.0	10.0	125886
	Southern	95.8	71.5	61.0	83.5	45.2	93.4	6.6	269762
	Western	97.7	59.3	59.2	77.7	38.0	91.5	8.5	170512
Rural/Urban	Rural	95.8	64.2	59.0	72.3	35.0	90.6	9.4	1367734
	Urban	96.6	71.2	67.3	83.7	48.6	94.1	5.9	971351
Age Group	15-19	95.3	67.4	61.9	73.8	39.4	91.0	9.0	557088
	20-24	96.1	68.8	63.2	77.1	41.5	92.5	7.5	498116
	25-29	95.7	64.8	62.3	79.2	40.4	92.7	7.3	431416
	30-34	95.7	66.5	63.3	77.3	41.6	92.1	7.9	286788
	35-39	97.7	66.0	62.7	81.1	41.3	93.8	6.2	260340
	40-44	97.8	71.4	64.0	76.7	43.4	91.8	8.2	182665
	45-49	97.2	64.1	57.5	75.5	35.6	90.2	9.8	122673
Education	None	95.4	61.3	57.5	70.2	32.8	88.6	11.4	665354
	Primary	96.0	64.9	58.9	76.2	37.0	92.1	7.9	1022471
	Secondary +	97.1	76.5	73.1	85.4	54.3	95.6	4.4	651260
Total		96.1	67.1	62.4	77.0	40.6	92.1	7.9	2339085

Monitoring HIV/AIDS Indicator

Table 32: Percentage of women aged 15-49 who correctly identify means of HIV transmission from mother to child, Zambia, 1999

		Transmission during pregnancy/delivery possible	Transmission through breastmilk possible	Knows two	Did not know any specific way	Number of women 1.00
Wealth Index Quintiles	Poorest	80.3	72.3	66.3	13.6	428578
	Second	84.3	73.7	70.2	12.2	408814
	Middle	86.2	77.7	73.3	9.5	432163
	Fourth	84.4	72.1	69.7	13.1	514653
	Richest	84.0	66.8	64.1	13.3	553325
Province	Central	84.2	72.6	69.4	12.6	229739
	Copperbelt	84.5	68.3	66.0	13.1	378648
	Eastern	83.9	76.8	73.9	13.2	339372
	Luapula	88.3	78.3	73.8	7.3	180204
	Lusaka	80.4	68.0	66.4	18.0	349666
	Northern	81.2	67.0	62.3	14.1	295295
	North-western	81.4	76.0	70.6	13.2	125886
	Southern	85.2	73.0	67.1	8.9	269762
Rural/Urban	Western	89.0	78.3	72.5	5.2	170512
	Rural	84.0	74.1	69.7	11.6	1367734
Age Group	Urban	83.8	69.5	66.8	13.6	971351
	15-19	77.9	67.5	62.3	17.0	557088
	20-24	85.5	73.9	70.0	10.7	498116
	25-29	85.1	71.8	69.0	12.1	431416
	30-34	87.1	76.4	73.1	9.6	286788
	35-39	86.8	73.9	70.5	9.9	260340
	40-44	85.1	72.9	70.0	12.0	182665
Education	45-49	85.4	73.8	71.8	12.6	122673
	None	81.7	73.5	68.9	13.8	665354
	Primary	83.7	72.8	68.8	12.3	1022471
	Secondary +	86.4	70.0	67.6	11.3	651260
Total		83.9	72.2	68.5	12.4	2339085

Monitoring HIV/AIDS Indicator

Table 33: Percentage of women aged 15-49 who express a discriminatory attitude towards people with HIV/AIDS, Zambia, 1999

		Believe that a teacher with HIV should not be allowed to work	Would not buy food from a person with HIV/AIDS	Agree with at least one discriminatory statement	Agree with neither discriminatory statement	Number of women 1.00
Wealth Index Quintiles	Poorest	36.5	69.8	75.8	24.2	428578
	Second	35.5	69.6	75.3	24.7	408814
	Middle	35.7	64.0	72.6	27.4	432163
	Fourth	29.4	55.4	62.2	37.8	514653
	Richest	20.1	46.4	52.2	47.8	553325
Province	Central	31.4	64.2	69.0	31.0	229739
	Copperbelt	25.4	48.7	56.2	43.8	378648
	Eastern	37.0	67.2	73.8	26.2	339372
	Luapula	33.1	58.4	67.5	32.5	180204
	Lusaka	24.0	48.3	53.8	46.2	349666
	Northern	32.2	67.3	74.3	25.7	295295
	North-western	38.9	73.7	80.4	19.6	125886
Rural/Urban	Southern	28.8	60.6	66.5	33.5	269762
	Western	34.8	66.9	73.1	26.9	170512
	Rural	35.3	65.9	72.8	27.2	1367734
	Urban	24.4	51.7	57.7	42.3	971351
	Age Group	15-19	30.5	58.8	66.0	34.0
20-24		29.0	59.2	66.1	33.9	498116
25-29		32.7	59.8	65.9	34.1	431416
30-34		31.2	60.6	67.9	32.1	286788
35-39		29.7	61.4	66.4	33.6	260340
40-44		31.1	63.1	68.5	31.5	182665
45-49		32.8	60.7	67.0	33.0	122673
Education	None	36.0	67.8	74.2	25.8	665354
	Primary	33.8	63.4	70.6	29.4	1022471
	Secondary +	20.6	46.6	52.4	47.6	651260
Total		30.7	60.0	66.5	33.5	2339085

Monitoring HIV/AIDS Indicator

Table 34: Percentage of women aged 15-49 who have sufficient knowledge of HIV/AIDS transmission, Zambia, 1999

		Heard of AIDS	Know 3 ways to prevent HIV transmission	Correctly identify 3 misconceptions about HIV transmission	Have sufficient knowledge	Number of women
						1.00
Wealth Index Quintiles	Poorest	95.6	42.5	30.7	16.6	428578
	Second	94.7	39.9	33.2	16.0	408814
	Middle	97.3	36.8	36.9	17.7	432163
	Fourth	96.2	47.0	42.5	24.3	514653
	Richest	96.7	48.7	55.0	30.1	553325
Province	Central	95.5	37.0	44.6	23.4	229739
	Copperbelt	97.2	46.9	48.7	25.8	378648
	Eastern	95.7	31.0	36.5	16.1	339372
	Luapula	98.2	36.6	32.2	13.1	180204
	Lusaka	95.4	50.8	45.4	26.2	349666
	Northern	93.9	27.4	30.6	11.6	295295
	North-western	98.5	51.4	36.5	22.6	125886
	Southern	95.8	59.8	45.2	30.7	269762
	Western	97.7	57.4	38.0	22.0	170512
Rural/Urban	Rural	95.8	40.1	35.0	17.6	1367734
	Urban	96.6	48.2	48.6	27.2	971351
Age Group	15-19	95.3	44.8	39.4	22.6	557088
	20-24	96.1	43.9	41.5	22.3	498116
	25-29	95.7	44.0	40.4	21.1	431416
	30-34	95.7	43.8	41.6	22.6	286788
	35-39	97.7	45.6	41.3	21.5	260340
	40-44	97.8	40.6	43.4	19.9	182665
	45-49	97.2	32.9	35.6	16.2	122673
Education	None	95.4	41.9	32.8	17.9	665354
	Primary	96.0	41.7	37.0	19.4	1022471
	Secondary +	97.1	47.7	54.3	28.8	651260
Total		96.1	43.5	40.6	21.6	2339085

Monitoring HIV/AIDS Indicator

Table 35: Percentage of women aged 15-49 who know where to get an AIDS test and who have been tested, Zambia, 1999

		Know a place to get tested	Have been tested	If tested, have been told result	Number of women 1.00
Wealth Index Quintiles	Poorest	42.3	2.1	86.5	428578
	Second	50.9	4.0	67.4	408814
	Middle	54.6	3.4	76.1	432163
	Fourth	66.1	5.9	86.2	514653
	Richest	74.6	7.9	84.4	553325
Province	Central	61.5	4.7	88.4	229739
	Copperbelt	73.5	6.4	73.2	378648
	Eastern	44.2	2.7	86.3	339372
	Luapula	47.1	2.7	89.0	180204
	Lusaka	69.4	8.2	92.0	349666
	Northern	51.9	4.6	65.8	295295
	North-western	68.2	3.8	70.9	125886
	Southern	54.7	5.1	79.1	269762
Rural/Urban	Western	55.8	2.6	91.0	170512
	Rural	50.3	3.4	79.2	1367734
Age Group	Urban	71.2	6.9	83.1	971351
	15-19	54.5	2.5	77.0	557088
	20-24	59.7	4.7	80.6	498116
	25-29	62.3	6.9	84.4	431416
	30-34	62.2	6.0	85.2	286788
	35-39	60.8	5.6	74.3	260340
	40-44	55.0	5.2	89.0	182665
Education	45-49	59.1	4.2	75.4	122673
	None	47.0	3.0	82.2	665354
	Primary	55.3	3.9	79.7	1022471
Total	Secondary +	77.0	8.2	82.7	651260
		59.0	4.9	81.5	2339085

Monitoring HIV/AIDS Indicator

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Zambia, 1999

		Current method									
		No method	Female sterilization	Male sterilization	Pill	IUD	Injections	Implants	Condom	Female condom	Diaphragm/jelly
Wealth Index Quintiles	Poorest	85.7	.2	.2	6.8	.0	.5	.0	.6	.0	.1
	Second	82.9	.2	.0	8.2	.0	1.5	.0	1.2	.0	.0
	Middle	86.2	.4	.1	7.6	.0	1.0	.0	1.0	.0	.0
	Fourth	75.4	.2	.3	16.0	.3	3.7	.1	1.2	.1	.0
	Richest	63.0	.9	.4	22.1	2.0	5.1	.6	2.0	.1	.0
Province	Central	76.8	.9	.5	14.1	.5	1.4	.1	.5	.1	.0
	Copperbelt	62.9	.7	.6	20.4	1.3	5.6	.1	2.0	.1	.0
	Eastern	85.8	.0	.0	9.8	.0	1.2	.1	1.4	.0	.0
	Luapula	79.5	1.1	.0	9.1	.0	2.6	.0	.8	.0	.0
	Lusaka	71.2	.4	.0	18.1	1.8	4.7	.0	1.6	.1	.0
	Northern	80.3	.3	.0	11.0	.0	.8	.1	1.1	.1	.0
	North-western	93.9	.0	.3	2.6	.0	1.0	.0	1.3	.0	.0
Rural/Urban	Southern	81.4	.0	.3	9.1	.0	1.6	.8	.7	.0	.0
	Western	91.3	.3	.0	5.8	.1	.3	.0	.4	.0	.3
	Rural	84.8	.2	.1	8.1	.0	1.1	.0	1.0	.0	.0
	Urban	67.4	.6	.3	19.6	1.3	4.5	.4	1.6	.1	.0
	Age Group	15-19	87.0	.0	.0	7.8	.0	1.0	.0	.5	.0
20-24		78.3	.0	.2	12.5	.3	1.5	.0	2.0	.1	.1
25-29		73.7	.2	.2	16.7	.3	2.9	.2	1.7	.1	.0
30-34		73.0	1.0	.7	15.5	.8	3.0	.1	.9	.1	.0
35-39		75.6	.7	.1	12.4	.8	4.4	.5	.9	.0	.0
40-44		84.0	.4	.0	8.8	1.1	1.6	.1	.1	.0	.0
45-49		89.1	.7	.0	3.9	.4	1.5	.0	1.1	.0	.0
Education	None	88.0	.0	.1	5.9	.2	1.0	.1	.5	.0	.0
	Primary	78.1	.4	.2	12.3	.4	2.2	.0	1.4	.0	.0
	Secondary +	67.3	.7	.4	20.0	1.1	4.6	.5	1.7	.2	.1
Total		78.0	.4	.2	12.6	.5	2.5	.2	1.2	.0	.0

World Summit for Children Goal => Number 10

Table 36: Percentage of married or in union women aged 15-49 who are using (or whose partner is using) a contraceptive method, Zambia, 1999

		Current method				Total	Any modern method	Any traditional method	Any method	Number of currently married women
		LAM	Periodic abstinence	Withdrawal	Other					1.00
Wealth Index Quintiles	Poorest	1.2	2.8	.5	1.5	100.0	8.2	6.0	14.2	223264
	Second	1.1	3.3	.5	1.1	100.0	11.1	6.0	17.1	235832
	Middle	.9	1.4	.5	1.0	100.0	10.1	3.7	13.8	225280
	Fourth	1.1	1.3	.1	.3	100.0	21.8	2.8	24.6	261164
	Richest	.5	2.0	.4	.7	100.0	33.3	3.7	37.0	269345
Province	Central	2.7	1.7	.2	.5	100.0	18.2	5.0	23.2	110109
	Copperbelt	2.2	2.6	.5	.9	100.0	30.9	6.2	37.1	194849
	Eastern	.2	.8	.1	.7	100.0	12.4	1.8	14.2	187390
	Luapula	.7	3.4	1.3	1.4	100.0	13.7	6.8	20.5	92605
	Lusaka	.2	1.1	.3	.7	100.0	26.6	2.3	28.8	180515
	Northern	1.2	2.4	1.0	1.8	100.0	13.3	6.5	19.7	177695
	North-western	.0	.0	.0	.9	100.0	5.2	.9	6.1	55357
	Southern	.0	5.4	.2	.5	100.0	12.5	6.1	18.6	145876
Rural/Urban	Western	.9	.0	.0	.6	100.0	7.0	1.5	8.4	71013
	Rural	.9	2.2	.4	1.1	100.0	10.6	4.6	15.1	740954
	Urban	1.0	2.0	.4	.7	100.0	28.5	4.1	32.6	474456
Age Group	15-19	2.0	.7	.5	.4	100.0	9.4	3.6	13.0	99653
	20-24	1.4	2.6	.5	.6	100.0	16.6	5.1	21.7	251518
	25-29	.7	1.9	.4	1.1	100.0	22.2	4.1	26.3	274235
	30-34	1.2	1.9	.4	1.3	100.0	22.1	4.9	27.0	194788
	35-39	.6	3.0	.1	1.0	100.0	19.7	4.6	24.4	188760
	40-44	.1	1.7	.8	1.2	100.0	12.2	3.8	16.0	126668
	45-49	.2	2.3	.4	.5	100.0	7.5	3.4	10.9	79788
Education	None	.7	1.9	.5	1.2	100.0	7.7	4.2	12.0	314851
	Primary	1.2	2.4	.5	.9	100.0	16.9	5.0	21.9	597067
	Secondary +	.6	1.8	.3	.7	100.0	29.2	3.4	32.6	303492
Total		.9	2.1	.4	.9	100.0	17.6	4.4	22.0	1215410

World Summit for Children Goal => Number 10

Table 37: Percentage of mothers with a birth in the last 12 months protected against neonatal tetanus, Zambia, 1999

		Received at least 2 doses, last within 3 years	Received at least 3 doses, last within 10 years	Received at least 5 doses during lifetime	Protected against tetanus	Number of mothers 1.00
Wealth Index Quintiles	Poorest	55.2	.0	.9	56.1	81880
	Second	57.3	.0	1.8	59.1	73097
	Middle	49.2	.0	2.6	51.8	72414
	Fourth	66.3	.0	2.7	68.9	73842
	Richest	65.8	.0	1.2	67.1	62367
Province	Central	55.5	.0	2.7	58.2	28401
	Copperbelt	64.4	.0	3.1	67.5	45535
	Eastern	59.6	.0	1.1	60.6	63030
	Luapula	49.2	.0	3.8	53.1	33359
	Lusaka	69.2	.0	.3	69.6	48107
	Northern	63.8	.0	1.7	65.5	58820
	North-western	48.5	.0	1.1	49.7	16035
	Southern	49.5	.0	.3	49.7	46859
Rural/Urban	Western	50.5	.0	4.7	55.2	23511
	Rural	54.1	.0	1.7	55.8	246311
	Urban	67.8	.0	2.2	69.9	117347
Education	None	56.2	.0	2.3	58.5	94420
	Primary	56.1	.0	1.5	57.5	196746
	Secondary +	68.1	.0	2.3	70.4	72491
Total		58.5	.0	1.8	60.3	363657

World Summit for Children Goal => Number 22

Table 38: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel delivering antenatal care, Zambia, 1999

		Person delivering antenatal care						Total	Any skilled personnel	Number of women
		Doctor	Nurse/midwife	Clinic officer	Traditional birth attendant	Parent / Amis	No antenatal care received			1.00
Wealth Index Quintiles	Poorest	7.8	57.4	10.6	9.3	8.5	6.3	100.0	75.8	81880
	Second	5.7	63.8	8.4	7.2	6.1	8.7	100.0	77.9	73097
	Middle	3.6	64.8	11.2	4.0	6.0	10.4	100.0	79.6	72414
	Fourth	11.4	78.7	2.4	1.8	1.3	4.4	100.0	92.5	73842
	Richest	16.4	75.5	.0	.0	.1	8.0	100.0	91.8	62367
Province	Central	12.2	60.7	5.0	3.1	7.3	11.7	100.0	77.9	28401
	Copperbelt	10.9	77.9	1.4	.0	1.3	8.5	100.0	90.1	45535
	Eastern	4.7	71.6	5.5	8.8	5.1	4.3	100.0	81.8	63030
	Luapula	2.3	54.1	18.6	1.8	9.3	13.9	100.0	74.9	33359
	Lusaka	18.3	73.6	.9	.0	.0	7.2	100.0	92.8	48107
	Northern	2.0	67.0	10.6	3.6	8.2	8.7	100.0	79.6	58820
	North-western	4.3	65.3	10.9	10.3	4.8	4.4	100.0	80.5	16035
	Southern	12.5	68.3	1.1	11.5	2.8	3.7	100.0	81.9	46859
Rural/Urban	Western	12.9	53.9	17.4	4.2	3.6	8.0	100.0	84.2	23511
	Rural	6.6	62.0	9.9	7.0	6.5	8.0	100.0	78.5	246311
Education	Urban	13.1	79.4	.3	.0	.7	6.5	100.0	92.8	117347
	None	7.2	62.6	6.0	6.4	9.6	8.3	100.0	75.7	94420
	Primary	7.5	67.4	8.6	5.4	3.8	7.4	100.0	83.4	196746
Total	Secondary +	14.1	74.7	3.2	.6	.5	6.9	100.0	92.0	72491
		8.7	67.6	6.8	4.7	4.6	7.5	100.0	83.1	363657

World Summit for Children Goals => Numbers 9, 11

**Table 39: Percent distribution of women aged 15-49 with a birth in the last year by type of personnel assisting at delivery
Zambia, 1999**

		Person delivering antenatal care						Total	Any skilled personnel	Number of women
		Doctor	Nurse/midwife	Clinic officer	Traditional birth attendant	Parent / Amis	No assistance received			1.00
Wealth Index Quintiles	Poorest	1.8	22.1	1.5	15.8	52.2	6.7	100.0	25.4	81880
	Second	3.0	27.9	2.7	19.4	40.1	6.8	100.0	33.7	73097
	Middle	1.3	31.2	3.6	19.5	35.3	9.2	100.0	36.0	72414
	Fourth	7.4	54.3	.8	9.5	22.5	5.4	100.0	62.6	73842
	Richest	11.6	73.8	.6	.8	8.3	4.9	100.0	86.0	62367
Province	Central	8.0	32.0	.0	12.5	36.7	10.8	100.0	40.0	28401
	Copperbelt	8.4	57.6	1.2	10.6	14.6	7.5	100.0	67.3	45535
	Eastern	3.6	27.0	2.0	25.4	35.3	6.7	100.0	32.6	63030
	Luapula	1.6	23.7	6.5	23.6	36.1	8.6	100.0	31.7	33359
	Lusaka	11.5	68.8	.5	3.5	12.0	3.7	100.0	80.8	48107
	Northern	.5	39.8	.6	10.4	43.4	5.2	100.0	41.0	58820
	North-western	3.0	48.2	4.9	19.1	20.6	4.2	100.0	56.1	16035
	Southern	3.4	26.9	.0	7.7	55.4	6.6	100.0	30.3	46859
	Western	2.4	43.0	5.8	8.8	31.7	8.2	100.0	51.2	23511
Rural/Urban	Rural	2.4	28.0	2.5	18.4	41.4	7.3	100.0	32.9	246311
	Urban	9.7	66.8	.6	3.0	14.8	5.2	100.0	77.1	117347
Education	None	2.5	28.6	1.7	17.2	42.9	7.0	100.0	32.9	94420
	Primary	4.5	37.1	2.3	14.9	34.3	6.9	100.0	43.9	196746
	Secondary +	8.6	65.1	.8	4.5	15.6	5.4	100.0	74.5	72491
Total		4.8	40.5	1.9	13.4	32.8	6.6	100.0	47.1	363657

World Summit for Children Goal => Numbers 11

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Republique de Zambia, 1999

		Birth registered	DK if birth registered	Registration status						
				Costs too much	Must travel too far	Didn't know it should be registered	Late & didn't want to pay fine	Doesn't know where to register	Other	Reason DK or Missing
Wealth Index Quintiles	Poorest	4.6	.5	3.1	5.4	48.3	.1	33.0	2.2	7.8
	Second	8.0	.8	2.6	7.1	40.8	.6	36.7	3.6	8.5
	Middle	2.9	1.0	2.1	4.3	56.2	.8	29.6	3.2	3.8
	Fourth	13.9	1.4	4.1	4.2	35.6	.9	33.1	10.6	11.5
	Richest	19.3	1.0	5.7	4.7	35.2	1.8	18.6	13.9	20.0
Sex	Male	9.5	1.1	3.2	5.4	44.9	.8	31.1	4.8	9.8
	Female	9.6	.7	3.3	4.9	44.1	.7	31.4	6.9	8.7
Region	Central	7.1	.4	4.0	12.7	44.1	.8	21.5	4.8	12.1
	Copperbelt	16.5	1.5	2.5	2.2	58.0	1.5	19.8	8.4	7.7
	Eastern	6.5	1.3	1.6	2.9	40.3	.2	48.6	3.6	2.8
	Luapula	5.7	1.6	1.0	1.6	56.5	1.7	34.6	1.5	3.1
	Lusaka	16.8	1.2	10.0	4.5	9.7	1.1	42.2	18.2	14.2
	Northern	3.3	.5	1.6	7.0	46.2	.1	26.8	7.0	11.2
	North-Western	3.3	.1	3.4	2.7	54.9	1.0	28.1	3.7	6.2
	Southern	14.5	.9	1.5	4.7	54.6	.3	18.4	2.4	18.1
Area	Western	4.5	.3	7.5	8.0	38.9	1.1	37.8	2.2	4.5
	Rural	6.4	.6	2.4	6.1	47.3	.5	33.1	3.0	7.6
Age group	Urban	15.5	1.5	5.5	2.7	37.4	1.4	26.4	13.1	13.6
	< 6 months	.0	.0	.0	.0	.0	.0	.0	.0	.0
	6-11 months	9.8	.6	3.1	6.7	42.4	1.0	29.3	8.5	8.9
	12-23 months	9.9	1.0	1.0	4.5	49.6	.2	31.8	5.2	7.7
	24-35 months	11.0	.6	4.6	4.0	44.8	.7	31.9	5.0	8.9
	36-47 months	11.3	1.2	2.6	5.2	41.0	1.2	30.1	7.4	12.4
Mother's education level	48-59 months	12.2	1.9	5.1	7.0	43.2	.6	32.1	4.0	7.9
	None	4.7	1.8	3.4	4.2	43.4	.2	38.8	2.1	8.0
	Primary	9.0	.6	2.7	5.2	46.8	1.0	31.2	5.3	7.9
	Secondary +	16.1	.9	5.1	6.6	39.1	.8	21.6	11.9	15.0
Total		9.6	.9	3.3	5.2	44.5	.7	31.3	5.8	9.2

Monitoring Children's Rights Indicator

Table 40: Percent distribution of children aged 0-59 months by whether birth is registered and reasons for non-registration, Republique de Zambia, 1999

		Total	Number of children
Wealth Index Quintiles	Poorest	100.0	323044
	Second	100.0	313131
	Middle	100.0	312012
	Fourth	100.0	328185
	Richest	100.0	286903
Sex	Male	100.0	810687
	Female	100.0	754322
Region	Central	100.0	169047
	Copperbelt	100.0	217924
	Eastern	100.0	239308
	Luapula	100.0	132813
	Lusaka	100.0	204312
	Northern	100.0	213643
	North-Western	100.0	76603
	Southern	100.0	205366
	Western	100.0	104259
Area	Rural	100.0	1025635
	Urban	100.0	539374
Age group	< 6 months	.0	190518
	6-11 months	100.0	160685
	12-23 months	100.0	327497
	24-35 months	100.0	334008
	36-47 months	100.0	286571
	48-59 months	100.0	265732
Mother's education level	None	100.0	359438
	Primary	100.0	863921
	Secondary +	100.0	341651
Total		100.0	1565010

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Zambia, 1999

		Living arrangement							
		Living with both parents	Living with neither: only father alive	Living with neither: only mother alive	Living with neither: both are alive	Living with neither: both are dead	Living with mother only: father alive	Living with mother only: father dead	Living with father only: mother alive
Wealth Index Quintiles	Poorest	56.8	1.8	1.4	4.6	1.5	15.5	5.3	2.2
	Second	64.0	1.0	1.4	4.0	2.4	10.8	4.4	1.6
	Middle	63.2	1.4	2.2	5.7	1.8	10.4	5.6	1.1
	Fourth	64.0	1.2	1.9	5.5	2.2	8.9	7.3	1.8
	Richest	68.7	.9	2.2	4.7	3.2	7.1	4.6	2.0
SEX	Male	63.7	1.3	1.9	4.7	2.0	10.6	5.5	1.9
	Female	63.4	1.2	1.8	5.2	2.4	10.1	5.4	1.6
Province	Central	62.3	1.0	1.1	5.4	2.1	7.3	4.6	2.1
	Copperbelt	70.5	1.0	2.1	4.6	2.6	9.4	6.2	1.3
	Eastern	58.3	2.1	1.0	4.4	2.2	14.8	6.0	1.1
	Luapula	61.7	2.1	2.1	4.6	2.6	12.3	7.2	.7
	Lusaka	64.6	.9	2.2	4.6	2.9	6.7	6.7	1.5
	Northern	73.5	1.4	1.8	3.9	1.8	10.2	4.8	.7
	North-western	54.8	1.0	1.2	5.3	.8	10.6	2.7	2.1
	Southern	60.9	1.1	2.3	6.0	2.2	10.1	4.4	2.9
	Western	50.5	.8	2.8	6.8	2.0	15.8	4.9	4.2
Rural/Urban	Rural	61.7	1.4	1.7	5.1	1.9	11.4	4.9	1.8
	Urban	66.5	1.0	2.1	4.7	2.8	8.7	6.4	1.7
Age	0-4 years	70.6	.4	.4	2.1	.3	14.0	3.3	.7
	5-9 years	63.1	1.4	2.1	5.4	2.2	9.2	6.0	2.1
	10-14 years	56.4	1.9	3.1	7.5	4.4	7.7	7.3	2.4
Total		63.5	1.2	1.9	4.9	2.2	10.4	5.5	1.7

Monitoring Children's Rights Indicator

Table 41: Percentage of children 0-14 years of age in households not living with a biological parent, Zambia, 1999

		Living arrangement		Total	One parent dead status of second parent not known	Not living with a biological parent	One or both parents dead	One or both parents dead NEW	Number of children
		Living with father only: mother dead	Impossible to determine						
Wealth Index Quintiles	Poorest	.8	10.1	100.0	.1	9.3	10.8	10.8	878337
	Second	.7	9.9	100.0	.2	8.7	9.8	9.9	844473
	Middle	.5	8.0	100.0	.2	11.2	11.5	11.7	891177
	Fourth	.7	6.5	100.0	.2	10.8	13.3	13.5	1032947
	Richest	1.6	5.0	100.0	.1	11.1	12.6	12.6	1033717
SEX	Male	1.0	7.4	100.0	.1	9.9	11.8	11.9	2361230
	Female	.8	8.1	100.0	.2	10.6	11.6	11.7	2321011
Province	Central	1.3	12.8	100.0	.2	9.6	10.1	10.3	486227
	Copperbelt	.8	1.4	100.0	.0	10.4	12.7	12.8	835202
	Eastern	.7	9.4	100.0	.3	9.7	12.0	12.3	599453
	Luapula	.1	6.6	100.0	.4	11.3	14.1	14.5	321381
	Lusaka	1.4	8.7	100.0	.1	10.5	14.0	14.1	677051
	Northern	.5	1.6	100.0	.2	8.7	10.1	10.3	582369
	North-western	1.0	20.4	100.0	.0	8.3	6.8	6.8	245842
	Southern	.9	9.3	100.0	.0	11.5	10.8	10.8	613900
	Western	1.1	11.1	100.0	.0	12.3	11.6	11.6	320814
Rural/Urban	Rural	.6	9.6	100.0	.2	10.0	10.4	10.6	2874546
	Urban	1.3	4.8	100.0	.1	10.7	13.6	13.7	1807695
Age	0-4 years	.3	7.9	100.0	.1	3.2	4.7	4.8	1568809
	5-9 years	.9	7.5	100.0	.2	11.2	12.6	12.8	1682970
	10-14 years	1.5	7.8	100.0	.1	17.0	18.2	18.4	1430462
Total		.9	7.7	100.0	.1	10.3	11.7	11.8	4682241

Monitoring Children's Rights Indicator